



# Full wwPDB X-ray Structure Validation Report ⓘ

Sep 3, 2023 – 03:27 PM EDT

PDB ID : 3T88  
Title : Crystal structure of Escherichia coli MenB in complex with substrate analogue, OSB-NCoA  
Authors : Li, H.-J.; Li, X.; Liu, N.; Zhang, H.; Truglio, J.; Mishra, S.; Kisker, C.; Garcia-Diaz, M.; Tonge, P.  
Deposited on : 2011-08-01  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*





The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	289	
1	B	289	
1	C	289	
1	D	289	

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	E	289	 % 91% 6% •
1	F	289	 % 91% 6% •

## 2 Entry composition

There are 6 unique types of molecules in this entry. The entry contains 14295 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 1,4-Dihydroxy-2-naphthoyl-CoA synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	281	2171	1357	389	406	19	0	1	0
1	B	281	2167	1356	388	404	19	0	2	0
1	C	281	2174	1362	389	404	19	0	3	0
1	D	281	2175	1365	390	401	19	0	3	0
1	E	281	2157	1350	386	402	19	0	1	0
1	F	281	2160	1354	386	401	19	0	2	0

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-3	GLY	-	expression tag	UNP P0ABU0
A	-2	SER	-	expression tag	UNP P0ABU0
A	-1	HIS	-	expression tag	UNP P0ABU0
A	0	MET	-	expression tag	UNP P0ABU0
B	-3	GLY	-	expression tag	UNP P0ABU0
B	-2	SER	-	expression tag	UNP P0ABU0
B	-1	HIS	-	expression tag	UNP P0ABU0
B	0	MET	-	expression tag	UNP P0ABU0
C	-3	GLY	-	expression tag	UNP P0ABU0
C	-2	SER	-	expression tag	UNP P0ABU0
C	-1	HIS	-	expression tag	UNP P0ABU0
C	0	MET	-	expression tag	UNP P0ABU0
D	-3	GLY	-	expression tag	UNP P0ABU0
D	-2	SER	-	expression tag	UNP P0ABU0
D	-1	HIS	-	expression tag	UNP P0ABU0
D	0	MET	-	expression tag	UNP P0ABU0
E	-3	GLY	-	expression tag	UNP P0ABU0

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	-2	SER	-	expression tag	UNP P0ABU0
E	-1	HIS	-	expression tag	UNP P0ABU0
E	0	MET	-	expression tag	UNP P0ABU0
F	-3	GLY	-	expression tag	UNP P0ABU0
F	-2	SER	-	expression tag	UNP P0ABU0
F	-1	HIS	-	expression tag	UNP P0ABU0
F	0	MET	-	expression tag	UNP P0ABU0

- Molecule 2 is o-succinylbenzoyl-N-coenzyme A (three-letter code: S0N) (formula:  $C_{32}H_{45}N_8O_{20}P_3$ ).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	Total 63	C 32	N 8	O 20	P 3	0	0
2	B	1	Total 63	C 32	N 8	O 20	P 3	0	0
2	C	1	Total 63	C 32	N 8	O 20	P 3	0	0
2	D	1	Total 63	C 32	N 8	O 20	P 3	0	0
2	E	1	Total 63	C 32	N 8	O 20	P 3	0	0
2	F	1	Total 63	C 32	N 8	O 20	P 3	0	0

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Cl 1 1	0	0
3	B	1	Total Cl 1 1	0	0
3	C	1	Total Cl 1 1	0	0
3	D	1	Total Cl 1 1	0	0
3	E	1	Total Cl 1 1	0	0
3	F	1	Total Cl 1 1	0	0

- Molecule 4 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: C<sub>6</sub>H<sub>14</sub>O<sub>4</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 10 6 4	0	0
4	B	1	Total C O 10 6 4	0	0
4	C	1	Total C O 10 6 4	0	0
4	D	1	Total C O 10 6 4	0	0
4	E	1	Total C O 10 6 4	0	0
4	F	1	Total C O 10 6 4	0	0

- Molecule 5 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 6 3 3	0	0
5	B	1	Total C O 6 3 3	0	0
5	C	1	Total C O 6 3 3	0	0
5	D	1	Total C O 6 3 3	0	0
5	E	1	Total C O 6 3 3	0	0
5	F	1	Total C O 6 3 3	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	135	Total O 135 135	0	0
6	B	137	Total O 137 137	0	0
6	C	133	Total O 133 133	0	0
6	D	150	Total O 150 150	0	0
6	E	130	Total O 130 130	0	0

*Continued on next page...*

*Continued from previous page...*


<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>		<b>ZeroOcc</b>	<b>AltConf</b>
6	F	126	Total 126	O 126	0	0




### 3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 1,4-Dihydroxy-2-naphthoyl-CoA synthase




- Molecule 1: 1,4-Dihydroxy-2-naphthoyl-CoA synthase




- Molecule 1: 1,4-Dihydroxy-2-naphthoyl-CoA synthase




- Molecule 1: 1,4-Dihydroxy-2-naphthoyl-CoA synthase



- Molecule 1: 1,4-Dihydroxy-2-naphthoyl-CoA synthase



- Molecule 1: 1,4-Dihydroxy-2-naphthoyl-CoA synthase

Chain F:  % 91% 6%



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	140.49Å 141.79Å 89.12Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	44.80 – 2.00 44.80 – 2.00	Depositor EDS
% Data completeness (in resolution range)	99.6 (44.80-2.00) 99.6 (44.80-2.00)	Depositor EDS
$R_{merge}$	0.16	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.65 (at 2.00Å)	Xtrriage
Refinement program	PHENIX	Depositor
R, $R_{free}$	0.155 , 0.195 0.153 , 0.192	Depositor DCC
$R_{free}$ test set	6053 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	21.4	Xtrriage
Anisotropy	0.446	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 50.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.014 for k,h,-l	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	14295	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	22.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.69% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CL, GOL, S0N, PGE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.36	0/2216	0.50	0/2988
1	B	0.36	0/2215	0.53	0/2988
1	C	0.36	0/2225	0.52	0/3001
1	D	0.37	0/2226	0.54	0/3002
1	E	0.35	0/2202	0.51	0/2970
1	F	0.34	0/2208	0.50	0/2980
All	All	0.36	0/13292	0.52	0/17929

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2171	0	2108	11	0
1	B	2167	0	2104	6	0
1	C	2174	0	2122	6	0
1	D	2175	0	2120	15	0
1	E	2157	0	2087	11	0
1	F	2160	0	2088	10	0
2	A	63	0	40	5	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	63	0	40	2	0
2	C	63	0	40	2	0
2	D	63	0	40	4	0
2	E	63	0	40	3	0
2	F	63	0	40	3	0
3	A	1	0	0	1	0
3	B	1	0	0	1	0
3	C	1	0	0	1	0
3	D	1	0	0	1	0
3	E	1	0	0	1	0
3	F	1	0	0	1	0
4	A	10	0	14	3	0
4	B	10	0	14	1	0
4	C	10	0	14	0	0
4	D	10	0	14	0	0
4	E	10	0	14	0	0
4	F	10	0	14	1	0
5	A	6	0	8	1	0
5	B	6	0	8	0	0
5	C	6	0	8	0	0
5	D	6	0	8	0	0
5	E	6	0	8	0	0
5	F	6	0	8	0	0
6	A	135	0	0	0	0
6	B	137	0	0	1	0
6	C	133	0	0	1	0
6	D	150	0	0	0	0
6	E	130	0	0	1	0
6	F	126	0	0	0	0
All	All	14295	0	13001	68	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (68) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:205:VAL:HG11	1:F:213:GLU:HG3	1.66	0.76
5:A:303:GOL:H31	1:C:188:ARG:HH22	1.63	0.64
1:A:54:LYS:HD2	4:A:302:PGE:H4	1.81	0.62
2:E:700:S0N:H51	2:E:700:S0N:O62	2.00	0.61

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:132:GLY:HA3	2:D:600:S0N:H47A	1.83	0.61
1:D:132:GLY:HA2	3:D:601:CL:CL	2.39	0.60
2:A:300:S0N:H51	2:A:300:S0N:O62	2.02	0.59
1:D:89:LYS:HE2	2:D:600:S0N:N26	2.18	0.57
1:A:132:GLY:HA2	3:A:301:CL:CL	2.41	0.57
1:A:54:LYS:HD2	4:A:302:PGE:H52	1.87	0.56
1:D:157:PRO:HD2	1:D:187:CYS:SG	2.46	0.56
1:F:157:PRO:HD2	1:F:187:CYS:SG	2.46	0.56
2:B:400:S0N:H51	2:B:400:S0N:O63	2.06	0.55
1:E:157:PRO:HD2	1:E:187:CYS:SG	2.48	0.53
1:D:256:LEU:HA	1:D:259:MET:HE2	1.91	0.53
1:E:132:GLY:HA2	3:E:701:CL:CL	2.45	0.53
1:B:109:LEU:O	1:B:113[B]:ARG:HG3	2.09	0.53
1:C:132:GLY:HA2	3:C:501:CL:CL	2.47	0.52
1:F:132:GLY:HA2	3:F:801:CL:CL	2.46	0.52
2:F:800:S0N:H51	2:F:800:S0N:O62	2.10	0.52
1:A:89:LYS:HE2	2:A:300:S0N:N26	2.24	0.52
1:B:54:LYS:HD2	4:B:402:PGE:H42	1.92	0.52
1:E:276:PRO:HG3	6:E:378:HOH:O	2.10	0.51
1:A:10:TYR:CD1	1:A:212:LYS:HE2	2.45	0.51
1:E:219:ARG:O	1:E:223:GLN:HG2	2.11	0.51
2:C:500:S0N:C61	2:C:500:S0N:H52A	2.40	0.51
1:B:267:ARG:HD3	6:B:1256:HOH:O	2.09	0.51
1:D:155:THR:OG1	2:D:600:S0N:H47	2.11	0.51
2:C:500:S0N:H51	2:C:500:S0N:O63	2.12	0.50
1:B:132:GLY:HA2	3:B:401:CL:CL	2.49	0.48
1:A:105:HIS:CE1	4:A:302:PGE:H3	2.47	0.48
1:A:262:GLU:OE1	1:D:226:PRO:HD2	2.14	0.48
1:F:105:HIS:CE1	4:F:802:PGE:H4	2.50	0.47
1:D:179:LYS:HD2	1:D:179:LYS:HA	1.65	0.46
1:B:132:GLY:HA3	2:B:400:S0N:H47A	1.98	0.46
1:E:16:HIS:NE2	1:E:31:THR:HG22	2.31	0.45
1:A:157:PRO:HD2	1:A:187:CYS:SG	2.56	0.45
1:A:219:ARG:O	1:A:223:GLN:HG2	2.17	0.45
1:E:205:VAL:HG11	1:E:213:GLU:HG3	1.98	0.45
1:F:147:ALA:HB2	1:F:210:LEU:HD22	1.97	0.45
2:F:800:S0N:O62	2:F:800:S0N:C51	2.65	0.45
1:C:54:LYS:O	1:C:58:GLN:HG3	2.17	0.44
2:E:700:S0N:O62	2:E:700:S0N:C51	2.64	0.44
1:F:135:HIS:CD2	1:F:152:PHE:HB3	2.52	0.44
1:F:87:ASP:HA	2:F:800:S0N:N24	2.33	0.44

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:157:PRO:HD2	1:C:187:CYS:SG	2.58	0.44
1:E:202:ASN:ND2	1:F:182:GLU:HB2	2.33	0.43
1:A:277:ASP:O	1:A:280:LYS:HD3	2.18	0.43
1:C:8:MET:HE2	6:C:1549:HOH:O	2.17	0.43
2:D:600:S0N:O62	2:D:600:S0N:H51	2.17	0.43
1:D:205:VAL:HG11	1:D:213:GLU:HG3	2.01	0.43
1:D:256:LEU:HD23	1:D:259:MET:CE	2.48	0.42
1:E:40:ASN:C	1:E:42:PRO:HD3	2.40	0.42
1:B:219:ARG:O	1:B:223:GLN:HG2	2.19	0.42
1:C:93:ASP:OD1	1:D:267:ARG:NH2	2.32	0.42
2:A:300:S0N:H52A	2:A:300:S0N:C61	2.49	0.42
1:D:26[B]:ARG:HB2	1:D:38:THR:HB	2.00	0.42
1:D:219:ARG:O	1:D:223:GLN:HG2	2.20	0.42
1:A:135:HIS:NE2	1:A:200:LEU:HD21	2.36	0.41
1:E:10:TYR:CD1	1:E:212:LYS:HE2	2.55	0.41
2:A:300:S0N:O62	2:A:300:S0N:C51	2.67	0.41
2:A:300:S0N:C61	2:A:300:S0N:C52	2.99	0.41
1:F:16:HIS:CE1	1:F:31:THR:CG2	3.03	0.41
1:F:282:LYS:HB2	1:F:282:LYS:HE2	1.81	0.41
1:D:9:LEU:HB3	1:D:216:ARG:HG3	2.02	0.40
1:D:136:VAL:O	1:D:140:MET:HG2	2.22	0.40
1:E:41:ARG:N	1:E:42:PRO:HD3	2.37	0.40
1:E:44:VAL:HA	2:E:700:S0N:O16	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	280/289 (97%)	276 (99%)	4 (1%)	0	100 100
1	B	281/289 (97%)	277 (99%)	4 (1%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	C	282/289 (98%)	278 (99%)	4 (1%)	0	100	100
1	D	282/289 (98%)	278 (99%)	4 (1%)	0	100	100
1	E	280/289 (97%)	274 (98%)	6 (2%)	0	100	100
1	F	281/289 (97%)	276 (98%)	5 (2%)	0	100	100
All	All	1686/1734 (97%)	1659 (98%)	27 (2%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	221/232 (95%)	219 (99%)	2 (1%)	78	83
1	B	220/232 (95%)	218 (99%)	2 (1%)	78	83
1	C	222/232 (96%)	221 (100%)	1 (0%)	88	92
1	D	219/232 (94%)	217 (99%)	2 (1%)	78	83
1	E	218/232 (94%)	216 (99%)	2 (1%)	78	83
1	F	217/232 (94%)	215 (99%)	2 (1%)	78	83
All	All	1317/1392 (95%)	1306 (99%)	11 (1%)	81	86

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	138	HIS
1	A	280	LYS
1	B	31	THR
1	B	138	HIS
1	C	138	HIS
1	D	138	HIS
1	D	280	LYS
1	E	31	THR
1	E	138	HIS

Continued on next page...



*Continued from previous page...*

Mol	Chain	Res	Type
1	F	44	VAL
1	F	138	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	58	GLN
1	C	223	GLN
1	F	16	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 24 ligands modelled in this entry, 6 are monoatomic - leaving 18 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
4	PGE	B	402	-	9,9,9	0.43	0	8,8,8	0.28	0
5	GOL	B	403	-	5,5,5	0.39	0	5,5,5	0.32	0
2	S0N	B	400	-	58,66,66	2.21	16 (27%)	74,97,97	1.73	14 (18%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	GOL	E	703	-	5,5,5	0.23	0	5,5,5	0.51	0
2	S0N	F	800	-	58,66,66	2.24	13 (22%)	74,97,97	1.81	9 (12%)
2	S0N	A	300	-	58,66,66	2.42	14 (24%)	74,97,97	1.94	10 (13%)
4	PGE	D	602	-	9,9,9	0.45	0	8,8,8	0.31	0
5	GOL	C	503	-	5,5,5	0.29	0	5,5,5	0.35	0
5	GOL	D	603	-	5,5,5	0.33	0	5,5,5	0.31	0
2	S0N	C	500	-	58,66,66	2.29	16 (27%)	74,97,97	2.10	8 (10%)
4	PGE	E	702	-	9,9,9	0.45	0	8,8,8	0.46	0
4	PGE	F	802	-	9,9,9	0.48	0	8,8,8	0.35	0
5	GOL	A	303	-	5,5,5	0.25	0	5,5,5	0.61	0
2	S0N	E	700	-	58,66,66	2.19	16 (27%)	74,97,97	1.86	9 (12%)
4	PGE	A	302	-	9,9,9	0.42	0	8,8,8	0.38	0
5	GOL	F	803	-	5,5,5	0.26	0	5,5,5	0.56	0
4	PGE	C	502	-	9,9,9	0.45	0	8,8,8	0.23	0
2	S0N	D	600	-	58,66,66	2.35	13 (22%)	74,97,97	1.88	11 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PGE	B	402	-	-	5/7/7/7	-
5	GOL	B	403	-	-	1/4/4/4	-
2	S0N	B	400	-	-	9/60/80/80	0/4/4/4
5	GOL	E	703	-	-	2/4/4/4	-
2	S0N	F	800	-	-	14/60/80/80	0/4/4/4
2	S0N	A	300	-	-	14/60/80/80	0/4/4/4
4	PGE	D	602	-	-	1/7/7/7	-
5	GOL	C	503	-	-	0/4/4/4	-
5	GOL	D	603	-	-	0/4/4/4	-
2	S0N	C	500	-	-	10/60/80/80	0/4/4/4
4	PGE	E	702	-	-	5/7/7/7	-
4	PGE	F	802	-	-	1/7/7/7	-
5	GOL	A	303	-	-	4/4/4/4	-
2	S0N	E	700	-	-	12/60/80/80	0/4/4/4
4	PGE	A	302	-	-	6/7/7/7	-
5	GOL	F	803	-	-	0/4/4/4	-
4	PGE	C	502	-	-	1/7/7/7	-

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	S0N	D	600	-	-	15/60/80/80	0/4/4/4

All (88) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	300	S0N	C49-N48	6.90	1.49	1.33
2	A	300	S0N	C43-N45	6.77	1.48	1.33
2	A	300	S0N	C25-N26	6.74	1.43	1.32
2	F	800	S0N	C25-N26	6.70	1.42	1.32
2	E	700	S0N	C25-N26	6.68	1.42	1.32
2	D	600	S0N	C43-N45	6.67	1.48	1.33
2	D	600	S0N	C38-N40	6.61	1.48	1.33
2	B	400	S0N	C25-N26	6.57	1.42	1.32
2	C	500	S0N	C25-N26	6.56	1.42	1.32
2	D	600	S0N	C25-N26	6.54	1.42	1.32
2	B	400	S0N	C43-N45	6.14	1.47	1.33
2	F	800	S0N	C49-N48	5.96	1.46	1.33
2	C	500	S0N	C43-N45	5.90	1.46	1.33
2	E	700	S0N	C38-N40	5.75	1.46	1.33
2	A	300	S0N	C38-N40	5.72	1.46	1.33
2	C	500	S0N	C38-N40	5.71	1.46	1.33
2	C	500	S0N	C49-N48	5.68	1.46	1.33
2	F	800	S0N	C43-N45	5.43	1.45	1.33
2	D	600	S0N	C49-N48	5.08	1.44	1.33
2	D	600	S0N	C52-C53	5.07	1.58	1.51
2	E	700	S0N	O16-C17	5.02	1.48	1.41
2	E	700	S0N	C49-N48	4.93	1.44	1.33
2	A	300	S0N	O16-C17	4.88	1.47	1.41
2	C	500	S0N	O16-C17	4.79	1.47	1.41
2	F	800	S0N	O16-C17	4.78	1.47	1.41
2	F	800	S0N	C52-C53	4.69	1.58	1.51
2	B	400	S0N	C49-N48	4.60	1.43	1.33
2	A	300	S0N	C52-C53	4.59	1.57	1.51
2	B	400	S0N	O16-C17	4.55	1.47	1.41
2	D	600	S0N	O16-C17	4.46	1.47	1.41
2	B	400	S0N	C52-C53	4.40	1.57	1.51
2	E	700	S0N	C43-N45	4.24	1.43	1.33
2	E	700	S0N	C52-C53	4.14	1.57	1.51
2	C	500	S0N	C52-C53	4.13	1.57	1.51
2	F	800	S0N	C38-N40	4.10	1.42	1.33
2	B	400	S0N	C38-N40	3.75	1.41	1.33
2	B	400	S0N	C60-C55	3.59	1.46	1.40

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	800	S0N	C55-C53	3.49	1.55	1.48
2	E	700	S0N	C22-N23	3.48	1.46	1.34
2	F	800	S0N	C22-N23	3.41	1.46	1.34
2	B	400	S0N	C19-N20	3.40	1.40	1.34
2	E	700	S0N	C60-C55	3.40	1.46	1.40
2	A	300	S0N	C19-N20	3.39	1.40	1.34
2	B	400	S0N	C22-N23	3.39	1.46	1.34
2	F	800	S0N	C19-N20	3.38	1.40	1.34
2	A	300	S0N	C22-N23	3.37	1.46	1.34
2	C	500	S0N	C19-N20	3.37	1.40	1.34
2	A	300	S0N	C60-C55	3.33	1.46	1.40
2	D	600	S0N	C19-N20	3.31	1.40	1.34
2	C	500	S0N	C22-N23	3.30	1.46	1.34
2	C	500	S0N	C51-C49	3.27	1.57	1.51
2	D	600	S0N	C60-C55	3.26	1.46	1.40
2	D	600	S0N	C22-N23	3.24	1.45	1.34
2	E	700	S0N	C42-C43	3.10	1.57	1.51
2	D	600	S0N	C55-C53	3.06	1.54	1.48
2	C	500	S0N	C60-C55	3.04	1.45	1.40
2	E	700	S0N	C19-N20	3.03	1.40	1.34
2	D	600	S0N	C51-C49	2.98	1.57	1.51
2	F	800	S0N	C60-C55	2.96	1.45	1.40
2	A	300	S0N	C55-C53	2.92	1.54	1.48
2	A	300	S0N	C58-C57	2.87	1.45	1.38
2	C	500	S0N	C58-C57	2.86	1.45	1.38
2	F	800	S0N	C58-C57	2.80	1.45	1.38
2	C	500	S0N	C42-C43	2.77	1.56	1.51
2	E	700	S0N	C58-C57	2.75	1.45	1.38
2	B	400	S0N	C42-C43	2.72	1.56	1.51
2	B	400	S0N	C58-C57	2.69	1.45	1.38
2	D	600	S0N	C58-C57	2.69	1.45	1.38
2	B	400	S0N	C51-C49	2.60	1.56	1.51
2	D	600	S0N	O39-C38	-2.58	1.18	1.23
2	B	400	S0N	C55-C53	2.54	1.53	1.48
2	A	300	S0N	C41-C42	2.53	1.59	1.51
2	E	700	S0N	C52-C51	2.49	1.59	1.52
2	B	400	S0N	P32-O31	2.36	1.63	1.59
2	B	400	S0N	O39-C38	-2.32	1.18	1.23
2	A	300	S0N	O29-C28	2.24	1.48	1.43
2	A	300	S0N	O39-C38	-2.23	1.19	1.23
2	B	400	S0N	C60-C61	2.20	1.54	1.49
2	C	500	S0N	O39-C38	-2.16	1.19	1.23

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	500	S0N	C56-C55	2.13	1.43	1.39
2	E	700	S0N	C58-C59	2.10	1.43	1.38
2	F	800	S0N	O29-C28	2.07	1.47	1.43
2	F	800	S0N	O39-C38	-2.06	1.19	1.23
2	E	700	S0N	O50-C49	-2.04	1.19	1.23
2	C	500	S0N	C58-C59	2.02	1.43	1.38
2	E	700	S0N	O29-C28	2.02	1.47	1.43
2	E	700	S0N	O39-C38	-2.01	1.19	1.23
2	C	500	S0N	O50-C49	-2.00	1.19	1.23

All (61) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	500	S0N	C51-C52-C53	-10.16	100.47	112.76
2	A	300	S0N	C41-C42-C43	-10.07	95.58	112.36
2	C	500	S0N	C41-C42-C43	-9.12	97.17	112.36
2	E	700	S0N	C41-C42-C43	-8.67	97.91	112.36
2	F	800	S0N	C41-C42-C43	-8.26	98.60	112.36
2	D	600	S0N	C52-C51-C49	-7.08	100.13	112.56
2	D	600	S0N	C41-C42-C43	-6.78	101.06	112.36
2	B	400	S0N	C41-C42-C43	-6.33	101.81	112.36
2	D	600	S0N	N26-C25-N24	-5.96	119.36	128.68
2	C	500	S0N	N26-C25-N24	-5.90	119.46	128.68
2	F	800	S0N	N26-C25-N24	-5.63	119.88	128.68
2	E	700	S0N	N26-C25-N24	-5.58	119.95	128.68
2	F	800	S0N	O05-C04-C02	-5.54	101.64	110.55
2	B	400	S0N	N26-C25-N24	-5.43	120.18	128.68
2	A	300	S0N	N26-C25-N24	-5.41	120.23	128.68
2	C	500	S0N	C01-C02-C36	5.30	118.02	108.82
2	A	300	S0N	C52-C51-C49	-5.29	103.28	112.56
2	E	700	S0N	C52-C51-C49	-5.27	103.31	112.56
2	A	300	S0N	O05-C04-C02	-5.22	102.16	110.55
2	F	800	S0N	C52-C51-C49	-4.70	104.31	112.56
2	B	400	S0N	O05-C04-C02	-4.67	103.04	110.55
2	D	600	S0N	C01-C02-C36	4.45	116.53	108.82
2	E	700	S0N	C03-C02-C36	4.39	116.44	108.82
2	D	600	S0N	C46-C47-N48	-3.97	98.24	111.44
2	B	400	S0N	C52-C51-C49	-3.93	105.66	112.56
2	E	700	S0N	O34-P32-O31	3.61	122.15	105.99
2	D	600	S0N	C51-C52-C53	-3.49	108.53	112.76
2	F	800	S0N	C03-C02-C04	-3.26	102.92	108.23
2	C	500	S0N	O05-C04-C02	-3.24	105.34	110.55

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	700	S0N	C01-C02-C36	3.17	114.33	108.82
2	A	300	S0N	C01-C02-C36	3.17	114.32	108.82
2	D	600	S0N	P10-O09-P06	-3.16	121.99	132.83
2	B	400	S0N	C51-C52-C53	-3.06	109.05	112.76
2	D	600	S0N	O37-C36-C02	-3.00	103.19	110.25
2	B	400	S0N	C01-C02-C36	2.95	113.94	108.82
2	C	500	S0N	C52-C51-C49	-2.91	107.45	112.56
2	B	400	S0N	C47-C46-N45	-2.90	101.80	111.44
2	D	600	S0N	O05-C04-C02	-2.82	106.02	110.55
2	E	700	S0N	C46-C47-N48	-2.80	102.15	111.44
2	E	700	S0N	P10-O09-P06	-2.72	123.51	132.83
2	F	800	S0N	P10-O09-P06	-2.71	123.51	132.83
2	A	300	S0N	P10-O09-P06	-2.69	123.59	132.83
2	E	700	S0N	O33-P32-O31	-2.65	94.11	105.99
2	A	300	S0N	C03-C02-C04	-2.59	104.01	108.23
2	C	500	S0N	C03-C02-C04	-2.57	104.04	108.23
2	B	400	S0N	C46-C47-N48	-2.53	103.04	111.44
2	F	800	S0N	O33-P32-O31	2.38	116.67	105.99
2	F	800	S0N	O37-C36-C02	-2.35	104.72	110.25
2	C	500	S0N	P10-O09-P06	-2.30	124.93	132.83
2	B	400	S0N	C41-N40-C38	-2.30	118.49	122.59
2	A	300	S0N	O63-C61-C60	2.29	121.90	115.31
2	F	800	S0N	O13-C14-C15	2.25	116.74	108.99
2	B	400	S0N	P10-O09-P06	-2.19	125.30	132.83
2	B	400	S0N	C03-C02-C04	-2.15	104.73	108.23
2	A	300	S0N	C46-C47-N48	-2.14	104.34	111.44
2	B	400	S0N	C01-C02-C04	2.12	111.69	108.23
2	D	600	S0N	C36-C38-N40	2.10	120.77	116.58
2	A	300	S0N	C41-N40-C38	-2.09	118.86	122.59
2	B	400	S0N	O39-C38-N40	-2.05	118.60	122.99
2	B	400	S0N	C42-C41-N40	2.03	116.00	111.90
2	D	600	S0N	C47-C46-N45	-2.03	104.71	111.44

There are no chirality outliers.

All (100) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	300	S0N	C52-C53-C55-C60
2	A	300	S0N	O54-C53-C55-C60
2	B	400	S0N	C30-O31-P32-O34
2	B	400	S0N	C52-C53-C55-C60
2	C	500	S0N	C30-O31-P32-O35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
2	C	500	S0N	C52-C53-C55-C60
2	D	600	S0N	C36-C02-C04-O05
2	D	600	S0N	C52-C53-C55-C60
2	E	700	S0N	C52-C53-C55-C60
2	F	800	S0N	C30-O31-P32-O35
2	F	800	S0N	C52-C53-C55-C60
2	F	800	S0N	O54-C53-C55-C60
2	F	800	S0N	O13-C14-C15-O16
4	A	302	PGE	O2-C3-C4-O3
4	B	402	PGE	O2-C3-C4-O3
2	D	600	S0N	C01-C02-C04-O05
5	A	303	GOL	C1-C2-C3-O3
5	E	703	GOL	O1-C1-C2-C3
2	C	500	S0N	C51-C52-C53-C55
4	E	702	PGE	O2-C3-C4-O3
5	A	303	GOL	O2-C2-C3-O3
2	A	300	S0N	C49-C51-C52-C53
2	B	400	S0N	C49-C51-C52-C53
2	C	500	S0N	C49-C51-C52-C53
2	D	600	S0N	C49-C51-C52-C53
2	E	700	S0N	C49-C51-C52-C53
2	F	800	S0N	C49-C51-C52-C53
2	C	500	S0N	C51-C52-C53-O54
2	A	300	S0N	C51-C52-C53-C55
2	D	600	S0N	C51-C52-C53-C55
2	F	800	S0N	C51-C52-C53-C55
4	A	302	PGE	O3-C5-C6-O4
4	B	402	PGE	O1-C1-C2-O2
4	E	702	PGE	O3-C5-C6-O4
2	F	800	S0N	O13-C14-C15-C30
2	D	600	S0N	C03-C02-C04-O05
2	B	400	S0N	C51-C52-C53-C55
2	E	700	S0N	C51-C52-C53-C55
4	A	302	PGE	O1-C1-C2-O2
4	E	702	PGE	O1-C1-C2-O2
5	B	403	GOL	O1-C1-C2-C3
2	D	600	S0N	C51-C52-C53-O54
2	E	700	S0N	C51-C52-C53-O54
5	A	303	GOL	O1-C1-C2-O2
2	A	300	S0N	C51-C52-C53-O54
2	F	800	S0N	N45-C46-C47-N48
2	B	400	S0N	C51-C52-C53-O54

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
4	E	702	PGE	C1-C2-O2-C3
5	E	703	GOL	O1-C1-C2-O2
2	D	600	S0N	O54-C53-C55-C60
2	E	700	S0N	O54-C53-C55-C60
2	D	600	S0N	C52-C53-C55-C56
2	F	800	S0N	C52-C53-C55-C56
2	D	600	S0N	C59-C60-C61-O62
4	C	502	PGE	O1-C1-C2-O2
4	A	302	PGE	C1-C2-O2-C3
2	F	800	S0N	C59-C60-C61-O62
2	D	600	S0N	C59-C60-C61-O63
4	A	302	PGE	C3-C4-O3-C5
4	D	602	PGE	O3-C5-C6-O4
2	F	800	S0N	C59-C60-C61-O63
4	E	702	PGE	C3-C4-O3-C5
2	E	700	S0N	C59-C60-C61-O63
4	B	402	PGE	C4-C3-O2-C2
2	A	300	S0N	C59-C60-C61-O62
4	F	802	PGE	O2-C3-C4-O3
2	E	700	S0N	C59-C60-C61-O62
2	A	300	S0N	C59-C60-C61-O63
2	B	400	S0N	C52-C53-C55-C56
2	C	500	S0N	C52-C53-C55-C56
2	E	700	S0N	C52-C53-C55-C56
2	A	300	S0N	C42-C41-N40-C38
2	A	300	S0N	C01-C02-C04-O05
2	A	300	S0N	C03-C02-C04-O05
2	B	400	S0N	C01-C02-C04-O05
2	E	700	S0N	C01-C02-C04-O05
2	F	800	S0N	C51-C52-C53-O54
2	B	400	S0N	C59-C60-C61-O63
4	B	402	PGE	C1-C2-O2-C3
5	A	303	GOL	O1-C1-C2-C3
2	A	300	S0N	O13-C14-C15-C30
4	B	402	PGE	C3-C4-O3-C5
2	D	600	S0N	C55-C60-C61-O63
2	D	600	S0N	N45-C46-C47-N48
2	D	600	S0N	C55-C60-C61-O62
2	C	500	S0N	C59-C60-C61-O63
2	F	800	S0N	C55-C60-C61-O62
2	B	400	S0N	C59-C60-C61-O62
4	A	302	PGE	C6-C5-O3-C4

*Continued on next page...*



*Continued from previous page...*



Mol	Chain	Res	Type	Atoms
2	C	500	S0N	C59-C60-C61-O62
2	F	800	S0N	C55-C60-C61-O63
2	C	500	S0N	C30-O31-P32-O33
2	D	600	S0N	C30-O31-P32-O33
2	A	300	S0N	C55-C60-C61-O62
2	E	700	S0N	C55-C60-C61-O62
2	A	300	S0N	C14-O13-P10-O11
2	C	500	S0N	C01-C02-C04-O05
2	A	300	S0N	C55-C60-C61-O63
2	E	700	S0N	N45-C46-C47-N48
2	E	700	S0N	C55-C60-C61-O63



There are no ring outliers.


10 monomers are involved in 25 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	402	PGE	1	0
2	B	400	S0N	2	0
2	F	800	S0N	3	0
2	A	300	S0N	5	0
2	C	500	S0N	2	0
4	F	802	PGE	1	0
5	A	303	GOL	1	0
2	E	700	S0N	3	0
4	A	302	PGE	3	0
2	D	600	S0N	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	281/289 (97%)	-0.21	4 (1%) 75 74	14, 20, 33, 49	0
1	B	281/289 (97%)	-0.15	5 (1%) 68 66	14, 19, 34, 45	0
1	C	281/289 (97%)	-0.23	1 (0%) 92 92	14, 19, 32, 44	0
1	D	281/289 (97%)	-0.24	2 (0%) 87 87	13, 18, 28, 46	0
1	E	281/289 (97%)	-0.06	2 (0%) 87 87	15, 22, 37, 46	0
1	F	281/289 (97%)	-0.15	4 (1%) 75 74	13, 22, 34, 50	0
All	All	1686/1734 (97%)	-0.17	18 (1%) 80 79	13, 20, 34, 50	0

All (18) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	7	ALA	4.2
1	D	113[A]	ARG	3.2
1	B	113[A]	ARG	3.0
1	F	16	HIS	2.9
1	F	113[A]	ARG	2.9
1	C	113[A]	ARG	2.8
1	A	113[A]	ARG	2.8
1	A	7	ALA	2.7
1	D	238	ALA	2.6
1	B	246	LEU	2.5
1	A	246	LEU	2.4
1	B	8	MET	2.4
1	F	100	ASP	2.3
1	E	31	THR	2.1
1	B	31	THR	2.1
1	A	240	CYS	2.1
1	F	240	CYS	2.1
1	E	113[A]	ARG	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	PGE	F	802	10/10	0.91	0.12	30,36,45,47	0
4	PGE	C	502	10/10	0.92	0.13	25,33,41,53	0
4	PGE	B	402	10/10	0.92	0.13	25,33,46,48	0
5	GOL	A	303	6/6	0.92	0.20	27,33,37,37	0
4	PGE	E	702	10/10	0.93	0.16	25,34,49,55	0
4	PGE	D	602	10/10	0.94	0.13	22,32,49,52	0
4	PGE	A	302	10/10	0.94	0.11	28,35,45,48	0
5	GOL	F	803	6/6	0.94	0.15	31,33,40,41	0
2	S0N	A	300	63/63	0.95	0.09	18,27,36,46	0
5	GOL	D	603	6/6	0.95	0.21	24,28,28,33	0
2	S0N	F	800	63/63	0.95	0.12	24,31,41,49	0
5	GOL	B	403	6/6	0.96	0.14	24,26,29,30	0
2	S0N	D	600	63/63	0.96	0.10	16,22,34,40	0
5	GOL	E	703	6/6	0.96	0.15	29,35,37,39	0
2	S0N	E	700	63/63	0.96	0.10	18,25,33,49	0
5	GOL	C	503	6/6	0.97	0.26	27,29,31,34	0
3	CL	F	801	1/1	0.97	0.10	27,27,27,27	0
2	S0N	C	500	63/63	0.97	0.08	16,23,32,35	0
2	S0N	B	400	63/63	0.97	0.09	18,23,32,33	0
3	CL	D	601	1/1	0.98	0.10	20,20,20,20	0
3	CL	E	701	1/1	0.98	0.07	23,23,23,23	0
3	CL	A	301	1/1	0.98	0.11	22,22,22,22	0
3	CL	C	501	1/1	0.99	0.11	20,20,20,20	0
3	CL	B	401	1/1	0.99	0.06	20,20,20,20	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different

orientation to approximate a three-dimensional view.




**Electron density around S0N A 300:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around S0N F 800:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around S0N D 600:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around S0N E 700:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around S0N C 500:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around S0N B 400:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.