

Full wwPDB X-ray Structure Validation Report (i)

Nov 1, 2023 – 12:35 PM JST

PDB ID : 5HDP

Title: Hydrolase StnA mutant - S185A

Authors : Qian, T. Deposited on : 2016-01-05

Resolution : 2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity: 4.02b-467

Mogul : 1.8.5 (274361), CSD as541be (2020)

Xtriage (Phenix) : 1.13

EDS : 2.36

buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Refmac : 5.8.0158

CCP4 : 7.0.044 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X- $RAY\ DIFFRACTION$

The reported resolution of this entry is 2.90 Å.


Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution
Menic	(# Entries)	$(\# ext{Entries}, ext{ resolution range}(ext{Å}))$
R_{free}	130704	1957 (2.90-2.90)
Clashscore	141614	2172 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)
RSRZ outliers	127900	1906 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	A	383	74%	8% •	17%
1	В	383	74%	8%	17%
1	С	383	73%	9%	17%
1	D	383	76%	7%	17%
1	Е	383	78%	5%	17%
1	F	383	76%	6%	18%





 $Continued\ from\ previous\ page...$

Mol	Chain	Length	Quality of chain		
1	G	383	77%	5%	17%



2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 16999 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Hydrolase.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
1	D	316	Total	С	N	О	S	0	0	0
1	D	010	2390	1497	416	466	11	O		0
1	A	316	Total	\mathbf{C}	N	O	\mathbf{S}	0	0	
1	A	310	2390	1497	416	466	11	U	0	
1	В	316	Total	С	N	О	S	0	0	0
1	Б	310	2390	1497	416	466	11	0	U	
1	С	316	Total	С	N	О	S	0	0	0
1		310	2390	1497	416	466	11	U		
1	Е	316	Total	С	N	О	S	0	0	0
1	E	310	2390	1497	416	466	11	U	U	
1	F	214	Total	С	N	О	S	0	0	0
1	Г	314	2380	1491	414	464	11	0	0	
1	G	316	Total	С	N	О	S	0	0	0
1	G	310	2390	1497	416	466	11	U	U	0

There are 70 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	1	VAL	-	expression tag	UNP L7PIJ2
D	185	ALA	SER	engineered mutation	UNP L7PIJ2
D	376	LEU	-	expression tag	UNP L7PIJ2
D	377	GLU	-	expression tag	UNP L7PIJ2
D	378	HIS	-	expression tag	UNP L7PIJ2
D	379	HIS	-	expression tag	UNP L7PIJ2
D	380	HIS	-	expression tag	UNP L7PIJ2
D	381	HIS	-	expression tag	UNP L7PIJ2
D	382	HIS	-	expression tag	UNP L7PIJ2
D	383	HIS	-	expression tag	UNP L7PIJ2
A	1	VAL	-	expression tag	UNP L7PIJ2
A	185	ALA	SER	engineered mutation	UNP L7PIJ2
A	376	LEU	=	expression tag	UNP L7PIJ2
A	377	GLU	-	expression tag	UNP L7PIJ2
A	378	HIS	-	expression tag	UNP L7PIJ2



 $Continued\ from\ previous\ page...$


Chain	Residue	Modelled Modelled	Actual	Comment	Reference
A	379	HIS	-	expression tag	UNP L7PIJ2
A	380	HIS	-	expression tag	UNP L7PIJ2
A	381	HIS	-	expression tag	UNP L7PIJ2
A	382	HIS	-	expression tag	UNP L7PIJ2
A	383	HIS	-	expression tag	UNP L7PIJ2
В	1	VAL	-	expression tag	UNP L7PIJ2
В	185	ALA	SER	engineered mutation	UNP L7PIJ2
В	376	LEU	-	expression tag	UNP L7PIJ2
В	377	GLU	-	expression tag	UNP L7PIJ2
В	378	HIS	-	expression tag	UNP L7PIJ2
В	379	HIS	_	expression tag	UNP L7PIJ2
В	380	HIS	_	expression tag	UNP L7PIJ2
В	381	HIS	-	expression tag	UNP L7PIJ2
В	382	HIS	-	expression tag	UNP L7PIJ2
В	383	HIS	-	expression tag	UNP L7PIJ2
С	1	VAL	-	expression tag	UNP L7PIJ2
С	185	ALA	SER	engineered mutation	UNP L7PIJ2
С	376	LEU	-	expression tag	UNP L7PIJ2
С	377	GLU	-	expression tag	UNP L7PIJ2
С	378	HIS	-	expression tag	UNP L7PIJ2
С	379	HIS	-	expression tag	UNP L7PIJ2
С	380	HIS	-	expression tag	UNP L7PIJ2
С	381	HIS	-	expression tag	UNP L7PIJ2
С	382	HIS	-	expression tag	UNP L7PIJ2
С	383	HIS	-	expression tag	UNP L7PIJ2
Е	1	VAL	-	expression tag	UNP L7PIJ2
Е	185	ALA	SER	engineered mutation	UNP L7PIJ2
Е	376	LEU	-	expression tag	UNP L7PIJ2
Е	377	GLU	-	expression tag	UNP L7PIJ2
Е	378	HIS	-	expression tag	UNP L7PIJ2
Е	379	HIS	-	expression tag	UNP L7PIJ2
Е	380	HIS	_	expression tag	UNP L7PIJ2
Е	381	HIS	-	expression tag	UNP L7PIJ2
E	382	HIS	-	expression tag	UNP L7PIJ2
E	383	HIS	_	expression tag	UNP L7PIJ2
F	1	VAL	_	expression tag	UNP L7PIJ2
F	185	ALA	SER	engineered mutation	UNP L7PIJ2
F	376	LEU	_	expression tag	UNP L7PIJ2
F	377	GLU	-	expression tag	UNP L7PIJ2
F	378	HIS	-	expression tag	UNP L7PIJ2
F	379	HIS	_	expression tag	UNP L7PIJ2
F	380	HIS	-	expression tag	UNP L7PIJ2
					on next nage



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	381	HIS	-	expression tag	UNP L7PIJ2
F	382	HIS	-	expression tag	UNP L7PIJ2
F	383	HIS	-	expression tag	UNP L7PIJ2
G	1	VAL	-	expression tag	UNP L7PIJ2
G	185	ALA	SER	engineered mutation	UNP L7PIJ2
G	376	LEU	-	expression tag	UNP L7PIJ2
G	377	GLU	-	expression tag	UNP L7PIJ2
G	378	HIS	-	expression tag	UNP L7PIJ2
G	379	HIS	-	expression tag	UNP L7PIJ2
G	380	HIS	-	expression tag	UNP L7PIJ2
G	381	HIS	-	expression tag	UNP L7PIJ2
G	382	HIS	-	expression tag	UNP L7PIJ2
G	383	HIS	-	expression tag	UNP L7PIJ2

 $\hbox{$\bullet$ Molecule 2 is methyl 5-amino-6-(7-amino-6-methoxy-5,8-dioxo-5,8-dihydroquinolin-2-yl)-4-(2-hydroxy-3-methoxyphenyl)-3-methylpyridine-2-carboxylate (three-letter code: STM) (formula: $C_{25}H_{22}N_4O_7$). }$



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	D	1	Total	С	N	О	0	0
	D	1	36	25	4	7	O	O
2	A	1	Total	\mathbf{C}	N	Ο	0	0
	Λ	1	36	25	4	7	U	U
2	B	1	Total	С	N	Ο	0	0
2	D	1	36	25	4	7	U	
9	С	1	Total	С	N	О	0	0
		1	36	25	4	7	U	



 $Continued\ from\ previous\ page...$

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	E	1	Total				0	0
2	ப	1	36	25	4	7	O	
9	F	1	Total				0	0
2	I'	1	36	25	4	7	U	
2	С	1	Total	С	N	О	0	0
2	G	1	36	25	4	7	U	


• Molecule 3 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	D	5	Total O 5 5	0	0
3	A	2	Total O 2 2	0	0
3	В	9	Total O 9 9	0	0
3	С	2	Total O 2 2	0	0
3	E	4	Total O 4 4	0	0
3	F	3	Total O 3 3	0	0
3	G	2	Total O 2 2	0	0



3 Residue-property plots (i)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.





• Molecule 1: Hydrolase







4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1	Depositor
Cell constants	83.26Å 92.85Å 104.04Å	Donositor
a, b, c, α , β , γ	115.06° 106.09° 97.69°	Depositor
Resolution (Å)	46.07 - 2.90	Depositor
Resolution (A)	46.07 - 2.90	EDS
% Data completeness	95.1 (46.07-2.90)	Depositor
(in resolution range)	95.1 (46.07-2.90)	EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	2.07 (at 2.91Å)	Xtriage
Refinement program	REFMAC 5.8.0103	Depositor
D D.	0.244 , 0.298	Depositor
R, R_{free}	0.245 , 0.296	DCC
R_{free} test set	2792 reflections (5.08%)	wwPDB-VP
Wilson B-factor (Å ²)	52.7	Xtriage
Anisotropy	0.034	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$, $B_{sol}(Å^2)$	0.33 , 13.5	EDS
L-test for twinning ²	$ < L > = 0.45, < L^2> = 0.28$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.87	EDS
Total number of atoms	16999	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 10.96% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of <|L|>, $<L^2>$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: STM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond	lengths	Bond angles		
IVIOI	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5	
1	A	0.51	0/2448	0.73	0/3342	
1	В	0.52	0/2448	0.72	0/3342	
1	С	0.50	0/2448	0.70	0/3342	
1	D	0.54	0/2448	0.75	0/3342	
1	Е	0.49	0/2448	0.68	0/3342	
1	F	0.47	0/2438	0.69	$1/3328 \; (0.0\%)$	
1	G	0.48	0/2448	0.70	0/3342	
All	All	0.50	0/17126	0.71	$1/23380 \ (0.0\%)$	

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^o)$	$\mathrm{Ideal}(^{o})$
1	F	370	ARG	NE-CZ-NH1	6.35	123.47	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2390	0	2286	17	0
1	В	2390	0	2286	19	0
1	С	2390	0	2286	19	0



Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	2390	0	2286	14	0
1	Е	2390	0	2286	9	0
1	F	2380	0	2279	9	0
1	G	2390	0	2286	15	0
2	A	36	0	0	2	0
2	В	36	0	0	1	0
2	С	36	0	0	2	0
2	D	36	0	0	3	0
2	Е	36	0	0	1	0
2	F	36	0	0	1	0
2	G	36	0	0	4	0
3	A	2	0	0	1	0
3	В	9	0	0	0	0
3	С	2	0	0	0	0
3	D	5	0	0	0	0
3	Е	4	0	0	1	0
3	F	3	0	0	0	0
3	G	2	0	0	0	0
All	All	16999	0	15995	109	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (109) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic	Clash
7100111 1	1100111 2	${f distance}({f A})$	overlap (Å)
1:B:260:ARG:NH2	1:B:346:ASP:OD1	2.20	0.75
1:G:342:ILE:CD1	1:G:363:ALA:HB1	2.21	0.71
1:A:260:ARG:NH2	1:A:346:ASP:OD1	2.24	0.70
1:D:340:ASP:OD2	1:D:370:ARG:NH2	2.25	0.69
1:A:260:ARG:NH1	1:A:307:ARG:HG3	2.07	0.69
1:E:260:ARG:NH2	1:E:346:ASP:OD1	2.27	0.67
1:B:345:GLU:OE2	1:B:356:ASN:ND2	2.32	0.63
1:B:181:LEU:HD22	1:B:191:THR:HG23	1.83	0.61
2:E:401:STM:N2	3:E:501:HOH:O	2.31	0.60
1:C:102:ALA:O	1:C:103:THR:HG22	2.02	0.60
1:E:102:ALA:HB2	1:E:186:LEU:HD12	1.84	0.58
1:C:222:ILE:HG12	2:C:401:STM:N2	2.17	0.58
1:B:275:ASP:OD1	1:B:276:ALA:N	2.37	0.58
1:F:102:ALA:O	1:F:103:THR:HG22	2.02	0.58
2:C:401:STM:N1	2:C:401:STM:N3	2.51	0.57



 $Continued\ from\ previous\ page...$

Continued from previ		Interatomic	Clash
Atom-1	Atom-2	${\rm distance}(\mathring{\rm A})$	overlap (Å)
1:A:356:ASN:O	1:A:359:VAL:HG12	2.05	0.56
2:A:401:STM:C24	3:A:501:HOH:O	2.53	0.56
1:E:93:ASP:HB2	1:E:376:LEU:HA	1.87	0.56
1:C:73:LEU:HD12	1:C:73:LEU:O	2.05	0.56
1:A:260:ARG:HH11	1:A:260:ARG:HG3	1.71	0.56
1:A:340:ASP:OD2	1:A:370:ARG:NH2	2.39	0.55
1:E:167:ARG:NH1	1:E:200:ASP:O	2.39	0.55
1:C:73:LEU:O	1:C:75:LYS:N	2.40	0.55
1:E:110:ASP:CG	1:E:121:ARG:HE	2.10	0.54
1:C:181:LEU:HD13	1:C:201:VAL:HG11	1.89	0.54
1:A:207:THR:HG21	1:A:360:TYR:OH	2.07	0.54
1:B:103:THR:HG22	1:B:252:ARG:HH12	1.72	0.53
1:A:102:ALA:O	1:A:103:THR:HG22	2.08	0.53
1:C:375:GLY:HA2	1:C:376:LEU:C	2.28	0.53
1:E:102:ALA:O	1:E:103:THR:HG22	2.09	0.53
1:C:344:VAL:HG21	1:C:351:LEU:HD22	1.91	0.53
1:G:340:ASP:OD2	1:G:370:ARG:NH2	2.42	0.52
1:G:196:SER:OG	1:G:292:VAL:O	2.25	0.52
1:G:342:ILE:CD1	1:G:363:ALA:CB	2.87	0.51
1:A:301:MET:HB2	1:A:367:TRP:CE2	2.46	0.51
2:D:401:STM:N1	2:D:401:STM:N3	2.59	0.50
1:G:317:GLU:HA	1:G:328:GLN:HE22	1.75	0.50
1:F:262:MET:SD	1:F:267:LEU:HD21	2.51	0.50
1:C:103:THR:HG23	1:C:252:ARG:HH12	1.77	0.50
1:C:110:ASP:CG	1:C:121:ARG:HE	2.14	0.50
1:D:92:PRO:HG2	1:D:130:ALA:HB2	1.93	0.50
1:C:92:PRO:HG2	1:C:130:ALA:HB2	1.93	0.49
1:D:103:THR:HG21	1:D:247:THR:HG23	1.93	0.49
1:G:186:LEU:HD13	2:G:401:STM:C5	2.43	0.48
1:A:110:ASP:CG	1:A:121:ARG:HE	2.15	0.48
1:G:301:MET:HE1	1:G:342:ILE:HD12	1.95	0.48
1:C:356:ASN:O	1:C:359:VAL:HG12	2.14	0.48
1:B:260:ARG:CZ	1:B:346:ASP:OD1	2.62	0.47
1:B:301:MET:HB2	1:B:367:TRP:CE2	2.49	0.47
2:A:401:STM:N1	2:A:401:STM:N3	2.62	0.47
1:B:102:ALA:HB2	1:B:186:LEU:HD12	1.97	0.47
1:G:342:ILE:HD11	1:G:363:ALA:HB1	1.94	0.46
1:G:85:CYS:SG	1:G:121:ARG:NE	2.87	0.46
1:B:340:ASP:OD2	1:B:370:ARG:NH2	2.48	0.46
1:D:231:ASP:O	1:D:235:LYS:HG3	2.15	0.45
1:A:102:ALA:HB2	1:A:186:LEU:HD12	1.98	0.45



Continued from previous page...

Continued from previous		Interatomic	Clash
Atom-1	Atom-2	${\rm distance}(\mathring{\rm A})$	overlap (Å)
1:C:306:ASP:OD1	1:C:346:ASP:N	2.50	0.45
1:E:356:ASN:O	1:E:359:VAL:HG12	2.16	0.45
1:B:127:ALA:HB2	1:B:365:ARG:HE	1.81	0.45
1:B:356:ASN:O	1:B:359:VAL:HG12	2.17	0.45
1:C:372:VAL:HG12	1:C:373:GLY:O	2.17	0.45
1:A:196:SER:O	1:A:199:HIS:NE2	2.50	0.45
1:D:102:ALA:HB2	1:D:186:LEU:HD12	1.99	0.45
1:B:208:ALA:HB1	1:B:349:HIS:CE1	2.52	0.45
1:D:344:VAL:HG21	1:D:351:LEU:HD22	1.99	0.45
1:B:344:VAL:HG21	1:B:351:LEU:HD22	1.99	0.44
1:D:196:SER:OG	1:D:292:VAL:O	2.32	0.44
1:G:127:ALA:HB2	1:G:365:ARG:HE	1.83	0.44
1:F:98:MET:HB3	1:F:109:TRP:CG	2.52	0.43
1:D:140:GLY:N	1:D:275:ASP:OD2	2.49	0.43
1:G:375:GLY:O	1:G:376:LEU:C	2.57	0.43
1:C:301:MET:HB2	1:C:367:TRP:CE2	2.54	0.43
1:B:103:THR:CG2	1:B:252:ARG:HH12	2.32	0.42
1:D:121:ARG:NH1	1:D:133:VAL:HG13	2.34	0.42
1:C:73:LEU:HD23	1:C:78:GLY:HA3	2.01	0.42
1:E:91:SER:O	1:E:376:LEU:HD11	2.19	0.42
1:E:76:GLY:HA2	1:E:77:THR:HA	1.89	0.42
1:F:111:PHE:CE2	1:F:113:TYR:HB3	2.54	0.42
1:F:325:LEU:HD22	1:F:343:LEU:HD13	2.01	0.42
1:C:207:THR:HG21	1:C:360:TYR:OH	2.19	0.42
1:A:181:LEU:HG	1:A:191:THR:HG23	2.02	0.42
1:A:92:PRO:HG2	1:A:130:ALA:HB2	2.02	0.42
1:A:127:ALA:HB2	1:A:365:ARG:HE	1.84	0.42
1:B:108:TYR:CE2	1:B:184:TYR:CG	3.07	0.42
1:F:92:PRO:HG2	1:F:130:ALA:HB2	2.01	0.42
1:D:207:THR:HG21	1:D:360:TYR:OH	2.20	0.42
1:C:204:VAL:CG1	1:C:300:VAL:HG22	2.49	0.42
1:G:231:ASP:O	1:G:235:LYS:HB2	2.20	0.42
1:B:342:ILE:HD12	1:B:363:ALA:CB	2.50	0.41
1:A:103:THR:HG23	1:A:252:ARG:HH12	1.85	0.41
1:C:127:ALA:HB2	1:C:365:ARG:HE	1.85	0.41
1:F:185:ALA:HB1	2:F:401:STM:O	2.20	0.41
1:F:356:ASN:O	1:F:359:VAL:HG12	2.20	0.41
1:D:83:GLU:O	1:D:121:ARG:NH2	2.53	0.41
2:B:401:STM:N1	2:B:401:STM:N3	2.69	0.41
1:D:185:ALA:HB1	2:D:401:STM:C6	2.51	0.41
1:G:301:MET:CE	1:G:342:ILE:HD12	2.51	0.41



Continued from previous page...

Atom-1	Atom-2	$egin{array}{c} ext{Interatomic} \ ext{distance } (ext{Å}) \end{array}$	Clash overlap (Å)
1:F:300:VAL:HG13	1:F:339:PHE:HD1	1.85	0.41
1:A:76:GLY:HA2	1:A:77:THR:HA	1.87	0.41
1:G:185:ALA:HB1	2:G:401:STM:O	2.21	0.41
2:G:401:STM:N1	2:G:401:STM:N3	2.69	0.41
1:D:241:ASP:OD1	1:D:241:ASP:C	2.59	0.40
1:B:102:ALA:O	1:B:103:THR:HB	2.21	0.40
1:D:222:ILE:HG12	2:D:401:STM:N2	2.36	0.40
1:B:93:ASP:HB2	1:B:376:LEU:HB2	2.03	0.40
1:B:181:LEU:HD22	1:B:191:THR:CG2	2.50	0.40
1:G:102:ALA:HB3	2:G:401:STM:C6	2.51	0.40
1:A:165:GLY:HA2	1:A:170:ARG:HG2	2.03	0.40
1:C:213:ASN:HA	1:C:311:MET:HA	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	A	314/383~(82%)	301 (96%)	13 (4%)	0	100	100
1	В	314/383 (82%)	301 (96%)	13 (4%)	0	100	100
1	С	314/383 (82%)	299 (95%)	14 (4%)	1 (0%)	41	71
1	D	314/383 (82%)	301 (96%)	13 (4%)	0	100	100
1	Е	314/383 (82%)	299 (95%)	14 (4%)	1 (0%)	41	71
1	F	312/383 (82%)	294 (94%)	17 (5%)	1 (0%)	41	71
1	G	314/383 (82%)	299 (95%)	15 (5%)	0	100	100
All	All	2196/2681 (82%)	2094 (95%)	99 (4%)	3 (0%)	51	82

All (3) Ramachandran outliers are listed below:



Mol	Chain	Res	Type
1	С	74	GLY
1	F	74	GLY
1	Е	175	GLY

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percei	ntiles
1	A	253/304 (83%)	249 (98%)	4 (2%)	62	86
1	В	253/304 (83%)	251 (99%)	2 (1%)	81	94
1	\mathbf{C}	253/304 (83%)	249 (98%)	4 (2%)	62	86
1	D	253/304 (83%)	251 (99%)	2 (1%)	81	94
1	E	253/304 (83%)	250 (99%)	3 (1%)	71	91
1	F	253/304 (83%)	250 (99%)	3 (1%)	71	91
1	G	253/304 (83%)	253 (100%)	0	100	100
All	All	1771/2128 (83%)	1753 (99%)	18 (1%)	76	92

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	90	SER
1	D	277	ASN
1	A	103	THR
1	A	277	ASN
1	A	340	ASP
1	A	376	LEU
1	В	90	SER
1	В	277	ASN
1	С	90	SER
1	С	103	THR
1	С	277	ASN
1	С	340	ASP
1	Е	90	SER
1	Ε	103	THR
1	Ε	277	ASN



Continued from previous page...

Mol	Chain	Res	Type
1	F	207	THR
1	F	277	ASN
1	F	340	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	D	361	GLN
1	A	125	ASN
1	A	361	GLN
1	В	361	GLN
1	С	361	GLN
1	Е	361	GLN
1	F	125	ASN
1	F	361	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

7 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).



Mol	Mol Type Ch		hain Res	s Link	Bo	ond leng	ths	Bond angles		
MIOI	туре	Chain	nes	LIIIK	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	STM	В	401	-	37,39,39	1.33	2 (5%)	47,58,58	1.81	13 (27%)
2	STM	A	401	-	37,39,39	1.30	2 (5%)	47,58,58	3.61	23 (48%)
2	STM	F	401	-	37,39,39	1.34	2 (5%)	47,58,58	2.10	15 (31%)
2	STM	С	401	-	37,39,39	1.37	3 (8%)	47,58,58	2.32	18 (38%)
2	STM	Е	401	-	37,39,39	1.41	2 (5%)	47,58,58	2.16	17 (36%)
2	STM	D	401	-	37,39,39	1.44	3 (8%)	47,58,58	2.28	16 (34%)
2	STM	G	401	-	37,39,39	1.39	2 (5%)	47,58,58	2.34	15 (31%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	STM	В	401	-	-	8/18/38/38	0/4/4/4
2	STM	A	401	-	-	6/18/38/38	0/4/4/4
2	STM	F	401	-	-	4/18/38/38	0/4/4/4
2	STM	С	401	-	-	9/18/38/38	0/4/4/4
2	STM	Е	401	-	-	8/18/38/38	0/4/4/4
2	STM	D	401	-	-	4/18/38/38	0/4/4/4
2	STM	G	401	-	-	5/18/38/38	0/4/4/4

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	Ideal(A)
2	D	401	STM	O1-C6	5.94	1.46	1.33
2	Е	401	STM	C14-C15	5.75	1.50	1.39
2	G	401	STM	O1-C6	5.66	1.45	1.33
2	F	401	STM	O1-C6	5.37	1.45	1.33
2	Е	401	STM	O1-C6	5.29	1.45	1.33
2	С	401	STM	O1-C6	5.25	1.45	1.33
2	В	401	STM	C14-C15	5.18	1.49	1.39
2	G	401	STM	C14-C15	4.99	1.48	1.39
2	F	401	STM	C14-C15	4.96	1.48	1.39
2	С	401	STM	C14-C15	4.96	1.48	1.39
2	A	401	STM	C14-C15	4.92	1.48	1.39
2	В	401	STM	O1-C6	4.78	1.43	1.33
2	A	401	STM	O1-C6	4.75	1.43	1.33
2	D	401	STM	C14-C15	4.18	1.47	1.39



$Continued\ from\ previous\ page...$

\mathbf{Mol}	Chain	Res	Type	Atoms	\mathbf{Z}	$\operatorname{Observed}(\text{\AA})$	$Ideal(\AA)$
2	С	401	STM	C12-C13	-2.05	1.47	1.50
2	D	401	STM	C2-C3	-2.05	1.39	1.41

All (117) bond angle outliers are listed below:

2 A 401 STM O6-C22-C23 15.70 130.38 114.54 2 A 401 STM O6-C22-C21 -8.71 109.44 124.37 2 E 401 STM O6-C22-C23 7.59 122.19 114.54 2 G 401 STM O1-C6-C5 7.57 124.38 112.17 2 G 401 STM O6-C22-C23 6.62 121.22 114.54 2 F 401 STM C24-O6-C22 6.21 126.90 117.53 2 A 401 STM C24-O6-C22 5.81 126.30 117.53 2 D 401 STM C24-O6-C22 5.81 126.30 117.53 2 D 401 STM C24-O6-C22 5.78 126.26 117.53 2 D 401 STM C4-C8-N1 5.41 123.04 116.61 2 C 401	Mol	Chain	Res	Type	Atoms	Z	$Observed(^o)$	$Ideal(^{o})$
2 E 401 STM O6-C22-C23 7.59 122.19 114.54 2 G 401 STM O1-C6-C5 7.57 124.38 112.17 2 G 401 STM O6-C22-C23 6.62 121.22 114.54 2 F 401 STM C24-O6-C22 6.21 126.90 117.53 2 A 401 STM C24-O6-C22 5.81 126.30 117.53 2 D 401 STM C24-O6-C22 5.81 126.30 117.53 2 D 401 STM C24-O6-C22 5.81 126.30 117.53 2 D 401 STM C24-O6-C22 5.81 126.30 117.53 2 B 401 STM C3-C9-C23 5.65 120.24 114.54 2 G 401 STM C4-C8-N1 5.30 122.91 116.61 2 C 401 <th< td=""><td>2</td><td>A</td><td>401</td><td></td><td>O6-C22-C23</td><td>15.70</td><td>130.38</td><td>114.54</td></th<>	2	A	401		O6-C22-C23	15.70	130.38	114.54
2 G 401 STM O1-C6-C5 7.57 124.38 112.17 2 G 401 STM O6-C22-C23 6.62 121.22 114.54 2 F 401 STM C24-O6-C22 6.21 126.90 117.53 2 A 401 STM C24-O6-C22 5.81 126.30 117.53 2 D 401 STM C24-O6-C22 5.78 126.26 117.53 2 D 401 STM C0-C22-C23 5.65 120.24 114.54 2 G 401 STM C6-C22-C23 5.65 120.24 114.54 2 G 401 STM C7-O1-C6 5.49 126.42 115.83 2 A 401 STM C4-C8-N1 5.30 122.91 116.61 2 C 401 STM C4-C8-N1 5.30 122.91 116.61 2 D 401 ST	2	A	401	STM	O6-C22-C21	-8.71	109.44	124.37
2 G 401 STM O6-C22-C23 6.62 121.22 114.54 2 F 401 STM C24-O6-C22 6.21 126.90 117.53 2 A 401 STM C24-O6-C22 5.81 126.30 117.53 2 D 401 STM C24-O6-C22 5.78 126.26 117.53 2 B 401 STM C6-C22-C23 5.65 120.24 114.54 2 G 401 STM C6-C22-C23 5.65 120.24 114.54 2 G 401 STM C6-C1-C6 5.49 126.42 115.83 2 A 401 STM C4-C8-N1 5.30 122.91 116.61 2 C 401 STM C4-C8-N1 5.30 122.91 116.61 2 D 401 STM C4-C3-N3 -5.07 121.59 114.23 2 D 401 S	2	Е	401	STM	O6-C22-C23	7.59	122.19	114.54
2 F 401 STM C24-O6-C22 6.21 126.90 117.53 2 A 401 STM C24-O6-C22 5.81 126.30 117.53 2 D 401 STM C24-O6-C22 5.78 126.26 117.53 2 B 401 STM C24-O6-C22 5.78 126.26 117.53 2 B 401 STM C6-C22-C23 5.65 120.24 114.54 2 G 401 STM C7-O1-C6 5.49 126.42 115.83 2 A 401 STM C4-C8-N1 5.30 122.91 116.61 2 C 401 STM C4-C8-N1 5.30 122.91 116.61 2 D 401 STM C4-C3-N3 -5.07 114.82 121.61 2 A 401 STM C4-C8-N1 4.95 122.49 116.61 2 A 401 STM	2	G	401	STM	O1-C6-C5	7.57	124.38	112.17
2 A 401 STM C24-06-C22 5.81 126.30 117.53 2 D 401 STM C24-06-C22 5.78 126.26 117.53 2 B 401 STM C24-06-C22 5.78 126.26 117.53 2 B 401 STM C6-C22-C23 5.65 120.24 114.54 2 G 401 STM C7-O1-C6 5.49 126.42 115.83 2 A 401 STM C4-C8-N1 5.41 123.04 116.61 2 C 401 STM C4-C8-N1 5.30 122.91 116.61 2 D 401 STM C4-C3-N3 -5.07 114.82 121.61 2 C 401 STM C13-C14-N2 5.07 121.59 114.23 2 D 401 STM C13-C14-N2 5.07 121.59 116.61 2 A 401 S	2	G	401	STM	O6-C22-C23	6.62	121.22	114.54
2 D 401 STM C24-06-C22 5.78 126.26 117.53 2 B 401 STM O6-C22-C23 5.65 120.24 114.54 2 G 401 STM C7-O1-C6 5.49 126.42 115.83 2 A 401 STM C4-C8-N1 5.41 123.04 116.61 2 C 401 STM C4-C8-N1 5.30 122.91 116.61 2 D 401 STM C4-C8-N1 5.30 122.91 116.61 2 D 401 STM C4-C8-N1 5.07 121.59 114.23 2 D 401 STM C13-C14-N2 5.07 121.59 114.23 2 D 401 STM C13-C14-N2 5.07 121.59 114.23 2 D 401 STM C14-C8-N1 4.95 122.49 116.61 2 F 401 STM </td <td>2</td> <td>F</td> <td>401</td> <td>STM</td> <td>C24-O6-C22</td> <td>6.21</td> <td>126.90</td> <td>117.53</td>	2	F	401	STM	C24-O6-C22	6.21	126.90	117.53
2 B 401 STM O6-C22-C23 5.65 120.24 114.54 2 G 401 STM C7-O1-C6 5.49 126.42 115.83 2 A 401 STM C4-C8-N1 5.41 123.04 116.61 2 C 401 STM C4-C8-N1 5.30 122.91 116.61 2 D 401 STM O1-C6-C5 5.08 120.36 112.17 2 C 401 STM C4-C3-N3 -5.07 114.82 121.61 2 A 401 STM C4-C8-N1 4.95 122.49 116.61 2 A 401 STM C4-C8-N1 4.95 122.49 116.61 2 A 401 STM C1-C6-C5 4.88 120.04 112.17 2 C 401 STM C1-C6-C5 4.85 124.84 117.53 2 F 401 STM	2	A	401	STM	C24-O6-C22	5.81	126.30	117.53
2 G 401 STM C7-O1-C6 5.49 126.42 115.83 2 A 401 STM C4-C8-N1 5.41 123.04 116.61 2 C 401 STM C4-C8-N1 5.30 122.91 116.61 2 D 401 STM C4-C8-N1 5.30 122.91 116.61 2 D 401 STM C4-C3-N3 -5.07 114.82 121.61 2 A 401 STM C4-C8-N1 4.95 122.49 116.61 2 A 401 STM C4-C8-N1 4.95 122.49 116.61 2 A 401 STM C1-C6-C5 4.88 120.04 112.17 2 C 401 STM C1-C6-C5 4.88 120.04 112.17 2 F 401 STM C1-C6-C5 4.79 119.90 112.17 2 F 401 STM	2	D	401	STM	C24-O6-C22	5.78	126.26	117.53
2 A 401 STM C4-C8-N1 5.41 123.04 116.61 2 C 401 STM C4-C8-N1 5.30 122.91 116.61 2 D 401 STM O1-C6-C5 5.08 120.36 112.17 2 C 401 STM C4-C3-N3 -5.07 114.82 121.61 2 A 401 STM C13-C14-N2 5.07 121.59 114.23 2 D 401 STM C4-C8-N1 4.95 122.49 116.61 2 A 401 STM C4-C8-N1 4.95 122.49 116.61 2 A 401 STM C04-C8-N1 4.95 122.49 116.61 2 F 401 STM C04-C8-N1 4.95 119.90 112.17 2 F 401 STM C04-C8-N1 4.72 122.23 116.61 2 F 401 STM	2	В	401	STM	O6-C22-C23	5.65	120.24	114.54
2 C 401 STM C4-C8-N1 5.30 122.91 116.61 2 D 401 STM O1-C6-C5 5.08 120.36 112.17 2 C 401 STM C4-C3-N3 -5.07 114.82 121.61 2 A 401 STM C13-C14-N2 5.07 121.59 114.23 2 D 401 STM C13-C14-N2 5.07 121.59 114.23 2 D 401 STM C1-C6-C5 4.88 120.04 112.17 2 C 401 STM C1-C6-C5 4.88 120.04 112.17 2 F 401 STM C1-C6-C5 4.88 120.04 112.17 2 F 401 STM C1-C6-C5 4.88 120.04 112.17 2 F 401 STM C1-C6-C5 4.85 124.84 117.53 2 F 401 STM	2	G	401	STM	C7-O1-C6	5.49	126.42	115.83
2 D 401 STM O1-C6-C5 5.08 120.36 112.17 2 C 401 STM C4-C3-N3 -5.07 114.82 121.61 2 A 401 STM C13-C14-N2 5.07 121.59 114.23 2 D 401 STM C4-C8-N1 4.95 122.49 116.61 2 A 401 STM O1-C6-C5 4.88 120.04 112.17 2 C 401 STM C24-O6-C22 4.85 124.84 117.53 2 F 401 STM C1-C6-C5 4.79 119.90 112.17 2 F 401 STM C1-C6-C5 4.79 119.90 112.17 2 F 401 STM C13-C14-N2 4.59 120.91 114.23 2 G 401 STM C13-C14-N2 4.50 120.78 114.23 2 D 401 STM </td <td>2</td> <td>A</td> <td>401</td> <td>STM</td> <td>C4-C8-N1</td> <td>5.41</td> <td>123.04</td> <td>116.61</td>	2	A	401	STM	C4-C8-N1	5.41	123.04	116.61
2 C 401 STM C4-C3-N3 -5.07 114.82 121.61 2 A 401 STM C13-C14-N2 5.07 121.59 114.23 2 D 401 STM C4-C8-N1 4.95 122.49 116.61 2 A 401 STM O1-C6-C5 4.88 120.04 112.17 2 C 401 STM C24-O6-C22 4.85 124.84 117.53 2 F 401 STM O1-C6-C5 4.79 119.90 112.17 2 F 401 STM C4-C8-N1 4.72 122.23 116.61 2 F 401 STM C13-C14-N2 4.59 120.91 114.23 2 D 401 STM C13-C14-N2 4.50 120.78 114.23 2 D 401 STM C6-C22-C23 4.38 118.80 114.54 2 C 401 STM	2	С	401	STM	C4-C8-N1	5.30	122.91	116.61
2 A 401 STM C13-C14-N2 5.07 121.59 114.23 2 D 401 STM C4-C8-N1 4.95 122.49 116.61 2 A 401 STM O1-C6-C5 4.88 120.04 112.17 2 C 401 STM C24-O6-C22 4.85 124.84 117.53 2 F 401 STM O1-C6-C5 4.79 119.90 112.17 2 F 401 STM C4-C8-N1 4.72 122.23 116.61 2 G 401 STM C4-C8-N1 4.72 120.91 114.23 2 D 401 STM C13-C14-N2 4.59 120.91 114.23 2 D 401 STM C13-C14-N2 4.59 120.91 114.23 2 D 401 STM C6-C22-C23 4.38 118.96 114.54 2 C 401 STM<	2	D	401	STM	O1-C6-C5	5.08	120.36	112.17
2 D 401 STM C4-C8-N1 4.95 122.49 116.61 2 A 401 STM O1-C6-C5 4.88 120.04 112.17 2 C 401 STM C24-O6-C22 4.85 124.84 117.53 2 F 401 STM O1-C6-C5 4.79 119.90 112.17 2 F 401 STM C4-C8-N1 4.72 122.23 116.61 2 G 401 STM C13-C14-N2 4.59 120.91 114.23 2 D 401 STM C13-C14-N2 4.59 120.91 114.23 2 D 401 STM C13-C14-N2 4.59 120.91 114.23 2 D 401 STM C6-C22-C23 4.38 118.96 114.54 2 C 401 STM O6-C22-C23 4.23 118.80 114.54 2 E 401 ST	2	С	401	STM	C4-C3-N3	-5.07	114.82	121.61
2 A 401 STM O1-C6-C5 4.88 120.04 112.17 2 C 401 STM C24-O6-C22 4.85 124.84 117.53 2 F 401 STM O1-C6-C5 4.79 119.90 112.17 2 F 401 STM C4-C8-N1 4.72 122.23 116.61 2 G 401 STM C13-C14-N2 4.59 120.91 114.23 2 D 401 STM C13-C14-N2 4.50 120.78 114.23 2 D 401 STM C6-C22-C23 4.38 118.96 114.54 2 C 401 STM O6-C22-C23 4.23 118.80 114.54 2 A 401 STM O2-C13-C12 -4.22 117.37 121.84 2 E 401 STM C4-C8-N1 4.20 121.60 116.61 2 F 401 S	2	A	401	STM	C13-C14-N2	5.07	121.59	114.23
2 C 401 STM C24-O6-C22 4.85 124.84 117.53 2 F 401 STM O1-C6-C5 4.79 119.90 112.17 2 F 401 STM C4-C8-N1 4.72 122.23 116.61 2 G 401 STM C13-C14-N2 4.59 120.91 114.23 2 D 401 STM C13-C14-N2 4.50 120.78 114.23 2 D 401 STM C6-C22-C23 4.38 118.96 114.54 2 D 401 STM O6-C22-C23 4.23 118.80 114.54 2 A 401 STM O2-C13-C12 -4.22 117.37 121.84 2 E 401 STM C4-C8-N1 4.20 121.60 116.61 2 F 401 STM C6-C22-C23 4.03 118.60 114.54 2 C 401 <td< td=""><td>2</td><td>D</td><td>401</td><td>STM</td><td>C4-C8-N1</td><td>4.95</td><td>122.49</td><td>116.61</td></td<>	2	D	401	STM	C4-C8-N1	4.95	122.49	116.61
2 F 401 STM O1-C6-C5 4.79 119.90 112.17 2 F 401 STM C4-C8-N1 4.72 122.23 116.61 2 G 401 STM C13-C14-N2 4.59 120.91 114.23 2 D 401 STM C13-C14-N2 4.50 120.78 114.23 2 D 401 STM O6-C22-C23 4.38 118.96 114.54 2 C 401 STM O6-C22-C23 4.23 118.80 114.54 2 A 401 STM O2-C13-C12 -4.22 117.37 121.84 2 E 401 STM C4-C8-N1 4.20 121.60 116.61 2 F 401 STM O6-C22-C23 4.03 118.60 114.54 2 C 401 STM O2-C13-C12 -3.92 117.69 121.84 2 A 401 <t< td=""><td>2</td><td>A</td><td>401</td><td>STM</td><td>O1-C6-C5</td><td>4.88</td><td>120.04</td><td>112.17</td></t<>	2	A	401	STM	O1-C6-C5	4.88	120.04	112.17
2 F 401 STM C4-C8-N1 4.72 122.23 116.61 2 G 401 STM C13-C14-N2 4.59 120.91 114.23 2 D 401 STM C13-C14-N2 4.50 120.78 114.23 2 D 401 STM O6-C22-C23 4.38 118.96 114.54 2 C 401 STM O6-C22-C23 4.23 118.80 114.54 2 A 401 STM O2-C13-C12 -4.22 117.37 121.84 2 E 401 STM C4-C8-N1 4.20 121.60 116.61 2 F 401 STM O6-C22-C23 4.03 118.60 114.54 2 C 401 STM O2-C13-C12 -3.92 117.69 121.84 2 A 401 STM C2-C18-C23 3.91 125.28 120.52 2 C 401	2	С	401	STM	C24-O6-C22	4.85	124.84	117.53
2 G 401 STM C13-C14-N2 4.59 120.91 114.23 2 D 401 STM C13-C14-N2 4.50 120.78 114.23 2 D 401 STM O6-C22-C23 4.38 118.96 114.54 2 C 401 STM O6-C22-C23 4.23 118.80 114.54 2 A 401 STM O2-C13-C12 -4.22 117.37 121.84 2 E 401 STM C2-C13-C12 -4.22 117.37 121.84 2 E 401 STM C2-C8-N1 4.20 121.60 116.61 2 F 401 STM O6-C22-C23 4.03 118.60 114.54 2 C 401 STM O2-C13-C12 -3.92 117.69 121.84 2 A 401 STM C2-C18-C23 3.91 125.28 120.52 2 C 401	2	F	401	STM	O1-C6-C5	4.79	119.90	112.17
2 D 401 STM C13-C14-N2 4.50 120.78 114.23 2 D 401 STM O6-C22-C23 4.38 118.96 114.54 2 C 401 STM O6-C22-C23 4.23 118.80 114.54 2 A 401 STM O2-C13-C12 -4.22 117.37 121.84 2 E 401 STM C2-C13-C12 -4.22 117.37 121.84 2 E 401 STM C4-C8-N1 4.20 121.60 116.61 2 F 401 STM O6-C22-C23 4.03 118.60 114.54 2 C 401 STM O2-C13-C12 -3.92 117.69 121.84 2 A 401 STM C2-C18-C23 3.91 125.28 120.52 2 C 401 STM C2-C3-N3 3.90 124.50 120.12 2 E 401	2	F	401	STM	C4-C8-N1	4.72	122.23	116.61
2 D 401 STM O6-C22-C23 4.38 118.96 114.54 2 C 401 STM O6-C22-C23 4.23 118.80 114.54 2 A 401 STM O2-C13-C12 -4.22 117.37 121.84 2 E 401 STM C4-C8-N1 4.20 121.60 116.61 2 F 401 STM O6-C22-C23 4.03 118.60 114.54 2 C 401 STM O2-C13-C12 -3.92 117.69 121.84 2 A 401 STM C2-C18-C23 3.91 125.28 120.52 2 C 401 STM C2-C3-N3 3.90 124.50 120.12 2 E 401 STM C24-O6-C22 3.87 123.37 117.53 2 E 401 STM C13-C14-N2 3.73 119.65 114.23 2 A 401	2	G	401	STM	C13-C14-N2	4.59	120.91	114.23
2 C 401 STM O6-C22-C23 4.23 118.80 114.54 2 A 401 STM O2-C13-C12 -4.22 117.37 121.84 2 E 401 STM C4-C8-N1 4.20 121.60 116.61 2 F 401 STM O6-C22-C23 4.03 118.60 114.54 2 C 401 STM O2-C13-C12 -3.92 117.69 121.84 2 A 401 STM C2-C18-C23 3.91 125.28 120.52 2 C 401 STM C2-C3-N3 3.90 124.50 120.12 2 E 401 STM C24-O6-C22 3.87 123.37 117.53 2 E 401 STM C6-C22-C21 -3.84 117.79 124.37 2 E 401 STM C13-C14-N2 3.73 119.65 114.23 2 A 401	2	D	401	STM	C13-C14-N2	4.50	120.78	114.23
2 A 401 STM O2-C13-C12 -4.22 117.37 121.84 2 E 401 STM C4-C8-N1 4.20 121.60 116.61 2 F 401 STM O6-C22-C23 4.03 118.60 114.54 2 C 401 STM O2-C13-C12 -3.92 117.69 121.84 2 A 401 STM C2-C18-C23 3.91 125.28 120.52 2 C 401 STM C2-C3-N3 3.90 124.50 120.12 2 E 401 STM C24-O6-C22 3.87 123.37 117.53 2 E 401 STM O6-C22-C21 -3.84 117.79 124.37 2 E 401 STM C13-C14-N2 3.73 119.65 114.23 2 A 401 STM C2-C13-C14 3.73 123.43 119.18 2 A 401 STM C1-C5-N -3.65 119.41 123.31	2	D	401	STM	O6-C22-C23	4.38	118.96	114.54
2 E 401 STM C4-C8-N1 4.20 121.60 116.61 2 F 401 STM O6-C22-C23 4.03 118.60 114.54 2 C 401 STM O2-C13-C12 -3.92 117.69 121.84 2 A 401 STM C2-C18-C23 3.91 125.28 120.52 2 C 401 STM C2-C3-N3 3.90 124.50 120.12 2 E 401 STM C24-O6-C22 3.87 123.37 117.53 2 E 401 STM O6-C22-C21 -3.84 117.79 124.37 2 E 401 STM C13-C14-N2 3.73 119.65 114.23 2 A 401 STM O2-C13-C14 3.73 123.43 119.18 2 A 401 STM C1-C5-N -3.65 119.41 123.31	2	С	401	STM	O6-C22-C23	4.23	118.80	114.54
2 F 401 STM O6-C22-C23 4.03 118.60 114.54 2 C 401 STM O2-C13-C12 -3.92 117.69 121.84 2 A 401 STM C2-C18-C23 3.91 125.28 120.52 2 C 401 STM C2-C3-N3 3.90 124.50 120.12 2 E 401 STM C24-O6-C22 3.87 123.37 117.53 2 E 401 STM O6-C22-C21 -3.84 117.79 124.37 2 E 401 STM C13-C14-N2 3.73 119.65 114.23 2 A 401 STM O2-C13-C14 3.73 123.43 119.18 2 A 401 STM C1-C5-N -3.65 119.41 123.31	2	A	401	STM	O2-C13-C12	-4.22	117.37	121.84
2 C 401 STM O2-C13-C12 -3.92 117.69 121.84 2 A 401 STM C2-C18-C23 3.91 125.28 120.52 2 C 401 STM C2-C3-N3 3.90 124.50 120.12 2 E 401 STM C24-O6-C22 3.87 123.37 117.53 2 E 401 STM O6-C22-C21 -3.84 117.79 124.37 2 E 401 STM C13-C14-N2 3.73 119.65 114.23 2 A 401 STM O2-C13-C14 3.73 123.43 119.18 2 A 401 STM C1-C5-N -3.65 119.41 123.31	2	Е	401	STM	C4-C8-N1	4.20	121.60	116.61
2 A 401 STM C2-C18-C23 3.91 125.28 120.52 2 C 401 STM C2-C3-N3 3.90 124.50 120.12 2 E 401 STM C24-O6-C22 3.87 123.37 117.53 2 E 401 STM O6-C22-C21 -3.84 117.79 124.37 2 E 401 STM C13-C14-N2 3.73 119.65 114.23 2 A 401 STM O2-C13-C14 3.73 123.43 119.18 2 A 401 STM C1-C5-N -3.65 119.41 123.31	2	F	401	STM	O6-C22-C23	4.03	118.60	114.54
2 C 401 STM C2-C3-N3 3.90 124.50 120.12 2 E 401 STM C24-O6-C22 3.87 123.37 117.53 2 E 401 STM O6-C22-C21 -3.84 117.79 124.37 2 E 401 STM C13-C14-N2 3.73 119.65 114.23 2 A 401 STM O2-C13-C14 3.73 123.43 119.18 2 A 401 STM C1-C5-N -3.65 119.41 123.31	2	С	401	STM	O2-C13-C12	-3.92	117.69	121.84
2 E 401 STM C24-O6-C22 3.87 123.37 117.53 2 E 401 STM O6-C22-C21 -3.84 117.79 124.37 2 E 401 STM C13-C14-N2 3.73 119.65 114.23 2 A 401 STM O2-C13-C14 3.73 123.43 119.18 2 A 401 STM C1-C5-N -3.65 119.41 123.31	2	A	401	STM	C2-C18-C23	3.91	125.28	120.52
2 E 401 STM O6-C22-C21 -3.84 117.79 124.37 2 E 401 STM C13-C14-N2 3.73 119.65 114.23 2 A 401 STM O2-C13-C14 3.73 123.43 119.18 2 A 401 STM C1-C5-N -3.65 119.41 123.31	2	С	401	STM	C2-C3-N3	3.90	124.50	120.12
2 E 401 STM C13-C14-N2 3.73 119.65 114.23 2 A 401 STM O2-C13-C14 3.73 123.43 119.18 2 A 401 STM C1-C5-N -3.65 119.41 123.31	2	Е	401	STM	C24-O6-C22	3.87	123.37	117.53
2 A 401 STM O2-C13-C14 3.73 123.43 119.18 2 A 401 STM C1-C5-N -3.65 119.41 123.31	2	E	401	STM	O6-C22-C21	-3.84	117.79	124.37
2 A 401 STM C1-C5-N -3.65 119.41 123.31	2	E	401	$\overline{\text{STM}}$	C13-C14-N2	3.73	119.65	114.23
	2	A	401	STM	O2-C13-C14	3.73	123.43	119.18
2 C 401 STM C13-C14-N2 3.50 119.31 114.23	2	A	401	STM	C1-C5-N	-3.65	119.41	123.31
	2	С	401	STM	C13-C14-N2	3.50	119.31	114.23



 $Continued\ from\ previous\ page...$

Mol	Chain	Res	Type	Atoms	Z	$Observed(^o)$	$\operatorname{Ideal}({}^{o})$
2	D	401	STM	C4-C3-N3	-3.47	116.97	121.61
2	F	401	STM	C13-C14-N2	3.45	119.25	114.23
2	A	401	STM	C4-C3-N3	-3.40	117.06	121.61
2	D	401	STM	C13-C12-N1	3.38	120.69	114.96
2	Е	401	STM	C1-C5-N	-3.33	119.75	123.31
2	В	401	STM	C-C1-C5	-3.33	115.89	122.87
2	G	401	STM	C24-O6-C22	3.32	122.54	117.53
2	A	401	STM	C-C1-C5	-3.29	115.97	122.87
2	С	401	STM	O1-C6-C5	3.28	117.46	112.17
2	A	401	STM	C2-C3-N3	3.28	123.80	120.12
2	A	401	STM	O1-C6-O	-3.23	117.13	123.45
2	D	401	STM	C-C1-C5	-3.18	116.20	122.87
2	D	401	STM	C9-C8-C4	-3.08	116.78	120.66
2	Е	401	STM	O1-C6-C5	3.06	117.10	112.17
2	С	401	STM	C18-C2-C1	3.05	123.56	119.81
2	В	401	STM	O1-C6-C5	3.05	117.09	112.17
2	Е	401	STM	C7-O1-C6	3.04	121.69	115.83
2	G	401	STM	O1-C6-O	-3.02	117.55	123.45
2	В	401	STM	O6-C22-C21	-2.96	119.30	124.37
2	F	401	STM	C7-O1-C6	2.95	121.52	115.83
2	F	401	STM	C4-C3-N3	-2.94	117.68	121.61
2	F	401	STM	C11-C12-N1	-2.92	119.93	123.11
2	В	401	STM	C9-C8-N1	-2.92	118.19	121.97
2	A	401	STM	C7-O1-C6	2.90	121.43	115.83
2	С	401	STM	O2-C13-C14	2.89	122.48	119.18
2	С	401	STM	C17-O4-C15	2.85	126.55	116.47
2	D	401	STM	C1-C5-N	-2.80	120.31	123.31
2	F	401	STM	C13-C12-N1	2.75	119.62	114.96
2	В	401	STM	C12-N1-C8	2.70	122.21	118.19
2	Е	401	STM	O1-C6-O	-2.67	118.22	123.45
2	G	401	STM	C4-C8-N1	2.66	119.77	116.61
2	Е	401	STM	C-C1-C5	-2.60	117.42	122.87
2	С	401	STM	C9-C8-C4	-2.60	117.38	120.66
2	С	401	STM	C-C1-C5	-2.60	117.42	122.87
2	Е	401	STM	O2-C13-C12	-2.57	119.12	121.84
2	D	401	STM	C11-C12-N1	-2.57	120.31	123.11
2	С	401	STM	C7-O1-C6	2.56	120.77	115.83
2	G	401	STM	O6-C22-C21	-2.55	119.99	124.37
2	G	401	STM	C-C1-C5	-2.53	117.56	122.87
2	G	401	STM	C1-C5-N	-2.52	120.62	123.31
2	В	401	STM	C11-C12-C13	2.49	121.84	120.39
2	В	401	STM	C13-C14-N2	2.48	117.84	114.23



 $Continued\ from\ previous\ page...$

Mol	Chain	Res	Type	Atoms	Z	$Observed(^o)$	$\operatorname{Ideal}({}^{o})$
2	A	401	STM	C18-C23-C22	-2.46	118.65	120.38
2	В	401	STM	O2-C13-C12	-2.45	119.25	121.84
2	D	401	STM	C11-C12-C13	-2.42	118.99	120.39
2	F	401	STM	C2-C3-N3	2.42	122.83	120.12
2	A	401	STM	C9-C8-N1	-2.37	118.89	121.97
2	A	401	STM	C13-C12-N1	2.37	118.98	114.96
2	С	401	STM	C13-C12-N1	2.37	118.97	114.96
2	F	401	STM	C5-N-C4	2.37	123.36	118.02
2	Е	401	STM	C11-C12-N1	-2.37	120.53	123.11
2	F	401	STM	C-C1-C5	-2.32	118.01	122.87
2	С	401	STM	C1-C5-N	-2.31	120.84	123.31
2	G	401	STM	C11-C12-C13	2.30	121.73	120.39
2	D	401	STM	C2-C18-C23	2.29	123.30	120.52
2	В	401	STM	O1-C6-O	-2.28	118.99	123.45
2	Е	401	STM	C13-C12-N1	2.26	118.80	114.96
2	G	401	STM	C5-N-C4	2.26	123.12	118.02
2	F	401	STM	C-C1-C2	2.25	124.54	120.55
2	В	401	STM	C-C1-C2	2.24	124.54	120.55
2	F	401	STM	C12-N1-C8	2.23	121.51	118.19
2	D	401	STM	O1-C6-O	-2.21	119.14	123.45
2	В	401	STM	C4-C8-N1	2.20	119.23	116.61
2	Е	401	STM	C17-O4-C15	2.19	124.24	116.47
2	A	401	STM	C11-C12-N1	-2.19	120.72	123.11
2	A	401	STM	C9-C8-C4	-2.17	117.92	120.66
2	D	401	STM	C2-C3-N3	2.16	122.54	120.12
2	G	401	STM	C-C1-C2	2.15	124.37	120.55
2	Е	401	STM	C12-N1-C8	2.14	121.38	118.19
2	G	401	STM	C11-C12-N1	-2.14	120.78	123.11
2	Е	401	STM	C5-N-C4	2.13	122.83	118.02
2	A	401	STM	C12-N1-C8	2.12	121.35	118.19
2	A	401	STM	C-C1-C2	2.10	124.28	120.55
2	A	401	STM	C5-N-C4	2.09	122.73	118.02
2	G	401	STM	C19-C18-C23	2.08	120.03	117.96
2	В	401	STM	C11-C16-C15	2.08	120.86	116.02
2	D	401	STM	C7-O1-C6	2.07	119.83	115.83
2	F	401	STM	C9-C8-N1	-2.07	119.28	121.97
2	С	401	STM	C2-C3-C4	2.03	120.68	117.77
2	E	401	STM	C9-C8-N1	-2.03	119.34	121.97
2	С	401	STM	O1-C6-O	-2.01	119.53	123.45

There are no chirality outliers.

All (44) torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
2	D	401	STM	C5-C6-O1-C7
2	A	401	STM	C5-C6-O1-C7
2	В	401	STM	C5-C6-O1-C7
2	C	401	STM	C5-C6-O1-C7
2	E	401	STM	C5-C6-O1-C7
2	F	401	STM	C5-C6-O1-C7
2	G	401	STM	C5-C6-O1-C7
2	G	401	STM	O-C6-O1-C7
2	В	401	STM	O-C6-O1-C7
2	A	401	STM	C21-C22-O6-C24
2	A	401	STM	C23-C22-O6-C24
2	В	401	STM	C23-C22-O6-C24
2	D	401	STM	O-C6-O1-C7
2	G	401	STM	C23-C22-O6-C24
2	В	401	STM	C21-C22-O6-C24
2	Е	401	STM	O-C6-O1-C7
2	F	401	STM	O-C6-O1-C7
2	G	401	STM	C21-C22-O6-C24
2	С	401	STM	O-C6-O1-C7
2	A	401	STM	O-C6-O1-C7
2	Е	401	STM	C21-C22-O6-C24
2	Е	401	STM	C23-C22-O6-C24
2	С	401	STM	C1-C5-C6-O
2	Е	401	STM	C1-C5-C6-O
2	Е	401	STM	C16-C15-O4-C17
2	С	401	STM	C14-C15-O4-C17
2	Е	401	STM	C14-C15-O4-C17
2	A	401	STM	C1-C5-C6-O
2	С	401	STM	C1-C5-C6-O1
2	Е	401	STM	C1-C5-C6-O1
2	В	401	STM	C16-C15-O4-C17
2	С	401	STM	C16-C15-O4-C17
2	F	401	STM	C16-C15-O4-C17
2	С	401	STM	C23-C22-O6-C24
2	F	401	STM	C1-C5-C6-O
2	D	401	STM	C1-C5-C6-O1
2	A	401	STM	C1-C5-C6-O1
2	В	401	STM	C1-C5-C6-O1
2	В	401	STM	C3-C4-C8-C9
2	С	401	STM	C3-C4-C8-C9
2	D	401	STM	C1-C5-C6-O
2	В	401	STM	C1-C5-C6-O
2	G	401	STM	C1-C5-C6-O



Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	С	401	STM	C21-C22-O6-C24


There are no ring outliers.


7 monomers are involved in 14 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	В	401	STM	1	0
2	A	401	STM	2	0
2	F	401	STM	1	0
2	С	401	STM	2	0
2	Е	401	STM	1	0
2	D	401	STM	3	0
2	G	401	STM	4	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



























5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	$\#\mathrm{RSRZ}{>}2$	$\mathbf{OWAB}(\mathbf{\mathring{A}}^2)$	Q<0.9
1	A	316/383 (82%)	-0.32	0 100 100	28, 44, 64, 108	1 (0%)
1	В	316/383 (82%)	-0.30	2 (0%) 89 89	28, 47, 68, 123	1 (0%)
1	С	316/383 (82%)	-0.27	0 100 100	31, 50, 75, 94	1 (0%)
1	D	316/383~(82%)	-0.33	2 (0%) 89 89	24, 40, 61, 100	1 (0%)
1	E	316/383 (82%)	-0.25	1 (0%) 94 94	31, 53, 77, 90	1 (0%)
1	F	314/383 (81%)	-0.15	3 (0%) 82 82	32, 59, 81, 100	1 (0%)
1	G	316/383 (82%)	-0.21	3 (0%) 84 84	39, 59, 76, 83	1 (0%)
All	All	2210/2681 (82%)	-0.26	11 (0%) 91 91	24, 50, 75, 123	7 (0%)

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ	
1	G	291	ALA	4.2	
1	D	74	GLY	4.1	
1	F	307	ARG	3.7	
1	В	237	ARG	3.0	
1	Е	307	ARG	3.0	
1	D	239	HIS	2.8	
1	F	314	ASP	2.5	
1	F	353	LEU	2.4	
1	G	67	THR	2.1	
1	G	343	LEU	2.1	
1	В	75	LYS	2.1	

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



6.3 Carbohydrates (i)

There are no monosaccharides in this entry.


6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-}\mathbf{factors}(\mathbf{\mathring{A}}^2)$	Q < 0.9
2	STM	F	401	36/36	0.91	0.19	45,59,69,73	0
2	STM	G	401	36/36	0.92	0.16	46,55,64,74	0
2	STM	С	401	36/36	0.93	0.19	36,39,46,47	0
2	STM	В	401	36/36	0.94	0.16	33,36,43,47	0
2	STM	Е	401	36/36	0.94	0.22	53,64,70,71	0
2	STM	A	401	36/36	0.95	0.16	30,34,39,44	0
2	STM	D	401	36/36	0.96	0.16	25,31,36,39	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.


































6.5 Other polymers (i)

There are no such residues in this entry.

