

Key

- 3 Backbone sugar and base-number
- P Phosphate group
- * Residue/water on plot more than once
- Hydrogen bond to DNA
- Nonbonded contact to DNA (< 3.35A)
- 88 W Water molecule and number

file



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file


Chain C
Chain D
21
A
T
2
P
P
NZ Lys136(A)
W
193(D)
NE2 Gln161(A)*
22
T
A
1
5’

Key


3
Backbone sugar and base-number
P
Phosphate group
* Residue/water on plot more than once
Hydrogen bond to DNA
Nonbonded contact to DNA (< 3.35A)
88
W
Water molecule and number

file



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file