Chain A



Key

3 **Backbone sugar and base-number**

P **Phosphate group**

*** Residue/water on plot more than once**

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W **Water molecule and number**

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

- 3 — Backbone sugar and base-number
- P — Phosphate group
- * Residue/water on plot more than once
- Hydrogen bond to DNA
- Nonbonded contact to DNA (< 3.35A)
- 88 W — Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

- 3 — Backbone sugar and base-number
- P — Phosphate group
- * Residue/water on plot more than once
- ..... Hydrogen bond to DNA
- - - - - - Nonbonded contact to DNA (< 3.35A)
- 88 W — Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

- 3 — Backbone sugar and base-number
- P — Phosphate group
- * Residue/water on plot more than once
- Hydrogen bond to DNA
- Nonbonded contact to DNA (< 3.35A)
- 88 W — Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain Y



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain Y



Key

- 3 — Backbone sugar and base-number
- P — Phosphate group
- * Residue/water on plot more than once
- ..... Hydrogen bond to DNA
- - - - - - Nonbonded contact to DNA (< 3.35A)
- 88 W — Water molecule and number

file

Chain A



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain W

5’



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file

Chain X



Key

3 Backbone sugar and base-number

P Phosphate group

* Residue/water on plot more than once

Hydrogen bond to DNA

Nonbonded contact to DNA (< 3.35A)

88 W Water molecule and number

file