



# Full wwPDB X-ray Structure Validation Report

Oct 23, 2021 – 02:05 PM EDT

PDB ID : 1ANI  
Title : ALKALINE PHOSPHATASE (D153H, K328H)  
Authors : Murphy, J.E.; Tibbitts, T.T.; Kantrowitz, E.R.  
Deposited on : 1995-09-06  
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the  symbol.

---

The following versions of software and data (see [references](#) ) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtrriage (Phenix) : **NOT EXECUTED**  
EDS : **NOT EXECUTED**  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.23.2


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	446	
1	B	446	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	PO4	B	453	-	-	X	-

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6869 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ALKALINE PHOSPHATASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	446	3284	2030	581	661	12	0	0	0
1	B	446	3284	2030	581	661	12	0	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	153	HIS	ASP	engineered mutation	UNP P00634
A	328	HIS	LYS	engineered mutation	UNP P00634
B	153	HIS	ASP	engineered mutation	UNP P00634
B	328	HIS	LYS	engineered mutation	UNP P00634

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	3	Total	Zn	0	0
			3	3		
2	B	3	Total	Zn	0	0
			3	3		

- Molecule 3 is PHOSPHATE ION (three-letter code: PO4) (formula: O<sub>4</sub>P).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	P	0	0
			5	4	1		
3	A	1	Total	O	P	0	0
			5	4	1		
3	A	1	Total	O	P	0	0
			5	4	1		
3	B	1	Total	O	P	0	0
			5	4	1		
3	B	1	Total	O	P	0	0
			5	4	1		

- Molecule 4 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	133	Total	O	0	0
			133	133		
4	B	137	Total	O	0	0
			137	137		

### 3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.

- Molecule 1: ALKALINE PHOSPHATASE



- Molecule 1: ALKALINE PHOSPHATASE



## 4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	194.60Å 167.30Å 76.30Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	8.00 – 2.50	Depositor
% Data completeness (in resolution range)	91.0 (8.00-2.50)	Depositor
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
Refinement program	X-PLOR 3.1, IMPLOR, POLYVISION, TIBBITTS	Depositor
R, $R_{free}$	0.176 , (Not available)	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	6869	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	18.0	wwPDB-VP

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, PO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.60	0/3340	0.77	3/4534 (0.1%)
1	B	0.62	0/3340	0.77	4/4534 (0.1%)
All	All	0.61	0/6680	0.77	7/9068 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	B	1	0

There are no bond length outliers.

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	B	287	THR	CA-CB-CG2	8.62	124.47	112.40
1	A	128	ASP	CB-CG-OD1	6.10	123.79	118.30
1	B	248	GLU	OE1-CD-OE2	-6.04	116.05	123.30
1	A	323	GLY	N-CA-C	-5.33	99.78	113.10
1	B	287	THR	OG1-CB-CG2	5.15	121.85	110.00
1	B	323	GLY	N-CA-C	-5.12	100.31	113.10
1	A	101	ASP	CB-CG-OD1	5.07	122.86	118.30

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
1	B	287	THR	CB

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3284	0	3222	58	0
1	B	3284	0	3223	65	0
2	A	3	0	0	0	0
2	B	3	0	0	0	0
3	A	15	0	0	1	0
3	B	10	0	0	3	0
4	A	133	0	0	4	0
4	B	137	0	0	6	0
All	All	6869	0	6445	117	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (117) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:172:SER:HB2	4:A:502:HOH:O	1.67	0.94
1:B:244:ASN:HA	1:B:305:LYS:NZ	1.93	0.84
1:A:244:ASN:HA	1:A:305:LYS:NZ	1.94	0.81
1:B:47:LEU:HD23	1:B:442:MET:SD	2.25	0.76
1:A:101:ASP:HB2	3:A:453:PO4:O3	1.87	0.75
1:A:47:LEU:HD23	1:A:442:MET:SD	2.30	0.71
1:A:266:VAL:HG23	4:A:548:HOH:O	1.91	0.68
1:B:7:LEU:HD12	4:B:571:HOH:O	1.92	0.68
1:B:38:SER:OG	1:B:40:LYS:HD2	1.98	0.63
1:A:38:SER:OG	1:A:40:LYS:HD2	1.99	0.63
1:A:155:THR:HB	1:A:156:PRO:HD3	1.80	0.62
1:A:228:GLN:O	1:A:232:ARG:HG2	2.00	0.62
1:B:287:THR:HG23	1:B:288:PRO:O	2.00	0.62
1:A:443:LYS:HG3	1:A:448:LEU:HB3	1.82	0.61
1:B:48:LEU:HD13	1:B:321:VAL:HB	1.81	0.60
1:B:155:THR:HB	1:B:156:PRO:HD3	1.84	0.59
1:B:249:ALA:HB2	1:B:309:LEU:HD13	1.85	0.58
1:B:244:ASN:HA	1:B:305:LYS:HZ1	1.67	0.58
1:A:328:HIS:C	1:A:328:HIS:CD2	2.77	0.58

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:101:ASP:HB2	3:B:453:PO4:O3	2.03	0.58
1:A:249:ALA:HB2	1:A:309:LEU:HD13	1.86	0.57
1:B:443:LYS:HG3	1:B:448:LEU:HB3	1.84	0.57
1:B:10:ARG:HB2	1:B:71:PHE:CE1	2.41	0.56
1:A:426:ALA:O	1:A:429:VAL:HG22	2.06	0.56
1:A:235:GLN:HB2	4:A:558:HOH:O	2.06	0.55
1:A:48:LEU:HD13	1:A:321:VAL:HB	1.88	0.55
1:A:365:ILE:HD13	1:A:438:LEU:HD11	1.88	0.55
1:A:10:ARG:HD2	1:B:432:LEU:O	2.07	0.55
1:B:152:GLN:HB2	1:B:169:TYR:CE2	2.42	0.55
1:B:266:VAL:HG23	4:B:569:HOH:O	2.06	0.54
1:B:80:LEU:HD12	1:B:426:ALA:HB3	1.88	0.54
1:B:148:THR:HG23	1:B:299:LEU:HD13	1.90	0.53
1:B:199:ARG:NH2	1:B:232:ARG:O	2.41	0.52
1:A:148:THR:HG23	1:A:299:LEU:HD13	1.91	0.52
1:B:153:HIS:O	1:B:156:PRO:HD2	2.09	0.52
1:B:426:ALA:O	1:B:429:VAL:HG22	2.09	0.52
1:A:244:ASN:HA	1:A:305:LYS:HZ1	1.75	0.51
1:B:249:ALA:HB3	1:B:309:LEU:HB3	1.92	0.51
1:A:45:ILE:HG13	1:A:446:LEU:HD13	1.92	0.51
1:A:80:LEU:HD12	1:A:426:ALA:HB3	1.93	0.50
1:A:289:ASN:O	1:A:292:ARG:HG2	2.13	0.49
1:A:249:ALA:HB3	1:A:309:LEU:HB3	1.94	0.49
1:B:7:LEU:HD21	1:B:79:PRO:HA	1.94	0.49
1:A:328:HIS:HD2	1:A:328:HIS:O	1.95	0.49
1:B:166:ARG:NH2	3:B:453:PO4:O4	2.46	0.49
1:B:365:ILE:HD13	1:B:438:LEU:HD11	1.94	0.49
1:B:313:ASN:OD1	1:B:315:LYS:HB2	2.13	0.48
1:B:305:LYS:HD2	1:B:305:LYS:HA	1.69	0.48
1:A:10:ARG:HB2	1:A:71:PHE:CE1	2.49	0.47
1:B:159:LEU:HD11	1:B:320:GLN:NE2	2.29	0.47
1:B:235:GLN:HE22	1:B:246:VAL:HG13	1.79	0.47
1:A:40:LYS:HE2	1:A:40:LYS:HB3	1.69	0.47
1:A:68:ALA:HB1	1:B:87:TYR:CD2	2.49	0.47
1:B:40:LYS:HE2	1:B:40:LYS:HB3	1.68	0.47
1:A:84:TYR:HA	1:A:433:THR:O	2.15	0.47
1:A:438:LEU:O	1:A:442:MET:HG3	2.14	0.47
1:B:379:PRO:HA	1:B:399:VAL:HG21	1.95	0.47
1:A:305:LYS:HA	1:A:305:LYS:HD2	1.66	0.47
1:A:304:ASP:OD2	1:A:351:ARG:HD2	2.14	0.46
1:A:328:HIS:C	1:A:328:HIS:HD2	2.17	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:153:HIS:O	1:A:156:PRO:HD2	2.15	0.46
1:B:33:LEU:HD12	1:B:33:LEU:HA	1.78	0.46
1:A:101:ASP:OD2	1:A:166:ARG:NH1	2.49	0.46
1:A:383:ALA:HB1	4:A:572:HOH:O	2.15	0.46
1:B:235:GLN:NE2	1:B:246:VAL:HG13	2.31	0.46
1:A:298:THR:OG1	1:A:301:GLN:HG3	2.16	0.46
1:A:333:ALA:O	1:A:335:PRO:HD3	2.16	0.46
1:B:29:GLN:HG3	4:B:477:HOH:O	2.16	0.45
1:A:23:ARG:HD2	1:B:440:TYR:CD2	2.52	0.45
1:A:448:LEU:HD12	1:A:448:LEU:HA	1.74	0.45
1:B:289:ASN:O	1:B:292:ARG:HD3	2.16	0.45
1:B:10:ARG:HB2	1:B:71:PHE:CD1	2.52	0.45
1:A:235:GLN:NE2	1:A:246:VAL:HG13	2.31	0.44
1:A:33:LEU:HD12	1:A:33:LEU:HA	1.81	0.44
1:A:78:LEU:HA	1:A:79:PRO:HD2	1.89	0.44
1:B:15:ASP:O	1:B:21:GLY:HA3	2.17	0.44
1:B:110:SER:O	1:B:131:THR:HA	2.16	0.44
1:B:234:TYR:CD1	1:B:254:PRO:HG2	2.53	0.44
1:A:379:PRO:HA	1:A:399:VAL:HG21	1.99	0.44
1:B:10:ARG:O	1:B:24:ARG:HD3	2.18	0.43
1:B:446:LEU:HD12	1:B:446:LEU:HA	1.85	0.43
1:A:213:GLU:O	1:A:225:LEU:HD12	2.18	0.43
1:A:434:ASP:O	1:A:437:ASP:HB2	2.18	0.43
1:B:274:THR:HG21	1:B:281:LYS:HD2	2.00	0.43
1:A:402:TYR:HB3	1:A:410:GLN:HG3	2.01	0.43
1:A:244:ASN:HA	1:A:305:LYS:HZ2	1.79	0.43
1:B:337:GLY:O	1:B:341:GLU:HG2	2.19	0.43
1:A:313:ASN:OD1	1:A:315:LYS:HB2	2.19	0.42
1:B:127:LYS:HD2	1:B:128:ASP:O	2.19	0.42
1:B:199:ARG:HA	1:B:234:TYR:OH	2.18	0.42
1:B:297:PRO:HA	1:B:301:GLN:OE1	2.20	0.42
1:B:267:ARG:HG3	4:B:524:HOH:O	2.20	0.42
1:A:34:ARG:HG3	1:B:37:LEU:HD23	2.00	0.42
1:A:47:LEU:HD12	1:A:49:ILE:HG12	2.01	0.42
1:A:15:ASP:O	1:A:21:GLY:HA3	2.20	0.42
1:A:110:SER:O	1:A:131:THR:HA	2.20	0.41
1:B:91:LYS:NZ	4:B:520:HOH:O	2.53	0.41
1:B:244:ASN:HA	1:B:305:LYS:HZ2	1.80	0.41
1:B:47:LEU:HD12	1:B:49:ILE:HG12	2.01	0.41
1:B:190:SER:O	1:B:194:GLN:HG3	2.20	0.41
1:A:7:LEU:HD21	1:A:79:PRO:HA	2.01	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:276:HIS:HE1	1:B:406:GLU:OE1	2.02	0.41
1:B:16:ILE:HG12	4:B:509:HOH:O	2.20	0.41
1:A:87:TYR:CD1	1:B:68:ALA:HB1	2.56	0.41
1:A:306:ALA:O	1:A:310:LEU:HB2	2.21	0.41
1:B:73:LYS:N	1:B:73:LYS:HD3	2.35	0.41
1:B:224:THR:OG1	1:B:227:GLU:HG3	2.20	0.41
1:B:45:ILE:HG13	1:B:446:LEU:HD13	2.02	0.41
1:B:287:THR:HA	1:B:288:PRO:HD3	1.86	0.41
1:B:33:LEU:O	1:B:37:LEU:HD13	2.20	0.40
1:B:166:ARG:NH2	3:B:453:PO4:P	2.94	0.40
1:A:150:GLU:O	1:A:153:HIS:HB3	2.21	0.40
1:A:337:GLY:O	1:A:341:GLU:HG2	2.21	0.40
1:A:378:ALA:HA	1:A:379:PRO:HD3	1.97	0.40
1:B:78:LEU:HA	1:B:79:PRO:HD2	1.88	0.40
1:B:78:LEU:HD12	1:B:78:LEU:H	1.86	0.40
1:B:379:PRO:HA	1:B:399:VAL:CG2	2.52	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	444/446 (100%)	431 (97%)	12 (3%)	1 (0%)	47	68
1	B	444/446 (100%)	431 (97%)	12 (3%)	1 (0%)	47	68
All	All	888/892 (100%)	862 (97%)	24 (3%)	2 (0%)	47	68

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	293	ASN
1	B	293	ASN

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	337/337 (100%)	323 (96%)	14 (4%)	30	54
1	B	337/337 (100%)	322 (96%)	15 (4%)	27	51
All	All	674/674 (100%)	645 (96%)	29 (4%)	29	53

All (29) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	40	LYS
1	A	47	LEU
1	A	73	LYS
1	A	84	TYR
1	A	166	ARG
1	A	196	LEU
1	A	209	LYS
1	A	214	THR
1	A	244	ASN
1	A	247	THR
1	A	248	GLU
1	A	287	THR
1	A	408	ASP
1	A	446	LEU
1	B	40	LYS
1	B	47	LEU
1	B	73	LYS
1	B	84	TYR
1	B	166	ARG
1	B	196	LEU
1	B	209	LYS
1	B	214	THR
1	B	244	ASN
1	B	247	THR
1	B	248	GLU
1	B	380	ASP
1	B	407	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	408	ASP
1	B	446	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	230	GLN
1	A	244	ASN
1	A	252	GLN
1	A	276	HIS
1	A	328	HIS
1	A	329	GLN
1	A	338	GLN
1	B	235	GLN
1	B	244	ASN
1	B	252	GLN
1	B	276	HIS
1	B	329	GLN
1	B	391	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 11 ligands modelled in this entry, 6 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	PO4	B	453	2	4,4,4	1.91	2 (50%)	6,6,6	1.06	0
3	PO4	A	457	-	4,4,4	1.67	1 (25%)	6,6,6	0.77	0
3	PO4	B	457	-	4,4,4	2.01	2 (50%)	6,6,6	0.55	0
3	PO4	A	453	-	4,4,4	2.58	3 (75%)	6,6,6	1.01	0
3	PO4	A	458	-	4,4,4	1.65	1 (25%)	6,6,6	1.26	1 (16%)

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	453	PO4	P-O3	-3.63	1.43	1.54
3	B	457	PO4	P-O1	-2.75	1.44	1.50
3	A	453	PO4	P-O2	-2.58	1.46	1.54
3	B	457	PO4	P-O2	-2.56	1.46	1.54
3	A	458	PO4	P-O4	-2.41	1.47	1.54
3	A	453	PO4	P-O4	-2.40	1.47	1.54
3	B	453	PO4	P-O4	-2.32	1.47	1.54
3	A	457	PO4	P-O2	-2.13	1.48	1.54
3	B	453	PO4	P-O3	-2.12	1.48	1.54

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	458	PO4	O4-P-O3	-2.02	101.49	107.97

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	453	PO4	3	0
3	A	453	PO4	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section is therefore empty.

### 6.3 Carbohydrates [i](#)

EDS was not executed - this section is therefore empty.

### 6.4 Ligands [i](#)

EDS was not executed - this section is therefore empty.

### 6.5 Other polymers [i](#)

EDS was not executed - this section is therefore empty.