



Full wwPDB X-ray Structure Validation Report ⓘ

Jul 26, 2023 – 05:08 AM EDT

PDB ID : 1AT3
Title : HERPES SIMPLEX VIRUS TYPE II PROTEASE
Authors : Hoog, S.; Smith, W.W.; Qiu, X.; Abdel-Meguid, S.S.
Deposited on : 1997-08-16
Resolution : 2.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : **NOT EXECUTED**
EDS : **NOT EXECUTED**
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.34


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	247	
1	B	247	

2 Entry composition [i](#)


There are 3 unique types of molecules in this entry. The entry contains 3356 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HERPES SIMPLEX VIRUS TYPE II PROTEASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	217	Total 1648	C 1038	N 301	O 304	S 5	0	0	0
1	B	217	Total 1645	C 1035	N 301	O 304	S 5	0	0	0

- Molecule 2 is DIISOPROPYL PHOSPHONATE (three-letter code: DFP) (formula: C₆H₁₅O₃P).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	O	P		
2	A	1	Total 10	C 6	O 3	P 1	0	0
2	B	1	Total 10	C 6	O 3	P 1	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	28	Total 28	O 28	0	0
3	B	15	Total 15	O 15	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


- Molecule 1: HERPES SIMPLEX VIRUS TYPE II PROTEASE

Chain A: 



- Molecule 1: HERPES SIMPLEX VIRUS TYPE II PROTEASE

Chain B: 



4 Data and refinement statistics

Xtrriage (Phenix) and EDS were not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	71.72Å 87.43Å 77.28Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	10.00 – 2.50	Depositor
% Data completeness (in resolution range)	85.6 (10.00-2.50)	Depositor
R_{merge}	0.10	Depositor
R_{sym}	0.10	Depositor
Refinement program	X-PLOR 3.1	Depositor
R, R_{free}	0.205 , 0.291	Depositor
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	3356	wwPDB-VP
Average B, all atoms (Å ²)	21.0	wwPDB-VP

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: DFP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.78	1/1678 (0.1%)	0.99	5/2289 (0.2%)
1	B	0.73	1/1675 (0.1%)	0.94	2/2285 (0.1%)
All	All	0.76	2/3353 (0.1%)	0.97	7/4574 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	65	CYS	CB-SG	-7.85	1.69	1.82
1	B	65	CYS	CB-SG	-5.41	1.73	1.81

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	A	157	ARG	NE-CZ-NH1	12.31	126.46	120.30
1	A	157	ARG	NE-CZ-NH2	-10.59	115.00	120.30
1	B	116	ARG	NE-CZ-NH1	5.56	123.08	120.30
1	A	141	PRO	N-CA-CB	5.48	109.88	103.30
1	B	100	SER	N-CA-C	-5.44	96.32	111.00
1	A	102	ALA	N-CA-C	-5.31	96.66	111.00
1	A	197	LEU	CA-CB-CG	5.18	127.21	115.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	157	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1648	0	1648	57	0
1	B	1645	0	1639	54	0
2	A	10	0	14	0	0
2	B	10	0	14	0	0
3	A	28	0	0	3	0
3	B	15	0	0	2	0
All	All	3356	0	3315	105	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (105) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:123:ASN:HD21	1:A:246:GLN:H	1.17	0.88
1:B:128:VAL:HG13	1:B:162:VAL:HG11	1.63	0.81
1:A:61:HIS:HD2	1:A:148:HIS:HE1	1.25	0.80
1:A:197:LEU:HD23	1:A:202:TRP:HH2	1.48	0.78
1:A:64:ARG:HB3	3:A:342:HOH:O	1.84	0.77
1:B:123:ASN:HD21	1:B:246:GLN:H	1.31	0.77
1:B:61:HIS:HD2	1:B:148:HIS:HE1	1.30	0.76
1:A:123:ASN:ND2	1:A:246:GLN:H	1.86	0.74
1:A:61:HIS:HD2	1:A:148:HIS:CE1	2.05	0.73
1:A:210:THR:HG22	1:B:210:THR:HG22	1.74	0.69
1:B:223:LEU:HD23	1:B:226:ARG:HB2	1.77	0.66
1:A:123:ASN:HD21	1:A:246:GLN:N	1.94	0.62
1:A:222:MET:HA	1:A:222:MET:CE	2.30	0.62
1:B:197:LEU:HD23	1:B:202:TRP:HH2	1.65	0.61
1:B:61:HIS:HD2	1:B:148:HIS:CE1	2.16	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:243:THR:HB	3:A:318:HOH:O	2.02	0.59
1:B:126:PRO:HD2	1:B:153:ALA:HA	1.84	0.58
1:A:113:ARG:HB2	1:A:113:ARG:NH1	2.19	0.57
1:A:222:MET:CE	1:B:227:TRP:CZ2	2.87	0.57
1:A:103:ILE:HA	1:A:116:ARG:HH22	1.70	0.57
1:A:128:VAL:HG13	1:A:162:VAL:HG11	1.87	0.57
1:B:90:GLN:HB3	1:B:206:VAL:HG12	1.87	0.57
1:B:85:LEU:HD23	1:B:197:LEU:HD21	1.88	0.56
1:B:214:LEU:HD22	1:B:218:VAL:HG23	1.88	0.55
1:B:66:GLU:HG2	1:B:202:TRP:CD1	2.42	0.55
1:B:197:LEU:O	1:B:197:LEU:HD22	2.06	0.54
1:A:222:MET:HA	1:A:222:MET:HE2	1.89	0.53
1:A:22:TYR:O	1:A:164:TYR:HA	2.08	0.53
1:B:227:TRP:CE3	1:B:247:ALA:HB2	2.44	0.53
1:B:45:VAL:O	1:B:49:LEU:HG	2.08	0.52
1:A:85:LEU:HD23	1:A:197:LEU:HD21	1.91	0.52
1:A:55:LEU:HB2	1:A:70:VAL:HB	1.92	0.52
1:B:99:ALA:C	1:B:101:ALA:H	2.14	0.51
1:A:207:GLU:O	1:A:211:HIS:HD2	1.94	0.51
1:A:223:LEU:HD23	1:A:226:ARG:HB3	1.93	0.51
1:B:75:ASN:HD22	1:B:75:ASN:C	2.13	0.50
1:B:218:VAL:O	1:B:221:MET:HG2	2.11	0.50
1:A:78:ARG:NH1	1:A:177:HIS:HB2	2.26	0.50
1:B:55:LEU:O	1:B:69:ARG:HD3	2.12	0.50
1:B:229:LEU:O	1:B:233:ARG:HG3	2.12	0.50
1:B:193:ALA:O	1:B:197:LEU:HD12	2.13	0.49
1:B:27:LEU:HD22	1:B:82:PHE:HB3	1.94	0.49
1:A:196:ALA:C	1:A:198:ALA:H	2.17	0.48
1:A:90:GLN:HB3	1:A:206:VAL:HG12	1.95	0.48
1:A:49:LEU:O	1:A:143:ARG:NH1	2.47	0.48
1:A:123:ASN:O	1:A:226:ARG:NH2	2.48	0.47
1:A:89:VAL:O	1:A:93:ARG:HG2	2.15	0.47
1:B:46:ARG:HA	1:B:46:ARG:HE	1.80	0.47
1:B:231:ALA:O	1:B:235:ARG:HG3	2.15	0.47
1:A:99:ALA:C	1:A:101:ALA:H	2.19	0.46
1:A:210:THR:CG2	1:B:210:THR:HG22	2.44	0.46
1:A:152:CYS:HB2	3:A:335:HOH:O	2.14	0.46
1:A:197:LEU:HD23	1:A:202:TRP:CH2	2.38	0.46
1:A:61:HIS:NE2	1:A:131:SER:OG	2.48	0.46
1:A:75:ASN:C	1:A:75:ASN:HD22	2.19	0.46
1:A:155:GLY:O	1:A:233:ARG:NH2	2.48	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:222:MET:HE1	1:B:227:TRP:CH2	2.51	0.46
1:B:55:LEU:HB2	1:B:70:VAL:HB	1.96	0.46
1:B:160:THR:HG21	3:B:330:HOH:O	2.16	0.45
1:A:38:LEU:O	1:A:157:ARG:HD3	2.16	0.45
1:A:45:VAL:O	1:A:49:LEU:HG	2.17	0.45
1:B:61:HIS:CD2	1:B:148:HIS:HE1	2.21	0.45
1:A:69:ARG:HH11	1:A:69:ARG:HG2	1.82	0.45
1:A:46:ARG:HA	1:A:46:ARG:HE	1.81	0.45
1:B:196:ALA:C	1:B:198:ALA:H	2.20	0.45
1:B:225:ASP:O	1:B:227:TRP:N	2.46	0.45
1:B:82:PHE:CE1	1:B:128:VAL:HG11	2.52	0.45
1:A:103:ILE:HA	1:A:116:ARG:NH2	2.32	0.44
1:B:76:ASP:CG	1:B:77:PRO:HD2	2.38	0.44
1:A:60:ASP:O	1:A:62:ARG:N	2.50	0.44
1:A:193:ALA:O	1:A:197:LEU:HD12	2.17	0.44
1:A:221:MET:HG3	1:A:222:MET:HG2	1.99	0.44
1:B:123:ASN:O	1:B:226:ARG:NH2	2.50	0.44
1:A:57:ILE:HG12	1:A:149:VAL:HG22	2.00	0.44
1:B:78:ARG:HD3	1:B:177:HIS:O	2.18	0.44
1:B:207:GLU:O	1:B:211:HIS:HD2	2.00	0.43
1:A:210:THR:HG22	1:B:210:THR:CG2	2.45	0.43
1:A:66:GLU:HG2	1:A:202:TRP:CD1	2.54	0.43
1:B:168:LEU:O	1:B:172:ILE:HG23	2.19	0.43
1:B:38:LEU:O	1:B:157:ARG:HD3	2.17	0.43
1:B:78:ARG:NH1	1:B:177:HIS:HB2	2.33	0.43
1:B:155:GLY:O	1:B:233:ARG:NH2	2.49	0.43
1:B:99:ALA:C	1:B:101:ALA:N	2.72	0.43
1:A:82:PHE:CE1	1:A:128:VAL:HG11	2.53	0.42
1:B:54:PRO:HB3	1:B:69:ARG:HD2	2.01	0.42
1:A:227:TRP:CZ2	1:B:222:MET:CE	3.03	0.42
1:A:195:LEU:HA	1:A:195:LEU:HD23	1.82	0.42
1:A:23:VAL:HA	1:A:163:THR:O	2.19	0.41
1:A:55:LEU:HA	1:A:56:PRO:HD2	1.91	0.41
1:A:113:ARG:HB2	1:A:113:ARG:CZ	2.50	0.41
1:A:132:THR:HA	1:A:145:LEU:O	2.20	0.41
1:B:23:VAL:HA	1:B:163:THR:O	2.20	0.41
1:B:89:VAL:HG12	3:B:343:HOH:O	2.20	0.41
1:B:49:LEU:O	1:B:143:ARG:NH1	2.54	0.41
1:B:123:ASN:ND2	1:B:246:GLN:H	2.08	0.41
1:B:154:ILE:HG13	1:B:223:LEU:HD21	2.03	0.41
1:B:69:ARG:HG2	1:B:69:ARG:HH11	1.85	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:103:ILE:CA	1:A:116:ARG:HH22	2.32	0.41
1:A:196:ALA:O	1:A:198:ALA:N	2.52	0.41
1:B:30:TYR:CE2	1:B:79:GLY:HA2	2.55	0.41
1:B:78:ARG:NH2	1:B:236:GLN:O	2.54	0.41
1:B:168:LEU:C	1:B:168:LEU:HD23	2.41	0.41
1:A:126:PRO:HD2	1:A:153:ALA:HA	2.03	0.40
1:A:61:HIS:CD2	1:A:148:HIS:CE1	2.96	0.40
1:A:227:TRP:CE3	1:A:247:ALA:HB2	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	211/247 (85%)	193 (92%)	14 (7%)	4 (2%)	8	13
1	B	211/247 (85%)	195 (92%)	14 (7%)	2 (1%)	17	31
All	All	422/494 (85%)	388 (92%)	28 (7%)	6 (1%)	11	20

All (6) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	61	HIS
1	A	113	ARG
1	B	61	HIS
1	B	113	ARG
1	A	225	ASP
1	A	197	LEU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	168/196 (86%)	145 (86%)	23 (14%)	3	7
1	B	167/196 (85%)	143 (86%)	24 (14%)	3	6
All	All	335/392 (86%)	288 (86%)	47 (14%)	3	6

All (47) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	23	VAL
1	A	27	LEU
1	A	64	ARG
1	A	75	ASN
1	A	95	LEU
1	A	113	ARG
1	A	114	GLU
1	A	116	ARG
1	A	118	LEU
1	A	120	LEU
1	A	128	VAL
1	A	143	ARG
1	A	149	VAL
1	A	151	LEU
1	A	158	LEU
1	A	165	ASP
1	A	167	SER
1	A	197	LEU
1	A	200	ARG
1	A	214	LEU
1	A	222	MET
1	A	233	ARG
1	A	246	GLN
1	B	23	VAL
1	B	27	LEU
1	B	75	ASN
1	B	95	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	113	ARG
1	B	114	GLU
1	B	116	ARG
1	B	118	LEU
1	B	120	LEU
1	B	128	VAL
1	B	143	ARG
1	B	151	LEU
1	B	158	LEU
1	B	165	ASP
1	B	167	SER
1	B	186	VAL
1	B	197	LEU
1	B	200	ARG
1	B	214	LEU
1	B	222	MET
1	B	224	ARG
1	B	226	ARG
1	B	228	SER
1	B	246	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	61	HIS
1	A	75	ASN
1	A	123	ASN
1	A	148	HIS
1	B	61	HIS
1	B	75	ASN
1	B	123	ASN
1	B	148	HIS
1	B	211	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	DFP	B	300	1	6,9,9	1.60	2 (33%)	6,11,11	0.54	0
2	DFP	A	300	1	6,9,9	1.09	1 (16%)	6,11,11	0.73	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DFP	B	300	1	-	0/4/8/8	-
2	DFP	A	300	1	-	0/4/8/8	-

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	300	DFP	O2P-C1'	-2.70	1.42	1.45
2	B	300	DFP	O1P-C1	-2.46	1.42	1.45
2	A	300	DFP	O2P-C1'	-2.14	1.43	1.45

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section is therefore empty.

6.3 Carbohydrates [i](#)

EDS was not executed - this section is therefore empty.

6.4 Ligands [i](#)

EDS was not executed - this section is therefore empty.

6.5 Other polymers [i](#)

EDS was not executed - this section is therefore empty.