



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 3, 2024 – 09:13 AM EST

PDB ID : 1KRH
Title : X-ray Structure of Benzoate Dioxygenase Reductase
Authors : Karlsson, A.; Beharry, Z.M.; Eby, D.M.; Coulter, E.D.; Niedle, E.L.; Kurtz Jr., D.M.; Eklund, H.; Ramaswamy, S.
Deposited on : 2002-01-09
Resolution : 1.50 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2936 (1.50-1.50)
Clashscore	141614	3144 (1.50-1.50)
Ramachandran outliers	138981	3066 (1.50-1.50)
Sidechain outliers	138945	3064 (1.50-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	338	86% (green), 12% (yellow), 2% (orange), 2% (red), 0% (grey)
1	B	338	76% (green), 23% (yellow), 1% (orange), 0% (red), 0% (grey)

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	B	403	-	-	X	-
2	SO4	B	404	-	-	X	-
3	FES	A	500	-	-	X	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	FES	B	600	-	-	X	-

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 5773 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Benzoate 1,2-Dioxygenase Reductase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	337	2635	1656	447	515	17	3	0	0
1	B	337	2635	1656	447	515	17	3	0	0

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	S		
2	A	1	5	4	1	0	0
2	A	1	5	4	1	0	0
2	A	1	5	4	1	0	0
2	B	1	5	4	1	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	S		
2	B	1	5	4	1	0	0

- Molecule 3 is FE2/S2 (INORGANIC) CLUSTER (three-letter code: FES) (formula: Fe₂S₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	Fe	S		
3	A	1	4	2	2	0	0
3	B	1	4	2	2	0	0

- Molecule 4 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: C₂₇H₃₃N₉O₁₅P₂).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
4	A	1	53	27	9	15	2	0	0
4	B	1	53	27	9	15	2	0	0


- Molecule 5 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	O		
5	A	283	283	283	0	0
5	B	81	81	81	0	0

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Benzoate 1,2-Dioxygenase Reductase

Chain A: 



- Molecule 1: Benzoate 1,2-Dioxygenase Reductase

Chain B: 



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	94.09Å 100.68Å 153.54Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	9.00 – 1.50 9.00 – 1.50	Depositor EDS
% Data completeness (in resolution range)	94.6 (9.00-1.50) 94.6 (9.00-1.50)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.05	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.38 (at 1.50Å)	Xtrriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.241 , 0.249 0.301 , 0.304	Depositor DCC
R_{free} test set	5521 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	15.6	Xtrriage
Anisotropy	0.019	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.57 , 59.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	5773	wwPDB-VP
Average B, all atoms (Å ²)	11.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.67% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FES, SO4, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.34	0/2694	0.62	0/3655
1	B	0.32	0/2694	0.57	0/3655
All	All	0.33	0/5388	0.60	0/7310

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2635	0	2515	40	0
1	B	2635	0	2515	71	0
2	A	15	0	0	0	0
2	B	10	0	0	6	0
3	A	4	0	0	2	0
3	B	4	0	0	2	0
4	A	53	0	31	1	0
4	B	53	0	31	4	0
5	A	283	0	0	5	0
5	B	81	0	0	2	0
All	All	5773	0	5092	108	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

All (108) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:50:ARG:HE	1:A:96:GLN:HE22	1.09	0.95
1:B:50:ARG:HE	1:B:96:GLN:HE22	1.14	0.94
1:A:45:GLU:HG3	1:A:66:ILE:HD11	1.55	0.89
1:B:233:GLU:HA	1:B:268:TRP:HZ2	1.41	0.82
1:B:149:LEU:HA	1:B:181:MET:HE1	1.62	0.81
1:B:110:GLU:H	1:B:134:GLN:HE21	1.27	0.79
1:B:212:PRO:HG3	1:B:240:PRO:HD2	1.66	0.76
1:B:110:GLU:H	1:B:134:GLN:NE2	1.83	0.76
1:B:153:THR:CG2	2:B:403:SO4:O1	2.32	0.76
1:B:156:ARG:HD2	4:B:601:FAD:O4'	1.87	0.73
1:A:152:THR:HG23	1:A:154:GLU:H	1.53	0.72
1:A:45:GLU:HG2	5:A:734:HOH:O	1.90	0.71
1:B:206:LEU:HB2	1:B:228:MET:SD	2.32	0.69
1:A:6:VAL:HG21	1:A:20:ILE:HD12	1.74	0.69
1:A:149:LEU:O	1:A:152:THR:HG22	1.93	0.69
1:A:3:ASN:HD21	1:A:19:CYS:HB3	1.57	0.68
1:A:279:GLU:HG3	5:A:761:HOH:O	1.93	0.68
1:B:6:VAL:HG21	1:B:20:ILE:HD12	1.76	0.68
1:B:149:LEU:HA	1:B:181:MET:CE	2.23	0.68
1:B:153:THR:HG23	2:B:403:SO4:O1	1.93	0.67
1:B:45:GLU:HG2	5:B:650:HOH:O	1.95	0.66
1:B:3:ASN:HD21	1:B:19:CYS:HB3	1.59	0.66
1:B:233:GLU:HA	1:B:268:TRP:CZ2	2.28	0.65
1:B:272:ARG:NH1	1:B:293:GLU:HG2	2.11	0.64
1:B:272:ARG:HH12	1:B:293:GLU:HG2	1.61	0.63
1:B:262:LEU:O	1:B:266:LEU:HB2	1.99	0.63
1:B:210:LYS:HD2	2:B:404:SO4:O1	1.98	0.63
1:B:212:PRO:O	1:B:302:VAL:HG23	2.00	0.62
1:A:110:GLU:H	1:A:134:GLN:HE21	1.49	0.61
1:A:110:GLU:H	1:A:134:GLN:NE2	1.99	0.60
1:B:257:GLU:H	1:B:257:GLU:CD	2.05	0.60
1:B:139:PHE:CE2	1:B:164:PRO:HG3	2.36	0.60
1:A:194:LYS:HG3	5:A:554:HOH:O	2.01	0.59
1:A:2:SER:O	1:A:3:ASN:HB3	2.02	0.59
1:B:272:ARG:HH12	1:B:293:GLU:CG	2.15	0.58
1:B:166:ASN:OD1	1:B:168:LEU:HB3	2.04	0.58
1:B:72:PRO:O	1:B:76:GLN:HG3	2.04	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:2:SER:O	1:B:3:ASN:HB3	2.04	0.57
1:A:72:PRO:O	1:A:76:GLN:HG3	2.06	0.56
1:B:62:GLU:HA	1:B:65:TYR:CE2	2.41	0.56
1:B:253:LEU:HD13	1:B:256:LEU:HD11	1.89	0.55
1:B:266:LEU:HD13	1:B:268:TRP:CZ2	2.42	0.55
1:B:212:PRO:HA	1:B:240:PRO:O	2.08	0.54
1:B:50:ARG:HE	1:B:96:GLN:NE2	1.96	0.54
1:B:263:GLN:HG3	1:B:269:PHE:O	2.08	0.53
1:B:153:THR:HG21	2:B:403:SO4:O1	2.08	0.53
1:A:266:LEU:HD13	1:A:268:TRP:CZ2	2.43	0.53
1:A:242:ARG:HD3	1:A:296:TRP:CD2	2.43	0.53
1:B:213:VAL:HG12	1:B:214:LEU:N	2.24	0.53
1:B:229:LEU:HB3	1:B:262:LEU:CD1	2.40	0.52
1:B:280:SER:HB3	1:B:283:GLU:CD	2.29	0.52
1:B:50:ARG:NE	1:B:96:GLN:HE22	1.96	0.52
1:B:97:ALA:HB2	5:B:671:HOH:O	2.09	0.52
1:A:281:GLN:NE2	1:B:338:ASN:HA	2.26	0.51
1:B:210:LYS:CD	2:B:404:SO4:O1	2.57	0.51
1:A:44:GLY:HA2	3:A:500:FES:S2	2.52	0.50
1:B:144:TYR:CE2	4:B:601:FAD:HM72	2.47	0.50
1:B:310:VAL:HB	1:B:311:PRO:HD3	1.94	0.50
1:A:250:ASP:OD1	1:A:283:GLU:OE2	2.30	0.49
1:A:282:HIS:CE1	1:B:338:ASN:O	2.65	0.49
1:A:39:MET:HG2	1:A:49:CYS:HB3	1.94	0.49
1:B:45:GLU:HG3	1:B:66:ILE:HD11	1.93	0.49
1:A:97:ALA:HB2	5:A:517:HOH:O	2.12	0.49
1:B:307:CYS:SG	1:B:335:PHE:CE1	3.06	0.49
1:A:242:ARG:HG2	1:A:270:GLU:HG2	1.95	0.49
1:B:302:VAL:HG22	1:B:303:ASP:N	2.28	0.48
1:B:166:ASN:C	1:B:168:LEU:H	2.17	0.47
1:B:115:ARG:NE	1:B:127:ASP:OD2	2.47	0.46
1:B:134:GLN:HB2	1:B:167:ARG:HH22	1.80	0.46
1:B:293:GLU:O	1:B:296:TRP:HB2	2.15	0.46
1:B:174:ARG:N	1:B:220:THR:HG21	2.31	0.46
1:A:50:ARG:NE	1:A:96:GLN:HE22	1.93	0.46
1:B:110:GLU:N	1:B:134:GLN:NE2	2.59	0.46
1:B:39:MET:HG2	1:B:49:CYS:HB3	1.98	0.45
1:A:305:TYR:CE2	1:A:331:LEU:HD12	2.52	0.45
1:A:149:LEU:HB3	1:A:152:THR:CG2	2.47	0.45
1:B:144:TYR:CD2	4:B:601:FAD:HM72	2.51	0.45
1:B:166:ASN:C	1:B:168:LEU:N	2.70	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:50:ARG:HE	1:A:96:GLN:NE2	1.93	0.44
1:A:242:ARG:HD3	1:A:296:TRP:CE2	2.52	0.44
1:B:255:ALA:O	1:B:259:LEU:HG	2.17	0.44
1:B:250:ASP:OD1	1:B:283:GLU:OE2	2.35	0.44
1:B:217:ALA:HB2	1:B:225:PHE:CD1	2.53	0.44
1:A:149:LEU:HD23	1:A:152:THR:HG21	1.99	0.43
1:A:150:PRO:HG2	1:A:184:TYR:CE2	2.54	0.43
1:B:306:LEU:O	1:B:332:PHE:HA	2.18	0.43
1:B:131:ASP:O	1:B:134:GLN:HB2	2.19	0.43
1:B:131:ASP:O	1:B:167:ARG:NH2	2.52	0.43
1:B:44:GLY:HA2	3:B:600:FES:S2	2.58	0.42
1:B:39:MET:SD	1:B:42:ARG:HG2	2.60	0.42
1:A:280:SER:HB3	1:A:283:GLU:CD	2.40	0.42
1:A:306:LEU:O	1:A:332:PHE:HA	2.20	0.42
1:B:153:THR:OG1	2:B:403:SO4:O3	2.31	0.42
1:A:242:ARG:HD3	1:A:296:TRP:CG	2.55	0.42
1:A:265:LYS:O	1:A:265:LYS:HG2	2.19	0.42
1:B:126:PHE:CE2	1:B:171:PHE:HB2	2.55	0.42
4:B:601:FAD:H9	4:B:601:FAD:H1'1	1.90	0.41
1:A:282:HIS:NE2	1:B:338:ASN:OXT	2.52	0.41
1:B:242:ARG:HD3	1:B:296:TRP:CG	2.56	0.41
1:B:148:THR:O	1:B:150:PRO:HD3	2.21	0.41
1:A:281:GLN:HE22	1:B:338:ASN:HA	1.85	0.41
1:B:39:MET:HG2	3:B:600:FES:S1	2.61	0.41
1:A:39:MET:HG2	3:A:500:FES:S1	2.60	0.40
1:B:229:LEU:HB3	1:B:262:LEU:HD13	2.04	0.40
1:A:144:TYR:CD2	4:A:501:FAD:HM72	2.55	0.40
1:A:266:LEU:HD13	1:A:268:TRP:CH2	2.57	0.40
1:A:310:VAL:HB	1:A:311:PRO:HD3	2.03	0.40
1:A:116:VAL:HG22	5:A:778:HOH:O	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	335/338 (99%)	331 (99%)	2 (1%)	2 (1%)	25	7
1	B	335/338 (99%)	323 (96%)	11 (3%)	1 (0%)	41	18
All	All	670/676 (99%)	654 (98%)	13 (2%)	3 (0%)	34	13

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	3	ASN
1	B	3	ASN
1	A	40	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	287/288 (100%)	282 (98%)	5 (2%)	60	33
1	B	287/288 (100%)	281 (98%)	6 (2%)	53	23
All	All	574/576 (100%)	563 (98%)	11 (2%)	57	27

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	39	MET
1	A	175	ASN
1	A	194	LYS
1	A	270	GLU
1	A	301	GLU
1	B	5	GLN
1	B	39	MET
1	B	163	GLN
1	B	175	ASN
1	B	194	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	301	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (18) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	3	ASN
1	A	5	GLN
1	A	77	GLN
1	A	96	GLN
1	A	134	GLN
1	A	175	ASN
1	A	188	GLN
1	A	249	GLN
1	A	281	GLN
1	B	3	ASN
1	B	5	GLN
1	B	77	GLN
1	B	96	GLN
1	B	134	GLN
1	B	175	ASN
1	B	188	GLN
1	B	249	GLN
1	B	281	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

9 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	FES	A	500	1	0,4,4	-	-	-		
2	SO4	B	403	-	4,4,4	0.32	0	6,6,6	0.17	0
2	SO4	A	401	-	4,4,4	0.24	0	6,6,6	0.09	0
2	SO4	A	402	-	4,4,4	0.24	0	6,6,6	0.07	0
4	FAD	A	501	-	53,58,58	2.30	24 (45%)	68,89,89	1.73	17 (25%)
3	FES	B	600	1	0,4,4	-	-	-		
2	SO4	B	404	-	4,4,4	0.30	0	6,6,6	0.05	0
4	FAD	B	601	-	53,58,58	1.85	12 (22%)	68,89,89	1.75	16 (23%)
2	SO4	A	400	-	4,4,4	0.28	0	6,6,6	0.09	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FES	A	500	1	-	-	0/1/1/1
3	FES	B	600	1	-	-	0/1/1/1
4	FAD	A	501	-	-	3/30/50/50	0/6/6/6
4	FAD	B	601	-	-	4/30/50/50	0/6/6/6

All (36) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	501	FAD	C4X-N5	7.02	1.44	1.30
4	B	601	FAD	C1'-C2'	5.84	1.60	1.52
4	A	501	FAD	P-O2P	-4.55	1.33	1.55
4	B	601	FAD	C5'-C4'	4.37	1.58	1.51
4	A	501	FAD	C1'-C2'	4.06	1.58	1.52
4	B	601	FAD	C4X-N5	3.94	1.38	1.30
4	A	501	FAD	C9A-N10	3.61	1.47	1.41
4	B	601	FAD	O4-C4	3.43	1.30	1.23
4	A	501	FAD	C5X-N5	-3.42	1.32	1.39
4	A	501	FAD	C4A-N3A	-3.36	1.31	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	A	501	FAD	C2B-C1B	-3.35	1.48	1.53
4	A	501	FAD	C9A-C5X	3.32	1.46	1.41
4	A	501	FAD	C2A-N3A	3.22	1.37	1.32
4	B	601	FAD	O4B-C1B	3.05	1.45	1.41
4	A	501	FAD	C4X-C4	-2.88	1.33	1.44
4	A	501	FAD	C10-N1	2.79	1.38	1.33
4	B	601	FAD	C2A-N3A	2.78	1.36	1.32
4	A	501	FAD	C2'-C3'	-2.70	1.48	1.53
4	A	501	FAD	O4'-C4'	-2.61	1.37	1.43
4	A	501	FAD	C2-N1	-2.58	1.30	1.36
4	B	601	FAD	O5'-C5'	-2.57	1.34	1.44
4	A	501	FAD	C8M-C8	-2.55	1.45	1.51
4	B	601	FAD	C4'-C3'	-2.47	1.48	1.53
4	A	501	FAD	C5'-C4'	2.46	1.55	1.51
4	A	501	FAD	O5B-C5B	-2.44	1.35	1.44
4	B	601	FAD	C9A-N10	2.37	1.45	1.41
4	A	501	FAD	PA-O5B	2.29	1.68	1.59
4	A	501	FAD	C10-N10	-2.28	1.32	1.37
4	B	601	FAD	PA-O1A	-2.28	1.42	1.50
4	A	501	FAD	C6-C5X	2.20	1.43	1.40
4	A	501	FAD	O2-C2	2.18	1.28	1.24
4	A	501	FAD	PA-O2A	-2.18	1.45	1.55
4	B	601	FAD	O4'-C4'	-2.15	1.38	1.43
4	A	501	FAD	O4B-C4B	-2.15	1.40	1.45
4	B	601	FAD	PA-O5B	2.06	1.67	1.59
4	A	501	FAD	O3B-C3B	2.03	1.47	1.43

All (33) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	601	FAD	N3A-C2A-N1A	-5.84	119.56	128.68
4	B	601	FAD	C4-C4X-N5	4.45	124.56	118.23
4	A	501	FAD	C4X-C10-N10	4.30	122.77	116.48
4	B	601	FAD	C5X-N5-C4X	4.21	125.08	118.07
4	A	501	FAD	C10-C4X-N5	-4.09	116.17	124.86
4	A	501	FAD	C4X-C10-N1	-3.80	115.91	124.73
4	A	501	FAD	C4-C4X-C10	3.73	123.06	116.79
4	A	501	FAD	C5X-C9A-N10	-3.57	114.27	117.95
4	B	601	FAD	C10-C4X-N5	-3.33	117.79	124.86
4	B	601	FAD	O5'-C5'-C4'	-3.29	100.58	109.36
4	B	601	FAD	C10-N1-C2	3.26	123.43	116.90
4	B	601	FAD	C9A-C5X-N5	-3.22	118.93	122.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	A	501	FAD	N3A-C2A-N1A	-3.19	123.69	128.68
4	A	501	FAD	C9-C8-C7	-3.14	115.17	119.67
4	A	501	FAD	C4-N3-C2	-3.14	119.84	125.64
4	B	601	FAD	C9A-N10-C10	2.97	125.40	120.77
4	B	601	FAD	P-O3P-PA	-2.58	123.98	132.83
4	B	601	FAD	C5X-C9A-N10	-2.57	115.30	117.95
4	A	501	FAD	C9-C9A-N10	2.48	125.19	121.84
4	A	501	FAD	C6-C7-C8	2.44	123.16	119.67
4	B	601	FAD	O2P-P-O1P	2.37	123.95	112.24
4	A	501	FAD	C10-N1-C2	2.34	121.57	116.90
4	A	501	FAD	C9A-C9-C8	2.29	123.92	119.30
4	A	501	FAD	C8M-C8-C7	2.22	125.28	120.74
4	B	601	FAD	C9-C9A-N10	2.20	124.81	121.84
4	A	501	FAD	C1'-C2'-C3'	2.10	115.67	109.79
4	A	501	FAD	O2'-C2'-C3'	-2.10	104.00	109.10
4	B	601	FAD	C4X-C4-N3	2.10	118.51	113.19
4	B	601	FAD	C1'-N10-C9A	-2.09	117.03	120.51
4	B	601	FAD	O2B-C2B-C1B	2.06	118.48	110.85
4	B	601	FAD	C4A-C5A-N7A	-2.02	107.30	109.40
4	A	501	FAD	C9A-C5X-N5	2.01	124.62	122.43
4	A	501	FAD	C6-C5X-C9A	-2.01	116.10	118.94

There are no chirality outliers.

All (7) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	501	FAD	C1'-C2'-C3'-C4'
4	B	601	FAD	C2'-C3'-C4'-O4'
4	B	601	FAD	O3'-C3'-C4'-O4'
4	B	601	FAD	O3'-C3'-C4'-C5'
4	B	601	FAD	C2'-C3'-C4'-C5'
4	A	501	FAD	O2'-C2'-C3'-C4'
4	A	501	FAD	C1'-C2'-C3'-O3'

There are no ring outliers.

6 monomers are involved in 15 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	500	FES	2	0
2	B	403	SO4	4	0
4	A	501	FAD	1	0


Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	600	FES	2	0
2	B	404	SO4	2	0
4	B	601	FAD	4	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.


6.3 Carbohydrates [i](#)


Unable to reproduce the depositors R factor - this section is therefore empty.

6.4 Ligands [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.