



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 11, 2024 – 11:35 PM EDT

PDB ID : 1NKS
Title : ADENYLATE KINASE FROM SULFOLOBUS ACIDOCALDARIUS
Authors : Vonrhein, C.; Schulz, G.E.
Deposited on : 1998-07-16
Resolution : 2.57 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 1.20.1
EDS : 2.36.2
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.57 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3676 (2.60-2.56)
Clashscore	141614	4049 (2.60-2.56)
Ramachandran outliers	138981	3979 (2.60-2.56)
Sidechain outliers	138945	3979 (2.60-2.56)
RSRZ outliers	127900	3614 (2.60-2.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	194	 9% 67% 23% 9%
1	B	194	 7% 64% 26% 8%
1	C	194	 11% 71% 25%
1	D	194	 6% 70% 24% 6%
1	E	194	 9% 56% 34% 7%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	194	 <p>A horizontal bar chart representing the quality of chain. The bar is divided into three segments: a small red segment on the left labeled '7%', a large green segment in the middle labeled '72%', and a yellow segment on the right labeled '24%'. The bar ends with a small red segment and two dots '••'.</p>

2 Entry composition [i](#)


There are 4 unique types of molecules in this entry. The entry contains 9332 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ADENYLATE KINASE.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	194	Total 1484	C 939	N 256	O 285	S 4	0	0	0
1	B	194	Total 1484	C 939	N 256	O 285	S 4	0	0	0
1	C	194	Total 1484	C 939	N 256	O 285	S 4	0	0	0
1	D	194	Total 1484	C 939	N 256	O 285	S 4	0	0	0
1	E	194	Total 1484	C 939	N 256	O 285	S 4	0	0	0
1	F	194	Total 1484	C 939	N 256	O 285	S 4	0	0	0

- Molecule 2 is ADENOSINE MONOPHOSPHATE (three-letter code: AMP) (formula: C₁₀H₁₄N₅O₇P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
2	D	1	Total	C	N	O	P	0	0
			23	10	5	7	1		
2	F	1	Total	C	N	O	P	0	0
			23	10	5	7	1		

- Molecule 3 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	F	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	44	Total	O	0	0
			44	44		
4	B	67	Total	O	0	0
			67	67		
4	C	41	Total	O	0	0
			41	41		
4	D	61	Total	O	0	0
			61	61		
4	E	67	Total	O	0	0
			67	67		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	F	52	Total	O	0	0
			52	52		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ADENYLATE KINASE




- Molecule 1: ADENYLATE KINASE



- Molecule 1: ADENYLATE KINASE




- Molecule 1: ADENYLATE KINASE






- Molecule 1: ADENYLATE KINASE



- Molecule 1: ADENYLATE KINASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	73.51Å 145.69Å 172.28Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.00 – 2.57 39.44 – 2.50	Depositor EDS
% Data completeness (in resolution range)	92.0 (40.00-2.57) 86.5 (39.44-2.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.52 (at 2.51Å)	Xtrriage
Refinement program	REFMAC	Depositor
R, R_{free}	0.164 , 0.218 0.162 , 0.212	Depositor DCC
R_{free} test set	1148 reflections (2.05%)	wwPDB-VP
Wilson B-factor (Å ²)	52.6	Xtrriage
Anisotropy	0.196	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 66.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	9332	wwPDB-VP
Average B, all atoms (Å ²)	63.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.63% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ADP, AMP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	A	0.84	1/1502 (0.1%)	1.86	31/2026 (1.5%)
1	B	0.68	0/1502	1.41	15/2026 (0.7%)
1	C	0.65	0/1502	1.30	6/2026 (0.3%)
1	D	0.66	0/1502	1.28	10/2026 (0.5%)
1	E	0.78	1/1502 (0.1%)	1.51	15/2026 (0.7%)
1	F	0.64	0/1502	1.32	9/2026 (0.4%)
All	All	0.71	2/9012 (0.0%)	1.46	86/12156 (0.7%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	E	0	1
All	All	0	3

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	138	THR	C-N	-14.57	1.00	1.34
1	E	137	THR	C-N	-11.62	1.07	1.34

All (86) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	141	ARG	CD-NE-CZ	31.63	167.88	123.60
1	A	138	THR	C-N-CA	16.82	163.75	121.70
1	A	138	THR	O-C-N	-16.07	96.98	122.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	191	ARG	NE-CZ-NH1	15.07	127.83	120.30
1	A	139	ARG	NE-CZ-NH1	14.72	127.66	120.30
1	A	139	ARG	CD-NE-CZ	13.87	143.02	123.60
1	E	137	THR	C-N-CA	12.62	153.25	121.70
1	E	137	THR	O-C-N	-12.40	102.85	122.70
1	A	140	ASN	N-CA-CB	12.00	132.19	110.60
1	B	191	ARG	NE-CZ-NH1	10.89	125.74	120.30
1	A	138	THR	CA-C-N	10.77	140.90	117.20
1	A	158	ARG	NE-CZ-NH2	-10.59	115.01	120.30
1	E	81	ARG	NE-CZ-NH1	10.57	125.59	120.30
1	E	58	ARG	CD-NE-CZ	10.50	138.30	123.60
1	E	137	THR	CA-C-N	10.24	139.73	117.20
1	A	191	ARG	CD-NE-CZ	9.70	137.18	123.60
1	E	81	ARG	CD-NE-CZ	9.62	137.07	123.60
1	B	81	ARG	NE-CZ-NH1	9.34	124.97	120.30
1	F	191	ARG	CD-NE-CZ	9.26	136.57	123.60
1	A	138	THR	CB-CA-C	9.21	136.46	111.60
1	D	158	ARG	NE-CZ-NH2	-9.15	115.72	120.30
1	D	58	ARG	NE-CZ-NH1	9.06	124.83	120.30
1	C	139	ARG	NE-CZ-NH1	8.84	124.72	120.30
1	C	139	ARG	CD-NE-CZ	8.75	135.84	123.60
1	F	191	ARG	NE-CZ-NH1	8.62	124.61	120.30
1	F	132	ARG	CD-NE-CZ	8.46	135.45	123.60
1	A	39	ASP	CB-CG-OD1	-8.08	111.02	118.30
1	A	191	ARG	NE-CZ-NH2	-8.03	116.28	120.30
1	A	159	TYR	CB-CG-CD2	-7.92	116.25	121.00
1	D	54	ARG	NE-CZ-NH2	-7.49	116.56	120.30
1	B	97	ARG	NE-CZ-NH1	7.46	124.03	120.30
1	A	141	ARG	NE-CZ-NH2	7.38	123.99	120.30
1	A	139	ARG	NE-CZ-NH2	-7.34	116.63	120.30
1	F	58	ARG	NE-CZ-NH1	7.29	123.94	120.30
1	F	58	ARG	NE-CZ-NH2	-7.21	116.69	120.30
1	E	97	ARG	CD-NE-CZ	7.13	133.58	123.60
1	A	97	ARG	CD-NE-CZ	6.82	133.15	123.60
1	E	50	TYR	CA-CB-CG	6.75	126.23	113.40
1	E	137	THR	CB-CA-C	6.73	129.78	111.60
1	E	81	ARG	NE-CZ-NH2	-6.70	116.95	120.30
1	B	97	ARG	NE-CZ-NH2	-6.63	116.99	120.30
1	B	97	ARG	N-CA-CB	6.42	122.16	110.60
1	B	81	ARG	CD-NE-CZ	6.37	132.52	123.60
1	E	23	GLU	CA-CB-CG	6.21	127.07	113.40
1	F	12	VAL	CB-CA-C	-6.20	99.62	111.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	132	ARG	NE-CZ-NH1	6.13	123.37	120.30
1	D	14	LYS	CA-CB-CG	6.12	126.87	113.40
1	B	188	GLU	CA-CB-CG	6.07	126.75	113.40
1	F	191	ARG	NE-CZ-NH2	-6.07	117.27	120.30
1	C	57	MET	CA-CB-CG	5.97	123.44	113.30
1	D	27	ASN	CA-CB-CG	5.90	126.38	113.40
1	E	122	LEU	CA-CB-CG	5.87	128.79	115.30
1	E	57	MET	CA-CB-CG	5.85	123.25	113.30
1	A	79	GLU	OE1-CD-OE2	5.84	130.31	123.30
1	A	139	ARG	CA-C-N	5.84	130.05	117.20
1	C	188	GLU	CA-CB-CG	5.76	126.07	113.40
1	C	158	ARG	NE-CZ-NH2	-5.72	117.44	120.30
1	A	139	ARG	C-N-CA	5.72	136.01	121.70
1	E	144	TYR	CB-CG-CD1	5.71	124.42	121.00
1	A	109	TYR	CB-CG-CD2	5.63	124.38	121.00
1	D	97	ARG	CD-NE-CZ	5.62	131.46	123.60
1	A	141	ARG	CG-CD-NE	5.57	123.49	111.80
1	D	97	ARG	NE-CZ-NH2	-5.53	117.53	120.30
1	A	188	GLU	OE1-CD-OE2	5.48	129.88	123.30
1	B	191	ARG	NE-CZ-NH2	-5.48	117.56	120.30
1	A	140	ASN	CA-C-N	-5.47	105.18	117.20
1	B	176	VAL	CB-CA-C	-5.44	101.07	111.40
1	A	39	ASP	CB-CG-OD2	5.42	123.18	118.30
1	B	170	SER	N-CA-CB	-5.35	102.47	110.50
1	A	72	ALA	CB-CA-C	5.35	118.12	110.10
1	D	58	ARG	CD-NE-CZ	5.35	131.09	123.60
1	E	95	VAL	CB-CA-C	-5.29	101.35	111.40
1	D	56	GLU	CA-CB-CG	5.29	125.03	113.40
1	C	28	GLN	N-CA-CB	5.28	120.10	110.60
1	F	143	ASP	CB-CG-OD1	5.27	123.04	118.30
1	B	54	ARG	NE-CZ-NH2	-5.23	117.68	120.30
1	A	81	ARG	CA-CB-CG	5.21	124.87	113.40
1	A	179	GLU	N-CA-CB	-5.19	101.25	110.60
1	B	172	VAL	CB-CA-C	-5.19	101.55	111.40
1	D	12	VAL	N-CA-CB	5.18	122.90	111.50
1	A	81	ARG	CD-NE-CZ	5.15	130.81	123.60
1	B	79	GLU	CA-CB-CG	5.11	124.64	113.40
1	A	139	ARG	O-C-N	-5.07	114.58	122.70
1	A	193	MET	CG-SD-CE	5.07	108.31	100.20
1	B	71	ASP	CB-CG-OD2	-5.06	113.75	118.30
1	B	50	TYR	CA-CB-CG	5.04	122.97	113.40

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	138	THR	Peptide,Mainchain
1	E	137	THR	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1484	0	1548	46	0
1	B	1484	0	1549	39	0
1	C	1484	0	1549	27	0
1	D	1484	0	1549	34	0
1	E	1484	0	1548	60	0
1	F	1484	0	1549	24	0
2	C	23	0	12	0	0
2	D	23	0	12	0	0
2	F	23	0	12	0	0
3	F	27	0	12	0	0
4	A	44	0	0	8	0
4	B	67	0	0	8	0
4	C	41	0	0	1	0
4	D	61	0	0	11	0
4	E	67	0	0	10	0
4	F	52	0	0	4	0
All	All	9332	0	9340	227	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (227) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:137:THR:O	1:E:140:ASN:HB3	1.30	1.30
1:E:188:GLU:HG2	4:E:222:HOH:O	1.56	1.02
1:C:140:ASN:O	1:C:141:ARG:HB2	1.69	0.92
1:D:20:LYS:HD3	1:D:183:SER:HB3	1.57	0.87

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1:MET:SD	4:A:225:HOH:O	2.37	0.82
1:A:139:ARG:HH11	1:A:141:ARG:NH2	1.78	0.81
1:C:125:ASP:HB3	1:C:128:ILE:HD13	1.63	0.81
1:B:133:GLN:HG2	4:B:260:HOH:O	1.81	0.79
1:A:143:ASP:HB2	4:A:233:HOH:O	1.81	0.79
1:E:9:ILE:O	1:E:12:VAL:HG23	1.82	0.78
1:A:125:ASP:HB3	1:A:128:ILE:HG12	1.65	0.78
1:E:137:THR:C	1:E:140:ASN:HB3	2.04	0.77
1:A:137:THR:HG23	1:A:140:ASN:HB2	1.66	0.77
1:A:80:ALA:HB2	1:A:88:LEU:HD23	1.66	0.77
1:B:80:ALA:HB2	1:B:88:LEU:HD23	1.67	0.76
1:A:139:ARG:HH11	1:A:141:ARG:HH22	1.35	0.74
1:E:138:THR:O	1:E:139:ARG:HB2	1.87	0.74
1:D:179:GLU:HA	4:D:254:HOH:O	1.88	0.73
1:A:139:ARG:HB3	1:A:141:ARG:HE	1.54	0.72
1:C:139:ARG:HH11	1:C:139:ARG:HG3	1.55	0.72
1:B:128:ILE:HD13	1:B:179:GLU:HB2	1.72	0.71
1:A:61:SER:HB3	1:A:64:LYS:HD3	1.72	0.71
1:E:144:TYR:HB2	4:E:243:HOH:O	1.93	0.69
1:F:139:ARG:HG2	1:F:141:ARG:HH21	1.57	0.69
1:B:99:PRO:O	1:C:173:LYS:NZ	2.26	0.68
1:A:135:ARG:HH11	1:A:135:ARG:HB3	1.58	0.67
1:A:51:ALA:HB1	1:A:56:GLU:HG3	1.76	0.67
1:B:10:PRO:HD2	1:B:144:TYR:OH	1.95	0.66
1:B:144:TYR:HD1	1:B:149:VAL:HG12	1.61	0.65
1:E:1:MET:N	4:E:245:HOH:O	2.20	0.65
1:F:125:ASP:HB3	1:F:128:ILE:HD12	1.79	0.65
1:E:98:THR:HB	1:E:99:PRO:CD	2.27	0.64
1:A:137:THR:HG23	1:A:140:ASN:CB	2.28	0.64
1:E:139:ARG:NH1	1:E:141:ARG:HD2	2.12	0.64
1:A:97:ARG:HD3	4:A:227:HOH:O	1.97	0.63
1:B:47:LYS:HD2	4:B:231:HOH:O	1.97	0.62
1:D:27:ASN:HB2	4:D:226:HOH:O	1.99	0.62
1:A:135:ARG:HB3	1:A:135:ARG:NH1	2.15	0.61
1:E:178:VAL:HG21	1:E:184:ILE:HD13	1.80	0.61
1:B:138:THR:O	1:B:139:ARG:HB2	2.01	0.61
1:B:39:ASP:OD1	1:B:54:ARG:NH2	2.31	0.61
1:E:139:ARG:HH11	1:E:141:ARG:HD2	1.66	0.61
1:E:178:VAL:HG21	1:E:184:ILE:HG21	1.81	0.61
1:F:191:ARG:HH11	1:F:191:ARG:HG2	1.66	0.60
1:E:9:ILE:HD13	1:E:154:ILE:HG12	1.82	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:50:TYR:CE1	1:F:64:LYS:HD3	2.36	0.60
1:D:138:THR:O	1:D:139:ARG:HB2	2.02	0.59
1:A:5:ILE:HD12	1:A:116:PRO:HG3	1.83	0.59
1:E:137:THR:O	1:E:140:ASN:CB	2.26	0.59
1:B:54:ARG:HD2	4:B:261:HOH:O	2.02	0.58
1:D:66:LYS:O	1:D:70:ILE:HG13	2.04	0.58
1:C:12:VAL:HG21	1:C:122:LEU:HB3	1.84	0.58
1:B:137:THR:HG23	1:B:140:ASN:HB2	1.84	0.58
1:C:114:ILE:HG22	1:C:116:PRO:HD3	1.85	0.58
1:A:139:ARG:HB3	1:A:141:ARG:CD	2.34	0.58
1:D:141:ARG:O	1:D:142:ASN:HB2	2.03	0.57
1:A:57:MET:HA	1:A:60:LEU:CD1	2.35	0.57
1:E:9:ILE:CG2	1:E:153:THR:HG22	2.35	0.57
1:B:135:ARG:HB3	4:B:237:HOH:O	2.04	0.57
1:B:137:THR:HG23	1:B:140:ASN:CB	2.34	0.57
1:E:181:ASP:OD1	1:E:183:SER:HB2	2.05	0.56
1:C:139:ARG:O	1:C:140:ASN:HB2	2.05	0.56
1:C:144:TYR:HD2	1:C:150:ILE:HG13	1.70	0.56
1:D:125:ASP:HB3	1:D:128:ILE:HD12	1.87	0.56
1:E:187:ASN:HB3	1:E:191:ARG:NH2	2.21	0.55
1:C:141:ARG:HG3	1:C:143:ASP:OD1	2.06	0.55
1:B:141:ARG:NH2	4:B:248:HOH:O	2.40	0.55
1:A:173:LYS:HG2	1:C:101:GLY:CA	2.37	0.55
1:D:58:ARG:NH1	4:D:207:HOH:O	2.40	0.55
1:E:12:VAL:O	1:E:177:ASN:ND2	2.37	0.55
1:E:134:LYS:HG2	4:E:261:HOH:O	2.05	0.55
1:A:139:ARG:HD2	1:A:141:ARG:NH2	2.22	0.55
1:C:108:SER:O	1:C:112:THR:HG23	2.06	0.54
1:A:137:THR:CG2	1:A:140:ASN:HB2	2.36	0.54
1:E:33:LYS:HD3	4:E:211:HOH:O	2.07	0.54
1:A:139:ARG:HB3	1:A:141:ARG:NE	2.22	0.54
1:B:178:VAL:HG13	1:E:178:VAL:HG13	1.90	0.54
1:C:102:TYR:OH	1:C:152:GLU:HG2	2.08	0.54
1:F:128:ILE:O	1:F:132:ARG:HG3	2.08	0.54
1:D:141:ARG:HD3	4:D:247:HOH:O	2.08	0.54
1:E:9:ILE:HG21	1:E:153:THR:HG22	1.89	0.54
1:D:125:ASP:HB3	1:D:128:ILE:CD1	2.37	0.53
1:C:128:ILE:HD12	1:C:128:ILE:H	1.74	0.53
1:E:186:ALA:O	1:E:190:ILE:HG13	2.09	0.53
1:F:140:ASN:ND2	4:F:212:HOH:O	2.41	0.53
1:E:124:ALA:HB3	1:E:129:ILE:HD11	1.91	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:125:ASP:HB2	4:E:206:HOH:O	2.07	0.53
1:E:128:ILE:HD13	1:E:179:GLU:HG2	1.91	0.52
1:C:17:VAL:O	1:C:21:VAL:HG23	2.09	0.52
1:B:9:ILE:HD13	1:B:154:ILE:HG13	1.92	0.52
1:C:146:ASP:OD2	1:C:148:SER:HB2	2.09	0.52
1:E:147:GLU:HA	1:E:150:ILE:HD12	1.91	0.52
1:B:136:ASP:HB2	4:B:237:HOH:O	2.09	0.52
1:A:102:TYR:OH	1:A:152:GLU:HG2	2.10	0.52
1:C:128:ILE:HD12	1:C:128:ILE:N	2.25	0.52
1:C:24:ILE:O	1:C:28:GLN:HG3	2.09	0.52
1:F:50:TYR:CZ	1:F:64:LYS:HD3	2.45	0.52
1:A:137:THR:HG22	1:A:137:THR:O	2.10	0.51
1:B:181:ASP:OD1	1:B:183:SER:HB2	2.09	0.51
1:D:2:LYS:HE3	1:D:193:MET:O	2.09	0.51
1:F:152:GLU:HG3	4:F:230:HOH:O	2.09	0.51
1:B:66:LYS:O	1:B:70:ILE:HG13	2.10	0.51
1:E:35:ILE:HD12	1:E:88:LEU:HD11	1.92	0.51
1:B:132:ARG:NH1	4:B:197:HOH:O	2.43	0.51
1:E:173:LYS:HE3	4:E:250:HOH:O	2.09	0.51
1:E:20:LYS:HD2	1:E:24:ILE:HD11	1.93	0.51
1:F:1:MET:HB2	4:F:239:HOH:O	2.11	0.51
1:A:57:MET:HA	1:A:60:LEU:HD12	1.93	0.50
1:B:144:TYR:HD1	1:B:149:VAL:CG1	2.23	0.50
1:E:14:LYS:HG3	1:E:122:LEU:HD23	1.93	0.50
1:F:175:ILE:HD12	1:F:189:ILE:HG12	1.92	0.50
1:F:125:ASP:OD1	1:F:127:LYS:HB2	2.11	0.50
1:A:51:ALA:HB2	1:A:60:LEU:HD11	1.93	0.50
1:A:1:MET:HG3	1:A:80:ALA:O	2.10	0.50
1:E:65:GLN:O	1:E:69:GLN:HG2	2.12	0.50
1:A:139:ARG:HH11	1:A:141:ARG:CZ	2.25	0.49
1:D:188:GLU:OE2	1:D:191:ARG:NH1	2.45	0.49
1:F:139:ARG:HG2	1:F:141:ARG:NH2	2.26	0.49
1:D:63:GLU:HG2	4:D:216:HOH:O	2.11	0.49
1:B:53:ASP:OD1	1:B:56:GLU:HB2	2.13	0.49
1:D:154:ILE:O	1:D:158:ARG:HG3	2.13	0.49
1:E:51:ALA:HB1	1:E:56:GLU:HB3	1.93	0.49
1:B:2:LYS:HE2	1:B:193:MET:O	2.14	0.48
1:D:33:LYS:NZ	1:D:79:GLU:HG3	2.29	0.48
1:D:129:ILE:O	1:D:133:GLN:HG3	2.14	0.48
1:E:76:ILE:HG21	1:E:90:ILE:HD11	1.94	0.48
1:E:97:ARG:HD2	1:E:144:TYR:HE1	1.78	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:178:VAL:CG2	1:E:184:ILE:HG21	2.42	0.48
1:E:141:ARG:NH1	1:E:141:ARG:HB2	2.29	0.48
1:E:141:ARG:HB2	1:E:141:ARG:HH11	1.78	0.47
1:B:58:ARG:HD3	4:B:246:HOH:O	2.14	0.47
1:C:7:THR:HA	1:C:92:THR:O	2.14	0.47
1:E:98:THR:CB	1:E:99:PRO:CD	2.91	0.47
1:F:127:LYS:HG3	1:F:147:GLU:OE2	2.14	0.47
1:A:61:SER:HB3	1:A:64:LYS:CD	2.42	0.47
1:B:12:VAL:HG21	1:B:122:LEU:HB3	1.97	0.47
1:E:88:LEU:HD12	1:E:89:PHE:N	2.29	0.47
1:A:20:LYS:HE2	1:A:23:GLU:OE2	2.15	0.47
1:B:187:ASN:HB3	1:B:191:ARG:NH2	2.30	0.47
1:F:98:THR:HB	1:F:99:PRO:CD	2.45	0.46
1:D:133:GLN:HE22	1:D:141:ARG:CG	2.29	0.46
1:E:133:GLN:NE2	4:E:243:HOH:O	2.40	0.46
1:F:187:ASN:HB3	1:F:191:ARG:NH2	2.31	0.46
1:A:9:ILE:HD13	1:A:154:ILE:HG13	1.98	0.46
1:A:139:ARG:HD2	1:A:141:ARG:HH21	1.81	0.46
1:F:173:LYS:NZ	1:F:192:SER:OG	2.41	0.46
1:D:33:LYS:HZ1	1:D:79:GLU:HG3	1.81	0.46
1:D:84:GLY:N	4:D:253:HOH:O	2.45	0.46
1:D:173:LYS:HE2	1:D:188:GLU:OE1	2.15	0.46
1:E:12:VAL:O	1:E:12:VAL:HG12	2.16	0.46
1:F:74:LYS:HE2	4:F:242:HOH:O	2.15	0.46
1:D:186:ALA:O	1:D:190:ILE:HD12	2.16	0.46
1:A:125:ASP:HB3	1:A:128:ILE:CG1	2.40	0.45
1:A:97:ARG:NH1	4:A:227:HOH:O	2.40	0.45
1:D:37:TYR:HB2	1:D:92:THR:HB	1.97	0.45
1:E:126:PRO:HG2	1:E:151:LEU:HD21	1.99	0.45
1:E:145:SER:HB2	1:E:146:ASP:H	1.64	0.45
1:D:111:ILE:HG23	1:D:168:ALA:HB2	1.99	0.45
1:D:175:ILE:HD13	1:D:189:ILE:HG13	1.99	0.45
1:D:81:ARG:NH1	4:D:242:HOH:O	2.50	0.45
1:E:165:ALA:HB1	1:E:170:SER:O	2.17	0.45
1:B:61:SER:OG	1:B:64:LYS:HG3	2.17	0.45
1:D:2:LYS:HE2	4:D:223:HOH:O	2.17	0.45
1:D:181:ASP:HA	1:D:182:PRO:HD2	1.85	0.45
1:E:10:PRO:HD3	4:E:226:HOH:O	2.15	0.45
1:A:42:LEU:HD12	1:A:42:LEU:O	2.17	0.44
1:A:141:ARG:HB3	4:A:237:HOH:O	2.17	0.44
1:A:141:ARG:HG3	4:A:233:HOH:O	2.15	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:115:ASN:HA	4:D:255:HOH:O	2.17	0.44
1:C:111:ILE:HD13	1:C:111:ILE:HA	1.85	0.44
1:B:34:ILE:HD13	1:B:34:ILE:HG21	1.79	0.44
1:B:122:LEU:HD12	1:B:122:LEU:HA	1.82	0.44
1:D:54:ARG:HD2	4:D:240:HOH:O	2.18	0.44
1:F:146:ASP:OD2	1:F:148:SER:HB2	2.18	0.44
1:B:57:MET:O	1:B:60:LEU:HB2	2.18	0.43
1:C:140:ASN:O	1:C:141:ARG:CB	2.52	0.43
1:B:122:LEU:HD12	1:B:175:ILE:HB	2.00	0.43
4:E:257:HOH:O	1:F:191:ARG:HB3	2.18	0.43
1:A:1:MET:HE2	1:A:80:ALA:HA	2.01	0.43
1:A:18:LEU:HD11	1:A:91:ASP:HB2	2.00	0.43
1:B:116:PRO:O	1:B:170:SER:HB2	2.18	0.43
1:A:46:LEU:HD23	1:A:52:LYS:HA	1.99	0.43
1:B:137:THR:O	1:B:137:THR:HG22	2.18	0.43
1:E:24:ILE:O	1:E:28:GLN:HG3	2.19	0.43
1:C:103:LEU:HA	1:C:104:PRO:HD3	1.92	0.43
1:F:126:PRO:HB2	1:F:147:GLU:HG2	2.01	0.43
1:C:5:ILE:HD13	1:C:90:ILE:HD12	2.01	0.42
1:E:130:LEU:HG	1:E:150:ILE:CD1	2.50	0.42
1:F:9:ILE:O	1:F:12:VAL:HG22	2.20	0.42
1:E:20:LYS:O	1:E:24:ILE:HD12	2.20	0.42
1:D:122:LEU:HD12	1:D:177:ASN:HB2	2.01	0.42
1:E:98:THR:HB	1:E:99:PRO:HD3	2.02	0.42
1:A:139:ARG:HD2	1:A:139:ARG:HA	1.80	0.42
1:C:130:LEU:HD23	1:C:130:LEU:HA	1.91	0.42
1:E:12:VAL:HG13	1:E:124:ALA:HB2	2.01	0.42
1:A:74:LYS:HG3	1:A:113:GLU:HG3	2.01	0.42
1:D:120:PHE:CD2	1:D:175:ILE:HD12	2.55	0.42
1:E:9:ILE:HG13	1:E:12:VAL:CG2	2.50	0.42
1:E:144:TYR:CD2	1:E:150:ILE:HG12	2.54	0.42
1:F:136:ASP:OD1	1:F:138:THR:HG22	2.19	0.42
1:A:145:SER:HB2	4:A:223:HOH:O	2.19	0.42
1:B:130:LEU:O	1:B:133:GLN:HB2	2.20	0.42
1:A:133:GLN:OE1	1:A:144:TYR:HB2	2.20	0.41
1:C:25:LEU:HG	1:C:190:ILE:HD13	2.01	0.41
1:E:131:SER:O	1:E:135:ARG:HB2	2.20	0.41
1:E:80:ALA:HB2	1:E:88:LEU:HD23	2.01	0.41
1:B:144:TYR:CD1	1:B:149:VAL:HG12	2.47	0.41
1:B:102:TYR:OH	1:B:152:GLU:HG2	2.21	0.41
1:D:96:ILE:N	1:D:96:ILE:HD12	2.35	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:181:ASP:HA	1:B:182:PRO:HD3	1.75	0.41
1:E:70:ILE:HD11	1:E:109:TYR:HB2	2.02	0.41
1:E:138:THR:O	1:E:139:ARG:CB	2.63	0.41
1:F:37:TYR:HB2	1:F:92:THR:HB	2.02	0.41
1:D:1:MET:HA	4:D:218:HOH:O	2.20	0.41
1:A:35:ILE:HD12	1:A:88:LEU:HD11	2.02	0.41
1:B:9:ILE:O	1:B:12:VAL:HG13	2.20	0.41
1:B:9:ILE:HG21	1:B:153:THR:HG22	2.03	0.41
1:C:97:ARG:HD3	1:C:143:ASP:OD2	2.21	0.41
1:D:92:THR:OG1	1:D:93:HIS:N	2.53	0.41
1:E:47:LYS:O	1:E:48:LEU:HD23	2.21	0.41
1:E:181:ASP:HA	1:E:182:PRO:HD3	1.87	0.41
1:C:22:LYS:NZ	4:C:223:HOH:O	2.53	0.41
1:A:66:LYS:NZ	4:A:229:HOH:O	2.36	0.40
1:C:128:ILE:H	1:C:128:ILE:CD1	2.33	0.40
1:E:9:ILE:HG22	1:E:153:THR:HG22	2.02	0.40
1:A:46:LEU:CD2	1:A:52:LYS:HA	2.51	0.40
1:F:106:LEU:HB3	1:F:111:ILE:HG12	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	192/194 (99%)	178 (93%)	12 (6%)	2 (1%)	15 31
1	B	192/194 (99%)	181 (94%)	6 (3%)	5 (3%)	5 8
1	C	192/194 (99%)	181 (94%)	9 (5%)	2 (1%)	15 31
1	D	192/194 (99%)	181 (94%)	10 (5%)	1 (0%)	29 50
1	E	192/194 (99%)	181 (94%)	7 (4%)	4 (2%)	7 12
1	F	192/194 (99%)	186 (97%)	5 (3%)	1 (0%)	29 50

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	1152/1164 (99%)	1088 (94%)	49 (4%)	15 (1%)	12 23

All (15) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	139	ARG
1	B	145	SER
1	C	140	ASN
1	C	141	ARG
1	E	139	ARG
1	B	139	ARG
1	B	142	ASN
1	D	139	ARG
1	E	140	ASN
1	E	145	SER
1	B	50	TYR
1	E	180	GLY
1	F	83	GLY
1	A	28	GLN
1	B	180	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	160/160 (100%)	130 (81%)	30 (19%)	1 2
1	B	160/160 (100%)	134 (84%)	26 (16%)	2 3
1	C	160/160 (100%)	133 (83%)	27 (17%)	2 3
1	D	160/160 (100%)	141 (88%)	19 (12%)	5 9
1	E	160/160 (100%)	128 (80%)	32 (20%)	1 2
1	F	160/160 (100%)	132 (82%)	28 (18%)	2 2
All	All	960/960 (100%)	798 (83%)	162 (17%)	2 3

All (162) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	14	LYS
1	A	23	GLU
1	A	30	ILE
1	A	50	TYR
1	A	52	LYS
1	A	53	ASP
1	A	55	ASP
1	A	56	GLU
1	A	59	LYS
1	A	60	LEU
1	A	61	SER
1	A	62	VAL
1	A	63	GLU
1	A	64	LYS
1	A	81	ARG
1	A	91	ASP
1	A	113	GLU
1	A	122	LEU
1	A	132	ARG
1	A	133	GLN
1	A	135	ARG
1	A	138	THR
1	A	139	ARG
1	A	141	ARG
1	A	143	ASP
1	A	151	LEU
1	A	173	LYS
1	A	179	GLU
1	A	194	LYS
1	B	20	LYS
1	B	52	LYS
1	B	53	ASP
1	B	54	ARG
1	B	56	GLU
1	B	61	SER
1	B	67	LYS
1	B	74	LYS
1	B	79	GLU
1	B	97	ARG
1	B	100	SER
1	B	122	LEU
1	B	133	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	134	LYS
1	B	136	ASP
1	B	139	ARG
1	B	141	ARG
1	B	142	ASN
1	B	143	ASP
1	B	145	SER
1	B	148	SER
1	B	151	LEU
1	B	170	SER
1	B	172	VAL
1	B	183	SER
1	B	188	GLU
1	C	1	MET
1	C	2	LYS
1	C	14	LYS
1	C	28	GLN
1	C	30	ILE
1	C	46	LEU
1	C	58	ARG
1	C	59	LYS
1	C	63	GLU
1	C	67	LYS
1	C	79	GLU
1	C	81	ARG
1	C	111	ILE
1	C	117	SER
1	C	122	LEU
1	C	130	LEU
1	C	131	SER
1	C	133	GLN
1	C	138	THR
1	C	139	ARG
1	C	140	ASN
1	C	141	ARG
1	C	145	SER
1	C	148	SER
1	C	151	LEU
1	C	170	SER
1	C	190	ILE
1	D	1	MET
1	D	2	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	20	LYS
1	D	22	LYS
1	D	23	GLU
1	D	33	LYS
1	D	46	LEU
1	D	53	ASP
1	D	55	ASP
1	D	79	GLU
1	D	85	GLU
1	D	111	ILE
1	D	113	GLU
1	D	122	LEU
1	D	136	ASP
1	D	139	ARG
1	D	151	LEU
1	D	170	SER
1	D	173	LYS
1	E	15	SER
1	E	20	LYS
1	E	41	MET
1	E	58	ARG
1	E	59	LYS
1	E	64	LYS
1	E	67	LYS
1	E	68	LEU
1	E	69	GLN
1	E	78	GLU
1	E	79	GLU
1	E	88	LEU
1	E	95	VAL
1	E	97	ARG
1	E	117	SER
1	E	122	LEU
1	E	127	LYS
1	E	131	SER
1	E	133	GLN
1	E	134	LYS
1	E	135	ARG
1	E	136	ASP
1	E	139	ARG
1	E	140	ASN
1	E	141	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	145	SER
1	E	148	SER
1	E	154	ILE
1	E	172	VAL
1	E	176	VAL
1	E	179	GLU
1	E	183	SER
1	F	9	ILE
1	F	12	VAL
1	F	14	LYS
1	F	20	LYS
1	F	22	LYS
1	F	33	LYS
1	F	46	LEU
1	F	53	ASP
1	F	78	GLU
1	F	79	GLU
1	F	85	GLU
1	F	111	ILE
1	F	115	ASN
1	F	122	LEU
1	F	127	LYS
1	F	130	LEU
1	F	131	SER
1	F	133	GLN
1	F	135	ARG
1	F	137	THR
1	F	139	ARG
1	F	140	ASN
1	F	141	ARG
1	F	151	LEU
1	F	170	SER
1	F	172	VAL
1	F	188	GLU
1	F	191	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (13) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	28	GLN
1	A	140	ASN
1	B	28	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	133	GLN
1	B	140	ASN
1	C	28	GLN
1	C	133	GLN
1	D	133	GLN
1	D	142	ASN
1	E	28	GLN
1	E	65	GLN
1	F	28	GLN
1	F	133	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	ADP	F	196	-	24,29,29	1.26	4 (16%)	29,45,45	1.70	5 (17%)
2	AMP	D	195	-	21,25,25	1.56	4 (19%)	23,38,38	2.29	6 (26%)
2	AMP	F	195	-	21,25,25	1.41	2 (9%)	23,38,38	2.28	6 (26%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	AMP	C	195	-	21,25,25	1.47	5 (23%)	23,38,38	2.17	7 (30%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ADP	F	196	-	-	4/12/32/32	0/3/3/3
2	AMP	D	195	-	-	0/6/26/26	0/3/3/3
2	AMP	F	195	-	-	0/6/26/26	0/3/3/3
2	AMP	C	195	-	-	0/6/26/26	0/3/3/3

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	F	195	AMP	P-O5'	-3.34	1.49	1.60
2	D	195	AMP	C8-N7	-3.23	1.28	1.34
3	F	196	ADP	PA-O3A	-3.07	1.56	1.59
2	D	195	AMP	P-O5'	-3.02	1.50	1.60
2	C	195	AMP	C8-N7	-2.75	1.29	1.34
2	C	195	AMP	P-O5'	-2.59	1.52	1.60
2	C	195	AMP	C2'-C3'	-2.46	1.46	1.53
2	D	195	AMP	C2'-C3'	-2.36	1.47	1.53
2	C	195	AMP	P-O2P	-2.34	1.46	1.54
3	F	196	ADP	O4'-C1'	2.31	1.43	1.40
3	F	196	ADP	C5-N7	-2.30	1.31	1.39
3	F	196	ADP	PB-O2B	2.20	1.63	1.54
2	F	195	AMP	C8-N7	-2.19	1.30	1.34
2	C	195	AMP	P-O3P	2.09	1.62	1.54
2	D	195	AMP	C2-N3	2.03	1.35	1.32

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	195	AMP	O4'-C1'-N9	7.14	118.21	108.75
3	F	196	ADP	N3-C2-N1	-6.64	119.66	128.67
2	F	195	AMP	C4'-O4'-C1'	-6.16	104.28	109.92
2	C	195	AMP	C4'-O4'-C1'	-5.71	104.70	109.92
2	D	195	AMP	C4'-O4'-C1'	-4.76	105.57	109.92
2	F	195	AMP	O4'-C1'-N9	4.72	115.00	108.75
2	F	195	AMP	C5-C6-N6	4.26	126.80	120.31

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	195	AMP	O2P-P-O1P	3.89	125.99	110.83
2	C	195	AMP	O4'-C1'-N9	3.42	113.28	108.75
2	D	195	AMP	O3P-P-O5'	-3.03	98.77	106.67
2	C	195	AMP	O3'-C3'-C4'	2.98	119.64	111.08
2	C	195	AMP	O3P-P-O2P	-2.80	97.31	107.80
2	C	195	AMP	O5'-C5'-C4'	2.76	118.40	108.99
2	F	195	AMP	C5-C6-N1	-2.69	113.81	120.23
3	F	196	ADP	C4-C5-N7	-2.68	106.50	109.34
2	F	195	AMP	C4-C5-N7	-2.66	106.53	109.34
3	F	196	ADP	O3B-PB-O3A	2.65	113.53	104.64
3	F	196	ADP	O4'-C1'-N9	2.59	112.19	108.75
2	F	195	AMP	O3P-P-O5'	-2.59	99.92	106.67
3	F	196	ADP	C4'-O4'-C1'	-2.58	107.56	109.92
2	C	195	AMP	C5-C6-N6	2.55	124.19	120.31
2	D	195	AMP	O3P-P-O1P	2.27	119.68	110.83
2	D	195	AMP	O3P-P-O2P	-2.06	100.09	107.80
2	D	195	AMP	C5-C6-N1	-2.05	115.33	120.23

There are no chirality outliers.



All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	F	196	ADP	C5'-O5'-PA-O1A
3	F	196	ADP	C5'-O5'-PA-O2A
3	F	196	ADP	C5'-O5'-PA-O3A
3	F	196	ADP	O4'-C4'-C5'-O5'

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	E	1
1	A	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	E	137:THR	C	138:THR	N	1.07
1	A	138:THR	C	139:ARG	N	1.00

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	194/194 (100%)	0.27	18 (9%) 8 7	26, 53, 134, 188	0
1	B	194/194 (100%)	0.05	13 (6%) 17 14	26, 50, 134, 188	0
1	C	194/194 (100%)	0.30	21 (10%) 5 4	28, 59, 134, 182	0
1	D	194/194 (100%)	0.14	12 (6%) 20 17	27, 57, 133, 182	0
1	E	194/194 (100%)	0.49	18 (9%) 8 7	26, 50, 135, 189	0
1	F	194/194 (100%)	-0.03	13 (6%) 17 14	27, 56, 112, 132	0
All	All	1164/1164 (100%)	0.20	95 (8%) 11 9	26, 54, 130, 189	0

All (95) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	139	ARG	12.5
1	E	138	THR	11.2
1	A	138	THR	11.2
1	E	137	THR	9.9
1	E	142	ASN	9.9
1	E	140	ASN	9.4
1	C	138	THR	9.0
1	A	139	ARG	8.6
1	A	137	THR	8.3
1	A	141	ARG	8.1
1	A	142	ASN	7.9
1	D	139	ARG	7.8
1	C	137	THR	7.6
1	B	137	THR	7.3
1	A	140	ASN	7.2
1	E	134	LYS	7.2
1	B	136	ASP	6.9
1	B	138	THR	6.8
1	D	138	THR	6.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	140	ASN	6.5
1	E	141	ARG	6.3
1	A	135	ARG	6.1
1	E	144	TYR	6.0
1	C	142	ASN	6.0
1	F	137	THR	6.0
1	B	139	ARG	5.9
1	E	136	ASP	5.9
1	E	143	ASP	5.7
1	C	135	ARG	5.4
1	C	133	GLN	5.3
1	E	133	GLN	5.2
1	D	137	THR	5.2
1	A	136	ASP	5.0
1	C	145	SER	4.8
1	B	140	ASN	4.8
1	D	135	ARG	4.8
1	B	135	ARG	4.7
1	C	136	ASP	4.6
1	C	134	LYS	4.6
1	E	135	ARG	4.5
1	E	130	LEU	4.5
1	C	141	ARG	4.4
1	E	145	SER	4.4
1	F	82	ALA	4.3
1	E	131	SER	4.2
1	D	140	ASN	4.2
1	B	134	LYS	4.1
1	C	130	LEU	3.9
1	F	142	ASN	3.9
1	C	139	ARG	3.9
1	D	136	ASP	3.9
1	F	134	LYS	3.8
1	C	144	TYR	3.8
1	B	141	ARG	3.7
1	A	132	ARG	3.7
1	C	143	ASP	3.7
1	C	84	GLY	3.5
1	C	83	GLY	3.4
1	B	142	ASN	3.3
1	F	139	ARG	3.3
1	F	138	THR	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	142	ASN	3.3
1	D	141	ARG	3.2
1	F	141	ARG	3.1
1	C	30	ILE	3.1
1	F	135	ARG	2.9
1	E	146	ASP	2.9
1	D	132	ARG	2.9
1	A	134	LYS	2.9
1	D	81	ARG	2.8
1	F	136	ASP	2.7
1	D	134	LYS	2.7
1	F	140	ASN	2.7
1	F	83	GLY	2.7
1	A	143	ASP	2.7
1	C	82	ALA	2.6
1	B	130	LEU	2.6
1	A	59	LYS	2.6
1	B	133	GLN	2.4
1	C	81	ARG	2.4
1	C	129	ILE	2.4
1	A	130	LEU	2.4
1	B	50	TYR	2.4
1	C	127	LYS	2.3
1	A	58	ARG	2.3
1	B	143	ASP	2.3
1	F	84	GLY	2.3
1	A	131	SER	2.3
1	F	145	SER	2.3
1	A	178	VAL	2.2
1	D	144	TYR	2.2
1	E	127	LYS	2.2
1	A	50	TYR	2.1
1	E	129	ILE	2.1
1	A	133	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	ADP	F	196	27/27	0.95	0.16	84,114,119,119	0
2	AMP	D	195	23/23	0.98	0.11	29,44,52,64	0
2	AMP	C	195	23/23	0.98	0.12	44,50,56,70	0
2	AMP	F	195	23/23	0.99	0.11	30,43,50,57	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around AMP C 195:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.