



# Full wwPDB X-ray Structure Validation Report i

Aug 15, 2023 – 08:46 AM EDT

PDB ID : 1SEV

Title : Mature and translocatable forms of glyoxysomal malate dehydrogenase have different activities and stabilities but similar crystal structures

Authors : Cox, B.R.; Chit, M.M.; Weaver, T.M.; Bailey, J.; Gietl, C.; Bell, E.; Banaszak, L.J.

Deposited on : 2004-02-18

Resolution : 2.55 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the i symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbitiy : 4.02b-467

Xtriage (Phenix) : 1.13

EDS : 2.35

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Refmac : 5.8.0158

CCP4 : 7.0.044 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001)

Ideal geometry (DNA, RNA) : Parkinson et al. (1996)

Validation Pipeline (wwPDB-VP) : 2.35


# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*


The reported resolution of this entry is 2.55 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1284 (2.56-2.52)
Clashscore	141614	1332 (2.56-2.52)
Ramachandran outliers	138981	1315 (2.56-2.52)
Sidechain outliers	138945	1315 (2.56-2.52)
RSRZ outliers	127900	1272 (2.56-2.52)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



## 2 Entry composition [\(i\)](#)

There are 2 unique types of molecules in this entry. The entry contains 4911 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Malate dehydrogenase, glyoxysomal precursor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	313	2309	1469	396	431	13	0	0	0
1	B	313	2309	1469	396	431	13	0	0	0

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	357	HIS	-	expression tag	UNP P19446
A	358	HIS	-	expression tag	UNP P19446
A	359	HIS	-	expression tag	UNP P19446
A	360	HIS	-	expression tag	UNP P19446
A	361	HIS	-	expression tag	UNP P19446
A	362	HIS	-	expression tag	UNP P19446
B	357	HIS	-	expression tag	UNP P19446
B	358	HIS	-	expression tag	UNP P19446
B	359	HIS	-	expression tag	UNP P19446
B	360	HIS	-	expression tag	UNP P19446
B	361	HIS	-	expression tag	UNP P19446
B	362	HIS	-	expression tag	UNP P19446


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	151	Total O 151 151	0	0
2	B	142	Total O 142 142	0	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Malate dehydrogenase, glyoxysomal precursor



- Molecule 1: Malate dehydrogenase, glyoxysomal precursor



## 4 Data and refinement statistics i

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	96.80Å 96.80Å 213.32Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.55 33.37 – 2.50	Depositor EDS
% Data completeness (in resolution range)	99.8 (50.00-2.55) 96.9 (33.37-2.50)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	3.96 (at 2.51Å)	Xtriage
Refinement program	CNS 1.0	Depositor
$R$ , $R_{free}$	0.207 , 0.258 0.206 , 0.206	Depositor DCC
$R_{free}$ test set	1758 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	34.6	Xtriage
Anisotropy	0.135	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 44.9	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.50$ , $< L^2 > = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	4911	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.91% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.83	1/2345 (0.0%)	0.92	2/3179 (0.1%)
1	B	0.86	1/2345 (0.0%)	0.96	4/3179 (0.1%)
All	All	0.84	2/4690 (0.0%)	0.94	6/6358 (0.1%)

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	44	GLY	N-CA	6.85	1.56	1.46
1	B	44	GLY	N-CA	5.16	1.53	1.46

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	125	LYS	C-N-CD	-12.05	94.09	120.60
1	B	125	LYS	C-N-CA	8.73	158.66	122.00
1	B	126	PRO	N-CA-C	7.37	131.27	112.10
1	A	196	ARG	NE-CZ-NH1	-5.81	117.40	120.30
1	B	151	CYS	N-CA-C	5.38	125.54	111.00
1	A	132	ASP	N-CA-C	-5.06	97.34	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2309	0	2393	72	0
1	B	2309	0	2393	69	0
2	A	151	0	0	3	0
2	B	142	0	0	3	0
All	All	4911	0	4786	140	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (140) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:129:THR:CG2	1:B:132:ASP:H	1.58	1.16
1:A:129:THR:HG23	1:A:131:ASP:H	1.09	1.07
1:B:129:THR:HG23	1:B:131:ASP:H	1.00	1.07
1:B:129:THR:HG23	1:B:131:ASP:N	1.81	0.94
1:B:107:GLU:HG3	1:B:151:CYS:SG	2.12	0.89
1:A:107:GLU:HG3	1:A:151:CYS:SG	2.12	0.89
1:A:129:THR:CG2	1:A:132:ASP:H	1.87	0.88
1:B:129:THR:CG2	1:B:131:ASP:H	1.87	0.87
1:A:173:GLU:HB3	1:A:354:ILE:HG21	1.54	0.86
1:B:129:THR:HG21	1:B:132:ASP:H	1.40	0.86
1:A:129:THR:HG23	1:A:131:ASP:N	1.90	0.85
1:B:129:THR:HG23	1:B:130:ARG:N	1.86	0.85
1:A:124:ARG:NH2	1:A:136:ILE:HD12	1.91	0.84
1:B:129:THR:CG2	1:B:132:ASP:N	2.42	0.82
1:B:129:THR:HG22	1:B:132:ASP:H	1.45	0.81
1:A:311:LYS:HE3	2:A:716:HOH:O	1.79	0.81
1:A:124:ARG:CD	1:A:128:MET:HA	2.12	0.80
1:B:128:MET:HE3	1:B:133:LEU:HB2	1.65	0.76
1:A:129:THR:HG21	1:A:132:ASP:N	2.00	0.76
1:B:129:THR:HG22	1:B:132:ASP:CG	2.07	0.75
1:B:129:THR:HG23	1:B:130:ARG:H	1.49	0.74
1:B:56:ILE:HD13	1:B:271:MET:HG2	1.69	0.74
1:A:129:THR:CG2	1:A:132:ASP:N	2.51	0.72
1:A:129:THR:HG23	1:A:132:ASP:H	1.54	0.72
1:A:177:LYS:O	1:A:177:LYS:HG2	1.90	0.72
1:B:124:ARG:NH1	2:B:893:HOH:O	2.22	0.72
1:B:63:LEU:HB2	1:B:276:VAL:HG21	1.74	0.70
1:A:129:THR:HG21	1:A:132:ASP:CG	2.12	0.70
1:A:129:THR:HG21	1:A:132:ASP:CB	2.21	0.70
1:B:124:ARG:O	1:B:128:MET:HB2	1.92	0.69

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:128:MET:HG3	1:A:129:THR:N	2.08	0.69
1:A:124:ARG:HB2	1:A:124:ARG:NH1	2.07	0.69
1:A:128:MET:HG3	1:A:129:THR:H	1.57	0.68
1:A:128:MET:CG	1:A:129:THR:H	2.06	0.68
1:A:169:PRO:HG3	1:A:307:PHE:CD2	2.28	0.68
1:A:102:GLY:HA3	1:A:104:GLN:NE2	2.07	0.68
1:A:124:ARG:HD3	1:A:128:MET:HA	1.77	0.66
1:A:129:THR:HG23	1:A:130:ARG:N	2.08	0.66
1:A:124:ARG:O	1:A:126:PRO:HD2	1.96	0.66
1:A:124:ARG:HD2	1:A:128:MET:HA	1.76	0.66
1:A:56:ILE:HD13	1:A:271:MET:HG2	1.78	0.66
1:A:63:LEU:HB2	1:A:276:VAL:HG21	1.78	0.64
1:B:133:LEU:HD23	1:B:134:PHE:N	2.12	0.64
1:B:173:GLU:HB3	1:B:354:ILE:HG21	1.80	0.63
1:B:177:LYS:O	1:B:177:LYS:HG2	1.99	0.62
1:B:133:LEU:HD23	1:B:133:LEU:C	2.20	0.61
1:A:104:GLN:CD	1:A:104:GLN:H	2.04	0.61
1:B:129:THR:CG2	1:B:132:ASP:CG	2.69	0.60
1:B:156:ILE:HD11	1:B:286:LEU:HD21	1.84	0.60
1:A:177:LYS:O	1:A:177:LYS:CG	2.49	0.60
1:B:102:GLY:HA3	1:B:104:GLN:NE2	2.17	0.59
1:A:124:ARG:HB2	1:A:124:ARG:CZ	2.33	0.59
1:A:102:GLY:HA3	1:A:104:GLN:HE22	1.66	0.58
1:A:124:ARG:NH1	1:A:124:ARG:CB	2.66	0.58
1:A:173:GLU:HB3	1:A:354:ILE:CG2	2.30	0.57
1:B:156:ILE:CD1	1:B:286:LEU:HD21	2.34	0.57
1:B:199:THR:O	1:B:203:GLU:HG3	2.04	0.57
1:A:277:LYS:NZ	2:A:914:HOH:O	2.36	0.57
1:A:129:THR:CG2	1:A:130:ARG:N	2.68	0.57
1:B:129:THR:HG22	1:B:132:ASP:CB	2.35	0.56
1:B:169:PRO:HG3	1:B:307:PHE:CD2	2.40	0.56
1:B:214:VAL:HG22	1:B:232:VAL:HG22	1.88	0.56
1:A:124:ARG:NH1	1:A:133:LEU:HB2	2.21	0.55
1:B:129:THR:HG22	1:B:132:ASP:N	2.18	0.55
1:B:125:LYS:HB2	1:B:128:MET:CG	2.37	0.55
1:B:125:LYS:CG	1:B:128:MET:HG2	2.37	0.54
1:B:129:THR:HG22	1:B:132:ASP:OD2	2.06	0.54
1:B:152:CYS:N	1:B:153:PRO:HD3	2.22	0.54
1:A:128:MET:O	1:A:129:THR:HB	2.08	0.54
1:A:176:LYS:C	1:A:178:ALA:H	2.12	0.53
1:A:214:VAL:HG22	1:A:232:VAL:HG22	1.89	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:124:ARG:HH22	1:A:136:ILE:HD12	1.73	0.53
1:B:177:LYS:O	1:B:177:LYS:CG	2.55	0.53
1:B:125:LYS:HB2	1:B:128:MET:HG2	1.89	0.53
1:A:124:ARG:NH2	1:A:133:LEU:HA	2.24	0.53
1:A:152:CYS:N	1:A:153:PRO:HD3	2.23	0.53
1:A:81:ALA:HB3	1:A:82:PRO:HD3	1.91	0.52
1:A:48:ALA:HB2	1:A:113:MET:HG3	1.91	0.52
1:B:125:LYS:HG3	1:B:128:MET:CG	2.39	0.52
1:B:129:THR:HB	1:B:132:ASP:OD2	2.08	0.52
1:B:104:GLN:H	1:B:104:GLN:CD	2.12	0.52
1:A:166:SER:O	1:A:169:PRO:HD2	2.10	0.51
1:A:144:LEU:O	1:A:148:ILE:HG13	2.09	0.51
1:A:124:ARG:CB	1:A:124:ARG:HH11	2.24	0.50
1:A:166:SER:C	1:A:169:PRO:HD2	2.32	0.50
1:B:229:LEU:HB2	2:B:826:HOH:O	2.11	0.50
1:B:125:LYS:HG3	1:B:128:MET:HG2	1.94	0.49
1:B:218:GLY:HA2	1:B:308:PHE:CZ	2.46	0.49
1:A:129:THR:O	1:A:130:ARG:HB3	2.13	0.49
1:B:129:THR:CG2	1:B:132:ASP:OD2	2.61	0.49
1:B:271:MET:HE2	1:B:275:ALA:HB2	1.95	0.49
1:A:128:MET:O	1:A:129:THR:CB	2.61	0.48
1:B:296:ALA:O	1:B:309:ALA:HA	2.14	0.48
1:A:130:ARG:HG3	2:A:778:HOH:O	2.13	0.48
1:A:182:ASP:OD1	1:A:184:LYS:HB2	2.14	0.48
1:A:149:ALA:O	1:A:153:PRO:HG3	2.13	0.47
1:B:129:THR:CB	1:B:132:ASP:OD2	2.62	0.47
1:B:102:GLY:HA3	1:B:104:GLN:HE22	1.79	0.47
1:A:125:LYS:HB2	1:A:126:PRO:CD	2.44	0.47
1:B:129:THR:CG2	1:B:130:ARG:H	2.21	0.47
1:B:182:ASP:OD1	1:B:184:LYS:HB2	2.15	0.47
1:A:124:ARG:O	1:A:126:PRO:CD	2.63	0.46
1:B:150:LYS:CB	1:B:150:LYS:NZ	2.78	0.46
1:A:129:THR:HG23	1:A:132:ASP:N	2.26	0.45
1:A:129:THR:HG21	1:A:132:ASP:OD2	2.17	0.45
1:B:129:THR:CG2	1:B:130:ARG:N	2.61	0.45
1:A:50:LEU:HD11	1:A:110:LEU:HD21	1.99	0.45
1:A:125:LYS:CE	1:A:125:LYS:HA	2.47	0.44
1:A:125:LYS:HB2	1:A:126:PRO:HD2	2.00	0.44
1:B:150:LYS:NZ	1:B:150:LYS:HB2	2.32	0.44
1:B:217:VAL:HB	1:B:309:ALA:O	2.17	0.44
1:A:296:ALA:O	1:A:309:ALA:HA	2.17	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:176:LYS:C	1:B:178:ALA:H	2.20	0.44
1:A:118:VAL:HB	1:A:159:LEU:HD12	2.00	0.44
1:A:124:ARG:HH21	1:A:136:ILE:HD12	1.73	0.44
1:B:119:PRO:HA	1:B:160:ILE:HB	1.99	0.43
1:B:262:ALA:O	1:B:264:ALA:N	2.50	0.43
1:A:62:MET:HE3	1:B:63:LEU:HD21	2.00	0.43
1:A:199:THR:O	1:A:203:GLU:HG3	2.18	0.43
1:B:129:THR:HG21	1:B:132:ASP:N	2.20	0.43
1:B:162:ASN:OD1	1:B:163:PRO:HA	2.19	0.43
1:A:129:THR:O	1:A:130:ARG:CB	2.67	0.43
1:A:124:ARG:HH22	1:A:133:LEU:HA	1.83	0.43
1:B:232:VAL:CG1	1:B:233:LYS:N	2.82	0.43
1:B:125:LYS:CB	1:B:128:MET:HG2	2.48	0.43
1:A:125:LYS:HA	1:A:125:LYS:HE3	2.01	0.42
1:A:176:LYS:O	1:A:178:ALA:N	2.49	0.42
1:B:132:ASP:O	1:B:136:ILE:HG13	2.18	0.42
1:B:118:VAL:HB	1:B:159:LEU:HD12	1.99	0.42
1:B:354:ILE:HD13	1:B:354:ILE:HA	1.85	0.42
1:A:74:HIS:CG	1:A:100:PHE:HE2	2.38	0.42
1:A:137:ASN:O	1:A:141:VAL:HG23	2.19	0.42
1:B:69:LEU:HD21	1:B:287:ARG:NH1	2.35	0.41
1:B:348:GLU:OE2	1:B:352:SER:HB3	2.21	0.41
1:A:63:LEU:CB	1:A:276:VAL:HG21	2.48	0.41
1:A:81:ALA:N	1:A:82:PRO:CD	2.84	0.41
1:B:81:ALA:N	1:B:82:PRO:CD	2.83	0.41
1:B:154:ARG:HB3	1:B:154:ARG:NH1	2.36	0.41
1:B:191:MET:O	1:B:191:MET:HG3	2.20	0.41
1:B:248:ASP:HB2	2:B:902:HOH:O	2.21	0.41

There are no symmetry-related clashes.

### 5.3 Torsion angles [\(i\)](#)

#### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	311/362 (86%)	295 (95%)	8 (3%)	8 (3%)	5 5
1	B	311/362 (86%)	297 (96%)	8 (3%)	6 (2%)	8 9
All	All	622/724 (86%)	592 (95%)	16 (3%)	14 (2%)	6 6

All (14) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	125	LYS
1	A	126	PRO
1	A	128	MET
1	B	125	LYS
1	B	126	PRO
1	A	129	THR
1	A	177	LYS
1	B	129	THR
1	B	263	GLY
1	A	80	ASN
1	A	123	PRO
1	A	263	GLY
1	B	177	LYS
1	B	127	GLY

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	247/288 (86%)	242 (98%)	5 (2%)	55 70
1	B	247/288 (86%)	240 (97%)	7 (3%)	43 58
All	All	494/576 (86%)	482 (98%)	12 (2%)	49 64

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	98	ARG
1	A	131	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	135	LYS
1	A	150	LYS
1	A	191	MET
1	B	98	ARG
1	B	126	PRO
1	B	130	ARG
1	B	131	ASP
1	B	135	LYS
1	B	169	PRO
1	B	191	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	104	GLN
1	A	158	ASN
1	B	158	ASN

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

### 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	313/362 (86%)	0.04	17 (5%) 25 30	19, 33, 67, 120	0
1	B	313/362 (86%)	0.01	14 (4%) 33 40	18, 30, 65, 120	0
All	All	626/724 (86%)	0.02	31 (4%) 28 34	18, 32, 67, 120	0

All (31) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	126	PRO	7.4
1	A	128	MET	7.3
1	B	125	LYS	7.1
1	A	124	ARG	7.1
1	A	127	GLY	6.7
1	A	125	LYS	6.7
1	A	126	PRO	6.3
1	B	127	GLY	5.7
1	B	124	ARG	5.1
1	B	128	MET	4.6
1	A	129	THR	4.3
1	B	263	GLY	4.0
1	B	129	THR	3.9
1	A	133	LEU	3.9
1	A	263	GLY	3.6
1	A	131	ASP	3.1
1	A	352	SER	3.1
1	B	131	ASP	3.0
1	B	133	LEU	2.9
1	A	130	ARG	2.8
1	A	132	ASP	2.7
1	A	180	THR	2.6
1	A	355	ARG	2.3
1	A	356	SER	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	B	356	SER	2.2
1	A	45	PHE	2.2
1	B	262	ALA	2.1
1	B	189	VAL	2.1
1	B	104	GLN	2.1
1	B	130	ARG	2.1
1	A	151	CYS	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [\(i\)](#)

There are no ligands in this entry.

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.