



# Full wwPDB X-ray Structure Validation Report ⓘ

May 18, 2020 – 09:46 am BST

PDB ID : 1W3Z  
Title : SeMet derivative of BbCRASP-1 from *Borrelia burgdorferi*  
Authors : Cordes, F.S.; Roversi, P.; Goodstadt, L.; Ponting, C.; Kraiczy, P.; Skerka, C.; Kirschfink, M.; Simon, M.M.; Brade, V.; Zipfel, P.; Wallich, R.; Lea, S.M.  
Deposited on : 2004-07-21  
Resolution : 3.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.11  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1133 (3.20-3.20)
Clashscore	141614	1253 (3.20-3.20)
Ramachandran outliers	138981	1234 (3.20-3.20)
Sidechain outliers	138945	1233 (3.20-3.20)
RSRZ outliers	127900	1095 (3.20-3.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	181	<div style="display: flex; align-items: center;"> <div style="width: 10px; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="flex-grow: 1; position: relative;"> <div style="position: absolute; top: -10px; left: 0; right: 0;">%</div> <div style="position: absolute; top: 10px; left: 0; right: 0;"> <span style="position: absolute; left: 36%; top: -10px;">36%</span> <span style="position: absolute; left: 44%; top: -10px;">44%</span> <span style="position: absolute; left: 80%; top: -10px;">19%</span> <span style="position: absolute; left: 95%; top: -10px;">•</span> </div> </div> </div>
1	B	181	<div style="display: flex; align-items: center;"> <div style="width: 10px; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="flex-grow: 1; position: relative;"> <div style="position: absolute; top: -10px; left: 0; right: 0;">%</div> <div style="position: absolute; top: 10px; left: 0; right: 0;"> <span style="position: absolute; left: 34%; top: -10px;">34%</span> <span style="position: absolute; left: 45%; top: -10px;">45%</span> <span style="position: absolute; left: 80%; top: -10px;">20%</span> <span style="position: absolute; left: 95%; top: -10px;">••</span> </div> </div> </div>

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 3009 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called BBCRASP-1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	Se			
1	A	181	1508	964	249	293	2	0	1	0
1	B	180	1493	953	247	291	2	0	0	0


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	3	Total	O	0	0
			3	3		
2	B	5	Total	O	0	0
			5	5		


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: BBCRASP-1



- Molecule 1: BBCRASP-1



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	91.56Å 91.56Å 146.52Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	76.70 – 3.20 57.20 – 3.20	Depositor EDS
% Data completeness (in resolution range)	(Not available) (76.70-3.20) 100.0 (57.20-3.20)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.44 (at 3.19Å)	Xtrriage
Refinement program	TNT 5.6	Depositor
R, $R_{free}$	0.239 , (Not available) 0.244 , 0.278	Depositor DCC
$R_{free}$ test set	566 reflections (5.23%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	92.2	Xtrriage
Anisotropy	0.693	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.29 , 70.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	3009	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	100.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.61% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.66	6/1530 (0.4%)	0.64	2/2044 (0.1%)
1	B	0.68	6/1510 (0.4%)	0.65	2/2017 (0.1%)
All	All	0.67	12/3040 (0.4%)	0.65	4/4061 (0.1%)

All (12) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	118	GLU	CD-OE2	-8.63	1.16	1.25
1	A	118	GLU	CD-OE2	-8.56	1.16	1.25
1	B	226	GLN	CB-CG	-7.21	1.33	1.52
1	A	226	GLN	CB-CG	-7.21	1.33	1.52
1	B	226	GLN	CA-CB	-5.67	1.41	1.53
1	B	118	GLU	CG-CD	-5.67	1.43	1.51
1	A	226	GLN	CA-CB	-5.65	1.41	1.53
1	A	118	GLU	CG-CD	-5.65	1.43	1.51
1	A	118	GLU	CD-OE1	-5.20	1.20	1.25
1	B	225	THR	C-O	-5.19	1.13	1.23
1	A	225	THR	C-O	-5.16	1.13	1.23
1	B	118	GLU	CD-OE1	-5.11	1.20	1.25

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	111	GLY	C-N-CD	-8.98	100.84	120.60
1	A	111	GLY	C-N-CD	-8.96	100.90	120.60
1	A	226	GLN	CB-CA-C	-7.42	95.56	110.40
1	B	226	GLN	CB-CA-C	-7.41	95.58	110.40

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1508	0	1543	130	0
1	B	1493	0	1532	119	0
2	A	3	0	0	0	0
2	B	5	0	0	0	0
All	All	3009	0	3075	236	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 39.

All (236) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:141:LYS:HD3	1:A:222:ASN:HD21	1.19	1.05
1:B:152:ASN:ND2	1:B:154:GLU:H	1.55	1.04
1:B:152:ASN:HD22	1:B:154:GLU:H	1.01	1.00
1:B:191:GLU:HA	1:B:194:LYS:HZ2	1.31	0.93
1:B:191:GLU:HA	1:B:194:LYS:NZ	1.86	0.91
1:A:135:LYS:HE3	1:A:138:ASN:HD22	1.35	0.89
1:A:83:LEU:HD22	1:A:83:LEU:H	1.37	0.87
1:B:72:ILE:HD13	1:B:193:SER:HB3	1.54	0.87
1:B:89:GLU:HA	1:B:92:ILE:HD12	1.57	0.86
1:B:79:ILE:O	1:B:83:LEU:HD22	1.77	0.83
1:A:241:LYS:CE	1:A:242:ASP:HB2	2.10	0.82
1:A:135:LYS:CE	1:A:138:ASN:HD22	1.93	0.81
1:A:190:GLN:NE2	1:A:194:LYS:HE2	1.95	0.81
1:B:77:LYS:HE2	1:B:185:VAL:HG22	1.63	0.81
1:B:152:ASN:HD22	1:B:154:GLU:N	1.77	0.81
1:A:132:LEU:C	1:A:135:LYS:HE2	2.01	0.81
1:A:93:GLN:HA	1:A:96:LYS:HD3	1.62	0.81
1:A:79:ILE:HD12	1:A:197:LEU:CD1	2.11	0.80
1:A:73:ALA:O	1:A:77:LYS:HG3	1.82	0.79
1:B:80:GLY:HA2	1:B:83:LEU:HD21	1.65	0.79
1:B:142:LEU:HD22	1:B:146:LEU:HD22	1.65	0.78
1:A:241:LYS:HE2	1:A:242:ASP:HB2	1.66	0.78
1:A:142:LEU:HD22	1:A:146:LEU:HD22	1.65	0.77

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:76:LEU:HD21	1:A:197:LEU:HB2	1.65	0.77
1:A:79:ILE:O	1:A:82:GLU:HB3	1.83	0.77
1:A:89:GLU:HA	1:A:92:ILE:HD12	1.67	0.76
1:A:127:THR:HG21	1:A:167:SER:O	1.89	0.73
1:B:239:TYR:HE2	1:B:247:LYS:HZ3	1.37	0.72
1:B:161:ARG:HH12	1:B:165:HIS:CD2	2.08	0.71
1:B:77:LYS:HE2	1:B:185:VAL:CG2	2.19	0.71
1:A:141:LYS:HD3	1:A:222:ASN:ND2	2.02	0.71
1:A:120:ILE:O	1:A:124:ILE:HG13	1.91	0.71
1:B:86:GLN:OE1	1:B:207:LYS:NZ	2.24	0.70
1:B:120:ILE:O	1:B:124:ILE:HG13	1.91	0.70
1:B:152:ASN:ND2	1:B:154:GLU:N	2.37	0.70
1:A:229:GLU:OE1	1:B:155:HIS:HE1	1.74	0.70
1:B:103:ASP:OD2	1:B:106:SER:HB3	1.92	0.69
1:A:103:ASP:OD2	1:A:106:SER:HB3	1.93	0.69
1:B:238:LYS:HD3	1:B:239:TYR:CE1	2.27	0.69
1:A:93:GLN:O	1:A:96:LYS:HG2	1.93	0.69
1:A:79:ILE:HD12	1:A:197:LEU:HD11	1.75	0.68
1:B:86:GLN:O	1:B:90:GLU:HG2	1.93	0.68
1:B:71:THR:OG1	1:B:74:SER:HB3	1.93	0.68
1:B:80:GLY:HA2	1:B:83:LEU:CD2	2.24	0.67
1:A:76:LEU:HD23	1:A:197:LEU:HD13	1.77	0.67
1:A:174:ILE:HD11	1:A:203:ASN:HB3	1.78	0.66
1:A:109:LYS:HD3	1:A:116:ILE:HG13	1.78	0.66
1:A:86:GLN:NE2	1:A:207:LYS:HZ2	1.95	0.65
1:B:101:LYS:C	1:B:101:LYS:HD2	2.17	0.65
1:A:209:ARG:HD2	1:B:247:LYS:O	1.97	0.65
1:B:126:ARG:O	1:B:130:SER:HB2	1.97	0.64
1:A:126:ARG:O	1:A:130:SER:HB2	1.99	0.63
1:B:206:ILE:HG22	1:B:207:LYS:N	2.12	0.63
1:A:132:LEU:CA	1:A:135:LYS:HE2	2.29	0.63
1:B:152:ASN:ND2	1:B:154:GLU:HB2	2.13	0.63
1:A:90:GLU:OE1	1:A:126:ARG:HD3	1.99	0.63
1:A:241:LYS:O	1:B:161:ARG:NH1	2.32	0.62
1:A:96:LYS:O	1:A:100:GLU:HG3	1.99	0.62
1:B:191:GLU:HG2	1:B:194:LYS:NZ	2.14	0.62
1:A:196:LEU:HD22	1:A:200:ILE:CD1	2.30	0.61
1:A:83:LEU:HA	1:A:86:GLN:HG3	1.81	0.61
1:B:196:LEU:HD22	1:B:200:ILE:CD1	2.30	0.61
1:A:86:GLN:NE2	1:A:207:LYS:NZ	2.49	0.60
1:B:72:ILE:HD13	1:B:193:SER:CB	2.30	0.60

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:135:LYS:CD	1:A:138:ASN:HD22	2.14	0.60
1:A:206:ILE:HA	1:A:209:ARG:HG3	1.84	0.60
1:A:86:GLN:O	1:A:90:GLU:HG2	2.01	0.60
1:B:127:THR:HG21	1:B:167:SER:O	2.02	0.60
1:B:238:LYS:HE2	1:B:239:TYR:CZ	2.37	0.59
1:A:214:LEU:HD23	1:B:240:TYR:OH	2.02	0.59
1:A:135:LYS:HG3	1:A:138:ASN:HB2	1.85	0.59
1:A:190:GLN:HE22	1:A:194:LYS:HE2	1.66	0.59
1:B:76:LEU:O	1:B:79:ILE:HG22	2.03	0.58
1:A:79:ILE:HD13	1:A:200:ILE:HG21	1.84	0.58
1:A:76:LEU:HD21	1:A:197:LEU:CB	2.34	0.58
1:A:131:SER:HB3	1:A:211:LYS:HA	1.84	0.58
1:B:70:GLU:O	1:B:72:ILE:N	2.30	0.58
1:B:242:ASP:HB3	1:B:244:ASP:OD1	2.04	0.57
1:A:132:LEU:O	1:A:135:LYS:HG2	2.04	0.57
1:A:134:TYR:N	1:A:134:TYR:CD1	2.72	0.57
1:A:93:GLN:HB3	1:A:134:TYR:CD2	2.39	0.57
1:B:123:LYS:HD3	1:B:171:GLN:HB2	1.86	0.57
1:B:77:LYS:CE	1:B:185:VAL:HG22	2.32	0.57
1:A:79:ILE:O	1:A:83:LEU:HD22	2.05	0.56
1:A:190:GLN:O	1:A:194:LYS:HG3	2.06	0.55
1:A:142:LEU:O	1:A:142:LEU:HD22	2.07	0.55
1:A:231:ILE:HG22	1:A:232:LEU:N	2.21	0.55
1:B:231:ILE:HG22	1:B:232:LEU:N	2.21	0.55
1:A:115:LEU:O	1:A:115:LEU:HD23	2.07	0.55
1:B:203:ASN:HD22	1:B:203:ASN:N	2.03	0.55
1:B:83:LEU:HD22	1:B:83:LEU:H	1.72	0.55
1:B:142:LEU:O	1:B:142:LEU:HD22	2.07	0.54
1:A:93:GLN:OE1	1:A:134:TYR:CZ	2.60	0.54
1:A:132:LEU:HA	1:A:135:LYS:HE2	1.90	0.54
1:B:239:TYR:HE2	1:B:247:LYS:NZ	2.04	0.54
1:A:158:ILE:HG12	1:B:237:ASN:ND2	2.23	0.54
1:A:189:SER:OG	1:A:192:GLU:HG3	2.07	0.54
1:B:189:SER:OG	1:B:192:GLU:HG3	2.08	0.54
1:B:115:LEU:O	1:B:115:LEU:HD23	2.07	0.54
1:A:203:ASN:HD22	1:A:203:ASN:N	2.04	0.53
1:B:123:LYS:HD3	1:B:171:GLN:CB	2.38	0.53
1:A:247:LYS:O	1:B:209:ARG:HB3	2.08	0.53
1:A:83:LEU:HD22	1:A:83:LEU:N	2.11	0.53
1:A:96:LYS:HG2	1:A:97:ILE:H	1.72	0.53
1:A:223:GLN:O	1:A:226:GLN:HB2	2.09	0.52

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:79:ILE:HG21	1:A:200:ILE:HD13	1.91	0.52
1:B:71:THR:O	1:B:71:THR:HG23	2.10	0.52
1:A:132:LEU:O	1:A:135:LYS:HE2	2.09	0.52
1:B:223:GLN:O	1:B:226:GLN:HB2	2.09	0.52
1:B:90:GLU:OE1	1:B:126:ARG:HD3	2.10	0.51
1:B:83:LEU:CD2	1:B:83:LEU:H	2.23	0.51
1:B:152:ASN:HD21	1:B:154:GLU:HG3	1.75	0.51
1:A:100:GLU:HB2	1:A:102:PHE:CE2	2.46	0.51
1:B:132:LEU:O	1:B:133:ASP:HB2	2.11	0.51
1:B:89:GLU:OE2	1:B:93:GLN:HG3	2.11	0.51
1:A:186:GLU:HG2	1:A:187:ASN:N	2.26	0.51
1:B:241:LYS:HB3	1:B:245:THR:HG21	1.93	0.51
1:B:152:ASN:HD21	1:B:154:GLU:HB2	1.76	0.50
1:B:186:GLU:HG2	1:B:187:ASN:N	2.26	0.50
1:A:190:GLN:HE21	1:A:194:LYS:HE2	1.76	0.50
1:B:152:ASN:HD21	1:B:154:GLU:CB	2.25	0.50
1:B:72:ILE:HD11	1:B:193:SER:O	2.11	0.50
1:A:93:GLN:HB2	1:A:134:TYR:CE2	2.47	0.49
1:B:70:GLU:C	1:B:72:ILE:H	2.13	0.49
1:A:86:GLN:HE22	1:A:207:LYS:NZ	2.11	0.49
1:A:215:ASN:O	1:A:219:LYS:HE3	2.12	0.49
1:A:83:LEU:H	1:A:83:LEU:CD2	2.16	0.49
1:B:128:LEU:HD13	1:B:142:LEU:HD11	1.94	0.49
1:B:241:LYS:C	1:B:241:LYS:HD3	2.33	0.49
1:B:103:ASP:OD1	1:B:125:LYS:HD3	2.13	0.49
1:B:127:THR:O	1:B:131:SER:OG	2.30	0.49
1:A:217:THR:HG22	1:A:218:LEU:N	2.28	0.49
1:B:170:ILE:HG22	1:B:171:GLN:N	2.27	0.49
1:B:91:ASN:OD1	1:B:126:ARG:NH2	2.44	0.49
1:B:152:ASN:ND2	1:B:154:GLU:CB	2.76	0.48
1:B:191:GLU:HG2	1:B:194:LYS:HZ1	1.77	0.48
1:A:170:ILE:HG22	1:A:171:GLN:N	2.27	0.48
1:A:162:LEU:HD13	1:B:240:TYR:CE2	2.49	0.48
1:A:127:THR:HG22	1:A:171:GLN:CG	2.43	0.48
1:A:123:LYS:HD3	1:A:171:GLN:HB2	1.96	0.48
1:A:131:SER:HB2	1:A:214:LEU:HD12	1.96	0.48
1:B:141:LYS:HD3	1:B:222:ASN:HD21	1.79	0.48
1:B:191:GLU:HA	1:B:194:LYS:HZ1	1.76	0.48
1:B:196:LEU:HD22	1:B:200:ILE:HD11	1.96	0.48
1:A:80:GLY:HA2	1:A:83:LEU:HD21	1.95	0.48
1:A:217:THR:OG1	1:B:235:HIS:NE2	2.28	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:117:ASP:O	1:B:121:GLN:HG2	2.14	0.47
1:A:196:LEU:HD22	1:A:200:ILE:HD11	1.96	0.47
1:A:141:LYS:CD	1:A:222:ASN:HD21	2.07	0.47
1:A:83:LEU:N	1:A:83:LEU:CD2	2.75	0.47
1:B:141:LYS:HG2	1:B:221:TYR:HE2	1.78	0.47
1:A:219:LYS:HD3	1:A:219:LYS:N	2.28	0.47
1:A:127:THR:O	1:A:131:SER:OG	2.32	0.47
1:A:117:ASP:O	1:A:121:GLN:HG2	2.14	0.47
1:A:135:LYS:CD	1:A:138:ASN:ND2	2.77	0.47
1:B:90:GLU:O	1:B:94:ILE:HG13	2.14	0.47
1:B:92:ILE:O	1:B:95:ALA:N	2.48	0.47
1:A:96:LYS:CG	1:A:97:ILE:N	2.76	0.47
1:A:123:LYS:O	1:A:126:ARG:HB2	2.15	0.47
1:A:73:ALA:C	1:A:77:LYS:HE3	2.35	0.47
1:A:84:GLU:O	1:A:84:GLU:HG3	2.15	0.47
1:A:241:LYS:CD	1:A:242:ASP:HB2	2.45	0.47
1:A:93:GLN:OE1	1:A:134:TYR:CE1	2.68	0.47
1:A:190:GLN:HE22	1:A:194:LYS:CE	2.28	0.46
1:A:170:ILE:HA	1:A:170:ILE:HD13	1.60	0.46
1:B:123:LYS:O	1:B:126:ARG:HB2	2.15	0.46
1:B:186:GLU:C	1:B:188:LEU:H	2.19	0.46
1:A:161:ARG:O	1:A:166:ILE:HG13	2.16	0.46
1:A:186:GLU:C	1:A:188:LEU:H	2.19	0.46
1:A:99:LYS:O	1:A:99:LYS:HD3	2.16	0.45
1:A:224:ASN:OD1	1:B:228:ASN:OD1	2.34	0.45
1:B:236:PHE:C	1:B:238:LYS:H	2.19	0.45
1:B:227:ASP:O	1:B:231:ILE:HD12	2.16	0.45
1:B:121:GLN:O	1:B:125:LYS:HG3	2.17	0.45
1:B:161:ARG:O	1:B:166:ILE:HG13	2.16	0.45
1:B:80:GLY:O	1:B:83:LEU:HD23	2.16	0.45
1:A:141:LYS:O	1:A:145:ILE:HD12	2.16	0.45
1:A:227:ASP:O	1:A:231:ILE:HD12	2.16	0.45
1:A:121:GLN:O	1:A:125:LYS:HG3	2.17	0.45
1:B:170:ILE:O	1:B:174:ILE:HG13	2.16	0.45
1:A:109:LYS:NZ	1:A:114:ASP:O	2.28	0.45
1:A:138:ASN:HB3	1:A:218:LEU:HD11	1.97	0.45
1:B:141:LYS:O	1:B:145:ILE:HD12	2.16	0.44
1:B:161:ARG:NH1	1:B:165:HIS:CD2	2.82	0.44
1:B:140:GLU:OE2	1:B:143:LYS:NZ	2.40	0.44
1:A:223:GLN:C	1:A:226:GLN:HB2	2.37	0.44
1:B:105:LEU:HD12	1:B:129:TYR:CZ	2.53	0.44

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:85:ASP:O	1:B:88:LYS:N	2.50	0.44
1:A:216:GLU:O	1:A:220:VAL:HG23	2.18	0.44
1:B:223:GLN:C	1:B:226:GLN:HB2	2.37	0.44
1:B:132:LEU:HD12	1:B:132:LEU:HA	1.74	0.44
1:B:238:LYS:CE	1:B:239:TYR:CE1	3.01	0.44
1:B:238:LYS:HE2	1:B:239:TYR:CE1	2.52	0.44
1:A:133:ASP:C	1:A:134:TYR:HD1	2.20	0.44
1:B:89:GLU:HG3	1:B:90:GLU:N	2.33	0.44
1:A:231:ILE:HG21	1:B:224:ASN:OD1	2.17	0.43
1:A:104:PHE:HZ	1:A:142:LEU:HD13	1.82	0.43
1:A:124:ILE:HD13	1:A:163:ILE:HG23	2.00	0.43
1:A:118:GLU:HG3	1:A:119:ASP:H	1.83	0.43
1:B:102:PHE:CE1	1:B:136:LYS:HA	2.54	0.43
1:A:102:PHE:CE1	1:A:136:LYS:HA	2.54	0.43
1:A:86:GLN:HE21	1:A:207:LYS:HZ2	1.62	0.43
1:B:170:ILE:HD13	1:B:170:ILE:HA	1.60	0.43
1:A:135:LYS:O	1:A:136:LYS:C	2.57	0.43
1:B:118:GLU:HG3	1:B:119:ASP:H	1.84	0.42
1:A:80:GLY:HA2	1:A:83:LEU:CD2	2.48	0.42
1:A:236:PHE:HB3	1:B:158:ILE:HG13	2.02	0.42
1:B:170:ILE:CG2	1:B:171:GLN:N	2.81	0.42
1:B:72:ILE:CG2	1:B:73:ALA:N	2.82	0.42
1:A:83:LEU:O	1:A:87:LYS:HG2	2.19	0.42
1:B:83:LEU:CD2	1:B:83:LEU:N	2.82	0.42
1:B:241:LYS:O	1:B:241:LYS:HD3	2.20	0.42
1:B:96:LYS:O	1:B:99:LYS:HB3	2.20	0.42
1:A:109:LYS:HG2	1:A:116:ILE:HD11	2.02	0.41
1:A:80:GLY:C	1:A:82:GLU:N	2.71	0.41
1:A:87:LYS:CD	1:A:90:GLU:OE1	2.68	0.41
1:A:170:ILE:CG2	1:A:171:GLN:N	2.81	0.41
1:A:241:LYS:HB3	1:A:245:THR:HG21	2.01	0.41
1:A:79:ILE:HD13	1:A:200:ILE:CG2	2.50	0.41
1:A:232:LEU:HB3	1:B:149:LEU:HD21	2.03	0.41
1:A:135:LYS:HG3	1:A:138:ASN:ND2	2.36	0.41
1:A:178:LEU:HD12	1:A:178:LEU:HA	1.79	0.41
1:B:238:LYS:CE	1:B:239:TYR:CZ	3.04	0.41
1:A:163:ILE:HG22	1:A:164:TYR:CG	2.56	0.41
1:B:163:ILE:HG22	1:B:164:TYR:CG	2.56	0.41
1:A:100:GLU:HB2	1:A:102:PHE:HE2	1.84	0.41
1:B:152:ASN:HD21	1:B:154:GLU:CG	2.34	0.41
1:B:178:LEU:HA	1:B:178:LEU:HD12	1.79	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:247:LYS:HA	1:B:248:PRO:HD3	1.92	0.41
1:A:132:LEU:O	1:A:134:TYR:N	2.54	0.40
1:B:170:ILE:HG22	1:B:171:GLN:HG2	2.03	0.40
1:B:123:LYS:HB3	1:B:171:GLN:HB2	2.03	0.40
1:B:70:GLU:C	1:B:72:ILE:N	2.73	0.40
1:A:218:LEU:HD22	1:A:218:LEU:HA	1.90	0.40
1:A:247:LYS:O	1:B:209:ARG:HD2	2.21	0.40
1:A:127:THR:CG2	1:A:167:SER:O	2.66	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	180/181 (99%)	163 (91%)	13 (7%)	4 (2%)	6	35
1	B	178/181 (98%)	157 (88%)	18 (10%)	3 (2%)	9	42
All	All	358/362 (99%)	320 (89%)	31 (9%)	7 (2%)	7	38

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	133	ASP
1	B	71	THR
1	A	136	LYS
1	A	187	ASN
1	B	187	ASN
1	A	112	PRO
1	B	112	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	170/168 (101%)	120 (71%)	50 (29%)	0	1
1	B	168/168 (100%)	119 (71%)	49 (29%)	0	1
All	All	338/336 (101%)	239 (71%)	99 (29%)	0	1

All (99) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	71	THR
1	A	74	SER
1	A	82	GLU
1	A	83	LEU
1	A	88	LYS
1	A	96	LYS
1	A	99	LYS
1	A	115	LEU
1	A	118	GLU
1	A	127	THR
1	A	130	SER
1	A	131	SER
1	A	134	TYR
1	A	137	GLU
1	A	142	LEU
1	A	143	LYS
1	A	146	LEU
1	A	147	GLU
1	A	151	LYS
1	A	158	ILE
1	A	161	ARG
1	A	163	ILE
1	A	170	ILE
1	A	176	GLN
1	A	178	LEU
1	A	188	LEU
1	A	189	SER

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	190	GLN
1	A	191	GLU
1	A	195	SER
1	A	196	LEU
1	A	198	MSE
1	A	199	GLN
1	A	202	SER
1	A	203	ASN
1	A	204	LEU
1	A	209	ARG
1	A	212	LYS
1	A	216	GLU
1	A	217	THR
1	A	218	LEU
1	A	219	LYS
1	A	229	GLU
1	A	230	LYS
1	A	231	ILE
1	A	232	LEU
1	A	234	GLU
1	A	242	ASP
1	A	244	ASP
1	A	247	LYS
1	B	70	GLU
1	B	74	SER
1	B	76	LEU
1	B	79	ILE
1	B	83	LEU
1	B	87	LYS
1	B	88	LYS
1	B	89	GLU
1	B	99	LYS
1	B	101	LYS
1	B	109	LYS
1	B	115	LEU
1	B	118	GLU
1	B	127	THR
1	B	130	SER
1	B	131	SER
1	B	132	LEU
1	B	137	GLU
1	B	142	LEU

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	B	143	LYS
1	B	146	LEU
1	B	147	GLU
1	B	151	LYS
1	B	152	ASN
1	B	158	ILE
1	B	161	ARG
1	B	163	ILE
1	B	170	ILE
1	B	176	GLN
1	B	178	LEU
1	B	188	LEU
1	B	189	SER
1	B	191	GLU
1	B	195	SER
1	B	196	LEU
1	B	198	MSE
1	B	199	GLN
1	B	202	SER
1	B	203	ASN
1	B	206	ILE
1	B	209	ARG
1	B	214	LEU
1	B	229	GLU
1	B	230	LYS
1	B	231	ILE
1	B	232	LEU
1	B	241	LYS
1	B	246	LEU
1	B	247	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>
1	A	86	GLN
1	A	138	ASN
1	A	182	GLN
1	A	190	GLN
1	A	222	ASN
1	B	152	ASN
1	B	155	HIS
1	B	165	HIS

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
1	B	173	GLN
1	B	182	GLN
1	B	203	ASN
1	B	215	ASN
1	B	222	ASN
1	B	237	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	179/181 (98%)	-0.09	1 (0%) 89 83	56, 108, 142, 166	0
1	B	178/181 (98%)	-0.19	0 100 100	54, 91, 138, 164	0
All	All	357/362 (98%)	-0.14	1 (0%) 94 92	54, 101, 142, 166	0

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	197	LEU	2.2

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 6.4 Ligands [i](#)

There are no ligands in this entry.

### 6.5 Other polymers [i](#)

There are no such residues in this entry.