



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 13, 2020 – 01:30 PM BST

PDB ID : 2CV0
Title : Glutamyl-tRNA synthetase from *Thermus thermophilus* in complex with tRNA(Glu) and L-glutamate
Authors : Sekine, S.; Yokoyama, S.; RIKEN Structural Genomics/Proteomics Initiative (RSGI)
Deposited on : 2005-05-31
Resolution : 2.40 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.14.4.dev1
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.14.4.dev1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3907 (2.40-2.40)
Clashscore	141614	4398 (2.40-2.40)
Ramachandran outliers	138981	4318 (2.40-2.40)
Sidechain outliers	138945	4319 (2.40-2.40)
RSRZ outliers	127900	3811 (2.40-2.40)
RNA backbone	3102	1174 (2.80-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	C	75	 15% 59% 25% 11% 5%
1	D	75	 12% 53% 31% 11% 5%
2	A	468	 4% 71% 25% .
2	B	468	 6% 67% 29% .

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	MG	D	902	-	-	-	X

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 11125 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called tRNA.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
1	C	75	Total	C	N	O	P	0	0	0
			1597	711	284	527	75			
1	D	75	Total	C	N	O	P	0	0	0
			1597	711	284	527	75			


- Molecule 2 is a protein called glutamyl-tRNA synthetase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	A	468	Total	C	N	O	S	0	0	0
			3814	2443	676	687	8			
2	B	468	Total	C	N	O	S	0	0	0
			3814	2443	676	687	8			

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	D	1	Total	Mg	0	0
			1	1		
3	C	1	Total	Mg	0	0
			1	1		

- Molecule 4 is GLUTAMIC ACID (three-letter code: GLU) (formula: C₅H₉NO₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	A	1	Total	C	N	O	0	0
			10	5	1	4		
4	A	1	Total	C	N	O	0	0
			10	5	1	4		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	C	26	Total	O	0	0
			26	26		
5	D	29	Total	O	0	0
			29	29		
5	A	139	Total	O	0	0
			139	139		
5	B	87	Total	O	0	0
			87	87		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: tRNA




- Molecule 1: tRNA



- Molecule 2: glutamyl-tRNA synthetase



- Molecule 2: glutamyl-tRNA synthetase



4 Data and refinement statistics

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	110.73Å 219.32Å 135.40Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.96 – 2.40 49.42 – 2.34	Depositor EDS
% Data completeness (in resolution range)	96.9 (19.96-2.40) 96.6 (49.42-2.34)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.08 (at 2.34Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.212 , 0.271 0.210 , 0.265	Depositor DCC
R_{free} test set	3392 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	40.5	Xtrriage
Anisotropy	0.362	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 51.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	11125	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 11.55% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	C	0.51	1/1782 (0.1%)	0.88	11/2774 (0.4%)
1	D	0.53	1/1782 (0.1%)	0.85	10/2774 (0.4%)
2	A	0.55	0/3910	0.73	0/5293
2	B	0.53	0/3910	0.72	1/5293 (0.0%)
All	All	0.53	2/11384 (0.0%)	0.78	22/16134 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	5
1	D	0	2
All	All	0	7

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	501	G	OP3-P	-7.22	1.52	1.61
1	D	501	G	OP3-P	-6.86	1.52	1.61

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	558	A	C2'-C3'-O3'	7.47	125.93	109.50
1	C	558	A	C2'-C3'-O3'	7.39	125.76	109.50
1	C	576	A	C2'-C3'-O3'	7.36	125.69	109.50
1	D	573	A	C2'-C3'-O3'	7.25	125.46	109.50
1	D	507	A	C2'-C3'-O3'	7.24	125.44	109.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	574	C	C2'-C3'-O3'	7.21	125.37	109.50
1	C	573	A	C2'-C3'-O3'	7.12	125.16	109.50
1	C	518	G	C2'-C3'-O3'	7.01	124.92	109.50
1	C	519	G	C2'-C3'-O3'	7.00	124.90	113.70
1	C	574	C	C2'-C3'-O3'	6.91	124.75	113.70
1	D	518	G	C2'-C3'-O3'	6.89	124.73	113.70
1	D	519	G	C2'-C3'-O3'	6.44	124.01	113.70
1	D	558	A	C4'-C3'-C2'	5.65	108.25	102.60
1	D	509	C	N1-C1'-C2'	5.52	121.17	114.00
1	C	558	A	C4'-C3'-C2'	5.51	108.11	102.60
1	D	507	A	C4'-C3'-C2'	5.29	107.89	102.60
2	B	6	ILE	N-CA-C	-5.27	96.76	111.00
1	C	501	G	OP1-P-OP2	-5.15	111.87	119.60
1	C	509	C	N1-C1'-C2'	5.15	120.69	114.00
1	C	548	C	N1-C1'-C2'	5.06	120.58	114.00
1	C	515	G	O4'-C1'-N9	5.04	112.24	108.20
1	D	518	G	C4'-C3'-C2'	5.04	107.64	102.60

There are no chirality outliers.

All (7) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	515	G	Sidechain
1	C	535	U	Sidechain
1	C	545	A	Sidechain
1	C	574	C	Sidechain
1	C	576	A	Sidechain
1	D	515	G	Sidechain
1	D	545	A	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	C	1597	0	813	17	0
1	D	1597	0	813	31	0
2	A	3814	0	3818	102	1

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	B	3814	0	3818	125	1
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	A	20	0	10	3	0
5	A	139	0	0	5	0
5	B	87	0	0	2	0
5	C	26	0	0	2	0
5	D	29	0	0	0	0
All	All	11125	0	9272	262	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (262) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:454:LEU:H	2:B:454:LEU:HD22	1.21	1.05
2:A:294:THR:HG22	2:A:296:GLU:H	1.27	0.96
2:A:41:GLU:HG3	2:A:82:GLN:OE1	1.65	0.95
2:B:423:LYS:NZ	2:B:423:LYS:HB2	1.88	0.88
2:B:400:ARG:HH11	2:B:400:ARG:HG2	1.39	0.86
2:B:205:ARG:HD3	2:B:232:HIS:NE2	1.90	0.86
2:A:393:LEU:H	2:A:393:LEU:HD23	1.38	0.85
2:B:454:LEU:N	2:B:454:LEU:HD22	1.91	0.84
1:D:506:C:O2'	1:D:507:A:H5'	1.80	0.82
2:B:262:LEU:HD22	2:B:330:ARG:HH11	1.45	0.81
2:B:432:GLN:HA	2:B:432:GLN:HE21	1.46	0.80
1:C:574:C:H5'	2:A:177:VAL:HG21	1.64	0.80
2:A:37:ILE:HD12	2:A:69:GLU:HB2	1.64	0.79
1:D:574:C:H5'	2:B:177:VAL:HG21	1.66	0.79
2:A:157:GLU:HG2	2:A:167:VAL:HG22	1.66	0.78
1:D:570:G:H5''	2:B:243:LYS:HD2	1.66	0.77
2:A:354:LEU:HD12	2:A:453:LEU:HD12	1.69	0.74
2:A:375:GLU:HG3	2:A:465:ARG:HH22	1.51	0.74
2:B:4:THR:HB	2:B:25:ASN:HD22	1.52	0.73
2:B:27:ALA:HA	2:B:290:ILE:HG22	1.71	0.71
2:B:454:LEU:CD2	2:B:454:LEU:H	1.94	0.71
2:B:107:GLU:N	2:B:107:GLU:OE2	2.20	0.70
2:A:400:ARG:HH22	2:A:422:GLU:CD	1.94	0.69
1:C:506:C:O2'	1:C:507:A:H5'	1.91	0.69
2:B:294:THR:CG2	2:B:297:ARG:HG2	2.22	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:267:ARG:HD2	2:A:286:LEU:HG	1.72	0.69
2:A:354:LEU:CD1	2:A:453:LEU:HD12	2.24	0.68
2:A:294:THR:HG22	2:A:296:GLU:N	2.07	0.67
1:C:576:A:HO3'	4:A:601:GLU:N	1.92	0.67
2:B:10:PRO:CB	2:B:52:ALA:HB3	2.24	0.67
2:B:244:ILE:HG12	2:B:251:THR:HG22	1.76	0.66
2:A:408:THR:O	2:A:412:LEU:HD23	1.96	0.66
1:D:569:G:O2'	1:D:570:G:H5'	1.95	0.65
2:B:10:PRO:HB3	2:B:52:ALA:HB3	1.78	0.65
2:A:261:PHE:CE2	2:A:310:LEU:HD13	2.31	0.65
1:D:576:A:HO3'	4:A:602:GLU:N	1.94	0.65
2:B:386:LYS:NZ	2:B:432:GLN:HG2	2.12	0.64
2:B:400:ARG:NH1	2:B:400:ARG:HG2	2.11	0.64
2:B:52:ALA:O	2:B:56:ILE:HG22	1.97	0.64
1:D:570:G:H21	2:B:211:VAL:HG21	1.63	0.64
2:A:140:ARG:HG2	2:A:140:ARG:HH11	1.62	0.63
2:B:363:LYS:O	2:B:366:PRO:HD2	1.98	0.63
1:C:563:C:H2'	1:C:564:C:C6	2.33	0.63
2:A:205:ARG:HD3	2:A:232:HIS:NE2	2.14	0.62
2:B:465:ARG:HB3	2:B:465:ARG:HH11	1.63	0.62
2:A:96:LEU:HD13	2:A:223:PHE:CE1	2.34	0.62
2:A:255:TRP:CZ2	2:A:259:GLU:HG3	2.35	0.62
2:A:41:GLU:HG3	2:A:82:GLN:CD	2.20	0.62
2:B:423:LYS:HZ2	2:B:423:LYS:HB2	1.63	0.62
2:B:423:LYS:HZ3	2:B:423:LYS:HB2	1.64	0.61
2:B:444:THR:HG22	2:B:445:PRO:O	2.00	0.61
1:C:518:G:O2'	1:C:557:G:N2	2.20	0.61
2:B:108:THR:HG23	2:B:111:GLU:OE1	2.01	0.61
2:B:267:ARG:HD3	5:B:1254:HOH:O	2.00	0.61
2:B:454:LEU:N	2:B:454:LEU:HD13	2.15	0.61
2:B:444:THR:HG23	2:B:445:PRO:N	2.16	0.60
2:B:115:ILE:HD13	2:B:116:ARG:N	2.16	0.60
2:A:5:ARG:HB3	2:A:37:ILE:HB	1.83	0.60
1:D:549:G:N2	1:D:566:U:H1'	2.18	0.59
2:B:51:GLY:O	2:B:54:GLU:HG2	2.03	0.59
2:B:137:ARG:HB3	2:B:142:GLU:OE1	2.03	0.59
2:B:237:ARG:NH1	2:B:302:GLY:HA3	2.18	0.59
1:D:563:C:H2'	1:D:564:C:C6	2.38	0.58
2:A:445:PRO:HG2	2:A:450:ILE:HD11	1.85	0.58
2:A:425:VAL:HG22	2:A:429:GLN:HG3	1.86	0.58
2:A:427:LEU:O	2:A:430:VAL:HG12	2.03	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:144:HIS:O	2:B:181:SER:HA	2.04	0.58
2:A:114:GLN:HG3	5:A:1220:HOH:O	2.03	0.57
1:C:563:C:H2'	1:C:564:C:H6	1.68	0.57
2:A:404:GLN:HG2	2:A:415:LEU:HD22	1.85	0.57
1:D:576:A:H2'	2:B:209:TRP:HH2	1.68	0.57
1:D:521:A:H61	1:D:546:A:H2'	1.69	0.57
2:B:435:ARG:HD3	2:B:444:THR:CG2	2.35	0.57
2:B:319:ARG:HG3	2:B:320:GLU:HG3	1.86	0.56
1:D:563:C:H2'	1:D:564:C:H6	1.70	0.56
2:A:416:LEU:HD12	2:A:448:PHE:HE1	1.69	0.56
2:B:453:LEU:HD12	2:B:453:LEU:O	2.05	0.56
2:A:205:ARG:HG3	2:A:209:TRP:CD1	2.41	0.56
2:B:386:LYS:HZ1	2:B:432:GLN:HG2	1.69	0.56
2:A:136:GLU:HG2	2:A:139:ARG:NH2	2.20	0.55
2:A:365:PHE:HB3	2:A:366:PRO:HD3	1.87	0.55
2:B:73:VAL:O	2:B:73:VAL:HG12	2.06	0.55
2:B:267:ARG:NH2	2:B:284:PHE:O	2.38	0.55
1:C:574:C:H5'	2:A:177:VAL:CG2	2.37	0.55
2:B:425:VAL:HG13	2:B:429:GLN:HB2	1.88	0.55
2:A:446:GLY:O	2:A:449:GLU:HG2	2.07	0.54
2:B:454:LEU:CD2	2:B:454:LEU:N	2.63	0.54
2:B:361:THR:OG1	2:B:364:GLU:HG3	2.07	0.54
2:B:115:ILE:HD11	2:B:122:TYR:HA	1.88	0.54
2:A:391:LEU:O	2:A:395:LYS:HG3	2.07	0.54
2:B:116:ARG:HA	2:B:121:GLY:H	1.73	0.54
2:B:114:GLN:O	2:B:118:GLU:HG2	2.07	0.54
1:D:574:C:H5'	2:B:177:VAL:CG2	2.37	0.54
2:B:115:ILE:O	2:B:119:LYS:HG2	2.07	0.53
2:B:131:PRO:O	2:B:135:GLU:HG2	2.09	0.53
2:B:27:ALA:HA	2:B:290:ILE:CG2	2.39	0.53
2:B:11:THR:HA	2:B:49:VAL:HG23	1.91	0.53
2:B:182:ASP:OD2	2:B:184:TYR:HB2	2.10	0.52
2:B:57:LEU:O	2:B:61:LYS:HG3	2.09	0.52
2:B:354:LEU:HD22	2:B:449:GLU:HG3	1.91	0.52
2:B:205:ARG:HG3	2:B:209:TRP:CD1	2.44	0.52
1:D:565:C:O2'	1:D:566:U:H5'	2.10	0.52
2:A:26:TYR:CE1	2:A:290:ILE:HD11	2.45	0.51
2:B:27:ALA:CA	2:B:290:ILE:HG22	2.39	0.51
2:B:122:TYR:CE2	2:B:124:GLY:HA2	2.46	0.51
2:B:168:TYR:CD2	2:B:214:PRO:HG3	2.45	0.51
1:D:575:C:OP2	2:B:180:LYS:HE3	2.10	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:133:GLU:O	2:B:137:ARG:HG3	2.10	0.51
2:B:444:THR:CG2	2:B:445:PRO:N	2.74	0.51
1:D:576:A:H5''	2:B:187:TYR:HB2	1.93	0.51
1:D:566:U:O2'	1:D:567:G:H5'	2.11	0.51
2:B:268:ASN:HD22	2:B:268:ASN:C	2.13	0.51
2:A:375:GLU:HG3	2:A:465:ARG:NH2	2.22	0.50
2:A:279:ASP:C	2:A:279:ASP:OD2	2.49	0.50
2:A:211:VAL:O	2:A:214:PRO:HD2	2.11	0.50
2:B:6:ILE:CD1	2:B:21:ILE:HG22	2.42	0.50
2:A:444:THR:HB	2:A:445:PRO:HD2	1.92	0.50
2:B:111:GLU:O	2:B:115:ILE:HG23	2.12	0.50
5:C:1098:HOH:O	2:A:41:GLU:HG2	2.11	0.50
2:B:20:TYR:CD2	2:B:21:ILE:HD12	2.46	0.50
1:D:505:C:H4'	2:B:163:ARG:HD3	1.93	0.49
2:A:140:ARG:HG2	2:A:140:ARG:NH1	2.28	0.49
1:D:558:A:O2'	1:D:560:U:OP2	2.28	0.49
2:A:416:LEU:HD12	2:A:448:PHE:CE1	2.46	0.49
2:A:271:CYS:O	2:A:275:PHE:HB3	2.13	0.49
2:A:208:GLU:H	2:A:235:LEU:HD21	1.78	0.49
2:B:106:PHE:CD2	2:B:144:HIS:HB3	2.48	0.49
2:A:407:TRP:CZ3	2:A:456:LYS:HG3	2.47	0.49
2:B:261:PHE:CE2	2:B:310:LEU:HD13	2.48	0.48
2:A:383:ALA:HA	2:A:442:LEU:CD2	2.42	0.48
2:A:41:GLU:CG	2:A:82:GLN:OE1	2.52	0.48
2:B:391:LEU:O	2:B:395:LYS:HG3	2.11	0.48
1:C:571:U:H5''	5:C:1121:HOH:O	2.12	0.48
2:A:363:LYS:O	2:A:366:PRO:HD2	2.14	0.48
2:B:205:ARG:HD3	2:B:232:HIS:CD2	2.48	0.48
2:B:168:TYR:CE2	2:B:214:PRO:HG3	2.49	0.48
2:B:116:ARG:O	2:B:120:GLY:HA2	2.14	0.48
2:B:213:THR:N	2:B:214:PRO:CD	2.77	0.48
1:D:514:A:C2'	1:D:515:G:H5'	2.44	0.48
2:B:398:TYR:HB3	2:B:399:PRO:HD3	1.96	0.47
2:A:213:THR:N	2:A:214:PRO:HD2	2.29	0.47
2:B:363:LYS:O	2:B:367:GLU:HG3	2.14	0.47
2:A:18:THR:HG21	2:A:56:ILE:HD11	1.96	0.47
2:A:393:LEU:CD2	2:A:393:LEU:H	2.18	0.47
2:A:404:GLN:CG	2:A:415:LEU:HD22	2.44	0.47
2:B:111:GLU:O	2:B:114:GLN:HB2	2.14	0.47
2:B:432:GLN:HA	2:B:432:GLN:NE2	2.24	0.47
2:A:116:ARG:HA	2:A:121:GLY:H	1.80	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:407:TRP:HZ2	2:A:451:LEU:HD22	1.80	0.47
2:A:238:ASN:OD1	2:A:244:ILE:HA	2.14	0.47
2:B:465:ARG:CB	2:B:465:ARG:HH11	2.26	0.47
2:A:419:PHE:HA	2:A:422:GLU:HG2	1.96	0.47
2:A:89:TYR:CD2	2:A:185:PRO:HG3	2.50	0.47
2:B:45:ARG:HD3	2:B:184:TYR:CE2	2.49	0.47
2:B:132:GLU:O	2:B:136:GLU:HG2	2.15	0.46
2:B:426:LYS:O	2:B:429:GLN:HB2	2.15	0.46
2:B:235:LEU:O	2:B:237:ARG:HD3	2.16	0.46
2:A:255:TRP:CE2	2:A:259:GLU:HG3	2.50	0.46
2:A:274:GLY:O	2:A:298:VAL:HA	2.15	0.46
2:B:176:VAL:HG11	2:B:215:ILE:HD13	1.98	0.46
2:B:37:ILE:HG12	2:B:69:GLU:HB2	1.96	0.46
2:B:179:LEU:HD23	2:B:184:TYR:O	2.15	0.46
1:D:576:A:H2'	2:B:209:TRP:CH2	2.49	0.46
2:B:375:GLU:HG3	2:B:465:ARG:HH21	1.80	0.46
2:B:238:ASN:OD1	2:B:244:ILE:HA	2.15	0.46
1:C:574:C:HO2'	1:C:575:C:P	2.39	0.46
1:C:569:G:O2'	1:C:570:G:H5'	2.16	0.46
2:A:5:ARG:NH1	4:A:601:GLU:OE2	2.43	0.46
2:A:176:VAL:HG11	2:A:215:ILE:HD13	1.97	0.46
2:A:294:THR:HG21	2:A:296:GLU:OE2	2.16	0.46
2:B:262:LEU:HD22	2:B:330:ARG:NH1	2.24	0.45
2:B:401:LEU:HD22	2:B:407:TRP:CH2	2.52	0.45
2:B:438:LEU:HD11	2:B:451:LEU:HD13	1.97	0.45
2:A:435:ARG:HD3	2:A:444:THR:OG1	2.16	0.45
2:A:174:PRO:HG2	2:A:176:VAL:CG1	2.46	0.45
2:A:257:LYS:HE3	5:A:1029:HOH:O	2.15	0.45
2:A:106:PHE:CD1	2:A:106:PHE:N	2.85	0.45
2:A:463:LEU:O	2:A:467:LEU:HG	2.17	0.45
2:A:408:THR:O	2:A:412:LEU:CD2	2.65	0.44
2:A:116:ARG:O	2:A:120:GLY:N	2.50	0.44
2:A:453:LEU:HD23	2:A:453:LEU:O	2.16	0.44
1:D:564:C:H2'	1:D:565:C:O4'	2.18	0.44
2:A:281:ARG:HE	2:A:281:ARG:HB3	1.61	0.44
1:C:508:U:H2'	1:C:546:A:N3	2.32	0.44
2:A:244:ILE:HG12	2:A:251:THR:HG22	1.99	0.44
2:B:444:THR:CG2	2:B:445:PRO:O	2.66	0.44
1:D:562:C:H2'	1:D:563:C:H6	1.81	0.44
2:A:261:PHE:CD2	2:A:310:LEU:HD13	2.52	0.44
2:B:408:THR:O	2:B:412:LEU:HD22	2.18	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:104:ARG:HE	2:B:144:HIS:CD2	2.36	0.44
2:B:56:ILE:HD12	2:B:56:ILE:O	2.18	0.44
2:B:400:ARG:HH22	2:B:422:GLU:CD	2.21	0.44
2:B:423:LYS:NZ	2:B:423:LYS:CB	2.71	0.44
2:A:406:GLU:O	2:A:406:GLU:HG3	2.18	0.43
2:A:407:TRP:CZ2	2:A:451:LEU:HD22	2.53	0.43
2:B:432:GLN:HB3	2:B:433:PRO:CD	2.48	0.43
1:C:505:C:O2'	2:A:163:ARG:NH1	2.51	0.43
2:A:37:ILE:HD13	2:A:37:ILE:N	2.34	0.43
1:C:558:A:O2'	1:C:560:U:OP2	2.30	0.43
2:B:95:GLU:HG3	2:B:99:ARG:HD2	2.00	0.43
1:D:562:C:H2'	1:D:563:C:C6	2.53	0.43
2:A:196:HIS:HD2	2:A:197:LEU:HD13	1.83	0.43
2:A:267:ARG:HD3	5:A:1237:HOH:O	2.18	0.43
2:B:82:GLN:NE2	2:B:190:ALA:HB1	2.34	0.43
1:C:575:C:H2'	1:C:576:A:C8	2.54	0.43
2:A:37:ILE:HG22	2:A:38:VAL:N	2.34	0.43
1:D:520:U:H2'	1:D:521:A:H5'	2.00	0.43
2:A:53:GLU:O	2:A:56:ILE:HG22	2.19	0.42
2:B:312:TRP:HZ2	2:B:316:LYS:HE2	1.84	0.42
1:C:562:C:H2'	1:C:563:C:C6	2.54	0.42
2:B:150:VAL:HA	2:B:151:PRO:HD3	1.90	0.42
1:C:503:C:O2'	2:A:172:GLU:OE2	2.36	0.42
2:B:431:ALA:HB1	2:B:447:LEU:HD22	2.01	0.42
1:D:568:G:C4	1:D:569:G:C8	3.07	0.42
2:A:114:GLN:HG2	5:A:1219:HOH:O	2.19	0.42
2:A:400:ARG:NH2	2:A:422:GLU:OE2	2.47	0.42
1:D:568:G:C6	1:D:569:G:C5	3.07	0.42
2:A:432:GLN:HG3	2:A:442:LEU:HD12	2.02	0.42
2:B:7:ALA:HA	2:B:39:ARG:O	2.20	0.42
1:D:570:G:H2'	1:D:571:U:C6	2.55	0.42
2:B:41:GLU:HG2	2:B:82:GLN:CD	2.39	0.42
2:B:454:LEU:CD1	2:B:454:LEU:N	2.80	0.42
2:A:174:PRO:HG2	2:A:176:VAL:HG12	2.01	0.42
2:B:450:ILE:HA	2:B:450:ILE:HD13	1.79	0.42
1:D:508:U:H2'	1:D:546:A:N3	2.34	0.42
1:D:570:G:H2'	1:D:571:U:H6	1.85	0.42
2:A:268:ASN:C	2:A:268:ASN:HD22	2.22	0.41
1:D:549:G:C2	1:D:566:U:O2	2.73	0.41
2:A:394:LEU:HA	2:A:394:LEU:HD23	1.83	0.41
2:B:118:GLU:HB2	2:B:119:LYS:CD	2.50	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:240:ASP:C	2:B:240:ASP:OD1	2.59	0.41
2:A:237:ARG:NH1	2:A:237:ARG:HG3	2.36	0.41
2:A:347:TYR:CE1	2:A:453:LEU:HD22	2.55	0.41
2:A:383:ALA:HA	2:A:442:LEU:HD21	2.01	0.41
2:B:103:TYR:CE2	2:B:127:ARG:HG2	2.56	0.41
2:B:391:LEU:HD12	2:B:391:LEU:HA	1.86	0.41
2:A:195:ASP:HA	2:A:200:VAL:HG13	2.02	0.41
2:A:319:ARG:HG3	2:A:320:GLU:HG3	2.02	0.41
2:B:152:ARG:HH11	2:B:152:ARG:HG2	1.86	0.41
2:B:312:TRP:CZ2	2:B:316:LYS:HE2	2.56	0.41
2:A:375:GLU:CD	2:A:462:ARG:HH21	2.23	0.41
2:B:295:TRP:CE3	2:B:298:VAL:HG21	2.56	0.41
1:C:562:C:H2'	1:C:563:C:H6	1.85	0.41
2:A:26:TYR:HE1	2:A:290:ILE:HD11	1.84	0.41
2:A:346:ALA:HB2	5:A:1171:HOH:O	2.20	0.41
2:A:384:GLN:O	2:A:388:GLU:HG3	2.21	0.41
2:A:106:PHE:CD2	2:A:144:HIS:HB3	2.56	0.41
2:A:205:ARG:HD3	2:A:232:HIS:CD2	2.55	0.41
2:B:400:ARG:NH2	2:B:422:GLU:OE2	2.54	0.41
2:B:465:ARG:NH1	5:B:1041:HOH:O	2.53	0.41
2:B:10:PRO:CA	2:B:52:ALA:HB3	2.50	0.41
2:A:169:ASP:HB3	2:A:172:GLU:HG3	2.02	0.41
2:B:86:LEU:HD21	2:B:184:TYR:CE1	2.55	0.41
2:A:3:VAL:HB	2:A:200:VAL:HA	2.03	0.41
2:A:96:LEU:HA	2:A:96:LEU:HD12	1.90	0.41
2:B:365:PHE:HB3	2:B:366:PRO:HD3	2.03	0.41
2:B:454:LEU:HB3	2:B:458:ARG:HD2	2.03	0.41
1:D:570:G:O2'	1:D:571:U:H5'	2.21	0.41
2:B:118:GLU:HB2	2:B:119:LYS:HD3	2.04	0.40
2:A:150:VAL:HA	2:A:151:PRO:HD3	1.81	0.40
2:A:81:ARG:NH1	2:A:84:GLU:OE2	2.45	0.40
2:B:359:PHE:HB2	2:B:364:GLU:HB2	2.02	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:A:343:GLU:O	2:B:50:PRO:O[6_654]	2.11	0.09

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	A	466/468 (100%)	456 (98%)	10 (2%)	0	100	100
2	B	466/468 (100%)	462 (99%)	4 (1%)	0	100	100
All	All	932/936 (100%)	918 (98%)	14 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	A	393/393 (100%)	358 (91%)	35 (9%)	9	14
2	B	393/393 (100%)	353 (90%)	40 (10%)	7	10
All	All	786/786 (100%)	711 (90%)	75 (10%)	8	12

All (75) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	A	1	MET
2	A	5	ARG
2	A	41	GLU
2	A	63	LEU
2	A	90	GLN
2	A	96	LEU
2	A	97	LEU
2	A	132	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	A	153	PRO
2	A	155	THR
2	A	189	LEU
2	A	197	LEU
2	A	200	VAL
2	A	205	ARG
2	A	218	LEU
2	A	236	LEU
2	A	267	ARG
2	A	268	ASN
2	A	270	LEU
2	A	272	LEU
2	A	286	LEU
2	A	310	LEU
2	A	331	VAL
2	A	356	ARG
2	A	378	PRO
2	A	393	LEU
2	A	404	GLN
2	A	425	VAL
2	A	429	GLN
2	A	442	LEU
2	A	451	LEU
2	A	453	LEU
2	A	457	GLU
2	A	458	ARG
2	A	463	LEU
2	B	1	MET
2	B	86	LEU
2	B	97	LEU
2	B	110	GLU
2	B	115	ILE
2	B	117	LYS
2	B	119	LYS
2	B	179	LEU
2	B	185	PRO
2	B	189	LEU
2	B	205	ARG
2	B	218	LEU
2	B	236	LEU
2	B	266	LEU
2	B	267	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	268	ASN
2	B	270	LEU
2	B	272	LEU
2	B	290	ILE
2	B	291	GLN
2	B	309	LYS
2	B	310	LEU
2	B	316	LYS
2	B	324	LEU
2	B	355	MET
2	B	356	ARG
2	B	375	GLU
2	B	382	LYS
2	B	400	ARG
2	B	405	GLU
2	B	412	LEU
2	B	423	LYS
2	B	425	VAL
2	B	432	GLN
2	B	435	ARG
2	B	442	LEU
2	B	444	THR
2	B	454	LEU
2	B	463	LEU
2	B	465	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
2	A	90	GLN
2	A	128	ASN
2	A	196	HIS
2	A	429	GLN
2	B	25	ASN
2	B	191	ASN
2	B	404	GLN
2	B	432	GLN

5.3.3 RNA

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	C	74/75 (98%)	15 (20%)	6 (8%)
1	D	74/75 (98%)	14 (18%)	8 (10%)
All	All	148/150 (98%)	29 (19%)	14 (9%)

All (29) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	C	507	A
1	C	508	U
1	C	509	C
1	C	516	C
1	C	518	G
1	C	519	G
1	C	520	U
1	C	548	C
1	C	558	A
1	C	559	U
1	C	572	C
1	C	573	A
1	C	574	C
1	C	575	C
1	C	576	A
1	D	507	A
1	D	508	U
1	D	509	C
1	D	516	C
1	D	518	G
1	D	519	G
1	D	520	U
1	D	548	C
1	D	558	A
1	D	559	U
1	D	572	C
1	D	573	A
1	D	574	C
1	D	575	C

All (14) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	C	507	A
1	C	518	G
1	C	519	G

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	558	A
1	C	573	A
1	C	574	C
1	D	507	A
1	D	515	G
1	D	518	G
1	D	519	G
1	D	558	A
1	D	560	U
1	D	573	A
1	D	574	C

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 2 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	GLU	A	601	-	2,9,9	0.20	0	2,11,11	0.43	0
4	GLU	A	602	-	2,9,9	0.94	0	2,11,11	0.60	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '·' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GLU	A	601	-	-	0/3/9/9	-
4	GLU	A	602	-	-	0/3/9/9	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	601	GLU	2	0
4	A	602	GLU	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	C	75/75 (100%)	0.56	11 (14%) 2 2	35, 54, 96, 109	0
1	D	75/75 (100%)	0.48	9 (12%) 4 3	32, 53, 110, 117	0
2	A	468/468 (100%)	-0.09	20 (4%) 35 33	20, 35, 69, 94	0
2	B	468/468 (100%)	0.08	28 (5%) 21 20	21, 38, 93, 113	0
All	All	1086/1086 (100%)	0.07	68 (6%) 20 18	20, 38, 93, 117	0

All (68) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	48	TYR	8.8
2	B	146	ILE	7.7
1	C	558	A	7.1
2	A	425	VAL	7.1
2	B	128	ASN	7.0
2	A	393	LEU	6.4
1	D	519	G	6.3
2	A	407	TRP	6.2
2	B	49	VAL	6.0
1	C	559	U	5.7
1	C	519	G	5.6
2	A	247	ARG	5.6
1	D	561	C	5.6
1	C	516	C	5.4
2	B	144	HIS	5.3
1	D	558	A	5.1
2	B	11	THR	5.0
2	B	10	PRO	4.9
2	B	145	VAL	4.8
2	B	130	PRO	4.8
2	A	424	GLY	4.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	549	G	4.6
1	D	516	C	4.4
2	B	132	GLU	4.2
2	B	138	ALA	4.2
2	B	139	ARG	4.2
2	B	143	PRO	4.0
2	B	133	GLU	3.7
2	A	392	PRO	3.6
2	A	454	LEU	3.6
2	A	96	LEU	3.5
2	A	420	ALA	3.5
2	B	108	THR	3.5
2	A	337	GLU	3.5
2	B	50	PRO	3.4
1	D	520	U	3.3
2	B	105	ALA	3.0
2	B	98	LYS	3.0
2	A	466	ALA	3.0
1	C	542	C	2.9
2	A	417	ARG	2.9
2	B	303	PRO	2.9
2	A	403	ALA	2.7
1	C	554	U	2.7
1	D	554	U	2.7
2	B	454	LEU	2.6
2	B	129	ILE	2.6
2	B	117	LYS	2.6
2	B	104	ARG	2.5
2	A	45	ARG	2.5
2	B	46	ALA	2.5
2	A	408	THR	2.4
1	C	560	U	2.4
2	B	429	GLN	2.3
2	A	17	GLY	2.3
1	D	542	C	2.3
2	A	113	GLU	2.2
2	B	47	ARG	2.2
1	D	557	G	2.2
2	B	1	MET	2.2
2	A	94	GLU	2.2
1	C	548	C	2.1
2	A	455	GLY	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	559	U	2.1
1	C	556	C	2.0
2	B	390	GLY	2.0
2	A	172	GLU	2.0
1	C	510	G	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	MG	D	902	1/1	0.43	0.46	58,58,58,58	0
4	GLU	A	602	10/10	0.85	0.22	43,50,57,63	0
3	MG	C	901	1/1	0.89	0.20	40,40,40,40	0
4	GLU	A	601	10/10	0.95	0.18	19,34,47,61	0

6.5 Other polymers [i](#)

There are no such residues in this entry.