

# Full wwPDB X-ray Structure Validation Report (i)

#### Apr 28, 2024 – 10:06 am BST

PDB ID	:	2IVF
Title	:	Ethylbenzene dehydrogenase from Aromatoleum aromaticum
Authors	:	Kloer, D.P.; Hagel, C.; Heider, J.; Schulz, G.E.
Deposited on	:	2006-06-13
Resolution	:	1.88  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36.2
buster-report	:	1.1.7(2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36.2

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 1.88 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motria	Whole archive	Similar resolution
	$(\# {\rm Entries})$	$(\# { m Entries},  { m resolution}  { m range}({ m \AA}))$
R <sub>free</sub>	130704	9470 (1.90-1.86)
Clashscore	141614	10282 (1.90-1.86)
Ramachandran outliers	138981	10152 (1.90-1.86)
Sidechain outliers	138945	10152 (1.90-1.86)
RSRZ outliers	127900	9303 (1.90-1.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	976	8%	10%	7%
2	В	352	<sup>2%</sup> 83%	13%	•
3	С	214	78%	21%	•

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:



Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
10	MD1	А	1987	Х	-	-	-
5	ACT	А	1978	-	-	Х	-
6	GOL	А	1981	-	-	Х	-



# 2 Entry composition (i)

There are 14 unique types of molecules in this entry. The entry contains 12639 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called ETHYLBENZENE DEHYDROGENASE ALPHA-SUBUNIT.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
1	А	912	Total 7285	C 4651	N 1254	O 1331	S 49	0	0	0

• Molecule 2 is a protein called ETHYLBENZENE DEHYDROGENASE BETA-SUBUNIT.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
2	В	337	Total 2669	C 1686	N 479	0 484	S 20	0	0	0

• Molecule 3 is a protein called ETHYLBENZENE DEHYDROGENASE GAMMA-SUBUNIT.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace
3	С	214	Total 1617	C 1026	N 288	O 293	S 10	0	0	0

• Molecule 4 is 2-(N-MORPHOLINO)-ETHANESULFONIC ACID (three-letter code: MES) (formula: C<sub>6</sub>H<sub>13</sub>NO<sub>4</sub>S).







Mol	Chain	Residues		Ate	oms			ZeroOcc	AltConf
4	А	1	Total 12	C 6	N 1	0 4	S 1	0	0

• Molecule 5 is ACETATE ION (three-letter code: ACT) (formula:  $C_2H_3O_2$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
5	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0

• Molecule 6 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  3  3 \end{array}$	0	0
6	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
6	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 6 & 3 & 3 \end{array}$	0	0
6	А	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  3  3 \end{array}$	0	0
6	В	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  3  3 \end{array}$	0	0
6	В	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 6  3  3 \end{array}$	0	0
6	С	1	$\begin{array}{c cc} Total & C & O \\ 6 & 3 & 3 \end{array}$	0	0
6	С	1	$\begin{array}{c cc} \hline Total & C & O \\ \hline 6 & 3 & 3 \end{array}$	0	0

• Molecule 7 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula:  $Fe_4S_4$ ).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	
7	А	1	Total Fe S	0	0	
•	11	Ĩ	8 4 4	0	0	
7	В	1	Total Fe S	0	0	
1	D	1	8 4 4	0	0	
7	D	1	Total Fe S	0	0	
1	D	1	8 4 4	0	0	
7	D	1	Total Fe S	0	0	
(	D	1	8 4 4	0		



• Molecule 8 is MOLYBDENUM ATOM (three-letter code: MO) (formula: Mo).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	А	1	Total Mo 1 1	0	0

• Molecule 9 is 2-AMINO-5,6-DIMERCAPTO-7-METHYL-3,7,8A,9-TETRAHYDRO-8-OXA-1,3,9,10-TETRAAZA-ANTHRACEN-4-ONE GUANOSINE DINUCLEOTIDE (three-letter code: MGD) (formula: C<sub>20</sub>H<sub>26</sub>N<sub>10</sub>O<sub>13</sub>P<sub>2</sub>S<sub>2</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf		
9	А	1	Total 47	C 20	N 10	O 13	Р 2	$\begin{array}{c} \mathrm{S} \\ \mathrm{2} \end{array}$	0	0

• Molecule 10 is PHOSPHORIC ACID 4-(2-AMINO-4-OXO-3,4,5,6,-TETRAHYDRO-PTE RIDIN-6-YL)-2-HYDROXY-3,4-DIMERCAPTO-BUT-3-EN-YL ESTER GUANYLATE ESTER (three-letter code: MD1) (formula: C<sub>20</sub>H<sub>26</sub>N<sub>10</sub>O<sub>13</sub>P<sub>2</sub>S<sub>2</sub>).





Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
10	А	1	Total 47	C 20	N 10	O 13	Р 2	${S \over 2}$	0	0

• Molecule 11 is PHOSPHATE ION (three-letter code: PO4) (formula:  $O_4P$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
11	В	1	Total 5	0 4	Р 1	0	0

• Molecule 12 is FE3-S4 CLUSTER (three-letter code: F3S) (formula: Fe $_3S_4$ ).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
12	В	1	Total 7	Fe 3	$\frac{S}{4}$	0	0

• Molecule 13 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula:  $C_{34}H_{32}FeN_4O_4$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf		
13	С	1	Total 43	С 34	Fe 1	N 4	0 4	0	0

• Molecule 14 is water.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
14	А	492	Total O 492 492	0	0
14	В	237	Total         O           237         237	0	0
14	С	89	Total         O           89         89	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: ETHYLBENZENE DEHYDROGENASE ALPHA-SUBUNIT



# R101 M1 T111 P7 T111 P7 M135 P14 M15 1130 M15 1130 M15 1130 M15 1130 M16 1130 M15 1130 M14 710 M15 113 M14 710 M15 113 M14 710 M15 113 M15 113 M14 71 M15 113 M14 71 M15 116 M17 72 M17 72 M17 72 M17 73 M18



# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants	112.53Å $67.32$ Å $114.77$ Å	Deperitor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $111.30^{\circ}$ $90.00^{\circ}$	Depositor
$\mathbf{Posolution} \left( \overset{\circ}{\mathbf{A}} \right)$	46.42 - 1.88	Depositor
Resolution (A)	43.36 - 1.88	EDS
% Data completeness	98.1 (46.42-1.88)	Depositor
(in resolution range)	98.1 (43.36-1.88)	EDS
R <sub>merge</sub>	0.10	Depositor
R <sub>sym</sub>	(Not available)	Depositor
$< I/\sigma(I) > 1$	$1.29 (at 1.88 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
B B.	0.148 , $0.183$	Depositor
$\mathbf{n}, \mathbf{n}_{free}$	0.161 , $0.193$	DCC
$R_{free}$ test set	6423 reflections $(5.02%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	17.5	Xtriage
Anisotropy	0.063	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$ , $B_{sol}(Å^2)$	0.42 , $63.7$	EDS
L-test for $twinning^2$	$< L >=0.47, < L^2>=0.29$	Xtriage
Estimated twinning fraction	0.026 for l,-k,h	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	12639	wwPDB-VP
Average B, all atoms $(Å^2)$	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.80% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: MGD, MES, PO4, MO, SF4, MD1, F3S, HEM, ACT, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	nd lengths	Bond angles		
		RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	А	0.76	0/7494	0.78	2/10140~(0.0%)	
2	В	0.81	1/2744~(0.0%)	0.81	0/3715	
3	С	0.58	0/1651	0.73	1/2225~(0.0%)	
All	All	0.75	1/11889~(0.0%)	0.78	$3/16080 \ (0.0\%)$	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	С	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	В	292	ARG	CG-CD	-6.22	1.36	1.51

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
3	С	96	MET	CG-SD-CE	-7.68	87.92	100.20
1	А	99	ARG	NE-CZ-NH2	-6.43	117.08	120.30
1	А	851	ARG	NE-CZ-NH2	-5.14	117.73	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:



Mol	Chain	Res	Type	Group
3	С	11	GLU	Peptide

## 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	7285	0	7052	64	0
2	В	2669	0	2581	30	0
3	С	1617	0	1628	30	0
4	А	12	0	12	0	0
5	А	8	0	6	2	0
6	А	24	0	32	7	0
6	В	12	0	16	3	0
6	С	12	0	16	1	0
7	А	8	0	0	0	0
7	В	24	0	0	0	0
8	А	1	0	0	0	0
9	А	47	0	22	1	0
10	А	47	0	21	4	0
11	В	5	0	0	0	0
12	В	7	0	0	0	0
13	С	43	0	30	3	0
14	А	492	0	0	7	1
14	В	237	0	0	5	1
14	С	89	0	0	1	0
All	All	12639	0	11416	126	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (126) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:116:ASN:HD22	3:C:175:ALA:H	1.21	0.89
3:C:139:ARG:HG2	3:C:141:MET:HE2	1.61	0.82
1:A:944:HIS:HA	6:A:1981:GOL:H12	1.64	0.80
3:C:16:LEU:O	3:C:72:ARG:NH1	2.12	0.79



Atom-1	Atom-1 Atom-2		Clash
	7100HI 2	distance (Å)	overlap (Å)
3:C:8:GLY:HA3	3:C:12:LEU:HD12	1.70	0.74
1:A:67:ILE:HB	14:A:2002:HOH:O	1.87	0.72
1:A:944:HIS:HA	6:A:1981:GOL:C1	2.23	0.68
1:A:206:MET:HE1	1:A:604:MET:SD	2.33	0.67
6:A:1981:GOL:H31	6:A:1982:GOL:O1	1.95	0.66
1:A:134:ASN:HD21	2:B:44:LYS:NZ	1.95	0.65
3:C:6:VAL:HG11	3:C:20:ILE:HG12	1.79	0.64
2:B:165:THR:HG22	13:C:1217:HEM:CGD	2.26	0.64
1:A:505:GLU:HA	1:A:508:GLN:HE21	1.63	0.64
10:A:1987:MD1:H11	10:A:1987:MD1:C7	2.29	0.62
1:A:209:LEU:HD22	1:A:726:LYS:HE3	1.82	0.61
6:B:1355:GOL:H12	14:B:2237:HOH:O	2.00	0.60
3:C:6:VAL:HG13	3:C:7:PRO:HD2	1.83	0.60
1:A:87:TRP:HA	1:A:88:PRO:C	2.22	0.59
1:A:554:VAL:O	1:A:554:VAL:HG12	2.04	0.58
3:C:39:VAL:O	3:C:42:VAL:HG13	2.04	0.57
1:A:841:HIS:HD2	1:A:972:SER:OG	1.87	0.57
1:A:588:THR:H	1:A:591:HIS:HD2	1.52	0.57
1:A:850:PRO:HB3	14:A:2463:HOH:O	2.05	0.57
2:B:340:ARG:CZ	14:B:2225:HOH:O	2.53	0.56
1:A:357:TYR:HB3	1:A:366:VAL:HG22	1.88	0.56
1:A:334:LEU:CD1	1:A:366:VAL:HG23	2.35	0.56
3:C:100:ALA:HB2	3:C:114:PRO:HD2	1.88	0.56
1:A:437:LYS:CE	14:A:2197:HOH:O	2.54	0.55
1:A:593:ARG:HA	1:A:594:PRO:C	2.26	0.55
2:B:27:LYS:HB2	2:B:234:VAL:HG22	1.88	0.55
3:C:116:ASN:ND2	3:C:175:ALA:H	1.99	0.55
3:C:36:LEU:O	3:C:39:VAL:HG22	2.07	0.55
1:A:849:HIS:HD1	9:A:1986:MGD:H15	1.56	0.54
1:A:192:HIS:CE1	5:A:1978:ACT:H3	2.44	0.53
1:A:783:ALA:HA	1:A:797:TRP:CE3	2.43	0.53
2:B:167:ALA:HA	2:B:183:ARG:HE	1.73	0.53
1:A:116:ASN:HD22	1:A:118:ASP:H	1.58	0.52
2:B:107:LYS:HD3	2:B:111:VAL:HG11	1.92	0.52
3:C:6:VAL:CG2	3:C:63:LEU:HD22	2.40	0.52
2:B:165:THR:HG22	13:C:1217:HEM:O1D	2.10	0.52
1:A:385:THR:HG21	1:A:397:GLN:OE1	2.10	0.52
1:A:192:HIS:HE1	5:A:1978:ACT:H3	1.74	0.51
2:B:189:HIS:CE1	3:C:46:LEU:HD13	2.45	0.51
1:A:195:ALA:HA	10:A:1987:MD1:C6	2.41	0.51
1:A:203:GLY:HA2	1:A:206:MET:HE2	1.93	0.51



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:841:HIS:HE1	1:A:897:ASP:OD1	1.95	0.50
1:A:207:THR:HG21	1:A:214:SER:OG	2.11	0.50
3:C:90:VAL:HG22	6:C:1215:GOL:H11	1.94	0.50
10:A:1987:MD1:H11	10:A:1987:MD1:H7	1.94	0.50
1:A:879:LYS:NZ	14:A:2440:HOH:O	2.44	0.49
1:A:927:LYS:NZ	14:A:2467:HOH:O	2.42	0.49
13:C:1217:HEM:HHC	13:C:1217:HEM:HBB2	1.94	0.49
1:A:936:LEU:HD13	1:A:966:ASP:HB2	1.94	0.49
3:C:79:LYS:HD3	3:C:155:HIS:HB3	1.94	0.49
1:A:696:LYS:NZ	1:A:700:GLU:OE2	2.27	0.49
1:A:586:TRP:O	6:A:1982:GOL:H2	2.13	0.49
1:A:289:THR:N	1:A:290:PRO:CD	2.76	0.48
1:A:673:PHE:CZ	1:A:763:LYS:HG2	2.49	0.47
3:C:198:SER:OG	3:C:199:GLY:N	2.44	0.47
2:B:218:ILE:C	2:B:218:ILE:HD12	2.35	0.47
3:C:49:SER:OG	3:C:200:ARG:NH1	2.45	0.47
1:A:134:ASN:HD21	2:B:44:LYS:HZ2	1.62	0.47
2:B:229:GLN:O	2:B:231:PRO:HD3	2.14	0.47
3:C:152:VAL:HG22	3:C:163:ILE:HB	1.97	0.47
2:B:62:LYS:HE2	14:B:2032:HOH:O	2.15	0.46
2:B:195:PRO:HB2	2:B:264:TYR:CD2	2.51	0.46
3:C:83:ILE:HA	3:C:88:SER:OG	2.15	0.46
1:A:218:ASN:ND2	1:A:481:TRP:HZ2	2.14	0.46
1:A:534:MET:HG3	1:A:777:VAL:CG2	2.46	0.45
2:B:27:LYS:CB	2:B:234:VAL:HG22	2.46	0.45
1:A:669:PRO:HG2	6:A:1979:GOL:H32	1.98	0.45
1:A:440:THR:H	1:A:470:ASN:ND2	2.15	0.45
1:A:836:MET:CE	1:A:840:ASP:HA	2.47	0.45
3:C:139:ARG:CG	3:C:141:MET:HE2	2.40	0.45
1:A:187:ILE:HD11	1:A:600:PRO:HB3	1.98	0.44
1:A:187:ILE:CD1	1:A:600:PRO:HB3	2.46	0.44
1:A:437:LYS:HE2	14:A:2197:HOH:O	2.17	0.44
1:A:589:ASN:O	1:A:589:ASN:OD1	2.34	0.44
1:A:533:PHE:CZ	1:A:537:VAL:HG11	2.53	0.44
6:A:1981:GOL:C3	6:A:1982:GOL:O1	2.63	0.44
1:A:354:LYS:NZ	1:A:950:GLU:OE1	2.50	0.44
1:A:224:THR:O	1:A:449:ALA:HB2	2.18	0.44
1:A:439:ARG:HA	1:A:470:ASN:HD21	1.83	0.44
1:A:872:PRO:HA	1:A:921:TRP:CE2	2.53	0.44
2:B:190:CYS:HB2	2:B:199:ILE:HD12	1.99	0.44
1:A:240:SER:HA	1:A:666:SER:O	2.18	0.44



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:A:224:THR:HG22	1:A:449:ALA:HB1	1.99	0.43
3:C:6:VAL:CG1	3:C:7:PRO:HD2	2.48	0.43
2:B:151:CYS:HB3	2:B:211:CYS:HB3	2.01	0.43
2:B:228:ARG:HE	6:B:1353:GOL:H31	1.83	0.43
1:A:218:ASN:ND2	1:A:481:TRP:CZ2	2.87	0.42
2:B:159:CYS:HB2	2:B:199:ILE:HD11	2.00	0.42
3:C:28:THR:HG23	3:C:59:ASP:OD1	2.19	0.42
3:C:71:LEU:O	3:C:163:ILE:HA	2.19	0.42
1:A:368:LYS:NZ	14:A:2159:HOH:O	2.45	0.42
2:B:131:ASP:HA	2:B:134:GLN:OE1	2.20	0.42
3:C:19:PRO:O	3:C:22:ALA:HB3	2.19	0.42
1:A:619:LYS:NZ	1:A:623:ASP:OD2	2.42	0.42
3:C:139:ARG:HG2	3:C:141:MET:CE	2.43	0.42
1:A:534:MET:HG3	1:A:777:VAL:HG22	2.02	0.42
2:B:154:CYS:HB3	2:B:266:THR:O	2.19	0.42
3:C:151:ALA:HA	3:C:163:ILE:O	2.20	0.42
3:C:28:THR:CG2	3:C:57:ARG:HG3	2.50	0.41
2:B:165:THR:HG21	2:B:185:LYS:HD2	2.02	0.41
2:B:340:ARG:NH2	14:B:2225:HOH:O	2.53	0.41
2:B:253:LYS:HZ3	2:B:327:GLU:CD	2.23	0.41
2:B:256:VAL:HG21	2:B:328:LEU:HD11	2.02	0.41
3:C:111:THR:HG23	14:C:2046:HOH:O	2.20	0.41
1:A:324:PHE:CD1	1:A:469:GLY:HA2	2.56	0.41
1:A:76:LYS:HE3	1:A:98:VAL:HG21	2.03	0.41
1:A:312:GLN:NE2	1:A:414:PRO:HD3	2.36	0.41
1:A:967:ARG:HH12	10:A:1987:MD1:H17	1.68	0.41
1:A:405:LEU:HD21	1:A:463:LEU:HD21	2.03	0.41
1:A:797:TRP:O	1:A:801:ASP:HB2	2.20	0.41
1:A:280:VAL:HG23	1:A:292:ALA:HB2	2.03	0.41
2:B:16:LYS:NZ	2:B:17:ARG:O	2.54	0.41
2:B:168:ILE:HG12	2:B:179:VAL:HG22	2.01	0.41
3:C:13:LEU:O	3:C:163:ILE:HD13	2.21	0.41
1:A:944:HIS:O	6:A:1981:GOL:H32	2.21	0.40
2:B:188:ARG:HD3	2:B:201:PHE:CG	2.55	0.40
3:C:97:PHE:HB2	3:C:175:ALA:HB2	2.02	0.40
3:C:100:ALA:CB	3:C:114:PRO:HD2	2.51	0.40
1:A:116:ASN:ND2	1:A:118:ASP:H	2.20	0.40
2:B:171:ARG:HD2	14:B:2118:HOH:O	2.21	0.40
2:B:228:ARG:HE	6:B:1353:GOL:C2	2.34	0.40
1:A:910:ASN:HA	2:B:142:PRO:HG3	2.02	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the sym-



metry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-1 Atom-2		Clash overlap (Å)
14:A:2120:HOH:O	14:B:2149:HOH:O[2_645]	2.09	0.11

## 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	910/976~(93%)	887~(98%)	23~(2%)	0	100	100
2	В	335/352~(95%)	323~(96%)	12 (4%)	0	100	100
3	С	212/214~(99%)	204 (96%)	8 (4%)	0	100	100
All	All	1457/1542~(94%)	1414 (97%)	43 (3%)	0	100	100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	766/816~(94%)	748~(98%)	18 (2%)	50 41
2	В	285/298~(96%)	281~(99%)	4 (1%)	67 62
3	С	163/164~(99%)	154 (94%)	9 (6%)	21 10
All	All	1214/1278~(95%)	1183 (97%)	31 (3%)	46 36

All (31) residues with a non-rotameric sidechain are listed below:



Mol	Chain	Res	Type
1	А	84	ASN
1	А	116	ASN
1	А	206	MET
1	А	234	LYS
1	А	261	TYR
1	А	303	ASP
1	А	312	GLN
1	А	366	VAL
1	А	387	SER
1	А	391	LYS
1	А	486	ASP
1	А	507	HIS
1	А	582	LYS
1	А	608	GLN
1	А	654	TRP
1	А	670	PHE
1	А	924	HIS
1	А	932	TYR
2	В	29	LEU
2	В	39	LYS
2	В	213	LEU
2	В	246	HIS
3	С	10	LYS
3	С	42	VAL
3	С	88	SER
3	С	111	THR
3	C	125	ASN
3	C	130	ILE
3	С	156	ARG
3	С	197	ARG
3	С	214	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	116	ASN
1	А	134	ASN
1	А	312	GLN
1	А	470	ASN
1	А	507	HIS
1	А	508	GLN
1	А	589	ASN
1	А	591	HIS



Continued from previous page...

Mol	Chain	Res	Type
1	А	747	ASN
1	А	841	HIS
1	А	871	GLN
2	В	55	ASN
2	В	269	ASN
3	С	116	ASN
3	С	161	ASN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

#### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry (i)

Of 21 ligands modelled in this entry, 1 is monoatomic - leaving 20 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec	Tiple	Bo	ond leng	$_{\rm ths}$	B	ond ang	gles
IVIOI	туре	Unam	nes		Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
10	MD1	А	1987	8	39,51,51	2.53	6 (15%)	38,78,78	2.41	13 (34%)
6	GOL	В	1355	-	$5,\!5,\!5$	0.46	0	$5,\!5,\!5$	0.43	0
11	PO4	В	1354	-	4,4,4	0.73	0	6,6,6	0.57	0
6	GOL	С	1215	-	$5,\!5,\!5$	0.31	0	$5,\!5,\!5$	0.66	0
6	GOL	А	1981	-	$5,\!5,\!5$	0.40	0	$5,\!5,\!5$	1.59	1 (20%)
9	MGD	А	1986	8	41,52,52	1.59	7 (17%)	40,81,81	1.73	10 (25%)



Mal	Tuno	Chain	Dog	Link	Bo	ond leng	$\operatorname{ths}$	E	ond ang	gles
WIOI	туре	Ullalli	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z  > 2
7	SF4	В	1358	2	0,12,12	-	-	-		
7	SF4	В	1357	2	$0,\!12,\!12$	-	-	-		
5	ACT	А	1983	-	3,3,3	0.74	0	3,3,3	1.03	0
6	GOL	А	1982	-	$5,\!5,\!5$	0.28	0	$5,\!5,\!5$	0.60	0
7	SF4	А	1984	1	$0,\!12,\!12$	-	-	-		
5	ACT	А	1978	8	$3,\!3,\!3$	0.47	0	$3,\!3,\!3$	2.15	2 (66%)
6	GOL	В	1353	-	$5,\!5,\!5$	0.78	0	$5,\!5,\!5$	2.20	3 (60%)
13	HEM	С	1217	3	41,50,50	1.86	6 (14%)	45,82,82	1.56	6 (13%)
6	GOL	А	1980	-	$5,\!5,\!5$	0.38	0	$5,\!5,\!5$	0.63	0
12	F3S	В	1356	2	0,9,9	-	-	-		
6	GOL	А	1979	-	$5,\!5,\!5$	0.47	0	$5,\!5,\!5$	0.74	0
7	SF4	В	1359	2	$0,\!12,\!12$	-	-	-		
4	MES	А	1977	-	$1\overline{2,}12,12$	1.53	1 (8%)	14, 16, 16	2.90	5 (35%)
6	GOL	C	1216	-	$5,\!5,\!5$	0.33	0	$5,\!5,\!5$	0.23	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	$\mathbf{Res}$	Link	Chirals	Torsions	Rings
10	MD1	А	1987	8	1/1/10/12	4/18/59/59	0/5/5/5
6	GOL	А	1980	-	-	0/4/4/4	-
6	GOL	В	1355	-	-	2/4/4/4	-
6	GOL	С	1215	-	-	0/4/4/4	-
12	F3S	В	1356	2	_	_	0/3/3/3
6	GOL	А	1981	-	-	3/4/4/4	-
6	GOL	А	1979	-	-	2/4/4/4	-
6	GOL	А	1982	-	-	1/4/4/4	-
9	MGD	А	1986	8	-	0/18/66/66	0/6/6/6
7	SF4	В	1359	2	-	-	0/6/5/5
4	MES	А	1977	-	-	4/6/14/14	0/1/1/1
7	SF4	В	1357	2	-	-	0/6/5/5
7	SF4	А	1984	1	-	-	0/6/5/5
6	GOL	С	1216	-	-	0/4/4/4	-
7	SF4	В	1358	2	_	-	0/6/5/5
6	GOL	В	1353	-	_	2/4/4/4	-
13	HEM	С	1217	3	-	2/12/54/54	-

All (20) bond length outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\operatorname{\AA})$	Ideal(Å)
10	А	1987	MD1	C7-N8	13.89	1.44	1.27
13	С	1217	HEM	C3D-C2D	7.79	1.53	1.36
9	А	1986	MGD	O11-C11	-4.84	1.37	1.43
4	А	1977	MES	C8-S	-4.67	1.70	1.77
9	А	1986	MGD	C5-C6	-4.03	1.39	1.47
9	А	1986	MGD	C21-N22	3.74	1.39	1.35
13	С	1217	HEM	C3C-CAC	3.34	1.54	1.47
13	С	1217	HEM	C3C-C2C	-3.21	1.35	1.40
9	А	1986	MGD	C23-C14	2.84	1.55	1.53
10	А	1987	MD1	C6-N1	2.76	1.37	1.33
9	А	1986	MGD	C14-N15	2.64	1.49	1.46
10	А	1987	MD1	C17-N17	2.59	1.40	1.35
10	А	1987	MD1	C14-C13	-2.59	1.48	1.51
13	С	1217	HEM	CMD-C2D	2.42	1.55	1.50
13	С	1217	HEM	CAB-C3B	2.32	1.53	1.47
9	А	1986	MGD	O4'-C1'	2.15	1.44	1.41
13	С	1217	HEM	FE-ND	2.10	2.07	1.96
10	А	1987	MD1	C16-C15	-2.08	1.38	1.41
9	А	1986	MGD	PA-O2A	-2.08	1.45	1.55
10	А	1987	MD1	O11-C11	2.04	1.47	1.42

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
10	А	1987	MD1	N3-C2-N1	-6.84	118.10	127.22
4	А	1977	MES	C5-N4-C3	6.25	122.89	108.83
4	А	1977	MES	O2S-S-C8	6.10	114.26	106.92
10	А	1987	MD1	C2-N1-C6	5.48	124.64	115.93
10	А	1987	MD1	C5-C6-N1	-5.03	116.56	123.43
9	А	1986	MGD	C19-N20-C21	4.70	121.91	113.43
13	С	1217	HEM	C4D-ND-C1D	4.35	109.57	105.07
10	А	1987	MD1	C2-N3-C4	4.17	120.12	115.36
4	А	1977	MES	C7-N4-C5	4.06	121.61	111.23
10	А	1987	MD1	C17-N17-C15	3.81	121.98	115.93
9	А	1986	MGD	N1-C2-N3	-3.55	116.69	123.32
10	А	1987	MD1	C4-C5-C6	-3.54	117.42	120.80
10	А	1987	MD1	C16-C15-N17	-3.24	114.79	124.01
9	А	1986	MGD	N18-C19-N20	-3.24	117.27	123.32
13	С	1217	HEM	C4C-CHD-C1D	3.21	126.80	122.56
9	А	1986	MGD	C5'-C4'-C3'	-3.19	103.22	115.18
13	С	1217	HEM	C1B-NB-C4B	3.15	108.33	105.07
10	А	1987	MD1	N16-C17-N18	3.01	121.93	117.25
13	С	1217	HEM	C1D-C2D-C3D	-2.91	103.90	106.96



Mol	Chain	$\operatorname{Res}$	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
4	А	1977	MES	C2-C3-N4	2.78	114.33	110.10
6	В	1353	GOL	O1-C1-C2	2.75	123.38	110.20
9	А	1986	MGD	O6-C6-N1	-2.67	117.49	120.65
5	А	1978	ACT	OXT-C-CH3	2.64	126.09	115.18
6	А	1981	GOL	O1-C1-C2	2.63	122.80	110.20
6	В	1353	GOL	O2-C2-C3	-2.60	97.65	109.12
5	А	1978	ACT	OXT-C-O	-2.60	112.46	122.05
10	А	1987	MD1	N2-C2-N1	2.56	121.24	117.25
10	А	1987	MD1	N18-C17-N17	-2.56	121.40	125.42
9	А	1986	MGD	O17-C17-C16	-2.54	121.42	127.24
9	А	1986	MGD	N19-C19-N20	2.50	124.60	119.73
6	В	1353	GOL	C3-C2-C1	2.45	121.23	111.70
4	А	1977	MES	O1S-S-C8	-2.40	104.02	106.92
9	А	1986	MGD	C17-C16-N15	2.35	123.07	116.76
13	С	1217	HEM	CAA-CBA-CGA	-2.28	107.37	113.76
13	С	1217	HEM	CMA-C3A-C4A	-2.22	125.05	128.46
9	А	1986	MGD	O4'-C1'-C2'	-2.20	103.71	106.93
10	А	1987	MD1	C15-C16-N15	-2.13	117.33	119.12
10	А	1987	MD1	O1B-PB-O2B	2.10	122.63	112.24
9	A	1986	MGD	O11-C23-N22	-2.09	106.42	108.57
10	A	1987	MD1	C1'-N9-C4	-2.00	123.12	126.64

All (1) chirality outliers are listed below:

Mol	Chain	$\mathbf{Res}$	Type	Atom
10	А	1987	MD1	C14

All (20) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	А	1981	GOL	C1-C2-C3-O3
6	В	1353	GOL	O1-C1-C2-O2
6	В	1353	GOL	O1-C1-C2-C3
4	А	1977	MES	C7-C8-S-O3S
6	А	1979	GOL	O1-C1-C2-C3
6	А	1982	GOL	C1-C2-C3-O3
6	В	1355	GOL	C1-C2-C3-O3
6	А	1981	GOL	O2-C2-C3-O3
4	А	1977	MES	C8-C7-N4-C3
6	А	1979	GOL	O1-C1-C2-O2
10	А	1987	MD1	PB-O3B-PA-O5'
4	A	1977	MES	C7-C8-S-O1S



Mol	Chain	Res	Type	Atoms
4	А	1977	MES	C7-C8-S-O2S
13	С	1217	HEM	C3D-CAD-CBD-CGD
6	В	1355	GOL	O2-C2-C3-O3
6	А	1981	GOL	O1-C1-C2-C3
10	А	1987	MD1	C10-O3A-PB-O1B
10	А	1987	MD1	C10-O3A-PB-O2B
10	А	1987	MD1	O4'-C4'-C5'-O5'
13	С	1217	HEM	CAD-CBD-CGD-O2D

There are no ring outliers.

10 monomers are involved in 21 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	А	1987	MD1	4	0
6	В	1355	GOL	1	0
6	С	1215	GOL	1	0
6	А	1981	GOL	5	0
9	А	1986	MGD	1	0
6	А	1982	GOL	3	0
5	А	1978	ACT	2	0
6	В	1353	GOL	2	0
13	С	1217	HEM	3	0
6	А	1979	GOL	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











## 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

## 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2	$OWAB(Å^2)$	Q < 0.9
1	А	912/976~(93%)	0.43	79 (8%) 10 11	19, 24, 33, 50	0
2	В	337/352~(95%)	-0.03	7 (2%) 63 65	18, 24, 31, 46	0
3	С	214/214~(100%)	0.61	28 (13%) 3 3	17, 25, 34, 42	0
All	All	1463/1542~(94%)	0.35	114 (7%) 13 14	17, 24, 33, 50	0

All (114) RSRZ outliers are listed below:

Mol	Chain	$\operatorname{Res}$	Type	RSRZ
3	С	101	ARG	7.1
2	В	77	ARG	5.7
1	А	389	ARG	5.7
2	В	76	LEU	5.3
3	С	12	LEU	5.1
1	А	520	ALA	5.0
1	А	392	ASN	4.7
3	С	24	ALA	4.3
3	С	11	GLU	4.2
1	А	363	ALA	4.2
3	С	22	ALA	4.0
1	А	522	PRO	4.0
3	С	14	LEU	4.0
3	С	6	VAL	4.0
1	А	221	ILE	3.9
3	С	7	PRO	3.9
3	С	19	PRO	3.8
3	С	10	LYS	3.8
1	А	511	GLU	3.7
1	А	393	GLY	3.7
1	A	518	LEU	3.6
3	С	8	GLY	3.6
1	А	361	GLU	3.6



2IVF
------

Mol	Chain	Res	Type	RSRZ
1	А	516	ARG	3.5
1	А	85	ILE	3.4
1	А	397	GLN	3.4
1	А	519	GLU	3.3
1	А	854	ILE	3.3
1	А	446	PHE	3.3
1	А	138	TYR	3.3
1	А	480	ALA	3.2
3	С	17	ASP	3.2
1	А	377	ASP	3.1
3	С	111	THR	3.1
3	С	143	ASP	3.1
1	А	597	ASP	3.0
2	В	31	CYS	3.0
1	А	589	ASN	3.0
1	А	385	THR	3.0
1	А	217	ILE	3.0
3	С	25	GLU	3.0
1	А	67	ILE	3.0
1	А	193	VAL	3.0
1	А	708	THR	2.9
3	С	20	ILE	2.9
3	С	102	GLY	2.9
1	А	920	PHE	2.8
1	А	225	TYR	2.8
3	С	214	LYS	2.8
1	А	852	VAL	2.8
2	В	78	GLY	2.8
1	А	100	ASN	2.8
1	A	523	THR	2.7
1	А	859	LEU	2.7
1	A	386	PHE	2.7
2	В	172	GLU	2.7
3	С	157	ASN	2.7
1	A	507	HIS	2.7
1	A	350	GLY	2.6
2	В	16	LYS	2.6
3	С	18	ALA	2.6
3	C	68	MET	2.6
3	С	156	ARG	2.6
1	A	87	TRP	2.6
1	А	261	TYR	2.6



Mol	Chain	Res	Type	RSRZ
1	А	481	TRP	2.6
1	А	395	THR	2.5
1	А	449	ALA	2.5
1	А	362	LYS	2.5
1	А	918	VAL	2.5
1	А	445	GLY	2.5
1	А	224	THR	2.5
1	А	515	LYS	2.5
1	А	558	GLN	2.5
1	А	260	THR	2.4
1	А	596	PRO	2.4
1	А	259	TYR	2.4
1	А	517	THR	2.4
1	A	222	GLY	2.4
3	С	178	GLN	2.4
1	А	506	LEU	2.4
1	А	443	TYR	2.4
3	С	41	GLU	2.3
1	А	509	MET	2.3
1	А	521	ASP	2.3
1	А	855	HIS	2.3
1	А	964	VAL	2.3
1	А	444	ILE	2.3
3	С	23	GLY	2.3
3	С	113	ARG	2.3
1	А	394	LYS	2.2
1	А	86	CYS	2.2
1	А	856	SER	2.2
1	А	219	VAL	2.2
1	A	850	PRO	2.2
1	А	365	SER	2.2
1	A	257	TRP	2.2
2	В	29	LEU	2.2
1	А	715	GLY	2.2
1	A	88	PRO	2.2
1	A	849	HIS	2.2
3	C	99	VAL	2.2
1	A	262	PRO	2.1
1	A	265	TYR	2.1
1	А	513	PHE	2.1
3	С	180	GLY	2.1
1	А	505	GLU	2.1



Mol	Chain	Res	Type	RSRZ
1	А	510	ALA	2.1
1	А	583	GLU	2.1
1	А	366	VAL	2.1
1	А	579	ASP	2.1
1	А	359	PHE	2.1
1	А	479	PHE	2.1
1	А	508	GLN	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

#### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q<0.9
6	GOL	А	1980	6/6	0.84	0.16	33,36,36,37	0
6	GOL	А	1981	6/6	0.87	0.17	32,36,38,39	0
5	ACT	А	1983	4/4	0.88	0.19	34,37,38,38	0
6	GOL	В	1353	6/6	0.89	0.16	24,31,33,37	0
6	GOL	В	1355	6/6	0.89	0.18	45,46,47,47	0
5	ACT	А	1978	4/4	0.91	0.16	$23,\!25,\!26,\!28$	0
6	GOL	С	1215	6/6	0.92	0.10	23,27,30,30	0
6	GOL	С	1216	6/6	0.92	0.10	33,34,35,36	0
6	GOL	А	1982	6/6	0.93	0.13	40,41,43,44	0
11	PO4	В	1354	5/5	0.93	0.27	44,47,47,48	0
13	HEM	С	1217	43/43	0.95	0.11	21,24,27,28	0
6	GOL	А	1979	6/6	0.97	0.10	16,20,23,24	0
12	F3S	В	1356	7/7	0.97	0.08	20,21,22,22	0
4	MES	A	1977	12/12	0.97	0.10	24,27,28,32	0
7	SF4	А	1984	8/8	0.98	0.11	$2\overline{3,}25,26,26$	0
9	MGD	A	1986	47/47	0.98	0.07	$1\overline{0,14,16,17}$	0



J. J								
Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\mathbf{B} ext{-factors}(\mathbf{A}^2)$	Q<0.9
10	MD1	А	1987	47/47	0.98	0.06	14,16,18,18	0
7	SF4	В	1359	8/8	0.99	0.08	23,24,24,26	0
7	SF4	В	1357	8/8	0.99	0.04	21,22,23,24	0
7	SF4	В	1358	8/8	0.99	0.10	24,24,25,25	0
8	MO	А	1985	1/1	1.00	0.04	19,19,19,19	0

Continued from previous page...

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.









# 6.5 Other polymers (i)

There are no such residues in this entry.

