



Full wwPDB X-ray Structure Validation Report ⓘ

May 16, 2020 – 03:12 pm BST

PDB ID : 2P7N
Title : Crystal structure of the Pathogenicity island 1 effector protein from *Chromobacterium violaceum*. Northeast Structural Genomics Consortium (NESGC) target CvR69.
Authors : Benach, J.; Abashidze, M.; Seetharaman, J.; Zhao, L.; Janjua, H.; Cunningham, K.; Ma, L.C.; Xiao, R.; Liu, J.; Baran, M.C.; Acton, T.B.; Rost, B.; Montelione, G.T.; Hunt, J.F.; Tong, L.; Northeast Structural Genomics Consortium (NESG)
Deposited on : 2007-03-20
Resolution : 2.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3140 (2.80-2.80)
Clashscore	141614	3569 (2.80-2.80)
Ramachandran outliers	138981	3498 (2.80-2.80)
Sidechain outliers	138945	3500 (2.80-2.80)
RSRZ outliers	127900	3078 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	407	

2 Entry composition [i](#)

There are 2 unique types of molecules in this entry. The entry contains 2529 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Pathogenicity island 1 effector protein.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	A	335	2514	1561	440	503	2	8	0	0	0

There are 17 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MSE	MET	MODIFIED RESIDUE	UNP Q7NUT0
A	134	MSE	MET	MODIFIED RESIDUE	UNP Q7NUT0
A	164	MSE	MET	MODIFIED RESIDUE	UNP Q7NUT0
A	176	MSE	MET	MODIFIED RESIDUE	UNP Q7NUT0
A	184	MSE	MET	MODIFIED RESIDUE	UNP Q7NUT0
A	221	MSE	MET	MODIFIED RESIDUE	UNP Q7NUT0
A	290	MSE	MET	MODIFIED RESIDUE	UNP Q7NUT0
A	317	MSE	MET	MODIFIED RESIDUE	UNP Q7NUT0
A	323	MSE	MET	MODIFIED RESIDUE	UNP Q7NUT0
A	400	LEU	-	CLONING ARTIFACT	UNP Q7NUT0
A	401	GLU	-	CLONING ARTIFACT	UNP Q7NUT0
A	402	HIS	-	CLONING ARTIFACT	UNP Q7NUT0
A	403	HIS	-	CLONING ARTIFACT	UNP Q7NUT0
A	404	HIS	-	CLONING ARTIFACT	UNP Q7NUT0
A	405	HIS	-	CLONING ARTIFACT	UNP Q7NUT0
A	406	HIS	-	CLONING ARTIFACT	UNP Q7NUT0
A	407	HIS	-	CLONING ARTIFACT	UNP Q7NUT0

- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	15	Total	O	0	0
			15	15		

4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	55.03Å 66.98Å 194.78Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	20.00 – 2.80 48.70 – 2.59	Depositor EDS
% Data completeness (in resolution range)	91.7 (20.00-2.80) 95.5 (48.70-2.59)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.93 (at 2.58Å)	Xtrriage
Refinement program	CNS 1.1	Depositor
R, R_{free}	0.248 , 0.298 0.262 , 0.309	Depositor DCC
R_{free} test set	2051 reflections (9.54%)	wwPDB-VP
Wilson B-factor (Å ²)	52.6	Xtrriage
Anisotropy	0.597	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.28 , 23.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	2529	wwPDB-VP
Average B, all atoms (Å ²)	51.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.26% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.50	1/2544 (0.0%)	0.75	7/3421 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	4

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	92	GLY	CA-C	-6.84	1.41	1.51

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	107	ASP	N-CA-C	10.45	139.22	111.00
1	A	331	GLY	CA-C-N	-8.92	97.57	117.20
1	A	332	SER	N-CA-C	7.74	131.90	111.00
1	A	331	GLY	CA-C-O	-6.00	109.80	120.60
1	A	98	ARG	N-CA-C	5.85	126.80	111.00
1	A	91	GLY	CA-C-N	-5.80	104.60	116.20
1	A	331	GLY	O-C-N	5.59	131.64	122.70

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	331	GLY	Mainchain,Peptide
1	A	91	GLY	Mainchain,Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2514	0	2459	179	0
2	A	15	0	0	1	0
All	All	2529	0	2459	179	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 36.

All (179) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:195:ASN:O	1:A:199:VAL:HG23	1.21	1.25
1:A:195:ASN:O	1:A:199:VAL:CG2	1.92	1.18
1:A:129:GLN:HE21	1:A:129:GLN:N	1.53	1.06
1:A:167:SER:HB3	1:A:176:MSE:HE1	1.38	1.04
1:A:236:LEU:HD22	1:A:338:LEU:HD12	1.37	1.03
1:A:106:LEU:HD23	1:A:110:ARG:HH21	1.24	1.02
1:A:259:ASP:HA	1:A:275:ILE:HD13	1.42	1.01
1:A:316:ASP:OD1	1:A:318:THR:HG23	1.64	0.97
1:A:236:LEU:CD2	1:A:338:LEU:HD12	1.98	0.93
1:A:320:ILE:HA	1:A:323:MSE:HE3	1.49	0.92
1:A:275:ILE:HD11	1:A:307:ALA:HB3	1.52	0.91
1:A:221:MSE:HA	1:A:224:TRP:CE3	2.07	0.89
1:A:90:SER:O	1:A:92:GLY:N	2.04	0.89
1:A:328:GLY:O	1:A:331:GLY:N	2.06	0.88
1:A:164:MSE:HE1	1:A:378:LEU:HD11	1.54	0.86
1:A:146:LEU:HD12	1:A:168:ALA:HB2	1.58	0.86
1:A:70:VAL:HA	1:A:105:GLU:HG2	1.60	0.82
1:A:202:ASN:ND2	1:A:268:ALA:HA	1.98	0.79
1:A:154:PRO:HB2	1:A:155:PRO:HD2	1.65	0.79
1:A:145:GLY:O	1:A:149:VAL:HG23	1.84	0.78
1:A:129:GLN:HE21	1:A:129:GLN:H	1.31	0.77
1:A:290:MSE:HA	1:A:367:LYS:HE3	1.67	0.77
1:A:236:LEU:CD2	1:A:338:LEU:CD1	2.62	0.77
1:A:101:ALA:O	1:A:103:GLY:N	2.20	0.74
1:A:167:SER:CB	1:A:176:MSE:HE1	2.18	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:390:LEU:O	1:A:390:LEU:HD12	1.88	0.73
1:A:196:TYR:HE2	1:A:374:LEU:HD23	1.52	0.72
1:A:80:LEU:HD21	1:A:98:ARG:HB2	1.71	0.72
1:A:101:ALA:C	1:A:103:GLY:H	1.93	0.71
1:A:248:LEU:HD23	1:A:320:ILE:HD11	1.73	0.71
1:A:328:GLY:O	1:A:331:GLY:CA	2.38	0.71
1:A:101:ALA:HB1	1:A:102:PRO:HD2	1.73	0.70
1:A:320:ILE:HG12	1:A:323:MSE:HE3	1.74	0.70
1:A:235:LYS:N	2:A:410:HOH:O	2.24	0.69
1:A:221:MSE:HE1	1:A:350:PHE:CZ	2.27	0.69
1:A:110:ARG:O	1:A:110:ARG:HG2	1.92	0.68
1:A:106:LEU:HD23	1:A:110:ARG:NH2	2.05	0.67
1:A:236:LEU:HD22	1:A:338:LEU:CD1	2.19	0.67
1:A:241:LEU:CD2	1:A:327:VAL:HG21	2.26	0.66
1:A:328:GLY:O	1:A:331:GLY:HA2	1.95	0.65
1:A:164:MSE:CE	1:A:378:LEU:HD11	2.25	0.65
1:A:195:ASN:O	1:A:199:VAL:HG21	1.95	0.65
1:A:225:ILE:HD11	1:A:343:PHE:CE1	2.30	0.65
1:A:295:ALA:HB3	1:A:300:PHE:O	1.97	0.64
1:A:76:TYR:HE1	1:A:80:LEU:HD22	1.62	0.64
1:A:329:ALA:C	1:A:331:GLY:H	2.02	0.63
1:A:306:ALA:C	1:A:308:ASP:H	2.00	0.63
1:A:125:LYS:O	1:A:129:GLN:NE2	2.33	0.62
1:A:320:ILE:HG12	1:A:323:MSE:CE	2.30	0.61
1:A:237:ASN:ND2	1:A:240:ALA:H	1.98	0.61
1:A:248:LEU:HD23	1:A:320:ILE:CD1	2.29	0.61
1:A:80:LEU:CD2	1:A:98:ARG:HB2	2.30	0.61
1:A:90:SER:O	1:A:92:GLY:CA	2.48	0.61
1:A:153:ALA:HB1	1:A:154:PRO:HD2	1.83	0.60
1:A:241:LEU:HD22	1:A:327:VAL:HG21	1.83	0.60
1:A:154:PRO:CB	1:A:155:PRO:HD2	2.32	0.60
1:A:284:ARG:HD3	1:A:294:ASP:OD2	2.02	0.60
1:A:101:ALA:C	1:A:103:GLY:N	2.56	0.59
1:A:353:GLN:HA	1:A:356:ASN:HD22	1.67	0.59
1:A:49:LEU:HD12	1:A:390:LEU:HA	1.84	0.59
1:A:284:ARG:NH1	1:A:303:VAL:HG11	2.17	0.59
1:A:101:ALA:HB1	1:A:102:PRO:CD	2.33	0.58
1:A:201:GLU:HG3	1:A:368:TYR:CE1	2.39	0.58
1:A:196:TYR:CE2	1:A:374:LEU:HD23	2.37	0.57
1:A:117:ALA:O	1:A:121:GLU:HG3	2.04	0.57
1:A:69:SER:HB3	1:A:105:GLU:HA	1.86	0.57

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:275:ILE:CD1	1:A:307:ALA:HB3	2.30	0.57
1:A:84:ARG:HH21	1:A:97:ALA:HA	1.70	0.56
1:A:236:LEU:HD23	1:A:338:LEU:CD1	2.36	0.56
1:A:326:ASP:O	1:A:330:LEU:HD13	2.05	0.56
1:A:339:ASP:OD2	1:A:341:ALA:HB3	2.06	0.56
1:A:167:SER:OG	1:A:184:MSE:HG2	2.05	0.56
1:A:276:GLN:HA	1:A:308:ASP:OD2	2.05	0.56
1:A:327:VAL:HG22	1:A:346:TRP:CZ2	2.41	0.55
1:A:254:LEU:HB3	1:A:258:LEU:HA	1.87	0.55
1:A:106:LEU:CD2	1:A:110:ARG:HH21	2.10	0.55
1:A:90:SER:C	1:A:92:GLY:N	2.60	0.55
1:A:314:VAL:HG13	1:A:315:VAL:N	2.22	0.54
1:A:90:SER:O	1:A:92:GLY:HA3	2.08	0.54
1:A:266:PHE:HB3	1:A:313:VAL:CG2	2.37	0.54
1:A:263:ALA:O	1:A:314:VAL:HG22	2.08	0.54
1:A:154:PRO:HB2	1:A:155:PRO:CD	2.37	0.54
1:A:129:GLN:CA	1:A:129:GLN:HE21	2.14	0.53
1:A:241:LEU:HD23	1:A:241:LEU:C	2.29	0.53
1:A:113:GLN:HE21	1:A:193:LYS:HE2	1.74	0.53
1:A:124:LEU:HD21	1:A:386:ILE:HD11	1.91	0.53
1:A:305:LYS:HE2	1:A:309:GLY:HA2	1.90	0.52
1:A:305:LYS:HE3	1:A:309:GLY:O	2.10	0.52
1:A:221:MSE:HE1	1:A:350:PHE:HZ	1.70	0.51
1:A:326:ASP:O	1:A:330:LEU:CD1	2.59	0.51
1:A:68:ALA:HB1	1:A:72:ARG:HH21	1.75	0.51
1:A:47:PRO:C	1:A:49:LEU:H	2.15	0.51
1:A:129:GLN:NE2	1:A:129:GLN:N	2.39	0.50
1:A:176:MSE:HE3	1:A:181:LEU:HA	1.92	0.50
1:A:110:ARG:O	1:A:110:ARG:CG	2.58	0.50
1:A:330:LEU:O	1:A:331:GLY:O	2.30	0.50
1:A:146:LEU:CD2	1:A:164:MSE:HE2	2.42	0.50
1:A:318:THR:N	1:A:319:PRO:HD2	2.27	0.50
1:A:336:LEU:C	1:A:336:LEU:HD12	2.32	0.50
1:A:59:LEU:HD21	1:A:375:PHE:HE2	1.75	0.50
1:A:73:GLN:NE2	1:A:105:GLU:CD	2.64	0.50
1:A:161:GLY:O	1:A:165:LEU:HB2	2.12	0.50
1:A:115:VAL:O	1:A:119:LEU:HG	2.12	0.49
1:A:241:LEU:HD21	1:A:327:VAL:HG21	1.92	0.49
1:A:252:PHE:C	1:A:263:ALA:HB2	2.32	0.49
1:A:105:GLU:O	1:A:109:ALA:HB3	2.11	0.49
1:A:275:ILE:HD12	1:A:307:ALA:H	1.78	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:354:GLU:HB3	1:A:358:LYS:NZ	2.27	0.49
1:A:106:LEU:HD22	1:A:110:ARG:HE	1.78	0.49
1:A:188:GLN:O	1:A:192:ILE:HG13	2.12	0.49
1:A:249:LYS:HD2	1:A:317:MSE:HE2	1.94	0.49
1:A:70:VAL:HG11	1:A:204:VAL:HG11	1.95	0.49
1:A:280:GLU:HA	1:A:311:TRP:CG	2.49	0.48
1:A:76:TYR:C	1:A:76:TYR:CD1	2.87	0.48
1:A:74:THR:HG23	1:A:361:LEU:CD2	2.43	0.48
1:A:346:TRP:O	1:A:349:GLY:N	2.46	0.48
1:A:374:LEU:HD12	1:A:374:LEU:O	2.14	0.48
1:A:306:ALA:C	1:A:308:ASP:N	2.65	0.48
1:A:124:LEU:HD13	1:A:185:ILE:HG22	1.96	0.47
1:A:334:THR:O	1:A:334:THR:OG1	2.31	0.47
1:A:314:VAL:CG1	1:A:315:VAL:N	2.77	0.47
1:A:122:GLY:O	1:A:125:LYS:HB2	2.15	0.46
1:A:74:THR:HG23	1:A:361:LEU:HD21	1.97	0.46
1:A:162:ALA:N	1:A:163:PRO:HD2	2.31	0.46
1:A:241:LEU:HD22	1:A:327:VAL:HG11	1.97	0.46
1:A:196:TYR:HE2	1:A:374:LEU:CD2	2.25	0.46
1:A:66:VAL:O	1:A:69:SER:HB2	2.15	0.46
1:A:238:VAL:HG21	1:A:336:LEU:HD23	1.96	0.46
1:A:138:GLN:O	1:A:141:ALA:N	2.48	0.46
1:A:146:LEU:HD21	1:A:164:MSE:HE2	1.97	0.45
1:A:121:GLU:HG2	1:A:189:ILE:HG22	1.97	0.45
1:A:113:GLN:HE21	1:A:193:LYS:CE	2.30	0.45
1:A:59:LEU:CD2	1:A:375:PHE:HE2	2.29	0.45
1:A:211:TYR:OH	1:A:358:LYS:HG2	2.16	0.45
1:A:225:ILE:CD1	1:A:343:PHE:CE1	2.99	0.45
1:A:275:ILE:HD11	1:A:307:ALA:CB	2.35	0.45
1:A:214:PHE:CE1	1:A:218:LEU:HD11	2.52	0.45
1:A:329:ALA:C	1:A:331:GLY:N	2.67	0.45
1:A:153:ALA:O	1:A:154:PRO:O	2.35	0.45
1:A:70:VAL:CA	1:A:105:GLU:HG2	2.40	0.44
1:A:208:THR:O	1:A:212:LYS:HB2	2.17	0.44
1:A:258:LEU:O	1:A:275:ILE:HD13	2.18	0.44
1:A:121:GLU:OE1	1:A:190:GLY:HA3	2.18	0.44
1:A:154:PRO:CB	1:A:155:PRO:CD	2.95	0.43
1:A:176:MSE:CE	1:A:181:LEU:HG	2.48	0.43
1:A:70:VAL:CG1	1:A:204:VAL:HG11	2.48	0.43
1:A:284:ARG:NH1	1:A:303:VAL:CG1	2.80	0.43
1:A:249:LYS:CG	1:A:317:MSE:HE2	2.49	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:241:LEU:O	1:A:245:LEU:HG	2.19	0.42
1:A:49:LEU:CD2	1:A:127:VAL:HG13	2.49	0.42
1:A:244:ALA:O	1:A:247:LYS:N	2.50	0.42
1:A:290:MSE:HE2	1:A:313:VAL:HG11	2.01	0.42
1:A:319:PRO:HA	1:A:353:GLN:OE1	2.19	0.42
1:A:387:SER:O	1:A:391:GLU:HG3	2.20	0.42
1:A:320:ILE:CA	1:A:323:MSE:HE3	2.36	0.42
1:A:241:LEU:HD23	1:A:241:LEU:O	2.20	0.42
1:A:124:LEU:CB	1:A:186:SER:HB3	2.50	0.42
1:A:129:GLN:CA	1:A:129:GLN:NE2	2.83	0.42
1:A:266:PHE:HB3	1:A:313:VAL:HG23	2.01	0.41
1:A:73:GLN:NE2	1:A:105:GLU:OE2	2.52	0.41
1:A:193:LYS:HG3	1:A:197:LEU:HD23	2.02	0.41
1:A:311:TRP:CD1	1:A:311:TRP:N	2.87	0.41
1:A:339:ASP:HB3	1:A:342:LYS:HD2	2.02	0.41
1:A:142:LEU:O	1:A:146:LEU:HG	2.19	0.41
1:A:176:MSE:HE3	1:A:181:LEU:CB	2.50	0.41
1:A:176:MSE:HE3	1:A:181:LEU:HG	2.02	0.41
1:A:143:GLN:NE2	1:A:169:ASN:HA	2.36	0.41
1:A:303:VAL:HG12	1:A:311:TRP:CE3	2.56	0.41
1:A:346:TRP:O	1:A:347:GLN:C	2.58	0.41
1:A:327:VAL:CG2	1:A:346:TRP:CZ2	3.04	0.41
1:A:189:ILE:HA	1:A:189:ILE:HD13	1.95	0.40
1:A:98:ARG:NH2	1:A:212:LYS:HG2	2.36	0.40
1:A:236:LEU:CD2	1:A:338:LEU:HD11	2.46	0.40
1:A:286:TRP:O	1:A:290:MSE:HG2	2.20	0.40
1:A:294:ASP:OD1	1:A:294:ASP:O	2.38	0.40
1:A:236:LEU:HD23	1:A:338:LEU:HD12	1.91	0.40
1:A:124:LEU:HA	1:A:124:LEU:HD23	1.90	0.40
1:A:247:LYS:HA	1:A:247:LYS:HD3	1.90	0.40
1:A:62:ALA:HB1	1:A:113:GLN:N	2.37	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	327/407 (80%)	290 (89%)	29 (9%)	8 (2%)	6 20

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	91	GLY
1	A	154	PRO
1	A	331	GLY
1	A	102	PRO
1	A	107	ASP
1	A	332	SER
1	A	155	PRO
1	A	299	GLY

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	257/301 (85%)	224 (87%)	33 (13%)	4 13

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	59	LEU
1	A	65	GLU
1	A	95	PRO
1	A	108	GLU
1	A	111	ASN
1	A	129	GLN
1	A	140	GLN
1	A	152	ASP
1	A	165	LEU
1	A	184	MSE
1	A	187	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	189	ILE
1	A	223	ASN
1	A	235	LYS
1	A	236	LEU
1	A	237	ASN
1	A	239	ASP
1	A	259	ASP
1	A	275	ILE
1	A	282	ASP
1	A	289	GLU
1	A	290	MSE
1	A	308	ASP
1	A	314	VAL
1	A	318	THR
1	A	325	ARG
1	A	334	THR
1	A	336	LEU
1	A	338	LEU
1	A	373	SER
1	A	374	LEU
1	A	380	LYS
1	A	382	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	73	GLN
1	A	111	ASN
1	A	113	GLN
1	A	123	ASN
1	A	129	GLN
1	A	143	GLN
1	A	169	ASN
1	A	237	ASN
1	A	347	GLN
1	A	356	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	327/407 (80%)	-0.09	1 (0%) 94 93	28, 50, 70, 80	0

All (1) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	343	PHE	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.