



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 6, 2020 – 06:05 PM BST

PDB ID : 3D4Y  
Title : GOLGI MANNOSIDASE II complex with mannoimidazole  
Authors : Kuntz, D.A.; Tarling, C.A.; Withers, S.G.; Rose, D.R.  
Deposited on : 2008-05-15  
Resolution : 1.52 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.13.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.13.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.52 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4009 (1.54-1.50)
Clashscore	141614	4249 (1.54-1.50)
Ramachandran outliers	138981	4148 (1.54-1.50)
Sidechain outliers	138945	4146 (1.54-1.50)
RSRZ outliers	127900	3943 (1.54-1.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1045	

## 2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 9444 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Alpha-mannosidase 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	1016	8287	5262	1455	1528	42	0	11	0

There are 13 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	ARG	-	expression tag	UNP Q24451
A	2	SER	-	expression tag	UNP Q24451
A	3	SER	-	expression tag	UNP Q24451
A	4	HIS	-	expression tag	UNP Q24451
A	5	HIS	-	expression tag	UNP Q24451
A	6	HIS	-	expression tag	UNP Q24451
A	7	HIS	-	expression tag	UNP Q24451
A	8	HIS	-	expression tag	UNP Q24451
A	9	HIS	-	expression tag	UNP Q24451
A	10	GLY	-	expression tag	UNP Q24451
A	11	GLU	-	expression tag	UNP Q24451
A	12	PHE	-	expression tag	UNP Q24451
A	907	LYS	GLU	SEE REMARK 999	UNP Q24451

- Molecule 2 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C<sub>8</sub>H<sub>15</sub>NO<sub>6</sub>).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
2	A	1	14	8	1	5	0	0

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Zn		
3	A	1	1	1	0	0

- Molecule 4 is (4R)-2-METHYLPENTANE-2,4-DIOL (three-letter code: MRD) (formula: C<sub>6</sub>H<sub>14</sub>O<sub>2</sub>).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			8	6	2		

- Molecule 5 is (5R,6R,7S,8R)-5-(HYDROXYMETHYL)-5,6,7,8-TETRAHYDROIMIDAZO[1,2-A]PYRIDINE-6,7,8-TRIOL (three-letter code: MVL) (formula: C<sub>8</sub>H<sub>12</sub>N<sub>2</sub>O<sub>4</sub>).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
5	A	1	Total	C	N	O	0	0
			14	8	2	4		

- Molecule 6 is (4S)-2-METHYL-2,4-PENTANEDIOL (three-letter code: MPD) (formula: C<sub>6</sub>H<sub>14</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			8	6	2		
6	A	1	Total	C	O	0	0
			8	6	2		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1099	Total	O	0	5
			1104	1104		

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Alpha-mannosidase 2



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	68.63Å 108.80Å 137.03Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 1.52 29.53 – 1.52	Depositor EDS
% Data completeness (in resolution range)	97.9 (30.00-1.52) 97.9 (29.53-1.52)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.98 (at 1.52Å)	Xtrriage
Refinement program	REFMAC, CNS	Depositor
R, $R_{free}$	0.186 , 0.208 0.184 , 0.188	Depositor DCC
$R_{free}$ test set	2296 reflections (1.49%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	22.4	Xtrriage
Anisotropy	0.106	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.39 , 56.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	9444	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	26.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.64% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MRD, MPD, MVL, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.87	2/8512 (0.0%)	0.89	6/11555 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	418	TYR	CE2-CZ	6.00	1.46	1.38
1	A	807	ASP	CB-CG	-5.38	1.40	1.51

All (6) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	963	ARG	NE-CZ-NH2	-5.98	117.31	120.30
1	A	818	ARG	NE-CZ-NH2	-5.58	117.51	120.30
1	A	432	LEU	CB-CG-CD2	-5.18	102.20	111.00
1	A	437	ARG	NE-CZ-NH1	-5.13	117.74	120.30
1	A	341	ASP	CB-CG-OD2	-5.11	113.70	118.30
1	A	818	ARG	NE-CZ-NH1	5.02	122.81	120.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	30	GLN	Peptide
1	A	992	GLU	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8287	0	8069	90	0
2	A	14	0	13	0	0
3	A	1	0	0	0	0
4	A	8	0	14	3	0
5	A	14	0	10	1	0
6	A	16	0	28	6	0
7	A	1104	0	0	21	0
All	All	9444	0	8134	98	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (98) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:264[B]:MET:CE	1:A:337:PRO:HG2	1.96	0.95
6:A:1051:MPD:H53	6:A:1051:MPD:HM1	1.46	0.94
1:A:601:ASP:HB2	1:A:608:HIS:NE2	1.85	0.91
1:A:264[B]:MET:HE1	1:A:337:PRO:HG2	1.54	0.88
1:A:723:ARG:HH11	1:A:723:ARG:HG2	1.37	0.85
1:A:954:ARG:NH2	1:A:981[A]:ARG:HH21	1.79	0.81
1:A:547:GLU:HG2	7:A:2129:HOH:O	1.82	0.80
1:A:954:ARG:HH21	1:A:981[A]:ARG:NH2	1.79	0.79
1:A:456:GLU:HB2	7:A:1439:HOH:O	1.82	0.79
1:A:679:ARG:HH12	1:A:701:GLN:NE2	1.82	0.78
1:A:47:GLU:HG3	7:A:1076:HOH:O	1.84	0.77
4:A:1048:MRD:H1C3	7:A:1103:HOH:O	1.83	0.76
1:A:995:GLN:HG3	7:A:1389:HOH:O	1.85	0.76
1:A:264[B]:MET:HE3	1:A:337:PRO:HG2	1.70	0.74
1:A:695:LYS:HD3	7:A:2073:HOH:O	1.89	0.71

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:601:ASP:CB	1:A:608:HIS:NE2	2.54	0.71
1:A:954:ARG:NH2	1:A:981[A]:ARG:NH2	2.38	0.70
6:A:1051:MPD:HM1	6:A:1051:MPD:C5	2.20	0.69
1:A:993:HIS:CG	1:A:993:HIS:O	2.45	0.68
1:A:589:GLU:OE2	1:A:751:LYS:HD3	1.93	0.68
1:A:679:ARG:HH12	1:A:701:GLN:CD	1.98	0.68
1:A:740:LEU:HD22	1:A:760:LEU:HD22	1.74	0.68
6:A:1050:MPD:H13	7:A:1235:HOH:O	1.92	0.67
1:A:993:HIS:ND1	1:A:993:HIS:O	2.30	0.64
1:A:651:LEU:HD11	1:A:653:ARG:HD2	1.80	0.64
1:A:601:ASP:HB2	1:A:608:HIS:CD2	2.32	0.63
1:A:651:LEU:CD1	1:A:653:ARG:HD2	2.30	0.62
1:A:601:ASP:CB	1:A:608:HIS:CD2	2.84	0.61
1:A:264[B]:MET:HE3	1:A:337:PRO:CG	2.30	0.61
1:A:82:LYS:HD3	1:A:373:GLN:HB3	1.82	0.61
1:A:723:ARG:HH11	1:A:723:ARG:CG	2.12	0.60
1:A:904:ARG:HG2	1:A:985[A]:MET:SD	2.42	0.60
1:A:457:ARG:NH1	7:A:1968:HOH:O	2.27	0.59
1:A:898[A]:LYS:HD2	7:A:1553:HOH:O	2.03	0.59
1:A:848[B]:THR:HG23	1:A:850:GLN:NE2	2.18	0.58
1:A:848[B]:THR:HG22	1:A:850:GLN:H	1.68	0.58
1:A:723:ARG:NH1	1:A:723:ARG:HG2	2.16	0.57
1:A:848[B]:THR:CG2	1:A:850:GLN:NE2	2.68	0.57
1:A:640:LYS:NZ	7:A:2122:HOH:O	2.37	0.57
1:A:1044:SER:OG	6:A:1051:MPD:H52	2.04	0.56
1:A:264[B]:MET:CE	1:A:337:PRO:CG	2.79	0.55
4:A:1048:MRD:H5C3	4:A:1048:MRD:HMC1	1.90	0.54
4:A:1048:MRD:H1C1	7:A:1701:HOH:O	2.08	0.54
1:A:568:LEU:HD12	1:A:770:ARG:HD3	1.90	0.53
6:A:1051:MPD:CM	6:A:1051:MPD:C5	2.85	0.52
1:A:304:ARG:NH2	7:A:1949:HOH:O	2.31	0.52
1:A:47:GLU:OE2	1:A:51:ARG:HD3	2.09	0.52
1:A:116:ARG:CD	7:A:1626:HOH:O	2.57	0.51
1:A:916:SER:OG	1:A:955:GLU:OE1	2.21	0.50
1:A:363:HIS:O	1:A:367:GLN:HG2	2.11	0.50
1:A:116:ARG:HD2	7:A:1626:HOH:O	2.12	0.49
1:A:848[B]:THR:CG2	1:A:850:GLN:HE21	2.26	0.49
1:A:341:ASP:OD2	5:A:1049:MVL:N1	2.45	0.49
1:A:848[B]:THR:HG23	1:A:850:GLN:HE21	1.77	0.49
1:A:154:LYS:HE3	7:A:1640:HOH:O	2.14	0.48
1:A:904:ARG:HG2	1:A:985[B]:MET:SD	2.54	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:47:GLU:OE1	1:A:51:ARG:NH1	2.34	0.47
1:A:648:SER:HB3	1:A:666:GLU:OE2	2.14	0.47
1:A:742[B]:GLN:NE2	7:A:1895:HOH:O	2.47	0.47
1:A:992:GLU:HB2	1:A:993:HIS:CD2	2.51	0.46
1:A:511:LYS:HB3	1:A:514:ILE:HD12	1.98	0.46
1:A:96:ILE:HD12	1:A:479:LYS:HE2	1.97	0.46
1:A:145:LYS:HE3	7:A:1629:HOH:O	2.15	0.45
1:A:546:GLY:HA2	1:A:636:ILE:HD13	1.97	0.45
1:A:116:ARG:HD3	7:A:1626:HOH:O	2.17	0.45
1:A:848[A]:THR:HG22	1:A:892:TYR:CD2	2.52	0.45
1:A:47:GLU:OE2	1:A:51:ARG:CD	2.65	0.44
1:A:895:VAL:HG12	1:A:897:GLU:HG3	1.98	0.44
1:A:147:LEU:HD23	1:A:150:LYS:HE3	1.99	0.44
1:A:174:HIS:CE1	1:A:176:ARG:HD3	2.53	0.44
6:A:1050:MPD:O4	6:A:1050:MPD:H11	2.18	0.44
1:A:47:GLU:CD	1:A:51:ARG:HD3	2.38	0.44
1:A:584:ALA:HA	7:A:1329:HOH:O	2.17	0.44
1:A:848[B]:THR:CG2	1:A:850:GLN:O	2.65	0.44
1:A:996:LYS:HE3	7:A:2033:HOH:O	2.18	0.43
1:A:177:ASN:HD21	1:A:433:MET:HB2	1.83	0.43
1:A:93:PRO:HD2	1:A:470:HIS:CE1	2.53	0.43
1:A:204:ASP:H	1:A:205:PRO:HD3	1.82	0.43
1:A:344:PHE:HB3	1:A:350:TRP:CE2	2.53	0.43
1:A:975:VAL:HG21	1:A:1003:LEU:HD12	2.00	0.43
1:A:82:LYS:HD2	7:A:1779:HOH:O	2.19	0.43
1:A:595:VAL:HG22	1:A:617:ARG:HG3	2.00	0.43
1:A:62:TRP:HB2	1:A:277:PRO:HB2	1.99	0.42
1:A:580:VAL:HG22	1:A:634:LEU:HD22	2.01	0.42
1:A:679:ARG:NH1	1:A:701:GLN:NE2	2.60	0.42
1:A:975:VAL:HG21	1:A:1003:LEU:CD1	2.48	0.42
1:A:250:ILE:HB	1:A:910:PRO:HG2	2.00	0.42
1:A:428:MET:HE1	1:A:491[A]:GLN:HG3	2.02	0.42
1:A:703:SER:HB2	1:A:704:PRO:CD	2.49	0.42
1:A:676:ILE:HD13	1:A:747:VAL:HG21	2.02	0.42
1:A:309:GLN:N	1:A:309:GLN:CD	2.72	0.41
1:A:691:GLN:O	1:A:758:VAL:HG21	2.20	0.41
1:A:651:LEU:HD12	1:A:653:ARG:HD2	2.02	0.41
1:A:601:ASP:HB3	1:A:608:HIS:CD2	2.55	0.41
1:A:693:LEU:HD23	1:A:765:HIS:CD2	2.56	0.41
1:A:460:GLN:O	1:A:464:GLU:HG2	2.21	0.40
1:A:679:ARG:NH1	1:A:701:GLN:CD	2.71	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:561:LEU:HD12	1:A:565:ARG:CZ	2.51	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1025/1045 (98%)	998 (97%)	23 (2%)	4 (0%)	34 13

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	95	TRP
1	A	993	HIS
1	A	204	ASP
1	A	549	ILE

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	914/929 (98%)	907 (99%)	7 (1%)	81 65

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	275	CYS
1	A	447	SER
1	A	585	ASN
1	A	610	GLN
1	A	654	LYS
1	A	723	ARG
1	A	828	TYR

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	701	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 1 is monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
6	MPD	A	1051	-	7,7,7	0.32	0	9,10,10	1.18	1 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	MVL	A	1049	3	13,15,15	1.08	1 (7%)	11,22,22	2.26	5 (45%)
6	MPD	A	1050	-	7,7,7	0.52	0	9,10,10	0.47	0
2	NAG	A	1046	1	14,14,15	0.40	0	17,19,21	1.16	1 (5%)
4	MRD	A	1048	-	7,7,7	0.43	0	9,10,10	0.85	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	MPD	A	1051	-	-	1/5/5/5	-
5	MVL	A	1049	3	-	0/2/22/22	0/1/2/2
6	MPD	A	1050	-	-	0/5/5/5	-
2	NAG	A	1046	1	-	2/6/23/26	0/1/1/1
4	MRD	A	1048	-	-	1/5/5/5	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	A	1049	MVL	C1-C2	3.01	1.56	1.51

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	A	1049	MVL	O4-C4-C5	-4.22	102.28	109.77
5	A	1049	MVL	C3-C4-C5	3.83	117.85	111.37
2	A	1046	NAG	C1-C2-N2	-3.38	104.72	110.49
5	A	1049	MVL	C4-C3-C2	2.76	114.43	110.24
6	A	1051	MPD	CM-C2-C3	2.19	120.16	109.96
5	A	1049	MVL	O3-C3-C2	2.14	113.76	108.98
5	A	1049	MVL	C8-N10-C1	-2.05	107.11	109.05

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	1048	MRD	C2-C3-C4-O4
2	A	1046	NAG	C4-C5-C6-O6
2	A	1046	NAG	O5-C5-C6-O6
6	A	1051	MPD	C2-C3-C4-C5

There are no ring outliers.

4 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	A	1051	MPD	4	0
5	A	1049	MVL	1	0
6	A	1050	MPD	2	0
4	A	1048	MRD	3	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	1016/1045 (97%)	0.36	79 (7%) <b>13</b> <b>14</b>	14, 23, 38, 61	0

All (79) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	602	THR	8.1
1	A	603	LEU	7.5
1	A	534	SER	7.4
1	A	537	GLU	6.7
1	A	539	SER	6.6
1	A	30	GLN	6.3
1	A	702	ASP	6.3
1	A	536	VAL	6.1
1	A	701	GLN	6.0
1	A	993	HIS	5.9
1	A	721	GLY	5.7
1	A	604	THR	5.5
1	A	538	ASP	5.4
1	A	78	HIS	5.3
1	A	638	ASP	5.2
1	A	720	HIS	5.0
1	A	1024	ASP	5.0
1	A	600	HIS	4.8
1	A	700	THR	4.6
1	A	31	CYS	4.5
1	A	639	SER	4.1
1	A	655	ASN	4.1
1	A	991	GLU	4.1
1	A	682	ASN	4.1
1	A	640	LYS	4.0
1	A	739	GLU	3.8
1	A	908	LEU	3.8

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	A	601	ASP	3.7
1	A	547	GLU	3.7
1	A	990	PRO	3.7
1	A	1045	SER	3.7
1	A	144	ASN	3.7
1	A	336	ILE	3.6
1	A	1022	HIS	3.6
1	A	77	ALA	3.4
1	A	73	LEU	3.4
1	A	703	SER	3.3
1	A	535	GLY	3.1
1	A	40	ASN	3.1
1	A	256	ASP	3.0
1	A	143	GLU	3.0
1	A	608	HIS	3.0
1	A	322	TRP	3.0
1	A	606	THR	3.0
1	A	179	LEU	2.9
1	A	368	ALA	2.9
1	A	741	GLY	2.9
1	A	719	SER	2.9
1	A	994	THR	2.9
1	A	583	LEU	2.8
1	A	226	ILE	2.8
1	A	85	VAL	2.8
1	A	388	GLN	2.6
1	A	154	LYS	2.5
1	A	334	LEU	2.5
1	A	335	LEU	2.5
1	A	53	SER	2.5
1	A	986	GLN	2.5
1	A	147	LEU	2.5
1	A	291	GLY	2.4
1	A	992	GLU	2.4
1	A	690	GLU	2.4
1	A	978	VAL	2.4
1	A	831	ILE	2.3
1	A	1026	MET	2.3
1	A	989	THR	2.3
1	A	605	LYS	2.3
1	A	309	GLN	2.3
1	A	392	ALA	2.2

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	987	CYS	2.2
1	A	139	HIS	2.2
1	A	451	MET	2.2
1	A	709	HIS	2.1
1	A	907	LYS	2.1
1	A	304	ARG	2.1
1	A	71	ASP	2.1
1	A	338	LEU	2.1
1	A	940	ILE	2.1
1	A	1027	VAL	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
6	MPD	A	1051	8/8	0.74	0.30	28,31,34,37	0
6	MPD	A	1050	8/8	0.83	0.19	50,53,55,56	0
2	NAG	A	1046	14/15	0.83	0.46	57,65,66,67	0
4	MRD	A	1048	8/8	0.87	0.16	24,30,32,34	0
5	MVL	A	1049	14/14	0.89	0.09	18,22,29,31	0
3	ZN	A	1047	1/1	0.99	0.05	20,20,20,20	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.