



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 12, 2024 – 03:34 AM EST

PDB ID : 3GJB
Title : CytC3 with Fe(II) and alpha-ketoglutarate
Authors : Wong, C.; Drennan, C.L.
Deposited on : 2009-03-08
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	319	
1	B	319	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	AKG	A	322	-	-	X	-
3	AKG	B	321	-	-	X	-
4	ACT	B	325	-	-	X	-
5	SO4	A	326	-	-	X	-
5	SO4	B	327	-	-	X	-

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 4530 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called CytC3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	260	Total 2068	C 1314	N 361	O 385	S 8	0	0	0
1	B	271	Total 2171	C 1373	N 379	O 410	S 9	0	0	0

- Molecule 2 is FE (II) ION (three-letter code: FE2) (formula: Fe).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total 1	Fe 1	0	0
2	B	1	Total 1	Fe 1	0	0

- Molecule 3 is 2-OXOGLUTARIC ACID (three-letter code: AKG) (formula: C₅H₆O₅).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			10	5	5		
3	A	1	Total	C	O	0	0
			10	5	5		
3	B	1	Total	C	O	0	0
			10	5	5		

- Molecule 4 is ACETATE ION (three-letter code: ACT) (formula: $C_2H_3O_2$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	A	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		

- Molecule 5 is SULFATE ION (three-letter code: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	O	S	0	0
			5	4	1		
5	B	1	Total	O	S	0	0
			5	4	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	110	Total	O	0	0
			110	110		
6	B	107	Total	O	0	0
			107	107		


3 Residue-property plots i

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: CytC3



• Molecule 1: CytC3



4 Data and refinement statistics

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants a, b, c, α , β , γ	88.99Å 88.99Å 248.44Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	44.49 – 2.20 44.49 – 2.20	Depositor EDS
% Data completeness (in resolution range)	95.1 (44.49-2.20) 95.1 (44.49-2.20)	Depositor EDS
R_{merge}	0.08	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.77 (at 2.20Å)	Xtrriage
Refinement program	CNS	Depositor
R, R_{free}	0.227 , 0.259 0.216 , 0.248	Depositor DCC
R_{free} test set	5112 reflections (10.12%)	wwPDB-VP
Wilson B-factor (Å ²)	39.4	Xtrriage
Anisotropy	0.606	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 46.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	4530	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.15% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: FE2, SO4, ACT, AKG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.36	0/2124	0.65	0/2886
1	B	0.36	0/2231	0.61	0/3031
All	All	0.36	0/4355	0.63	0/5917

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2068	0	1965	70	0
1	B	2171	0	2058	70	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
3	A	20	0	8	7	0
3	B	10	0	4	4	0
4	A	12	0	9	2	0
4	B	20	0	15	3	0
5	A	5	0	0	2	0
5	B	5	0	0	2	0
6	A	110	0	0	3	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	B	107	0	0	4	0
All	All	4530	0	4059	138	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 16.

All (138) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:94:ILE:HD12	1:A:262:PRO:HD3	1.27	1.06
1:B:140:ARG:HG2	1:B:141:PRO:HD2	1.38	1.02
1:A:132:ILE:HG13	1:A:132:ILE:O	1.73	0.89
1:B:253:ARG:HD3	6:B:432:HOH:O	1.80	0.80
1:B:261:VAL:HG13	1:B:265:VAL:HB	1.68	0.76
1:A:131:GLN:HE22	3:A:322:AKG:H32	1.49	0.75
1:A:259:ARG:HH12	4:A:325:ACT:H2	1.52	0.75
1:A:317:ILE:HG22	1:A:317:ILE:O	1.87	0.72
1:B:40:ARG:NH2	1:B:79:GLU:OE1	2.22	0.72
1:B:33:GLU:HB3	1:B:35:GLU:OE2	1.90	0.72
1:B:35:GLU:H	1:B:35:GLU:CD	1.94	0.70
1:B:271:THR:O	1:B:274:LEU:HB3	1.92	0.69
1:A:157:THR:H	1:A:160:ASN:ND2	1.91	0.69
1:B:74:ILE:HD12	1:B:77:LEU:HD12	1.77	0.67
1:A:94:ILE:HD12	1:A:262:PRO:CD	2.17	0.67
1:A:157:THR:H	1:A:160:ASN:HD21	1.40	0.66
1:A:55:ILE:HD13	1:A:72:LEU:HD12	1.77	0.66
1:B:220:GLN:HE21	1:B:220:GLN:HA	1.61	0.65
1:B:55:ILE:HD13	1:B:72:LEU:HD12	1.78	0.64
1:B:102:ARG:HD3	6:B:349:HOH:O	1.98	0.63
1:B:220:GLN:HA	1:B:220:GLN:NE2	2.16	0.61
1:A:122:THR:HA	3:A:322:AKG:H41	1.82	0.60
1:B:30:LYS:HE2	1:B:33:GLU:OE2	2.01	0.60
1:A:301:ARG:HH11	1:A:301:ARG:HG3	1.68	0.58
1:B:133:ILE:HD12	1:B:269:PRO:HG3	1.86	0.57
1:A:132:ILE:HD11	1:A:144:ILE:C	2.24	0.57
1:B:253:ARG:HH22	4:B:322:ACT:H1	1.69	0.57
1:A:132:ILE:HG12	1:A:144:ILE:O	2.04	0.57
1:B:40:ARG:HH22	1:B:79:GLU:CD	2.09	0.57
1:A:102:ARG:HD3	6:A:327:HOH:O	2.04	0.56
1:A:87:VAL:HG22	1:A:291:THR:HG21	1.86	0.56
1:A:37:MET:HG2	1:A:229:GLY:N	2.21	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:13:SER:OG	1:A:16:GLU:HG3	2.06	0.55
1:B:103:SER:HA	1:B:257:ALA:O	2.07	0.55
1:B:304:ARG:HD2	6:B:378:HOH:O	2.08	0.54
1:B:110:GLN:HA	1:B:245:HIS:ND1	2.22	0.53
1:A:174:ASN:HB2	1:B:144:ILE:HG12	1.89	0.53
1:B:69:ASP:OD1	1:B:102:ARG:HA	2.09	0.53
1:A:102:ARG:HG3	1:A:103:SER:N	2.24	0.53
1:B:12:PHE:CE2	1:B:89:ARG:HB3	2.43	0.52
3:A:322:AKG:H31	5:B:327:SO4:O2	2.09	0.52
1:B:272:GLU:O	1:B:273:ASN:HB2	2.10	0.52
1:A:69:ASP:OD1	1:A:102:ARG:HA	2.10	0.52
1:B:102:ARG:HG3	1:B:103:SER:N	2.24	0.52
1:A:102:ARG:NH2	3:A:322:AKG:H32	2.24	0.52
1:A:103:SER:HA	1:A:257:ALA:O	2.10	0.52
1:A:123:PHE:O	3:A:322:AKG:O5	2.28	0.52
1:A:91:GLY:HA2	1:A:95:GLY:O	2.10	0.52
1:A:102:ARG:HH22	1:A:131:GLN:HE22	1.57	0.51
1:B:84:PRO:HG2	1:B:85:GLU:OE1	2.11	0.51
1:A:35:GLU:CD	1:A:35:GLU:H	2.13	0.50
1:A:133:ILE:HD12	1:A:269:PRO:HG3	1.92	0.50
1:B:165:LEU:O	1:B:222:TYR:HB3	2.12	0.50
1:A:107:PRO:HB3	1:A:254:MET:CE	2.42	0.50
1:A:133:ILE:CD1	1:A:269:PRO:HG3	2.42	0.49
1:B:132:ILE:HG23	1:B:265:VAL:HG11	1.93	0.49
1:A:87:VAL:HG22	1:A:291:THR:CG2	2.43	0.49
1:A:317:ILE:O	1:A:317:ILE:CG2	2.59	0.49
1:B:102:ARG:HH22	1:B:131:GLN:NE2	2.11	0.49
1:B:116:ASP:OD2	5:B:327:SO4:S	2.71	0.49
1:B:133:ILE:CD1	1:B:269:PRO:HG3	2.42	0.49
1:B:286:TYR:CG	1:B:287:GLY:N	2.80	0.49
1:A:64:ASN:HB2	6:A:372:HOH:O	2.12	0.48
1:A:19:ARG:NE	1:A:26:ILE:CD1	2.76	0.48
1:A:237:ASN:HD21	1:B:173:MET:HE2	1.79	0.48
1:A:23:ASP:HB3	1:A:25:TYR:CE1	2.49	0.48
1:A:160:ASN:HD22	1:A:160:ASN:C	2.17	0.48
1:B:91:GLY:HA2	1:B:95:GLY:O	2.14	0.48
1:A:262:PRO:HB2	1:A:264:GLN:OE1	2.14	0.47
1:B:131:GLN:O	1:B:132:ILE:HD13	2.14	0.47
1:B:299:HIS:H	1:B:299:HIS:CD2	2.33	0.47
1:A:22:ARG:HB2	1:A:22:ARG:NH1	2.29	0.47
5:A:326:SO4:O1	3:B:321:AKG:H42	2.14	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:261:VAL:CG1	1:B:265:VAL:HB	2.40	0.47
1:B:264:GLN:H	1:B:264:GLN:CD	2.15	0.47
1:A:154:THR:HG21	1:A:252:TYR:CE1	2.49	0.47
1:A:301:ARG:HG3	1:A:301:ARG:NH1	2.30	0.47
1:A:19:ARG:HE	1:A:26:ILE:CD1	2.28	0.47
1:B:19:ARG:HH21	1:B:26:ILE:HD11	1.79	0.47
1:A:222:TYR:HA	1:A:223:PRO:HD3	1.71	0.46
1:A:102:ARG:NH2	1:A:131:GLN:HE22	2.12	0.46
1:B:9:ASN:HD22	1:B:318:PRO:HB2	1.80	0.46
1:B:48:LEU:HD23	1:B:74:ILE:HD11	1.96	0.46
1:B:137:ASP:HB2	1:B:140:ARG:HD2	1.98	0.46
1:A:299:HIS:ND1	4:A:323:ACT:C	2.79	0.46
1:B:17:VAL:O	1:B:21:GLU:HG3	2.16	0.46
1:B:259:ARG:HH12	4:B:325:ACT:CH3	2.29	0.45
1:A:131:GLN:NE2	3:A:322:AKG:H32	2.23	0.45
1:B:102:ARG:HH22	1:B:131:GLN:HE22	1.65	0.45
1:A:262:PRO:HG2	1:A:265:VAL:HG23	1.99	0.45
1:A:316:GLN:NE2	1:A:316:GLN:HA	2.32	0.45
1:B:175:TYR:CE2	1:B:177:GLU:HG2	2.53	0.44
1:B:234:PHE:HD1	1:B:235:TRP:O	2.00	0.44
1:A:83:ARG:HD3	1:A:84:PRO:HD2	1.98	0.44
1:A:174:ASN:CB	1:B:144:ILE:HG12	2.47	0.44
1:B:131:GLN:OE1	3:B:321:AKG:H32	2.18	0.44
1:B:71:HIS:CD2	1:B:81:ILE:HD13	2.52	0.44
1:B:133:ILE:HD12	1:B:269:PRO:CG	2.48	0.44
1:B:10:PHE:HB2	1:B:88:ASP:HB2	2.00	0.43
1:B:86:ILE:HG23	1:B:149:VAL:HG21	2.00	0.43
1:A:83:ARG:HA	1:A:84:PRO:HD3	1.86	0.43
1:A:102:ARG:HH21	3:A:322:AKG:H32	1.84	0.43
1:B:9:ASN:ND2	1:B:318:PRO:HG2	2.33	0.43
1:A:56:TYR:HA	1:A:57:PRO:HD3	1.78	0.43
1:B:103:SER:HB2	1:B:256:PHE:CZ	2.53	0.43
1:A:120:ALA:HB2	6:A:402:HOH:O	2.17	0.43
1:B:297:TYR:CD1	1:B:297:TYR:N	2.87	0.43
1:A:110:GLN:HA	1:A:245:HIS:ND1	2.34	0.43
1:B:123:PHE:O	3:B:321:AKG:O5	2.37	0.43
1:B:146:THR:HG23	1:B:236:SER:HB3	2.00	0.43
1:B:220:GLN:HG3	1:B:243:LEU:CD1	2.49	0.42
1:B:276:GLU:HA	1:B:276:GLU:OE2	2.19	0.42
1:A:70:ARG:HA	1:A:70:ARG:HD2	1.84	0.42
1:B:122:THR:HA	3:B:321:AKG:H41	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:23:ASP:HB3	1:B:25:TYR:CE1	2.55	0.42
1:A:87:VAL:HG21	1:A:291:THR:HG23	2.01	0.42
1:B:259:ARG:HH12	4:B:325:ACT:H1	1.84	0.41
1:A:276:GLU:HA	1:A:276:GLU:OE1	2.19	0.41
1:A:87:VAL:CG2	1:A:291:THR:CG2	2.98	0.41
1:A:132:ILE:CD1	1:A:145:GLY:O	2.69	0.41
1:A:26:ILE:O	1:A:26:ILE:HG23	2.21	0.41
1:A:176:ASP:OD2	1:A:176:ASP:C	2.58	0.41
1:B:294:VAL:HG23	6:B:406:HOH:O	2.20	0.41
1:A:87:VAL:CG2	1:A:291:THR:HG23	2.50	0.41
1:A:116:ASP:OD2	5:A:326:SO4:S	2.79	0.41
1:B:25:TYR:CB	1:B:234:PHE:HB3	2.51	0.41
1:A:13:SER:O	1:A:17:VAL:HG23	2.21	0.40
1:A:40:ARG:O	1:A:44:ILE:HG13	2.21	0.40
1:A:110:GLN:OE1	1:A:249:LYS:HE2	2.21	0.40
1:A:175:TYR:O	1:B:141:PRO:HA	2.21	0.40
1:A:41:TRP:O	1:A:45:ARG:HB2	2.22	0.40
1:B:152:ALA:HB1	1:B:154:THR:O	2.21	0.40
1:B:13:SER:O	1:B:17:VAL:HG23	2.22	0.40
1:B:56:TYR:HA	1:B:57:PRO:HD3	1.86	0.40
1:B:94:ILE:HG13	1:B:98:LEU:HD21	2.03	0.40
1:B:317:ILE:HA	1:B:318:PRO:HD2	1.88	0.40
1:A:73:ASP:O	1:A:308:ARG:NH1	2.50	0.40
1:A:266:GLN:CG	1:A:269:PRO:HB3	2.52	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	252/319 (79%)	247 (98%)	5 (2%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	265/319 (83%)	257 (97%)	7 (3%)	1 (0%)	34	37
All	All	517/638 (81%)	504 (98%)	12 (2%)	1 (0%)	47	55

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	9	ASN

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	216/273 (79%)	206 (95%)	10 (5%)	27	34
1	B	230/273 (84%)	225 (98%)	5 (2%)	52	65
All	All	446/546 (82%)	431 (97%)	15 (3%)	37	47

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	48	LEU
1	A	70	ARG
1	A	119	GLN
1	A	132	ILE
1	A	155	HIS
1	A	160	ASN
1	A	163	LEU
1	A	239	MET
1	A	291	THR
1	A	299	HIS
1	B	102	ARG
1	B	155	HIS
1	B	261	VAL
1	B	264	GLN
1	B	299	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	47	GLN
1	A	60	ASN
1	A	119	GLN
1	A	131	GLN
1	A	160	ASN
1	A	174	ASN
1	A	237	ASN
1	A	316	GLN
1	B	9	ASN
1	B	42	ASN
1	B	47	GLN
1	B	170	HIS
1	B	220	GLN
1	B	273	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 15 ligands modelled in this entry, 2 are monoatomic - leaving 13 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	ACT	B	325	-	3,3,3	0.55	0	3,3,3	0.85	0
4	ACT	A	325	-	3,3,3	0.52	0	3,3,3	0.76	0
5	SO4	B	327	-	4,4,4	0.29	0	6,6,6	0.14	0
4	ACT	A	323	-	3,3,3	0.47	0	3,3,3	0.84	0
3	AKG	B	321	-	9,9,9	1.18	1 (11%)	11,11,11	1.39	2 (18%)
4	ACT	B	323	-	3,3,3	0.58	0	3,3,3	0.85	0
3	AKG	A	322	-	9,9,9	1.07	0	11,11,11	1.38	1 (9%)
4	ACT	A	324	-	3,3,3	0.47	0	3,3,3	0.81	0
5	SO4	A	326	-	4,4,4	0.21	0	6,6,6	0.10	0
4	ACT	B	326	-	3,3,3	0.56	0	3,3,3	0.83	0
3	AKG	A	321	2	9,9,9	0.98	1 (11%)	11,11,11	1.39	1 (9%)
4	ACT	B	322	-	3,3,3	0.47	0	3,3,3	0.83	0
4	ACT	B	324	-	3,3,3	0.51	0	3,3,3	0.82	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	AKG	A	321	2	-	0/9/9/9	-
3	AKG	A	322	-	-	0/9/9/9	-
3	AKG	B	321	-	-	0/9/9/9	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	321	AKG	C2-C1	-2.41	1.50	1.53
3	B	321	AKG	C3-C2	2.01	1.53	1.51

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	321	AKG	O2-C1-C2	2.43	120.61	113.97
3	B	321	AKG	C3-C2-C1	2.32	120.28	115.97
3	A	322	AKG	O2-C1-C2	2.25	120.13	113.97
3	B	321	AKG	O2-C1-C2	2.16	119.87	113.97

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

8 monomers are involved in 18 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	325	ACT	2	0
4	A	325	ACT	1	0
5	B	327	SO4	2	0
4	A	323	ACT	1	0
3	B	321	AKG	4	0
3	A	322	AKG	7	0
5	A	326	SO4	2	0
4	B	322	ACT	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	260/319 (81%)	-0.09	6 (2%) 60 58	34, 43, 64, 96	0
1	B	271/319 (84%)	0.22	20 (7%) 14 13	32, 46, 71, 89	0
All	All	531/638 (83%)	0.07	26 (4%) 29 28	32, 44, 68, 96	0

All (26) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	273	ASN	5.1
1	B	219	SER	4.2
1	B	140	ARG	4.0
1	B	18	ALA	3.7
1	A	175	TYR	3.5
1	B	217	ASP	3.5
1	B	319	SER	3.3
1	B	274	LEU	3.2
1	B	137	ASP	3.2
1	B	220	GLN	3.1
1	B	218	GLU	2.9
1	B	275	THR	2.7
1	B	272	GLU	2.5
1	B	14	PRO	2.5
1	B	318	PRO	2.4
1	B	136	SER	2.4
1	A	14	PRO	2.3
1	A	317	ILE	2.3
1	B	135	PRO	2.3
1	B	296	GLU	2.2
1	A	18	ALA	2.2
1	A	137	ASP	2.1
1	B	304	ARG	2.1
1	B	221	ALA	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	274	LEU	2.1
1	B	176	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	AKG	B	321	10/10	0.71	0.26	65,70,77,80	0
4	ACT	B	325	4/4	0.76	0.38	69,71,72,72	0
4	ACT	A	325	4/4	0.82	0.19	62,62,64,65	0
3	AKG	A	322	10/10	0.82	0.32	53,61,73,76	0
4	ACT	B	326	4/4	0.89	0.14	69,70,71,72	0
3	AKG	A	321	10/10	0.92	0.20	58,67,68,71	0
5	SO4	A	326	5/5	0.93	0.16	71,73,74,74	0
4	ACT	B	324	4/4	0.94	0.15	71,71,71,71	0
4	ACT	A	323	4/4	0.94	0.17	58,58,59,60	0
5	SO4	B	327	5/5	0.94	0.13	67,67,70,70	0
4	ACT	B	323	4/4	0.95	0.13	52,53,54,55	0
4	ACT	B	322	4/4	0.95	0.30	64,64,64,65	0
2	FE2	A	320	1/1	0.97	0.09	51,51,51,51	0
4	ACT	A	324	4/4	0.97	0.13	44,46,48,50	0
2	FE2	B	320	1/1	1.00	0.14	48,48,48,48	0

6.5 Other polymers [i](#)

There are no such residues in this entry.