

wwPDB X-ray Structure Validation Summary Report (i)

Aug 29, 2023 - 12:04 AM EDT

PDB ID	:	3LY2
Title	:	Catalytic Domain of Human Phosphodiesterase 4B in Complex with A
		Coumarin-Based Inhibitor
Authors	:	Shiau, A.K.; Coyle, A.R.; Hsien, J.H.; Staszewski, L.M.
Deposited on	:	2010-02-26
Resolution	:	2.60 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.35
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.35

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY \, DIFFRACTION$

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Motric	Whole archive	Similar resolution
IVIETIC	$(\# { m Entries})$	$(\# { m Entries}, { m resolution} { m range}({ m \AA}))$
R_{free}	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain	
1	А	357	82%	15% ·
1	В	357	84%	13% •
1	С	357	% 	12% • 7%
1	D	357	% 80%	11% 8%
1	Е	357	% 	11% • 8%



Mol	Chain	Length	Quality of chain		
1	F	357	^{2%} 82%	10%	8%
1	G	357	% 82%	11%	• 7%
1	Н	357	79%	14%	• 7%



2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 22265 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		At	oms			ZeroOcc	AltConf	Trace	
1	Δ	245	Total	С	Ν	0	S	0	0	0	
1	А	345	2761	1742	470	529	20	0	0	0	
1	р	245	Total	С	Ν	0	S	0	0	0	
1	D	345	2764	1742	469	533	20	0	0	0	
1	С	220	Total	С	Ν	0	S	0	0	0	
1	U	332	2671	1684	453	515	19	0	0	U	
1	Л	308	Total	С	Ν	0	S	0	0	0	
1	D	520	2648	1671	448	510	19	0	0	0	
1	F	200	Total	С	Ν	0	S	0	0	0	
1	Ľ	529	2652	1673	449	511	19	0	0	0	
1	Б	200	Total	С	Ν	0	S	0	0	0	
1	Г	329	2655	1675	450	511	19	0	0	0	
1	С	220	Total	С	Ν	0	S	0	0	0	
1	G	332	2687	1695	456	517	19	0	0	0	
1	ц	220	Total	С	Ν	0	S	0	0	0	
	11	<u> 33</u> 2	2683	1693	456	515	19	0	0		

• Molecule 1 is a protein called cAMP-specific 3',5'-cyclic phosphodiesterase 4B.

There are 168 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	131	MET	-	expression tag	UNP Q07343
A	132	GLY	-	expression tag	UNP Q07343
А	133	SER	-	expression tag	UNP Q07343
А	134	SER	-	expression tag	UNP Q07343
A	135	HIS	-	expression tag	UNP Q07343
A	136	HIS	-	expression tag	UNP Q07343
А	137	HIS	-	expression tag	UNP Q07343
A	138	HIS	-	expression tag	UNP Q07343
А	139	HIS	-	expression tag	UNP Q07343
A	140	HIS	-	expression tag	UNP Q07343
А	141 SER		-	expression tag	UNP Q07343
А	142	SER	-	expression tag	UNP Q07343
A	143	GLY	-	expression tag	UNP Q07343



Continuea from pretious page			vious puye					
Chain Residue Mode		Modelled	Actual	Comment	Reference			
	А	144	LEU	-	expression tag	UNP Q07343		
	А	145	VAL	-	expression tag	UNP Q07343		
	А	146	PRO	-	expression tag	UNP Q07343		
	А	147	ARG	-	expression tag	UNP Q07343		
	А	148	GLY	-	expression tag	UNP Q07343		
	А	149	SER	-	expression tag	UNP Q07343		
	А	150	HIS	-	expression tag	UNP Q07343		
	А	151	MET	-	expression tag	UNP Q07343		
	В	131	MET	-	expression tag	UNP Q07343		
	В	132	GLY	-	expression tag	UNP Q07343		
	В	133	SER	-	expression tag	UNP Q07343		
	В	134	SER	-	expression tag	UNP Q07343		
	В	135	HIS	-	expression tag	UNP Q07343		
	В	136	HIS	-	expression tag	UNP Q07343		
	В	137	HIS	-	expression tag	UNP Q07343		
	В	138	HIS	-	expression tag	UNP Q07343		
	В	139	HIS	-	expression tag	UNP Q07343		
	В	140	HIS	-	expression tag	UNP Q07343		
	В	141	SER	-	expression tag	UNP Q07343		
	В	142	SER	-	expression tag	UNP Q07343		
	В	143	GLY	-	expression tag	UNP Q07343		
	В	144	LEU	-	expression tag	UNP Q07343		
	В	145	VAL	-	expression tag	UNP Q07343		
	В	146	PRO	-	expression tag	UNP Q07343		
	В	147	ARG	-	expression tag	UNP Q07343		
	В	148	GLY	-	expression tag	UNP Q07343		
	В	149	SER	-	expression tag	UNP Q07343		
	В	150	HIS	-	expression tag	UNP Q07343		
	В	151	MET	-	expression tag	UNP Q07343		
	С	131	MET	-	expression tag	UNP Q07343		
	С	132	GLY	-	expression tag	UNP Q07343		
	С	133	SER	-	expression tag	UNP Q07343		
	С	134	SER	-	expression tag	UNP Q07343		
	С	135	HIS	-	expression tag	UNP Q07343		
	С	136	HIS	-	expression tag	UNP Q07343		
	С	137	HIS	-	expression tag	UNP Q07343		
	С	138	HIS	-	expression tag	UNP Q07343		
	С	139	HIS	-	expression tag	UNP Q07343		
	С	140	HIS	-	expression tag	UNP Q07343		
	С	141	SER	-	expression tag	UNP Q07343		
	С	142	SER	-	expression tag	UNP Q07343		
	С	143	GLY	-	expression tag	UNP Q07343		
	1			1		-		



Continued from pretto		vious puge					
Chain Residue M		Modelled	Actual	Comment	Reference		
C 144		LEU	-	expression tag	UNP Q07343		
C 145		VAL	-	expression tag	UNP Q07343		
С	146	PRO	-	expression tag	UNP Q07343		
С	147	ARG	-	expression tag	UNP Q07343		
С	148	GLY	-	expression tag	UNP Q07343		
С	149	SER	-	expression tag	UNP Q07343		
С	150	HIS	-	expression tag	UNP Q07343		
С	151	MET	-	expression tag	UNP Q07343		
D	131	MET	-	expression tag	UNP Q07343		
D	132	GLY	-	expression tag	UNP Q07343		
D	133	SER	-	expression tag	UNP Q07343		
D	134	SER	-	expression tag	UNP Q07343		
D	135	HIS	-	expression tag	UNP Q07343		
D	136	HIS	-	expression tag	UNP Q07343		
D	137	HIS	-	expression tag	UNP Q07343		
D	138	HIS	-	expression tag	UNP Q07343		
D	139	HIS	-	expression tag	UNP Q07343		
D	140	HIS	-	expression tag	UNP Q07343		
D	141	SER	-	expression tag	UNP Q07343		
D	142	SER	-	expression tag	UNP Q07343		
D	143	GLY	-	expression tag	UNP Q07343		
D	144	LEU	-	expression tag	UNP Q07343		
D	145	VAL	-	expression tag	UNP Q07343		
D	146	PRO	-	expression tag	UNP Q07343		
D	147	ARG	-	expression tag	UNP Q07343		
D	148	GLY	-	expression tag	UNP Q07343		
D	149	SER	-	expression tag	UNP Q07343		
D	150	HIS	-	expression tag	UNP Q07343		
D	151	MET	-	expression tag	UNP Q07343		
Е	131	MET	-	expression tag	UNP Q07343		
Е	132	GLY	-	expression tag	UNP Q07343		
Е	133	SER	-	expression tag	UNP Q07343		
Е	134	SER	-	expression tag	UNP Q07343		
Е	135	HIS	-	expression tag	UNP Q07343		
Е	136	HIS	-	expression tag	UNP Q07343		
Е	137	HIS	-	expression tag	UNP Q07343		
Е	138	HIS	-	expression tag	UNP Q07343		
Е	139	HIS	-	expression tag	UNP Q07343		
Е	140	HIS	-	expression tag	UNP Q07343		
Е	141	SER	-	expression tag	UNP Q07343		
Е	142	SER	-	expression tag	UNP Q07343		
Е	143	GLY	-	expression tag	UNP Q07343		



Chain Residue M		Modelled	Actual	Comment	Reference	
	F	144	IFU	Actual	ovprossion tog	1000000000000000000000000000000000000
E 144 F 145			-	expression tag	$\frac{\text{UNI}}{\text{UND}} = \frac{007343}{007242}$	
	E F	143	VAL DPO	-	expression tag	$\frac{\text{UNF}}{\text{UND}} \frac{007343}{007242}$
	E F	140	I NO	-	expression tag	$\frac{\text{UNF}}{\text{UND}} \frac{007343}{007242}$
		147	ANG	-	expression tag	$\frac{\text{UNP} \ \text{Q07545}}{\text{UND} \ \text{O07242}}$
	E F	148	GLI	-	expression tag	$\frac{\text{UNP}}{\text{UND}} \frac{007343}{007242}$
		149	SER	-	expression tag	UNP Q07343
	E	150	HIS	-	expression tag	UNP Q07343
	E	151	MET	-	expression tag	UNP Q07343
	F	131	MET	-	expression tag	UNP Q07343
	F'	132	GLY	-	expression tag	UNP Q07343
	F'	133	SER	-	expression tag	UNP Q07343
	F	134	SER	-	expression tag	UNP Q07343
	F	135	HIS	-	expression tag	UNP Q07343
	F	136	HIS	-	expression tag	UNP Q07343
	F	137	HIS	-	expression tag	UNP Q07343
	F	138	HIS	-	expression tag	UNP Q07343
	F	139	HIS	-	expression tag	UNP Q07343
	F	140	HIS	-	expression tag	UNP Q07343
	F	141	SER	-	expression tag	UNP Q07343
	F	142	SER	-	expression tag	UNP Q07343
	F	143	GLY	-	expression tag	UNP Q07343
	F	144	LEU	-	expression tag	UNP Q07343
	F	145	VAL	-	expression tag	UNP Q07343
	F	146	PRO	-	expression tag	UNP Q07343
	F	147	ARG	-	expression tag	UNP Q07343
	F	148	GLY	-	expression tag	UNP Q07343
	F	149	SER	-	expression tag	UNP Q07343
	F	150	HIS	-	expression tag	UNP Q07343
	F	151	MET	-	expression tag	UNP Q07343
	G	131	MET	-	expression tag	UNP Q07343
	G	132	GLY	-	expression tag	UNP Q07343
	G	133	SER	-	expression tag	UNP Q07343
	G	134	SER	_	expression tag	UNP Q07343
	G	135	HIS	_	expression tag	UNP Q07343
	G	136	HIS	-	expression tag	UNP Q07343
	G	137	HIS	-	expression tag	UNP Q07343
	G	138	HIS	-	expression tag	UNP Q07343
	G	139	HIS	_	expression tag	UNP Q07343
	G	140	HIS	_	expression tag	UNP Q07343
	G	141	SER	_	expression tag	UNP 007343
	G	142	SER	_	expression tag	UNP 007343
	G	143	GLY	_	expression tag	UNP 007343
				1		



Chain	D ogiduo	Medelled	Actual	Commont	Deference
Chain	nesidue	Modelled	Actual	Comment	Reference
G	144	LEU	-	expression tag	UNP Q07343
G	145	VAL	-	expression tag	UNP Q07343
G	146	PRO	-	expression tag	UNP Q07343
G	147	ARG	-	expression tag	UNP Q07343
G	148	GLY	-	expression tag	UNP Q07343
G	149	SER	-	expression tag	UNP Q07343
G	150	HIS	-	expression tag	UNP Q07343
G	151	MET	-	expression tag	UNP Q07343
Н	131	MET	-	expression tag	UNP Q07343
Н	132	GLY	-	expression tag	UNP Q07343
Н	133	SER	-	expression tag	UNP Q07343
Н	134	SER	-	expression tag	UNP Q07343
Н	135	HIS	-	expression tag	UNP Q07343
Н	136	HIS	-	expression tag	UNP Q07343
Н	137	HIS	-	expression tag	UNP Q07343
Н	138	HIS	-	expression tag	UNP Q07343
Н	139	HIS	-	expression tag	UNP Q07343
Н	140	HIS	-	expression tag	UNP Q07343
Н	141	SER	-	expression tag	UNP Q07343
Н	142	SER	-	expression tag	UNP Q07343
Н	143	GLY	-	expression tag	UNP Q07343
Н	144	LEU	-	expression tag	UNP Q07343
Н	145	VAL	-	expression tag	UNP Q07343
Н	146	PRO	-	expression tag	UNP Q07343
Н	147	ARG	-	expression tag	UNP Q07343
Н	148	GLY	-	expression tag	UNP Q07343
Н	149	SER	-	expression tag	UNP Q07343
Н	150	HIS	-	expression tag	UNP Q07343
Н	151	MET	-	expression tag	UNP Q07343

• Molecule 2 is 8-(cyclopentyloxy)-4-[(3,5-dichloropyridin-4-yl)amino]-7-methoxy-2H-chromen -2-one (three-letter code: Z72) (formula: $C_{20}H_{18}Cl_2N_2O_4$).





Mol	Chain	Residues		Ate	oms			ZeroOcc	AltConf					
0	Λ	1	Total	С	Cl	Ν	Ο	0	0					
		1	28	20	2	2	4	0	0					
9	В	1	Total	С	Cl	Ν	0	0	0					
	D	D	D	D	Ъ	1	28	20	2	2	4	0	0	
9	С	1	Total	С	Cl	Ν	0	0	0					
		U	U	U		1	28	20	2	2	4	0	0	
9	Л	1	Total	С	Cl	Ν	0	0	0					
	D	D	D	D			1	28	20	2	2	4	0	0
9	F	1	Total	С	Cl	Ν	0	0	0					
2	Ľ	1	28	20	2	2	4	0	0					
2	F	1	Total	С	Cl	Ν	Ο	0	0					
2	Ľ	1	28	20	2	2	4	0	0					
2	C	1	Total	С	Cl	Ν	Ο	0	0					
	9	1	28	20	2	2	4	0	0					
2	н	1	Total	С	Cl	Ν	Ο	0	0					
	Н	1	28	20	2	2	4	0						

• Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	Total Zn 1 1	0	0
3	В	1	Total Zn 1 1	0	0
3	С	1	Total Zn 1 1	0	0
3	D	1	Total Zn 1 1	0	0



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	Е	1	Total Zn 1 1	0	0
3	F	1	Total Zn 1 1	0	0
3	G	1	Total Zn 1 1	0	0
3	Н	1	Total Zn 1 1	0	0

• Molecule 4 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	Total Mg 1 1	0	0
4	В	1	Total Mg 1 1	0	0
4	С	1	Total Mg 1 1	0	0
4	D	1	Total Mg 1 1	0	0
4	Е	1	Total Mg 1 1	0	0
4	F	1	Total Mg 1 1	0	0
4	G	1	Total Mg 1 1	0	0
4	Н	1	Total Mg 1 1	0	0





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0
5	В	1	$\begin{array}{ccc} \text{Total} & \text{O} & \text{S} \\ 5 & 4 & 1 \end{array}$	0	0

• Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	А	81	Total O 81 81	0	0
6	В	91	Total O 91 91	0	0
6	С	46	Total O 46 46	0	0
6	D	100	Total O 100 100	0	0
6	Ε	39	Total O 39 39	0	0
6	\mathbf{F}	27	TotalO2727	0	0
6	G	53	$\begin{array}{cc} \text{Total} & \text{O} \\ 53 & 53 \end{array}$	0	0
6	Н	57	Total O 57 57	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: cAMP-specific 3',5'-cyclic phosphodiesterase 4B







4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants	214.80Å 233.96Å 165.26Å	Depositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Bosolution (Å)	49.84 - 2.60	Depositor
Resolution (A)	49.84 - 2.59	EDS
% Data completeness	100.0 (49.84-2.60)	Depositor
(in resolution range)	99.5(49.84 - 2.59)	EDS
R_{merge}	(Not available)	Depositor
R _{sym}	0.12	Depositor
$< I/\sigma(I) > 1$	$1.99 (at 2.58 \text{\AA})$	Xtriage
Refinement program	CNX	Depositor
P. P.	0.205 , 0.233	Depositor
n, n_{free}	0.202 , 0.227	DCC
R_{free} test set	6438 reflections $(5.03%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	35.6	Xtriage
Anisotropy	0.209	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.34 , 41.4	EDS
L-test for $twinning^2$	$ < L >=0.49, < L^2>=0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	22265	wwPDB-VP
Average B, all atoms $(Å^2)$	38.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The analyses of the Patterson function reveals a significant off-origin peak that is 20.18 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 9.1946e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, Z72, SO4, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Chai		Bo	ond lengths	Bond angles	
MOI	Unain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	А	0.39	0/2819	0.59	0/3824
1	В	0.40	0/2822	0.59	0/3829
1	С	0.36	0/2726	0.54	0/3699
1	D	0.35	0/2703	0.54	0/3668
1	Е	0.36	0/2707	0.54	0/3673
1	F	0.37	0/2710	0.54	0/3677
1	G	0.39	2/2743~(0.1%)	0.55	0/3720
1	Н	0.39	2/2739~(0.1%)	0.54	0/3715
All	All	0.38	4/21969~(0.0%)	0.56	0/29805

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms		Observed(Å)	Ideal(Å)
1	G	486	GLN	CD-NE2	-6.30	1.17	1.32
1	Н	486	GLN	CD-NE2	-6.30	1.17	1.32
1	Н	486	GLN	CD-OE1	-6.26	1.10	1.24
1	G	486	GLN	CD-OE1	-6.13	1.10	1.24

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.



9T	VO	
эL	12	

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2761	0	2681	31	0
1	В	2764	0	2676	24	0
1	С	2671	0	2589	32	0
1	D	2648	0	2574	26	1
1	Е	2652	0	2577	28	0
1	F	2655	0	2577	20	0
1	G	2687	0	2611	22	0
1	Н	2683	0	2607	31	0
2	А	28	0	18	3	0
2	В	28	0	18	3	0
2	С	28	0	18	1	0
2	D	28	0	18	4	0
2	Е	28	0	18	1	0
2	F	28	0	18	3	0
2	G	28	0	18	0	0
2	Н	28	0	18	0	0
3	А	1	0	0	0	0
3	В	1	0	0	0	0
3	С	1	0	0	0	0
3	D	1	0	0	0	0
3	Е	1	0	0	0	0
3	F	1	0	0	0	0
3	G	1	0	0	0	0
3	Н	1	0	0	0	0
4	А	1	0	0	0	0
4	В	1	0	0	0	0
4	С	1	0	0	0	0
4	D	1	0	0	0	0
4	Е	1	0	0	0	0
4	F	1	0	0	0	0
4	G	1	0	0	0	0
4	Н	1	0	0	0	0
5	А	5	0	0	0	0
5	В	5	0	0	0	0
6	A	81	0	0	1	0
6	В	91	0	0	1	0
6	С	46	0	0	0	0
6	D	100	0	0	4	0
6	E	39	0	0	0	0
6	F	27	0	0	0	0
6	G	53	0	0	0	0
6	H	57	0	0	1	0
All	All	22265	0	21036	203	1



The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

The worst 5 of 203 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:156:PHE:HA	1:B:221:MET:HE1	1.38	1.06
1:A:156:PHE:HA	1:A:221:MET:HE1	1.47	0.93
1:E:221:MET:SD	1:F:423:GLU:HG2	2.26	0.75
1:F:422:ARG:HB2	1:F:428:ILE:HD11	1.72	0.69
1:D:422:ARG:HB2	1:D:428:ILE:HD11	1.75	0.69

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1 Atom-2		Interatomic distance (Å)	Clash overlap (Å)
1:D:456:GLU:OE2	$1:D:456:GLU:OE2[4_555]$	2.17	0.03

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	343/357~(96%)	335~(98%)	8 (2%)	0	100	100
1	В	343/357~(96%)	335 (98%)	7 (2%)	1 (0%)	41	64
1	С	330/357~(92%)	316 (96%)	13 (4%)	1 (0%)	41	64
1	D	326/357~(91%)	313 (96%)	13 (4%)	0	100	100
1	Е	327/357~(92%)	314 (96%)	13 (4%)	0	100	100
1	F	327/357~(92%)	313 (96%)	14 (4%)	0	100	100
1	G	330/357~(92%)	323 (98%)	6 (2%)	1 (0%)	41	64
1	Н	330/357~(92%)	323 (98%)	6 (2%)	1 (0%)	41	64
All	All	2656/2856~(93%)	2572 (97%)	80 (3%)	4 (0%)	47	71



3LY2

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	G	375	ASP
1	Н	375	ASP
1	С	485	PRO
1	В	439	VAL

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	308/323~(95%)	303~(98%)	5(2%)	62	82
1	В	309/323~(96%)	301~(97%)	8(3%)	46	72
1	С	298/323~(92%)	294 (99%)	4 (1%)	69	86
1	D	297/323~(92%)	291 (98%)	6 (2%)	55	78
1	Ε	297/323~(92%)	293~(99%)	4 (1%)	69	86
1	F	297/323~(92%)	291~(98%)	6 (2%)	55	78
1	G	301/323~(93%)	297~(99%)	4 (1%)	69	86
1	Н	300/323~(93%)	295~(98%)	5 (2%)	60	81
All	All	2407/2584 (93%)	2365 (98%)	42 (2%)	60	81

5 of 42 residues with a non-rotameric side chain are listed below:

Mol	Chain	Res	Type
1	F	326	LEU
1	G	460	ASP
1	F	360	MET
1	F	464	PRO
1	Н	159	ASN

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such side chains are listed below:

Mol	Chain	Res	Type
1	С	481	GLN



Continued from previous page...

Mol	Chain	Res	Type
1	Ε	481	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 26 ligands modelled in this entry, 16 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Turne	Chain	Dec	T inl.	B	Bond lengths			Bond angles		
	туре	Chain	nes		Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z >2	
5	SO4	В	1003	-	4,4,4	0.24	0	6,6,6	0.15	0	
2	Z72	А	1000	-	31,31,31	2.28	14 (45%)	42,44,44	1.33	8 (19%)	
2	Z72	D	1000	-	31,31,31	1.88	10 (32%)	42,44,44	1.31	7 (16%)	
2	Z72	Е	1000	-	31,31,31	2.01	13 (41%)	42,44,44	1.28	7 (16%)	
5	SO4	А	1003	-	4,4,4	0.24	0	6,6,6	0.22	0	
2	Z72	С	1000	-	31,31,31	1.97	14 (45%)	42,44,44	1.26	7 (16%)	
2	Z72	В	1000	-	31,31,31	2.00	14 (45%)	42,44,44	1.28	7 (16%)	
2	Z72	F	1000	-	31,31,31	1.96	10 (32%)	42,44,44	1.32	7 (16%)	
2	Z72	G	1000	-	31,31,31	1.99	12 (38%)	42,44,44	1.36	9 (21%)	
2	Z72	Н	1000	-	31,31,31	2.02	13 (41%)	42,44,44	1.36	9 (21%)	



In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	Z72	А	1000	-	-	4/10/17/17	0/4/4/4
2	Z72	D	1000	-	-	4/10/17/17	0/4/4/4
2	Z72	Е	1000	-	-	2/10/17/17	0/4/4/4
2	Z72	С	1000	-	-	2/10/17/17	0/4/4/4
2	Z72	В	1000	-	-	4/10/17/17	0/4/4/4
2	Z72	F	1000	-	-	4/10/17/17	0/4/4/4
2	Z72	G	1000	-	-	2/10/17/17	0/4/4/4
2	Z72	Н	1000	-	-	2/10/17/17	0/4/4/4

The worst 5 of 100 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	А	1000	Z72	C14-C15	-6.16	1.39	1.47
2	G	1000	Z72	C14-C15	-5.28	1.40	1.47
2	Н	1000	Z72	C14-C15	-5.01	1.41	1.47
2	F	1000	Z72	C14-C15	-4.90	1.41	1.47
2	D	1000	Z72	C14-C15	-4.85	1.41	1.47

The worst 5 of 61 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms		$Observed(^{o})$	$Ideal(^{o})$
2	G	1000	Z72	C17-C15-N16	-3.39	119.44	126.21
2	Н	1000	Z72	C17-C15-N16	-3.35	119.51	126.21
2	С	1000	Z72	C17-C15-N16	-3.27	119.67	126.21
2	Е	1000	Z72	C17-C15-N16	-3.26	119.69	126.21
2	F	1000	Z72	C17-C15-N16	-3.26	119.70	126.21

There are no chirality outliers.

5	of	24	torsion	outliers	are	listed	below:
---	----	----	---------	----------	-----	--------	--------

Mol	Chain	Res	Type	Atoms
2	А	1000	Z72	C9-C2-O3-C4
2	А	1000	Z72	C5-C4-O3-C2
2	А	1000	Z72	C8-C4-O3-C2
2	В	1000	Z72	C5-C4-O3-C2
2	В	1000	Z72	C8-C4-O3-C2



There are no ring outliers.

Mol	Chain	\mathbf{Res}	Type	Clashes	Symm-Clashes
2	А	1000	Z72	3	0
2	D	1000	Z72	4	0
2	Ε	1000	Z72	1	0
2	С	1000	Z72	1	0
2	В	1000	Z72	3	0
2	F	1000	Z72	3	0

6 monomers are involved in 15 short contacts:

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.















5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ $>$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	345/357~(96%)	-0.51	1 (0%) 94 93	17, 30, 51, 66	0
1	В	345/357~(96%)	-0.52	0 100 100	16, 29, 52, 67	0
1	С	332/357~(92%)	-0.23	3 (0%) 84 82	21, 38, 66, 86	0
1	D	328/357~(91%)	-0.24	4 (1%) 79 76	21, 34, 64, 92	0
1	Ε	329/357~(92%)	-0.23	5 (1%) 73 70	21, 39, 64, 86	0
1	F	329/357~(92%)	-0.15	8 (2%) 59 53	24, 39, 66, 93	0
1	G	332/357~(92%)	-0.14	5 (1%) 73 70	20, 39, 72, 88	0
1	Н	332/357~(92%)	-0.17	7 (2%) 63 58	18, 41, 72, 89	0
All	All	2672/2856~(93%)	-0.28	33 (1%) 79 76	16, 36, 64, 93	0

The worst 5 of 33 RSRZ outliers are listed below:

Mol	Chain	\mathbf{Res}	Type	RSRZ
1	D	158	VAL	4.6
1	D	160	THR	4.0
1	F	369	SER	3.4
1	G	369	SER	3.3
1	D	159	ASN	3.3

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.



6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(A^2)$	Q<0.9
2	Z72	F	1000	28/28	0.84	0.28	57,60,69,73	0
2	Z72	А	1000	28/28	0.88	0.23	53,59,69,71	0
2	Z72	С	1000	28/28	0.91	0.20	47,54,60,61	0
2	Z72	G	1000	28/28	0.91	0.22	48,56,69,71	0
2	Z72	Н	1000	28/28	0.91	0.20	50,57,69,71	0
2	Z72	D	1000	28/28	0.92	0.21	52,56,65,68	0
2	Z72	Е	1000	28/28	0.93	0.18	48,55,60,62	0
2	Z72	В	1000	28/28	0.93	0.20	44,53,58,60	0
4	MG	А	1002	1/1	0.93	0.06	24,24,24,24	0
4	MG	Е	1002	1/1	0.93	0.05	28,28,28,28	0
4	MG	F	1002	1/1	0.94	0.06	29,29,29,29	0
4	MG	G	1002	1/1	0.96	0.03	27,27,27,27	0
4	MG	D	1002	1/1	0.97	0.04	24,24,24,24	0
4	MG	В	1002	1/1	0.97	0.06	20,20,20,20	0
3	ZN	G	1001	1/1	0.98	0.06	32,32,32,32	0
4	MG	С	1002	1/1	0.98	0.08	24,24,24,24	0
4	MG	Н	1002	1/1	0.98	0.06	26,26,26,26	0
3	ZN	F	1001	1/1	0.99	0.05	36,36,36,36	0
3	ZN	А	1001	1/1	0.99	0.07	27,27,27,27	0
3	ZN	В	1001	1/1	0.99	0.07	$27,\!27,\!27,\!27$	0
3	ZN	С	1001	1/1	0.99	0.08	33,33,33,33	0
3	ZN	Е	1001	1/1	0.99	0.08	35,35,35,35	0
5	SO4	A	1003	5/5	0.99	0.12	$2\overline{9,29,31,32}$	0
5	SO4	В	1003	5/5	0.99	0.13	33,33,33,34	0
3	ZN	D	1001	1/1	1.00	0.07	$2\overline{7,27,27,27}$	0
3	ZN	Н	1001	1/1	1.00	0.07	31,31,31,31	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.























6.5 Other polymers (i)

There are no such residues in this entry.

