



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 30, 2023 – 11:40 AM EDT

PDB ID : 3N82  
Title : T244A mutant of Human mitochondrial aldehyde dehydrogenase, NADH complex  
Authors : Gonzalez-Segura, L.; Hurley, T.D.  
Deposited on : 2010-05-27  
Resolution : 2.25 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1377 (2.26-2.26)
Clashscore	141614	1487 (2.26-2.26)
Ramachandran outliers	138981	1449 (2.26-2.26)
Sidechain outliers	138945	1450 (2.26-2.26)
RSRZ outliers	127900	1356 (2.26-2.26)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	500	94% <span style="float: right;">. .</span>
1	B	500	94% <span style="float: right;">. .</span>
1	C	500	92% <span style="float: right;">7% .</span>
1	D	500	93% <span style="float: right;">6% .</span>
1	E	500	94% <span style="float: right;">5% .</span>

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	500	 93% 6% •
1	G	500	%  94% 5% •
1	H	500	%  93% 6% •

## 2 Entry composition i

There are 7 unique types of molecules in this entry. The entry contains 33806 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Aldehyde dehydrogenase, mitochondrial.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	494	3833	2436	654	722	21	0	5	0
1	B	494	3828	2432	654	722	20	0	4	0
1	C	494	3819	2427	652	720	20	0	3	0
1	D	494	3834	2436	654	724	20	0	5	0
1	E	494	3828	2432	654	722	20	0	4	0
1	F	494	3819	2427	652	720	20	0	3	0
1	G	494	3819	2427	652	720	20	0	3	0
1	H	494	3834	2435	655	724	20	0	5	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	244	ALA	THR	engineered mutation	UNP P05091
B	244	ALA	THR	engineered mutation	UNP P05091
C	244	ALA	THR	engineered mutation	UNP P05091
D	244	ALA	THR	engineered mutation	UNP P05091
E	244	ALA	THR	engineered mutation	UNP P05091
F	244	ALA	THR	engineered mutation	UNP P05091
G	244	ALA	THR	engineered mutation	UNP P05091
H	244	ALA	THR	engineered mutation	UNP P05091


- Molecule 2 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total Mg 1 1	0	0
2	B	1	Total Mg 1 1	0	0
2	C	1	Total Mg 1 1	0	0
2	D	1	Total Mg 1 1	0	0
2	E	1	Total Mg 1 1	0	0
2	F	1	Total Mg 1 1	0	0
2	G	1	Total Mg 1 1	0	0
2	H	1	Total Mg 1 1	0	0

- Molecule 3 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total Na 1 1	0	0
3	B	1	Total Na 1 1	0	0
3	C	1	Total Na 1 1	0	0
3	D	1	Total Na 1 1	0	0
3	E	1	Total Na 1 1	0	0
3	F	1	Total Na 1 1	0	0
3	G	1	Total Na 1 1	0	0
3	H	1	Total Na 1 1	0	0

- Molecule 4 is GUANIDINE (three-letter code: GAI) (formula: CH<sub>5</sub>N<sub>3</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C N 4 1 3	0	0
4	B	1	Total C N 4 1 3	0	0
4	B	1	Total C N 4 1 3	0	0
4	C	1	Total C N 4 1 3	0	0
4	D	1	Total C N 4 1 3	0	0
4	D	1	Total C N 4 1 3	0	0
4	E	1	Total C N 4 1 3	0	0
4	E	1	Total C N 4 1 3	0	0
4	F	1	Total C N 4 1 3	0	0
4	F	1	Total C N 4 1 3	0	0
4	G	1	Total C N 4 1 3	0	0
4	G	1	Total C N 4 1 3	0	0
4	H	1	Total C N 4 1 3	0	0

- Molecule 5 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C<sub>2</sub>H<sub>6</sub>O<sub>2</sub>).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	A	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	B	1	Total C O 4 2 2	0	0
5	C	1	Total C O 4 2 2	0	0
5	C	1	Total C O 4 2 2	0	0
5	C	1	Total C O 4 2 2	0	0
5	C	1	Total C O 4 2 2	0	0
5	D	1	Total C O 4 2 2	0	0
5	D	1	Total C O 4 2 2	0	0
5	E	1	Total C O 4 2 2	0	0
5	E	1	Total C O 4 2 2	0	0
5	E	1	Total C O 4 2 2	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	F	1	Total	C	O	0	0
			4	2	2		
5	F	1	Total	C	O	0	0
			4	2	2		
5	F	1	Total	C	O	0	0
			4	2	2		
5	F	1	Total	C	O	0	0
			4	2	2		
5	F	1	Total	C	O	0	0
			4	2	2		
5	G	1	Total	C	O	0	0
			4	2	2		
5	G	1	Total	C	O	0	0
			4	2	2		
5	G	1	Total	C	O	0	0
			4	2	2		
5	H	1	Total	C	O	0	0
			4	2	2		
5	H	1	Total	C	O	0	0
			4	2	2		

- Molecule 6 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula:  $C_{21}H_{27}N_7O_{14}P_2$ ).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
6	A	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

Continued on next page...



*Continued from previous page...*

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
6	B	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
6	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
6	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
6	E	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
6	F	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
6	G	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
6	H	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 7 is water.


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	332	Total	O	0	0
			332	332		
7	B	355	Total	O	0	0
			355	355		
7	C	346	Total	O	0	0
			346	346		
7	D	342	Total	O	0	0
			342	342		
7	E	349	Total	O	0	0
			349	349		
7	F	343	Total	O	0	0
			343	343		
7	G	301	Total	O	0	0
			301	301		
7	H	308	Total	O	0	0
			308	308		

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Aldehyde dehydrogenase, mitochondrial

Chain A:  94%




- Molecule 1: Aldehyde dehydrogenase, mitochondrial

Chain B:  94%




- Molecule 1: Aldehyde dehydrogenase, mitochondrial

Chain C:  92% 7%




- Molecule 1: Aldehyde dehydrogenase, mitochondrial

Chain D:  93% 6%




- Molecule 1: Aldehyde dehydrogenase, mitochondrial

Chain E:  94% 5%



- Molecule 1: Aldehyde dehydrogenase, mitochondrial

Chain F: 93% 6%




- Molecule 1: Aldehyde dehydrogenase, mitochondrial

Chain G: 94% 5%



- Molecule 1: Aldehyde dehydrogenase, mitochondrial

Chain H: 93% 6%



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	142.22Å 150.72Å 177.30Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	50.00 – 2.25 49.65 – 2.25	Depositor EDS
% Data completeness (in resolution range)	99.6 (50.00-2.25) 99.6 (49.65-2.25)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.60 (at 2.25Å)	Xtrriage
Refinement program	REFMAC 5.3.0037	Depositor
R, $R_{free}$	0.168 , 0.219 0.171 , 0.222	Depositor DCC
$R_{free}$ test set	8995 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	23.2	Xtrriage
Anisotropy	0.857	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 39.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.34$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	33806	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	25.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 55.57 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.1035e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: NAD, MG, GAI, EDO, NA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.44	0/3920	0.52	0/5316
1	B	0.45	0/3912	0.51	0/5306
1	C	0.43	0/3903	0.52	0/5294
1	D	0.43	0/3921	0.52	0/5318
1	E	0.43	0/3912	0.51	0/5306
1	F	0.45	0/3903	0.51	0/5294
1	G	0.42	0/3903	0.51	0/5294
1	H	0.43	0/3918	0.51	0/5314
All	All	0.43	0/31292	0.51	0/42442

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3833	0	3778	12	0
1	B	3828	0	3769	11	0
1	C	3819	0	3762	19	0
1	D	3834	0	3775	17	0
1	E	3828	0	3769	15	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	F	3819	0	3762	17	0
1	G	3819	0	3762	13	0
1	H	3834	0	3773	18	0
2	A	1	0	0	0	0
2	B	1	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
2	E	1	0	0	0	0
2	F	1	0	0	0	0
2	G	1	0	0	0	0
2	H	1	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	1	0	0	0	0
3	G	1	0	0	0	0
3	H	1	0	0	0	0
4	A	4	0	4	0	0
4	B	8	0	8	0	0
4	C	4	0	4	0	0
4	D	8	0	8	0	0
4	E	8	0	8	0	0
4	F	8	0	8	0	0
4	G	8	0	8	0	0
4	H	4	0	4	0	0
5	A	12	0	18	0	0
5	B	8	0	12	0	0
5	C	16	0	24	0	0
5	D	8	0	12	1	0
5	E	12	0	18	1	0
5	F	20	0	30	2	0
5	G	12	0	18	0	0
5	H	8	0	12	0	0
6	A	44	0	26	0	0
6	B	44	0	26	0	0
6	C	44	0	26	1	0
6	D	44	0	26	0	0
6	E	44	0	26	0	0
6	F	44	0	26	1	0
6	G	44	0	26	0	0

*Continued on next page...*

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	H	44	0	26	0	0
7	A	332	0	0	0	0
7	B	355	0	0	1	0
7	C	346	0	0	2	0
7	D	342	0	0	1	0
7	E	349	0	0	1	0
7	F	343	0	0	2	0
7	G	301	0	0	2	0
7	H	308	0	0	3	0
All	All	33806	0	30554	119	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (119) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:174:MET:SD	7:G:2134:HOH:O	2.37	0.81
1:E:279:SER:H	1:E:311[B]:GLN:HE21	1.35	0.73
1:F:270:GLY:HA3	7:F:572:HOH:O	1.96	0.65
1:H:291:HIS:HE1	1:H:329:ARG:HH11	1.47	0.61
1:E:279:SER:H	1:E:311[B]:GLN:NE2	1.98	0.59
1:H:291:HIS:HD2	7:H:503:HOH:O	1.84	0.59
1:E:167:PRO:HD3	1:E:244:ALA:HB3	1.84	0.59
1:F:302:CYS:SG	7:F:2678:HOH:O	2.57	0.57
1:G:279:SER:H	1:G:311[B]:GLN:HE21	1.53	0.57
1:C:291:HIS:HE1	1:C:329:ARG:HH11	1.53	0.56
1:B:205:ALA:HB2	1:B:220:ILE:HD12	1.89	0.55
1:E:23:PHE:CZ	1:E:26:ASN:HA	2.41	0.55
1:G:23:PHE:CZ	1:G:26:ASN:HA	2.42	0.54
1:E:72:LEU:HD21	5:F:946:EDO:H11	1.89	0.54
1:C:23:PHE:CZ	1:C:26:ASN:HA	2.42	0.53
1:E:464:PRO:HG3	1:E:480:TYR:CD1	2.43	0.53
1:G:279:SER:H	1:G:311[B]:GLN:NE2	2.07	0.53
1:F:23:PHE:CZ	1:F:26:ASN:HA	2.43	0.52
1:G:167:PRO:HD3	1:G:244:ALA:HB3	1.91	0.52
1:F:358:ASN:O	1:F:362:GLN:HG2	2.08	0.52
1:E:41:ASN:HD22	5:E:915:EDO:H22	1.75	0.52
1:C:291:HIS:HD2	7:C:1421:HOH:O	1.92	0.51
1:C:270:GLY:HA3	7:C:920:HOH:O	2.11	0.51
1:F:205:ALA:HB2	1:F:220:ILE:HD12	1.91	0.51

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:23:PHE:CZ	1:H:26:ASN:HA	2.46	0.51
1:H:167:PRO:HD3	1:H:244:ALA:HB3	1.92	0.51
1:G:449:GLY:HA3	1:G:466:GLY:O	2.11	0.51
1:B:100:THR:HG22	1:B:118:TYR:HE1	1.76	0.50
1:E:449:GLY:HA3	1:E:466:GLY:O	2.12	0.50
1:D:271:GLY:HA2	1:D:425:TYR:CD2	2.47	0.50
1:B:466:GLY:HA3	1:B:475:ARG:HD3	1.94	0.50
1:E:170:PHE:HB3	1:E:173:LEU:HB3	1.94	0.50
1:D:417:VAL:HG23	1:D:442:LEU:CD2	2.42	0.49
1:A:205:ALA:HB2	1:A:220:ILE:HD12	1.94	0.49
1:E:251:ARG:NH1	1:F:260:SER:O	2.24	0.49
1:F:167:PRO:HD3	1:F:244:ALA:HB3	1.92	0.49
1:D:449:GLY:HA3	1:D:466:GLY:O	2.11	0.49
1:C:464:PRO:HG3	1:C:480:TYR:CD1	2.48	0.49
1:A:449:GLY:HA3	1:A:466:GLY:O	2.13	0.49
1:C:449:GLY:HA3	1:C:466:GLY:O	2.12	0.48
1:D:167:PRO:HD3	1:D:244:ALA:HB3	1.96	0.48
1:G:251:ARG:NH1	1:H:260:SER:O	2.37	0.48
1:C:294:LEU:HD23	1:C:306:SER:HA	1.95	0.47
1:B:449:GLY:HA3	1:B:466:GLY:O	2.15	0.47
1:C:291:HIS:CE1	1:C:329:ARG:HD2	2.49	0.47
1:A:174[B]:MET:HE3	1:A:178:LYS:CE	2.45	0.47
1:C:149:ASP:HA	1:C:498:LYS:HB2	1.97	0.47
1:F:441:TYR:CD1	5:F:946:EDO:H21	2.50	0.47
1:A:174[B]:MET:CE	1:A:178:LYS:CE	2.92	0.47
1:F:149:ASP:HA	1:F:498:LYS:HB2	1.98	0.46
1:C:106:GLU:O	1:C:110:ASN:HB3	2.15	0.46
1:A:249:ILE:O	1:A:253:ILE:HG12	2.16	0.46
1:G:483:GLN:HG2	7:H:2552:HOH:O	2.16	0.46
1:D:140:HIS:HE1	7:D:509:HOH:O	2.00	0.45
1:D:417:VAL:HG23	1:D:442:LEU:HD23	1.98	0.45
1:F:185:THR:HG23	1:F:482:LEU:HD22	1.97	0.45
1:C:246:SER:HB3	6:C:503:NAD:O4D	2.16	0.45
1:F:449:GLY:HA3	1:F:466:GLY:O	2.16	0.45
1:A:23:PHE:CZ	1:A:26:ASN:HA	2.51	0.45
1:B:294:LEU:HD23	1:B:306:SER:HA	1.97	0.45
1:F:249:ILE:O	1:F:253:ILE:HG12	2.16	0.45
1:B:174:MET:SD	7:B:826:HOH:O	2.61	0.45
1:G:111:GLY:O	1:G:343:PRO:HD2	2.16	0.45
1:A:170:PHE:O	1:A:174[A]:MET:HG2	2.16	0.45
1:B:149:ASP:HA	1:B:498:LYS:HB2	1.99	0.45

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:167:PRO:HD3	1:B:244:ALA:HB3	1.99	0.45
1:B:249:ILE:O	1:B:253:ILE:HG12	2.16	0.45
1:F:284:ASP:OD1	1:F:321:ARG:NH1	2.50	0.45
1:H:443:SER:HA	1:H:451:VAL:HG11	1.99	0.45
1:D:23:PHE:CZ	1:D:26:ASN:HA	2.52	0.44
1:H:7:ALA:N	7:H:1819:HOH:O	2.49	0.44
1:H:449:GLY:HA3	1:H:466:GLY:O	2.18	0.44
1:B:291:HIS:NE2	1:B:329:ARG:HD2	2.32	0.44
1:A:170:PHE:HB3	1:A:173:LEU:HB3	2.00	0.44
1:C:249:ILE:O	1:C:253:ILE:HG12	2.17	0.44
1:H:121:ASP:O	1:H:125:VAL:HG23	2.18	0.44
1:A:185:THR:HG23	1:A:482:LEU:HD22	2.00	0.43
1:C:27:GLU:HB2	1:C:29:HIS:CE1	2.53	0.43
1:B:235:HIS:HB3	1:B:238:VAL:HG23	2.00	0.43
1:C:291:HIS:CD2	1:C:325:ARG:HG3	2.53	0.43
1:F:292:PHE:HE1	1:F:457:ASP:HB2	1.83	0.43
1:C:131:TYR:CE1	1:C:462:GLN:HG3	2.53	0.43
1:D:249:ILE:O	1:D:253:ILE:HG12	2.18	0.43
1:G:121:ASP:O	1:G:125:VAL:HG23	2.19	0.43
1:A:167:PRO:HD3	1:A:244:ALA:HB3	2.00	0.43
1:F:294:LEU:HD23	1:F:306:SER:HA	2.00	0.43
1:H:205:ALA:HA	1:H:208:ILE:HD12	2.01	0.42
1:H:359:THR:HA	1:H:362:GLN:HG2	2.01	0.42
1:E:178:LYS:NZ	1:E:476:GLU:OE2	2.53	0.42
1:F:225:GLY:HA3	6:F:506:NAD:C8A	2.49	0.42
1:G:358:ASN:ND2	7:G:2498:HOH:O	2.52	0.42
1:C:111:GLY:O	1:C:343:PRO:HD2	2.20	0.42
1:D:205:ALA:HB2	1:D:220:ILE:HD12	2.02	0.42
1:C:244:ALA:HA	1:C:268:GLU:O	2.20	0.42
1:H:291:HIS:CE1	1:H:329:ARG:HH11	2.33	0.41
1:A:464:PRO:HG3	1:A:480:TYR:CD1	2.55	0.41
1:D:417:VAL:HG12	5:D:944:EDO:H12	2.02	0.41
1:H:205:ALA:HB2	1:H:220:ILE:HD12	2.01	0.41
1:E:270:GLY:HA3	7:E:2564:HOH:O	2.19	0.41
1:E:249:ILE:O	1:E:253:ILE:HG12	2.21	0.41
1:H:111:GLY:O	1:H:343:PRO:HD2	2.19	0.41
1:H:185:THR:HG23	1:H:482:LEU:HD22	2.02	0.41
1:D:333:ASN:HA	1:D:334:PRO:HD2	1.93	0.41
1:D:268:GLU:OE2	1:D:269:LEU:O	2.38	0.41
1:F:138:LYS:HD3	1:H:135:TRP:CE2	2.56	0.41
1:H:273:SER:HA	1:H:274:PRO:HD3	1.91	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:170:PHE:HB3	1:C:173:LEU:HB3	2.02	0.41
1:E:279:SER:N	1:E:311[B]:GLN:HE21	2.10	0.41
1:G:166:ILE:HD11	1:G:193:VAL:HG12	2.02	0.41
1:C:241:VAL:CG1	1:C:265:VAL:HG22	2.51	0.41
1:D:178:LYS:NZ	1:D:476:GLU:OE2	2.50	0.41
1:D:464:PRO:HG3	1:D:480:TYR:CD1	2.56	0.41
1:D:111:GLY:O	1:D:343:PRO:HD2	2.21	0.40
1:H:249:ILE:O	1:H:253:ILE:HG12	2.21	0.40
1:G:294:LEU:HD23	1:G:306:SER:HA	2.04	0.40
1:D:8:VAL:HA	1:D:9:PRO:HD3	1.91	0.40
1:D:175:GLN:HG3	1:D:191:MET:SD	2.62	0.40
1:E:111:GLY:O	1:E:343:PRO:HD2	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	497/500 (99%)	483 (97%)	14 (3%)	0	100	100
1	B	496/500 (99%)	484 (98%)	12 (2%)	0	100	100
1	C	495/500 (99%)	483 (98%)	12 (2%)	0	100	100
1	D	497/500 (99%)	479 (96%)	18 (4%)	0	100	100
1	E	496/500 (99%)	483 (97%)	13 (3%)	0	100	100
1	F	495/500 (99%)	482 (97%)	13 (3%)	0	100	100
1	G	495/500 (99%)	483 (98%)	12 (2%)	0	100	100
1	H	497/500 (99%)	482 (97%)	15 (3%)	0	100	100
All	All	3968/4000 (99%)	3859 (97%)	109 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	403/401 (100%)	399 (99%)	4 (1%)	76	84
1	B	402/401 (100%)	398 (99%)	4 (1%)	76	84
1	C	401/401 (100%)	398 (99%)	3 (1%)	84	90
1	D	403/401 (100%)	400 (99%)	3 (1%)	84	90
1	E	402/401 (100%)	399 (99%)	3 (1%)	84	90
1	F	401/401 (100%)	398 (99%)	3 (1%)	84	90
1	G	401/401 (100%)	396 (99%)	5 (1%)	71	80
1	H	403/401 (100%)	401 (100%)	2 (0%)	88	92
All	All	3216/3208 (100%)	3189 (99%)	27 (1%)	81	88

All (27) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	192	LYS
1	A	206	ASN
1	A	377	ARG
1	A	401	PHE
1	B	100	THR
1	B	192	LYS
1	B	401	PHE
1	B	422	ASN
1	C	192	LYS
1	C	247	THR
1	C	401	PHE
1	D	192	LYS
1	D	268	GLU
1	D	401	PHE
1	E	192	LYS
1	E	376	ASP
1	E	401	PHE
1	F	14	GLN
1	F	192	LYS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	F	401	PHE
1	G	27	GLU
1	G	192	LYS
1	G	338	LYS
1	G	401	PHE
1	G	483	GLN
1	H	192	LYS
1	H	401	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	29	HIS
1	A	440	ASN
1	B	14	GLN
1	B	422	ASN
1	B	440	ASN
1	C	29	HIS
1	C	291	HIS
1	D	140	HIS
1	D	390	GLN
1	F	14	GLN
1	F	358	ASN
1	G	254	GLN
1	G	358	ASN
1	G	362	GLN
1	G	390	GLN
1	H	291	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 61 ligands modelled in this entry, 16 are monoatomic - leaving 45 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	GAI	B	812	-	3,3,3	1.56	1 (33%)	3,3,3	1.25	0
5	EDO	A	901	-	3,3,3	0.42	0	2,2,2	0.14	0
6	NAD	D	504	2	42,48,48	1.73	4 (9%)	50,73,73	1.17	3 (6%)
5	EDO	F	906	-	3,3,3	0.40	0	2,2,2	0.29	0
4	GAI	D	804	-	3,3,3	1.13	0	3,3,3	1.05	0
6	NAD	F	506	2	42,48,48	1.74	4 (9%)	50,73,73	1.06	2 (4%)
5	EDO	G	927	-	3,3,3	0.36	0	2,2,2	0.40	0
4	GAI	C	803	-	3,3,3	1.25	0	3,3,3	1.09	0
5	EDO	A	921	-	3,3,3	0.35	0	2,2,2	0.42	0
5	EDO	F	916	-	3,3,3	0.40	0	2,2,2	0.36	0
5	EDO	G	917	-	3,3,3	0.41	0	2,2,2	0.28	0
6	NAD	B	502	2	42,48,48	1.75	4 (9%)	50,73,73	1.08	2 (4%)
5	EDO	D	904	-	3,3,3	0.38	0	2,2,2	0.37	0
4	GAI	B	802	-	3,3,3	1.33	0	3,3,3	1.00	0
5	EDO	B	902	-	3,3,3	0.40	0	2,2,2	0.24	0
5	EDO	E	915	-	3,3,3	0.37	0	2,2,2	0.48	0
5	EDO	C	963	-	3,3,3	0.39	0	2,2,2	0.31	0
5	EDO	A	911	-	3,3,3	0.40	0	2,2,2	0.24	0
5	EDO	H	928	-	3,3,3	0.36	0	2,2,2	0.39	0
4	GAI	A	801	-	3,3,3	1.34	0	3,3,3	1.23	0
4	GAI	E	805	-	3,3,3	1.36	0	3,3,3	1.17	0
4	GAI	F	826	-	3,3,3	1.56	0	3,3,3	1.25	0
4	GAI	G	807	-	3,3,3	1.40	0	3,3,3	1.14	0
6	NAD	H	508	2	42,48,48	1.75	4 (9%)	50,73,73	1.13	3 (6%)
5	EDO	E	925	-	3,3,3	0.41	0	2,2,2	0.24	0
5	EDO	F	946	-	3,3,3	0.39	0	2,2,2	0.32	0
6	NAD	E	505	2	42,48,48	1.75	4 (9%)	50,73,73	1.18	4 (8%)
4	GAI	G	817	-	3,3,3	1.56	0	3,3,3	0.95	0
5	EDO	F	966	-	3,3,3	0.44	0	2,2,2	0.15	0
4	GAI	E	815	-	3,3,3	1.42	0	3,3,3	1.04	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
6	NAD	C	503	2	42,48,48	1.71	4 (9%)	50,73,73	1.11	2 (4%)
5	EDO	F	926	-	3,3,3	0.39	0	2,2,2	0.34	0
5	EDO	E	905	-	3,3,3	0.41	0	2,2,2	0.26	0
5	EDO	D	944	-	3,3,3	0.36	0	2,2,2	0.42	0
4	GAI	F	806	-	3,3,3	1.29	0	3,3,3	0.61	0
5	EDO	G	907	-	3,3,3	0.37	0	2,2,2	0.38	0
5	EDO	H	908	-	3,3,3	0.35	0	2,2,2	0.47	0
4	GAI	D	814	-	3,3,3	1.57	0	3,3,3	1.12	0
5	EDO	B	912	-	3,3,3	0.40	0	2,2,2	0.34	0
6	NAD	A	501	2	42,48,48	1.74	4 (9%)	50,73,73	1.16	3 (6%)
5	EDO	C	903	-	3,3,3	0.40	0	2,2,2	0.20	0
5	EDO	C	923	-	3,3,3	0.33	0	2,2,2	0.48	0
6	NAD	G	507	2	42,48,48	1.73	4 (9%)	50,73,73	1.12	3 (6%)
5	EDO	C	913	-	3,3,3	0.35	0	2,2,2	0.38	0
4	GAI	H	808	-	3,3,3	1.08	0	3,3,3	1.05	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	A	901	-	-	1/1/1/1	-
6	NAD	D	504	2	-	1/26/62/62	0/5/5/5
5	EDO	F	906	-	-	0/1/1/1	-
6	NAD	F	506	2	-	1/26/62/62	0/5/5/5
5	EDO	G	927	-	-	1/1/1/1	-
5	EDO	A	921	-	-	0/1/1/1	-
5	EDO	F	916	-	-	0/1/1/1	-
5	EDO	G	917	-	-	0/1/1/1	-
6	NAD	B	502	2	-	1/26/62/62	0/5/5/5
5	EDO	D	904	-	-	0/1/1/1	-
5	EDO	B	902	-	-	0/1/1/1	-
5	EDO	E	915	-	-	1/1/1/1	-
5	EDO	C	963	-	-	0/1/1/1	-
5	EDO	A	911	-	-	0/1/1/1	-
5	EDO	H	928	-	-	0/1/1/1	-
6	NAD	H	508	2	-	2/26/62/62	0/5/5/5
5	EDO	E	925	-	-	1/1/1/1	-
5	EDO	F	946	-	-	1/1/1/1	-
6	NAD	E	505	2	-	0/26/62/62	0/5/5/5
5	EDO	F	966	-	-	0/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAD	C	503	2	-	0/26/62/62	0/5/5/5
5	EDO	F	926	-	-	0/1/1/1	-
5	EDO	E	905	-	-	0/1/1/1	-
5	EDO	D	944	-	-	0/1/1/1	-
5	EDO	G	907	-	-	0/1/1/1	-
5	EDO	H	908	-	-	0/1/1/1	-
5	EDO	B	912	-	-	0/1/1/1	-
6	NAD	A	501	2	-	4/26/62/62	0/5/5/5
5	EDO	C	903	-	-	0/1/1/1	-
5	EDO	C	923	-	-	0/1/1/1	-
6	NAD	G	507	2	-	3/26/62/62	0/5/5/5
5	EDO	C	913	-	-	0/1/1/1	-

All (33) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	H	508	NAD	O7N-C7N	9.20	1.41	1.24
6	E	505	NAD	O7N-C7N	9.20	1.41	1.24
6	B	502	NAD	O7N-C7N	9.20	1.41	1.24
6	G	507	NAD	O7N-C7N	9.13	1.41	1.24
6	A	501	NAD	O7N-C7N	9.13	1.41	1.24
6	F	506	NAD	O7N-C7N	9.10	1.41	1.24
6	D	504	NAD	O7N-C7N	9.08	1.41	1.24
6	C	503	NAD	O7N-C7N	8.89	1.41	1.24
6	F	506	NAD	C2A-N3A	4.08	1.38	1.32
6	C	503	NAD	C2A-N3A	4.05	1.38	1.32
6	H	508	NAD	C2A-N3A	4.05	1.38	1.32
6	B	502	NAD	C2A-N3A	4.02	1.38	1.32
6	E	505	NAD	C2A-N3A	3.95	1.38	1.32
6	G	507	NAD	C2A-N3A	3.94	1.38	1.32
6	A	501	NAD	C2A-N3A	3.94	1.38	1.32
6	D	504	NAD	C2A-N3A	3.92	1.38	1.32
6	C	503	NAD	C2A-N1A	2.57	1.38	1.33
6	H	508	NAD	C2A-N1A	2.50	1.38	1.33
6	E	505	NAD	C2A-N1A	2.46	1.38	1.33
6	G	507	NAD	C2A-N1A	2.45	1.38	1.33
6	B	502	NAD	C2A-N1A	2.45	1.38	1.33
6	A	501	NAD	C2A-N1A	2.44	1.38	1.33
6	F	506	NAD	C2A-N1A	2.43	1.38	1.33
6	D	504	NAD	C2A-N1A	2.40	1.38	1.33
6	E	505	NAD	C2N-N1N	2.35	1.37	1.35
6	A	501	NAD	C2N-N1N	2.25	1.37	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	B	502	NAD	C2N-N1N	2.15	1.37	1.35
6	F	506	NAD	C2N-N1N	2.09	1.37	1.35
6	H	508	NAD	C2N-N1N	2.08	1.37	1.35
6	D	504	NAD	C2N-N1N	2.04	1.37	1.35
6	G	507	NAD	C2N-N1N	2.04	1.37	1.35
6	C	503	NAD	C2N-N1N	2.00	1.37	1.35
4	B	812	GAI	C-N1	-2.00	1.26	1.30

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	501	NAD	N3A-C2A-N1A	-5.70	119.77	128.68
6	H	508	NAD	N3A-C2A-N1A	-5.62	119.89	128.68
6	D	504	NAD	N3A-C2A-N1A	-5.42	120.20	128.68
6	C	503	NAD	N3A-C2A-N1A	-5.41	120.22	128.68
6	B	502	NAD	N3A-C2A-N1A	-5.35	120.32	128.68
6	E	505	NAD	N3A-C2A-N1A	-5.24	120.48	128.68
6	F	506	NAD	N3A-C2A-N1A	-5.09	120.72	128.68
6	G	507	NAD	N3A-C2A-N1A	-5.05	120.78	128.68
6	E	505	NAD	PN-O3-PA	-2.95	122.72	132.83
6	G	507	NAD	PN-O3-PA	-2.81	123.17	132.83
6	D	504	NAD	PN-O3-PA	-2.78	123.29	132.83
6	C	503	NAD	PN-O3-PA	-2.66	123.71	132.83
6	G	507	NAD	C3D-C2D-C1D	2.64	104.95	100.98
6	D	504	NAD	C3D-C2D-C1D	2.58	104.86	100.98
6	B	502	NAD	PN-O3-PA	-2.49	124.29	132.83
6	A	501	NAD	C3D-C2D-C1D	2.45	104.67	100.98
6	F	506	NAD	PN-O3-PA	-2.42	124.50	132.83
6	A	501	NAD	PN-O3-PA	-2.40	124.58	132.83
6	H	508	NAD	C3D-C2D-C1D	2.32	104.47	100.98
6	E	505	NAD	C6N-N1N-C2N	-2.22	119.95	121.97
6	H	508	NAD	PN-O3-PA	-2.09	125.66	132.83
6	E	505	NAD	C4A-C5A-N7A	-2.00	107.31	109.40

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	501	NAD	C5D-O5D-PN-O1N
5	E	915	EDO	O1-C1-C2-O2
5	G	927	EDO	O1-C1-C2-O2
6	H	508	NAD	PN-O3-PA-O1A

Continued on next page...



*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
5	E	925	EDO	O1-C1-C2-O2
6	A	501	NAD	C5D-O5D-PN-O3
6	B	502	NAD	PN-O3-PA-O1A
6	G	507	NAD	C5D-O5D-PN-O1N
5	F	946	EDO	O1-C1-C2-O2
6	D	504	NAD	PN-O3-PA-O1A
6	F	506	NAD	PN-O3-PA-O1A
6	A	501	NAD	PN-O3-PA-O1A
6	G	507	NAD	PN-O3-PA-O1A
6	G	507	NAD	C5D-O5D-PN-O3
6	H	508	NAD	C5D-O5D-PN-O3
6	A	501	NAD	C5D-O5D-PN-O2N
5	A	901	EDO	O1-C1-C2-O2


There are no ring outliers.


5 monomers are involved in 6 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	F	506	NAD	1	0
5	E	915	EDO	1	0
5	F	946	EDO	2	0
6	C	503	NAD	1	0
5	D	944	EDO	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






















## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	494/500 (98%)	-0.27	1 (0%) 95 96	17, 25, 35, 42	0
1	B	494/500 (98%)	-0.41	3 (0%) 89 89	17, 22, 30, 37	0
1	C	494/500 (98%)	-0.54	0 100 100	16, 22, 30, 36	0
1	D	494/500 (98%)	-0.47	2 (0%) 92 93	17, 24, 36, 43	0
1	E	494/500 (98%)	-0.50	1 (0%) 95 96	19, 24, 34, 43	0
1	F	494/500 (98%)	-0.56	0 100 100	17, 22, 29, 35	0
1	G	494/500 (98%)	-0.25	3 (0%) 89 89	20, 26, 35, 51	0
1	H	494/500 (98%)	-0.17	5 (1%) 82 84	19, 28, 39, 48	0
All	All	3952/4000 (98%)	-0.40	15 (0%) 92 93	16, 24, 34, 51	0

All (15) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	483[A]	GLN	4.4
1	D	7	ALA	4.0
1	A	483[A]	GLN	3.3
1	B	483[A]	GLN	3.1
1	H	362	GLN	2.6
1	H	488	VAL	2.5
1	G	14	GLN	2.5
1	G	482	LEU	2.3
1	B	7	ALA	2.3
1	G	480	TYR	2.2
1	D	287	VAL	2.2
1	E	376	ASP	2.2
1	B	480	TYR	2.1
1	H	376	ASP	2.1
1	H	34	ARG	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	MG	C	603	1/1	0.57	0.14	47,47,47,47	0
2	MG	D	604	1/1	0.65	0.27	50,50,50,50	0
2	MG	F	606	1/1	0.66	0.23	45,45,45,45	0
2	MG	A	601	1/1	0.69	0.09	51,51,51,51	0
5	EDO	F	946	4/4	0.74	0.30	40,42,43,45	0
2	MG	G	607	1/1	0.75	0.13	52,52,52,52	0
3	NA	G	707	1/1	0.78	0.17	33,33,33,33	0
5	EDO	E	925	4/4	0.81	0.16	45,45,46,46	0
3	NA	D	704	1/1	0.81	0.13	33,33,33,33	0
2	MG	B	602	1/1	0.82	0.17	42,42,42,42	0
4	GAI	D	804	4/4	0.83	0.16	34,35,35,35	0
4	GAI	D	814	4/4	0.84	0.18	57,57,57,58	0
4	GAI	H	808	4/4	0.84	0.21	32,32,32,32	0
5	EDO	G	927	4/4	0.84	0.17	53,54,54,55	0
5	EDO	F	966	4/4	0.85	0.21	46,46,47,47	0
4	GAI	B	812	4/4	0.86	0.21	55,55,55,55	0
5	EDO	F	926	4/4	0.87	0.15	36,37,38,40	0
2	MG	E	605	1/1	0.87	0.28	53,53,53,53	0
6	NAD	H	508	44/44	0.89	0.19	35,40,46,47	0
5	EDO	C	963	4/4	0.90	0.17	36,36,37,37	0
6	NAD	G	507	44/44	0.91	0.17	40,44,46,46	0
3	NA	H	708	1/1	0.91	0.11	38,38,38,38	0
4	GAI	F	806	4/4	0.92	0.17	25,26,26,26	0
5	EDO	H	928	4/4	0.92	0.17	52,52,53,54	0
6	NAD	A	501	44/44	0.92	0.20	33,36,43,44	0
6	NAD	B	502	44/44	0.92	0.13	36,40,43,44	0
4	GAI	E	815	4/4	0.92	0.16	48,48,48,48	0

*Continued on next page...*




*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
5	EDO	F	916	4/4	0.92	0.13	33,35,36,37	0
5	EDO	A	921	4/4	0.93	0.15	54,54,55,55	0
5	EDO	C	923	4/4	0.93	0.21	52,52,52,53	0
5	EDO	G	907	4/4	0.93	0.13	35,35,35,35	0
4	GAI	C	803	4/4	0.93	0.11	24,26,26,26	0
5	EDO	D	944	4/4	0.93	0.15	42,43,44,44	0
5	EDO	E	915	4/4	0.93	0.14	38,39,40,40	0
4	GAI	B	802	4/4	0.93	0.15	32,33,33,33	0
6	NAD	D	504	44/44	0.93	0.13	30,36,43,43	0
6	NAD	E	505	44/44	0.93	0.12	31,34,42,43	0
4	GAI	G	807	4/4	0.93	0.11	38,38,39,39	0
2	MG	H	608	1/1	0.93	0.09	46,46,46,46	0
6	NAD	C	503	44/44	0.94	0.12	29,33,40,40	0
4	GAI	E	805	4/4	0.94	0.14	32,32,32,33	0
4	GAI	F	826	4/4	0.94	0.11	43,43,43,43	0
6	NAD	F	506	44/44	0.94	0.12	26,33,41,42	0
4	GAI	A	801	4/4	0.94	0.10	26,27,27,27	0
5	EDO	G	917	4/4	0.94	0.17	44,44,44,45	0
4	GAI	G	817	4/4	0.95	0.15	38,38,39,39	0
5	EDO	B	902	4/4	0.95	0.13	26,26,28,28	0
5	EDO	B	912	4/4	0.95	0.15	31,31,31,31	0
5	EDO	C	903	4/4	0.95	0.12	26,26,27,28	0
5	EDO	H	908	4/4	0.95	0.16	33,33,33,33	0
5	EDO	A	901	4/4	0.95	0.17	22,23,23,23	0
5	EDO	A	911	4/4	0.95	0.11	47,47,48,48	0
5	EDO	F	906	4/4	0.96	0.11	26,27,27,27	0
3	NA	A	701	1/1	0.96	0.07	34,34,34,34	0
5	EDO	E	905	4/4	0.96	0.10	26,30,31,32	0
3	NA	C	703	1/1	0.97	0.05	23,23,23,23	0
3	NA	B	702	1/1	0.97	0.07	25,25,25,25	0
3	NA	E	705	1/1	0.97	0.07	33,33,33,33	0
5	EDO	C	913	4/4	0.98	0.11	29,29,30,32	0
5	EDO	D	904	4/4	0.98	0.11	22,23,24,25	0
3	NA	F	706	1/1	0.98	0.08	27,27,27,27	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around NAD H 508:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around NAD G 507:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around NAD A 501:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around NAD B 502:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





**Electron density around NAD D 504:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)









**Electron density around NAD E 505:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around NAD C 503:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.