



wwPDB X-ray Structure Validation Summary Report ⓘ

Feb 17, 2024 – 11:36 PM EST

PDB ID : 3UKL
Title : Crystal structure of UDP-galactopyranose mutase from *Aspergillus fumigatus* in complex with UDP
Authors : Van Straaten, K.E.; Sanders, D.A.R.
Deposited on : 2011-11-09
Resolution : 2.63 Å (reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.63 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1426 (2.66-2.62)
Clashscore	141614	1472 (2.66-2.62)
Ramachandran outliers	138981	1446 (2.66-2.62)
Sidechain outliers	138945	1446 (2.66-2.62)
RSRZ outliers	127900	1408 (2.66-2.62)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	510	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 77%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 22%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 1%; height: 10px; background-color: orange; margin-right: 2px;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">2% 77% 22% •</p>
1	B	510	<div style="display: flex; align-items: center;"> <div style="width: 0%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 79%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 19%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 1%; height: 10px; background-color: orange; margin-right: 2px;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">% 79% 19% •</p>
1	C	510	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 78%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 20%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 1%; height: 10px; background-color: orange; margin-right: 2px;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">2% 78% 20% •</p>
1	D	510	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 77%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 21%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 1%; height: 10px; background-color: orange; margin-right: 2px;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">2% 77% 21% •</p>
1	E	510	<div style="display: flex; align-items: center;"> <div style="width: 2%; height: 10px; background-color: red; margin-right: 2px;"></div> <div style="width: 78%; height: 10px; background-color: green; margin-right: 2px;"></div> <div style="width: 20%; height: 10px; background-color: yellow; margin-right: 2px;"></div> <div style="width: 1%; height: 10px; background-color: orange; margin-right: 2px;"></div> <div style="width: 1%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center;">2% 78% 20% •</p>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	510	
1	G	510	
1	H	510	

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 33747 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called UDP-galactopyranose mutase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	510	4004	2540	687	756	21	0	0	0
1	B	510	4015	2549	688	757	21	0	1	0
1	C	510	4015	2546	691	757	21	0	1	0
1	D	510	4004	2540	687	756	21	0	0	0
1	E	510	4015	2549	688	757	21	0	1	0
1	F	510	4004	2540	687	756	21	0	0	0
1	G	510	4004	2540	687	756	21	0	0	0
1	H	510	4015	2546	691	757	21	0	1	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	511	LEU	-	expression tag	UNP Q4W1X2
B	511	LEU	-	expression tag	UNP Q4W1X2
C	511	LEU	-	expression tag	UNP Q4W1X2
D	511	LEU	-	expression tag	UNP Q4W1X2
E	511	LEU	-	expression tag	UNP Q4W1X2
F	511	LEU	-	expression tag	UNP Q4W1X2
G	511	LEU	-	expression tag	UNP Q4W1X2
H	511	LEU	-	expression tag	UNP Q4W1X2

- Molecule 2 is URIDINE-5'-DIPHOSPHATE (three-letter code: UDP) (formula: C₉H₁₄N₂O₁₂P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	Total	C	N	O	P	0	0
			25	9	2	12	2		
2	B	1	Total	C	N	O	P	0	0
			25	9	2	12	2		
2	C	1	Total	C	N	O	P	0	0
			25	9	2	12	2		
2	D	1	Total	C	N	O	P	0	0
			25	9	2	12	2		
2	E	1	Total	C	N	O	P	0	0
			25	9	2	12	2		
2	F	1	Total	C	N	O	P	0	0
			25	9	2	12	2		
2	G	1	Total	C	N	O	P	0	0
			25	9	2	12	2		
2	H	1	Total	C	N	O	P	0	0
			25	9	2	12	2		

- Molecule 3 is FLAVIN-ADENINE DINUCLEOTIDE (three-letter code: FAD) (formula: $C_{27}H_{33}N_9O_{15}P_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	N	O			P
3	A	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	B	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	C	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	D	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	E	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	F	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	G	1	Total	C	N	O	P	0	0
			53	27	9	15	2		
3	H	1	Total	C	N	O	P	0	0
			53	27	9	15	2		

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	2	Total 2 Cl	0	0
4	B	1	Total 1 Cl	0	0
4	C	1	Total 1 Cl	0	0
4	E	1	Total 1 Cl	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	F	2	Total 2	Cl 2	0	0
4	H	1	Total 1	Cl 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	148	Total 148	O 148	0	0
5	B	151	Total 151	O 151	0	0
5	C	155	Total 155	O 155	0	0
5	D	140	Total 140	O 140	0	0
5	E	125	Total 125	O 125	0	0
5	F	122	Total 122	O 122	0	0
5	G	100	Total 100	O 100	0	0
5	H	98	Total 98	O 98	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: UDP-galactopyranose mutase




- Molecule 1: UDP-galactopyranose mutase





- Molecule 1: UDP-galactopyranose mutase








- Molecule 1: UDP-galactopyranose mutase




- Molecule 1: UDP-galactopyranose mutase




- Molecule 1: UDP-galactopyranose mutase




- Molecule 1: UDP-galactopyranose mutase



- Molecule 1: UDP-galactopyranose mutase





4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	71.44Å 129.20Å 172.82Å 90.07° 84.22° 82.24°	Depositor
Resolution (Å)	48.00 – 2.63 48.03 – 2.63	Depositor EDS
% Data completeness (in resolution range)	91.3 (48.00-2.63) 91.3 (48.03-2.63)	Depositor EDS
R_{merge}	0.07	Depositor
R_{sym}	0.07	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.36 (at 2.61Å)	Xtrriage
Refinement program	PHENIX 1.7.1_743	Depositor
R, R_{free}	0.185 , 0.231 0.181 , 0.228	Depositor DCC
R_{free} test set	8265 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	38.8	Xtrriage
Anisotropy	0.130	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 41.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	33747	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.36% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: UDP, CL, FAD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.25	0/4103	0.43	0/5576
1	B	0.26	0/4115	0.44	0/5592
1	C	0.26	0/4114	0.44	0/5590
1	D	0.25	0/4103	0.43	0/5576
1	E	0.26	0/4115	0.43	0/5592
1	F	0.26	0/4103	0.43	0/5576
1	G	0.25	0/4103	0.43	0/5576
1	H	0.26	0/4114	0.43	0/5590
All	All	0.26	0/32870	0.43	0/44668

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	E	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	E	303	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4004	0	3925	86	0
1	B	4015	0	3933	83	0
1	C	4015	0	3937	84	0
1	D	4004	0	3925	89	0
1	E	4015	0	3933	95	0
1	F	4004	0	3925	92	0
1	G	4004	0	3925	97	0
1	H	4015	0	3937	79	0
2	A	25	0	11	1	0
2	B	25	0	11	0	0
2	C	25	0	11	2	0
2	D	25	0	11	1	0
2	E	25	0	11	1	0
2	F	25	0	11	1	0
2	G	25	0	11	1	0
2	H	25	0	11	1	0
3	A	53	0	30	1	0
3	B	53	0	30	1	0
3	C	53	0	30	1	0
3	D	53	0	30	1	0
3	E	53	0	30	1	0
3	F	53	0	30	0	0
3	G	53	0	30	1	0
3	H	53	0	30	2	0
4	A	2	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	E	1	0	0	0	0
4	F	2	0	0	0	0
4	H	1	0	0	0	0
5	A	148	0	0	3	0
5	B	151	0	0	5	0
5	C	155	0	0	5	0
5	D	140	0	0	6	0
5	E	125	0	0	5	0
5	F	122	0	0	3	0
5	G	100	0	0	6	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	H	98	0	0	7	0
All	All	33747	0	31768	693	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

The worst 5 of 693 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:296:HIS:HD2	1:F:412:HIS:HE1	1.15	0.91
1:C:332:SER:HA	1:C:339:GLN:NE2	1.91	0.85
1:E:296:HIS:HD2	1:E:412:HIS:HE1	1.23	0.85
1:H:174:MET:SD	5:H:577:HOH:O	2.35	0.84
1:C:86:TRP:CG	1:C:211[A]:ARG:NH2	2.47	0.82

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	508/510 (100%)	491 (97%)	17 (3%)	0	100	100
1	B	509/510 (100%)	491 (96%)	18 (4%)	0	100	100
1	C	509/510 (100%)	490 (96%)	19 (4%)	0	100	100
1	D	508/510 (100%)	488 (96%)	20 (4%)	0	100	100
1	E	509/510 (100%)	494 (97%)	15 (3%)	0	100	100
1	F	508/510 (100%)	490 (96%)	17 (3%)	1 (0%)	47	64
1	G	508/510 (100%)	487 (96%)	21 (4%)	0	100	100
1	H	509/510 (100%)	489 (96%)	19 (4%)	1 (0%)	47	64
All	All	4068/4080 (100%)	3920 (96%)	146 (4%)	2 (0%)	100	100

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	208	ALA
1	H	208	ALA

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	432/432 (100%)	415 (96%)	17 (4%)	32	48
1	B	433/432 (100%)	416 (96%)	17 (4%)	32	48
1	C	433/432 (100%)	413 (95%)	20 (5%)	27	41
1	D	432/432 (100%)	413 (96%)	19 (4%)	28	44
1	E	433/432 (100%)	414 (96%)	19 (4%)	28	44
1	F	432/432 (100%)	412 (95%)	20 (5%)	27	41
1	G	432/432 (100%)	415 (96%)	17 (4%)	32	48
1	H	433/432 (100%)	414 (96%)	19 (4%)	28	44
All	All	3460/3456 (100%)	3312 (96%)	148 (4%)	29	45

5 of 148 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	G	175	GLN
1	H	382	VAL
1	G	286	LEU
1	H	90	GLN
1	C	339	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 32 such sidechains are listed below:

Mol	Chain	Res	Type
1	G	412	HIS
1	H	98	GLN
1	C	458	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	412	HIS
1	H	339	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 24 ligands modelled in this entry, 8 are monoatomic - leaving 16 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
3	FAD	H	605	-	53,58,58	2.72	15 (28%)	68,89,89	1.80	17 (25%)
2	UDP	D	800	-	24,26,26	0.93	1 (4%)	37,40,40	1.49	6 (16%)
3	FAD	F	603	-	53,58,58	2.71	16 (30%)	68,89,89	1.71	17 (25%)
2	UDP	H	800	-	24,26,26	0.93	1 (4%)	37,40,40	1.53	6 (16%)
2	UDP	A	800	-	24,26,26	0.93	0	37,40,40	1.57	6 (16%)
2	UDP	E	800	-	24,26,26	0.94	1 (4%)	37,40,40	1.53	6 (16%)
3	FAD	D	601	-	53,58,58	2.73	17 (32%)	68,89,89	1.71	18 (26%)
3	FAD	G	607	-	53,58,58	2.74	17 (32%)	68,89,89	1.69	17 (25%)
2	UDP	C	800	-	24,26,26	0.91	0	37,40,40	1.54	6 (16%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	UDP	B	800	-	24,26,26	0.93	0	37,40,40	1.45	5 (13%)
2	UDP	G	800	-	24,26,26	0.93	0	37,40,40	1.47	5 (13%)
2	UDP	F	800	-	24,26,26	0.93	0	37,40,40	1.48	5 (13%)
3	FAD	C	600	-	53,58,58	2.73	17 (32%)	68,89,89	1.65	17 (25%)
3	FAD	B	604	-	53,58,58	2.70	16 (30%)	68,89,89	1.70	17 (25%)
3	FAD	A	602	-	53,58,58	2.74	16 (30%)	68,89,89	1.72	20 (29%)
3	FAD	E	606	-	53,58,58	2.71	15 (28%)	68,89,89	1.67	15 (22%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	FAD	H	605	-	-	10/30/50/50	0/6/6/6
2	UDP	D	800	-	-	6/16/32/32	0/2/2/2
3	FAD	F	603	-	-	11/30/50/50	0/6/6/6
2	UDP	H	800	-	-	4/16/32/32	0/2/2/2
2	UDP	A	800	-	-	4/16/32/32	0/2/2/2
2	UDP	E	800	-	-	7/16/32/32	0/2/2/2
3	FAD	D	601	-	-	13/30/50/50	0/6/6/6
3	FAD	G	607	-	-	12/30/50/50	0/6/6/6
2	UDP	C	800	-	-	4/16/32/32	0/2/2/2
2	UDP	B	800	-	-	5/16/32/32	0/2/2/2
2	UDP	G	800	-	-	5/16/32/32	0/2/2/2
2	UDP	F	800	-	-	5/16/32/32	0/2/2/2
3	FAD	C	600	-	-	7/30/50/50	0/6/6/6
3	FAD	B	604	-	-	11/30/50/50	0/6/6/6
3	FAD	A	602	-	-	9/30/50/50	0/6/6/6
3	FAD	E	606	-	-	7/30/50/50	0/6/6/6

The worst 5 of 132 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	601	FAD	O4-C4	10.57	1.43	1.23
3	A	602	FAD	O4-C4	10.50	1.43	1.23
3	G	607	FAD	O4-C4	10.47	1.43	1.23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	F	603	FAD	O4-C4	10.46	1.43	1.23
3	H	605	FAD	O4-C4	10.42	1.43	1.23

The worst 5 of 183 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	800	UDP	C4-N3-C2	-5.34	119.54	126.58
2	C	800	UDP	C4-N3-C2	-5.15	119.78	126.58
2	H	800	UDP	C4-N3-C2	-4.97	120.02	126.58
2	D	800	UDP	C4-N3-C2	-4.94	120.06	126.58
2	F	800	UDP	C4-N3-C2	-4.87	120.16	126.58

There are no chirality outliers.

5 of 120 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	800	UDP	C5'-O5'-PA-O1A
2	A	800	UDP	C5'-O5'-PA-O3A
2	A	800	UDP	PA-O3A-PB-O2B
2	A	800	UDP	PA-O3A-PB-O3B
2	B	800	UDP	C3'-C4'-C5'-O5'



There are no ring outliers.



14 monomers are involved in 16 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	H	605	FAD	2	0
2	D	800	UDP	1	0
2	H	800	UDP	1	0
2	A	800	UDP	1	0
2	E	800	UDP	1	0
3	D	601	FAD	1	0
3	G	607	FAD	1	0
2	C	800	UDP	2	0
2	G	800	UDP	1	0
2	F	800	UDP	1	0
3	C	600	FAD	1	0
3	B	604	FAD	1	0
3	A	602	FAD	1	0
3	E	606	FAD	1	0



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.




























5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	510/510 (100%)	-0.26	8 (1%) 72 69	21, 41, 77, 114	0
1	B	510/510 (100%)	-0.18	3 (0%) 89 88	22, 40, 77, 114	0
1	C	510/510 (100%)	-0.29	10 (1%) 65 61	22, 41, 77, 118	0
1	D	510/510 (100%)	-0.23	10 (1%) 65 61	23, 43, 79, 119	0
1	E	510/510 (100%)	-0.24	12 (2%) 59 55	21, 43, 77, 118	0
1	F	510/510 (100%)	-0.11	15 (2%) 51 48	22, 44, 79, 119	0
1	G	510/510 (100%)	-0.30	5 (0%) 82 81	25, 44, 78, 116	0
1	H	510/510 (100%)	-0.14	14 (2%) 54 50	25, 45, 80, 117	0
All	All	4080/4080 (100%)	-0.22	77 (1%) 66 64	21, 43, 79, 119	0

The worst 5 of 77 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	511	LEU	5.0
1	H	201	ALA	4.9
1	E	358	GLN	4.6
1	F	208	ALA	4.6
1	G	511	LEU	4.5

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	CL	F	512	1/1	0.67	0.33	81,81,81,81	0
4	CL	F	1	1/1	0.80	0.23	85,85,85,85	0
4	CL	E	1	1/1	0.85	0.14	75,75,75,75	0
4	CL	A	512	1/1	0.90	0.20	79,79,79,79	0
2	UDP	A	800	25/25	0.91	0.19	53,74,109,122	0
2	UDP	D	800	25/25	0.92	0.21	41,86,121,130	0
2	UDP	H	800	25/25	0.93	0.17	50,80,110,113	0
2	UDP	F	800	25/25	0.93	0.17	47,68,104,116	0
4	CL	C	1	1/1	0.93	0.14	58,58,58,58	0
2	UDP	G	800	25/25	0.94	0.18	45,69,97,117	0
4	CL	H	1	1/1	0.94	0.13	66,66,66,66	0
4	CL	A	1	1/1	0.95	0.10	62,62,62,62	0
2	UDP	C	800	25/25	0.95	0.18	43,61,94,104	0
4	CL	B	1	1/1	0.95	0.12	63,63,63,63	0
3	FAD	H	605	53/53	0.95	0.17	27,44,64,69	0
3	FAD	G	607	53/53	0.96	0.16	22,39,53,62	0
2	UDP	E	800	25/25	0.96	0.12	32,63,96,107	0
2	UDP	B	800	25/25	0.96	0.13	30,50,91,101	0
3	FAD	C	600	53/53	0.96	0.17	11,33,48,54	0
3	FAD	D	601	53/53	0.96	0.18	23,37,50,57	0
3	FAD	A	602	53/53	0.97	0.17	16,33,53,70	0
3	FAD	B	604	53/53	0.97	0.18	18,35,47,51	0
3	FAD	E	606	53/53	0.98	0.16	19,31,47,59	0
3	FAD	F	603	53/53	0.98	0.20	19,39,52,67	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around UDP A 800:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around UDP D 800:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UDP H 800:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around UDP F 800:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UDP G 800:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around UDP C 800:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD H 605:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD G 607:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around UDP E 800:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around UDP B 800:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD C 600:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD D 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD A 602:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around FAD B 604:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around FAD E 606:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around FAD F 603:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers [i](#)

There are no such residues in this entry.