



Full wwPDB X-ray Structure Validation Report ⓘ

May 14, 2020 – 03:36 am BST

PDB ID : 3W5D
Title : Crystal structure of the calcium pump in the E2+Pi state
Authors : Toyoshima, C.; Iwasawa, S.; Ogawa, H.; Hirata, A.; Tsueda, J.; Inesi, G.
Deposited on : 2013-01-27
Resolution : 2.45 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.45 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1544 (2.48-2.44)
Clashscore	141614	1613 (2.48-2.44)
Ramachandran outliers	138981	1598 (2.48-2.44)
Sidechain outliers	138945	1598 (2.48-2.44)
RSRZ outliers	127900	1523 (2.48-2.44)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	995	<div style="display: flex; align-items: center;"> <div style="width: 8%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 79%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 20%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div>

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 7811 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called SERCA1a.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	995	7674	4878	1287	1452	57	0	0	0


There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	ACE	-	ACETYLATION	UNP B6CAM1

- Molecule 2 is SODIUM ION (three-letter code: NA) (formula: Na).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	1	Total	Na	0	0
			1	1		

- Molecule 3 is PHOSPHATIDYLETHANOLAMINE (three-letter code: PTY) (formula: C₄₀H₈₀NO₈P).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			19	9	1	8	1		
3	A	1	Total	C	N	O	P	0	0
			19	9	1	8	1		
3	A	1	Total	C	N	O	P	0	0
			19	9	1	8	1		
3	A	1	Total	C	N	O	P	0	0
			19	9	1	8	1		

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	O S	0	0
			5	4 1		
4	A	1	Total	O S	0	0
			5	4 1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	31	Total	O	0	0
			31	31		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: SERCA1a



4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, α , β , γ	71.25Å 71.25Å 587.09Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	15.00 – 2.45 47.65 – 2.45	Depositor EDS
% Data completeness (in resolution range)	99.9 (15.00-2.45) 99.9 (47.65-2.45)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.51 (at 2.45Å)	Xtrriage
Refinement program	CNS, REFMAC 5.6.0117	Depositor
R, R_{free}	0.241 , 0.271 0.240 , 0.275	Depositor DCC
R_{free} test set	2917 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	58.9	Xtrriage
Anisotropy	0.093	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 46.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.38$, $\langle L^2 \rangle = 0.20$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	7811	wwPDB-VP
Average B, all atoms (Å ²)	75.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.54% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: NA, SO4, ACE, PTY

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.51	5/7813 (0.1%)	0.61	1/10594 (0.0%)

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	107	TRP	CD2-CE2	5.25	1.47	1.41
1	A	77	TRP	CD2-CE2	5.22	1.47	1.41
1	A	794	TRP	CD2-CE2	5.17	1.47	1.41
1	A	50	TRP	CD2-CE2	5.11	1.47	1.41
1	A	272	TRP	CD2-CE2	5.05	1.47	1.41

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	413	LEU	CA-CB-CG	5.43	127.79	115.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7674	0	7765	129	0
2	A	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	A	95	0	55	2	0
4	A	10	0	0	0	0
5	A	31	0	0	0	0
All	All	7811	0	7820	129	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (129) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:990:ASN:HD21	3:A:1003:PTY:HC31	1.32	0.93
1:A:679:VAL:HG13	1:A:683:HIS:HB2	1.57	0.85
1:A:873:PHE:CE2	1:A:876:CYS:HA	2.19	0.78
1:A:775:ILE:O	1:A:778:THR:HG22	1.85	0.77
1:A:963:ASP:CB	1:A:966:GLN:HE21	2.00	0.74
1:A:963:ASP:HB2	1:A:966:GLN:HE21	1.53	0.74
1:A:129:VAL:HG12	1:A:151:VAL:HG12	1.68	0.74
1:A:873:PHE:HE2	1:A:876:CYS:HA	1.55	0.71
1:A:567:ARG:HD2	1:A:570:PRO:HA	1.73	0.70
1:A:271:VAL:HG11	1:A:298:ILE:HD11	1.72	0.70
1:A:628:ASN:HD22	1:A:628:ASN:C	1.95	0.70
1:A:412:GLU:OE2	1:A:566:THR:HG21	1.93	0.68
1:A:380:ASN:HB3	1:A:382:PHE:CE1	2.28	0.67
1:A:56:GLN:OE1	1:A:105:GLY:HA3	1.95	0.67
1:A:844:VAL:HG22	1:A:907:ILE:HG21	1.77	0.66
1:A:484:THR:HB	1:A:496:VAL:HG12	1.78	0.64
1:A:668:GLU:O	1:A:671:ARG:HG2	1.98	0.64
1:A:843:TYR:OH	1:A:976:PRO:HG2	1.97	0.64
1:A:412:GLU:OE1	1:A:529:ARG:HD2	1.98	0.64
1:A:628:ASN:ND2	1:A:631:THR:H	1.94	0.64
1:A:369:ILE:HG13	1:A:528:VAL:CG1	2.29	0.63
1:A:369:ILE:HG13	1:A:528:VAL:HG13	1.81	0.63
1:A:963:ASP:HB3	1:A:966:GLN:HG3	1.78	0.62
1:A:52:LEU:HD11	1:A:109:GLU:HG3	1.79	0.62
1:A:413:LEU:HD22	1:A:564:LEU:HD12	1.82	0.62
1:A:628:ASN:HD21	1:A:631:THR:H	1.47	0.62
1:A:860:GLU:CD	1:A:860:GLU:H	2.03	0.61
1:A:680:GLU:HB3	1:A:681:PRO:HD2	1.82	0.61
1:A:860:GLU:CD	1:A:860:GLU:N	2.54	0.61
1:A:865:VAL:HB	1:A:868:HIS:HB2	1.84	0.59

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:180:LEU:HD21	1:A:232:ILE:HG22	1.83	0.59
1:A:235:ILE:HD13	1:A:705:VAL:HG12	1.85	0.59
1:A:205:LYS:HB3	1:A:205:LYS:NZ	2.18	0.59
1:A:328:LYS:HA	1:A:328:LYS:HE2	1.85	0.59
1:A:975:LEU:N	1:A:976:PRO:HD2	2.19	0.58
1:A:271:VAL:HG11	1:A:298:ILE:CD1	2.33	0.58
1:A:739:ASN:HD22	1:A:740:PHE:N	2.02	0.57
1:A:39:ASN:OD1	1:A:226:THR:HB	2.04	0.57
1:A:394:GLU:HG3	1:A:396:LEU:HD21	1.86	0.56
1:A:865:VAL:HB	1:A:868:HIS:CB	2.35	0.55
1:A:441:THR:HG23	1:A:599:MET:SD	2.46	0.55
1:A:311:LEU:N	1:A:312:PRO:HD2	2.22	0.55
1:A:326:MET:HG2	1:A:749:GLU:HG2	1.89	0.55
1:A:863:PRO:HB2	1:A:865:VAL:HG22	1.89	0.55
1:A:831:GLY:HA3	3:A:1005:PTY:O13	2.08	0.54
1:A:329:LYS:O	1:A:330:ASN:HB2	2.08	0.54
1:A:326:MET:CE	1:A:333:VAL:HG21	2.40	0.52
1:A:370:ASP:HB3	1:A:378:SER:OG	2.10	0.52
1:A:326:MET:HE1	1:A:339:VAL:HG22	1.92	0.52
1:A:201:ASN:HA	1:A:204:LYS:HD2	1.92	0.52
1:A:309:GLU:HB3	1:A:797:LEU:HD11	1.91	0.51
1:A:293:ILE:O	1:A:297:LYS:HB2	2.10	0.51
1:A:380:ASN:HB3	1:A:382:PHE:CZ	2.45	0.51
1:A:654:THR:HA	1:A:677:ALA:O	2.11	0.51
1:A:758:LYS:O	1:A:762:ARG:HG3	2.10	0.51
1:A:1:MET:HE1	1:A:7:LYS:HG3	1.93	0.50
1:A:679:VAL:HG13	1:A:683:HIS:CB	2.38	0.50
1:A:129:VAL:HG12	1:A:151:VAL:CG1	2.39	0.50
1:A:267:ILE:HG22	1:A:302:LEU:HD11	1.93	0.50
1:A:834:PHE:O	1:A:838:MET:HB2	2.12	0.50
1:A:361:MET:HB3	1:A:444:ALA:HB2	1.94	0.49
1:A:52:LEU:HG	1:A:106:VAL:HG22	1.94	0.49
1:A:851:ALA:HB2	1:A:903:VAL:HG21	1.93	0.49
1:A:963:ASP:HB3	1:A:966:GLN:HE21	1.77	0.49
1:A:326:MET:HE1	1:A:333:VAL:HG21	1.95	0.49
1:A:628:ASN:C	1:A:628:ASN:ND2	2.65	0.49
1:A:305:ALA:HB1	1:A:771:GLU:HB3	1.95	0.49
1:A:754:TYR:CE2	1:A:822:ARG:HD2	2.48	0.49
1:A:50:TRP:O	1:A:54:ILE:HG12	2.13	0.48
1:A:567:ARG:CD	1:A:570:PRO:HA	2.42	0.48
1:A:663:LEU:HD12	1:A:663:LEU:H	1.78	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1:MET:CE	1:A:7:LYS:HG3	2.43	0.47
1:A:737:ASP:O	1:A:738:ASP:HB2	2.14	0.47
1:A:61:LEU:HD22	1:A:307:ILE:HD12	1.95	0.47
1:A:188:ILE:HD13	1:A:486:GLU:HG2	1.96	0.47
1:A:836:ARG:O	1:A:840:ILE:HG12	2.15	0.47
1:A:255:GLU:O	1:A:259:GLN:HG2	2.15	0.46
1:A:607:VAL:O	1:A:611:ILE:HG12	2.14	0.46
1:A:799:THR:HG21	1:A:905:VAL:HG22	1.97	0.46
1:A:950:VAL:O	1:A:954:PRO:HD2	2.14	0.46
1:A:974:SER:O	1:A:977:VAL:HG12	2.15	0.46
1:A:6:SER:HA	1:A:194:VAL:O	2.14	0.46
1:A:473:SER:O	1:A:477:GLN:HG2	2.15	0.46
1:A:59:ASP:HB3	1:A:62:VAL:HG22	1.98	0.46
1:A:811:PRO:HG3	1:A:929:VAL:HG13	1.98	0.46
1:A:855:TRP:HA	1:A:859:ALA:HB3	1.97	0.46
1:A:317:THR:O	1:A:321:LEU:HG	2.15	0.45
1:A:813:ASP:HB3	1:A:815:ASP:OD1	2.15	0.45
1:A:185:VAL:HG21	1:A:439:GLU:HG3	1.99	0.45
1:A:898:THR:HG21	1:A:960:LYS:O	2.17	0.45
1:A:298:ILE:O	1:A:302:LEU:HB2	2.16	0.45
1:A:248:PRO:O	1:A:252:LYS:HE3	2.16	0.45
1:A:757:MET:HA	1:A:760:PHE:CE2	2.52	0.45
1:A:895:GLU:N	1:A:896:PRO:HD2	2.32	0.45
1:A:25:THR:HB	1:A:26:PRO:HD2	1.99	0.45
1:A:974:SER:C	1:A:976:PRO:HD2	2.38	0.44
1:A:773:VAL:CG1	1:A:845:GLY:HA3	2.47	0.44
1:A:416:ILE:HD11	1:A:566:THR:HG22	1.99	0.44
1:A:446:THR:O	1:A:449:VAL:HG22	2.18	0.44
1:A:366:MET:HA	1:A:596:VAL:O	2.19	0.43
1:A:309:GLU:CB	1:A:797:LEU:HD11	2.49	0.43
1:A:205:LYS:HB3	1:A:205:LYS:HZ2	1.82	0.43
1:A:388:THR:HG23	1:A:390:ALA:HB3	2.00	0.43
1:A:697:ILE:N	1:A:697:ILE:HD12	2.33	0.43
1:A:273:LEU:HA	1:A:276:ILE:HG13	2.00	0.43
1:A:380:ASN:HD22	1:A:382:PHE:HZ	1.65	0.43
1:A:964:LEU:O	1:A:968:LEU:HB2	2.19	0.42
1:A:154:ALA:O	1:A:155:VAL:C	2.57	0.42
1:A:441:THR:HG21	1:A:560:ARG:HH12	1.84	0.42
1:A:355:THR:HA	1:A:738:ASP:O	2.19	0.42
1:A:604:ARG:CG	1:A:604:ARG:HH11	2.32	0.42
1:A:273:LEU:HD23	1:A:276:ILE:HD11	2.02	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:292:ALA:O	1:A:296:PHE:HD1	2.02	0.42
1:A:697:ILE:N	1:A:697:ILE:CD1	2.83	0.41
1:A:739:ASN:C	1:A:739:ASN:HD22	2.24	0.41
1:A:963:ASP:H	1:A:966:GLN:NE2	2.17	0.41
1:A:205:LYS:H	1:A:205:LYS:HG2	1.64	0.41
1:A:384:ILE:HA	1:A:394:GLU:O	2.20	0.41
1:A:388:THR:CG2	1:A:390:ALA:HB3	2.50	0.41
1:A:802:LEU:HB2	1:A:803:PRO:HD3	2.02	0.41
1:A:604:ARG:HH11	1:A:604:ARG:HG3	1.84	0.41
1:A:298:ILE:HG13	1:A:299:ALA:N	2.35	0.41
1:A:680:GLU:HB2	1:A:683:HIS:CD2	2.55	0.41
1:A:175:VAL:HG12	1:A:177:GLN:HG3	2.02	0.41
1:A:800:ASP:C	1:A:803:PRO:HD2	2.41	0.41
1:A:236:ARG:HD3	1:A:236:ARG:C	2.41	0.41
1:A:517:ALA:HA	1:A:518:PRO:HD3	1.83	0.40
1:A:739:ASN:ND2	1:A:741:SER:H	2.18	0.40
1:A:926:PRO:O	1:A:929:VAL:HB	2.22	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	993/995 (100%)	931 (94%)	57 (6%)	5 (0%)	29 34

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	155	VAL
1	A	463	SER
1	A	869	GLN
1	A	993	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	951	ASP

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	840/840 (100%)	799 (95%)	41 (5%)	25 32

All (41) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	44	GLU
1	A	60	LEU
1	A	78	PHE
1	A	82	GLU
1	A	83	GLU
1	A	113	GLU
1	A	139	ARG
1	A	149	ASP
1	A	158	LYS
1	A	164	ARG
1	A	198	ARG
1	A	205	LYS
1	A	236	ARG
1	A	253	LEU
1	A	319	LEU
1	A	335	SER
1	A	371	LYS
1	A	431	LYS
1	A	484	THR
1	A	486	GLU
1	A	490	ASP
1	A	500	PRO
1	A	533	THR
1	A	535	VAL
1	A	566	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	567	ARG
1	A	574	GLU
1	A	604	ARG
1	A	628	ASN
1	A	656	ARG
1	A	685	SER
1	A	691	LEU
1	A	706	ASN
1	A	739	ASN
1	A	833	LEU
1	A	838	MET
1	A	861	ASP
1	A	873	PHE
1	A	877	THR
1	A	921	SER
1	A	929	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	202	GLN
1	A	250	GLN
1	A	275	ASN
1	A	359	ASN
1	A	461	ASN
1	A	510	ASN
1	A	628	ASN
1	A	739	ASN
1	A	919	ASN
1	A	966	GLN
1	A	990	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 1 is monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	PTY	A	1005	-	18,18,49	1.51	2 (11%)	21,23,54	1.58	3 (14%)
3	PTY	A	1002	-	18,18,49	1.50	2 (11%)	21,23,54	1.50	1 (4%)
3	PTY	A	1006	-	18,18,49	1.58	2 (11%)	21,23,54	1.41	1 (4%)
3	PTY	A	1003	-	18,18,49	1.62	2 (11%)	21,23,54	1.54	2 (9%)
4	SO4	A	1008	-	4,4,4	0.45	0	6,6,6	0.15	0
3	PTY	A	1004	-	18,18,49	1.57	2 (11%)	21,23,54	1.64	1 (4%)
4	SO4	A	1007	-	4,4,4	0.38	0	6,6,6	0.17	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	PTY	A	1004	-	-	11/20/20/53	-
3	PTY	A	1003	-	-	9/20/20/53	-
3	PTY	A	1006	-	-	6/20/20/53	-
3	PTY	A	1005	-	-	12/20/20/53	-
3	PTY	A	1002	-	-	11/20/20/53	-

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1003	PTY	O7-C8	5.48	1.47	1.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1004	PTY	O7-C8	5.35	1.47	1.35
3	A	1006	PTY	O7-C8	5.29	1.47	1.35
3	A	1002	PTY	O7-C8	5.10	1.46	1.35
3	A	1005	PTY	O7-C8	5.09	1.46	1.35
3	A	1003	PTY	O4-C30	2.87	1.47	1.33
3	A	1004	PTY	O4-C30	2.77	1.47	1.33
3	A	1006	PTY	O4-C30	2.73	1.46	1.33
3	A	1002	PTY	O4-C30	2.68	1.46	1.33
3	A	1005	PTY	O4-C30	2.56	1.46	1.33

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1004	PTY	O7-C8-C11	5.81	121.79	111.09
3	A	1005	PTY	O7-C8-C11	5.46	121.13	111.09
3	A	1002	PTY	O7-C8-C11	5.10	120.48	111.09
3	A	1006	PTY	O7-C8-C11	4.78	119.89	111.09
3	A	1003	PTY	O7-C8-C11	4.68	119.69	111.09
3	A	1003	PTY	C1-O4-C30	2.51	123.41	117.10
3	A	1005	PTY	O4-C30-C31	2.21	122.04	112.38
3	A	1005	PTY	O7-C8-O10	-2.04	118.91	122.96

There are no chirality outliers.

All (49) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1005	PTY	C3-O11-P1-O13
3	A	1005	PTY	C5-O14-P1-O11
3	A	1005	PTY	C5-O14-P1-O12
3	A	1005	PTY	C5-O14-P1-O13
3	A	1002	PTY	N1-C2-C3-O11
3	A	1002	PTY	O10-C8-O7-C6
3	A	1002	PTY	C11-C8-O7-C6
3	A	1002	PTY	C5-O14-P1-O12
3	A	1006	PTY	N1-C2-C3-O11
3	A	1003	PTY	C3-O11-P1-O13
3	A	1003	PTY	C3-O11-P1-O14
3	A	1003	PTY	C5-O14-P1-O13
3	A	1004	PTY	N1-C2-C3-O11
3	A	1004	PTY	C3-O11-P1-O14
3	A	1004	PTY	C5-O14-P1-O11
3	A	1005	PTY	C11-C8-O7-C6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
3	A	1004	PTY	C11-C8-O7-C6
3	A	1004	PTY	O10-C8-O7-C6
3	A	1002	PTY	C31-C30-O4-C1
3	A	1005	PTY	O10-C8-O7-C6
3	A	1005	PTY	O30-C30-O4-C1
3	A	1005	PTY	C31-C30-O4-C1
3	A	1002	PTY	O30-C30-O4-C1
3	A	1004	PTY	O30-C30-O4-C1
3	A	1006	PTY	C31-C30-O4-C1
3	A	1003	PTY	C31-C30-O4-C1
3	A	1004	PTY	C31-C30-O4-C1
3	A	1003	PTY	C11-C8-O7-C6
3	A	1003	PTY	O30-C30-O4-C1
3	A	1006	PTY	O30-C30-O4-C1
3	A	1002	PTY	C5-O14-P1-O11
3	A	1003	PTY	O10-C8-O7-C6
3	A	1006	PTY	O4-C1-C6-O7
3	A	1004	PTY	O4-C1-C6-C5
3	A	1004	PTY	O4-C1-C6-O7
3	A	1005	PTY	C6-C5-O14-P1
3	A	1006	PTY	C3-O11-P1-O14
3	A	1002	PTY	C5-O14-P1-O13
3	A	1004	PTY	C3-O11-P1-O12
3	A	1004	PTY	C5-O14-P1-O12
3	A	1005	PTY	O4-C1-C6-O7
3	A	1003	PTY	O4-C1-C6-O7
3	A	1005	PTY	C3-O11-P1-O14
3	A	1002	PTY	C3-O11-P1-O14
3	A	1006	PTY	O4-C1-C6-C5
3	A	1002	PTY	O4-C1-C6-O7
3	A	1003	PTY	O4-C1-C6-C5
3	A	1005	PTY	O4-C1-C6-C5
3	A	1002	PTY	O4-C1-C6-C5


There are no ring outliers.


2 monomers are involved in 2 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	1005	PTY	1	0
3	A	1003	PTY	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths,


bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	994/995 (99%)	0.44	76 (7%) 13 10	36, 67, 126, 200	0

All (76) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	504	SER	14.0
1	A	885	GLY	11.7
1	A	883	PHE	11.5
1	A	886	LEU	11.5
1	A	505	ARG	10.9
1	A	506	ALA	10.0
1	A	82	GLU	9.6
1	A	81	GLY	8.6
1	A	80	GLU	8.4
1	A	46	GLY	8.0
1	A	503	SER	7.1
1	A	85	ILE	6.9
1	A	84	THR	6.7
1	A	507	ALA	6.7
1	A	994	GLY	6.4
1	A	508	VAL	6.0
1	A	855	TRP	5.5
1	A	884	GLU	5.4
1	A	462	LEU	5.1
1	A	279	PHE	5.1
1	A	86	THR	5.0
1	A	427	PHE	4.9
1	A	459	VAL	4.8
1	A	993	GLU	4.5
1	A	52	LEU	4.4
1	A	894	PRO	4.4
1	A	461	ASN	4.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	53	VAL	4.2
1	A	78	PHE	4.0
1	A	289	ILE	4.0
1	A	45	GLU	3.8
1	A	877	THR	3.7
1	A	889	GLU	3.7
1	A	44	GLU	3.5
1	A	49	LEU	3.5
1	A	281	ASP	3.3
1	A	92	PHE	3.3
1	A	426	ASP	3.2
1	A	285	GLY	3.2
1	A	434	TYR	3.2
1	A	460	ARG	3.1
1	A	874	MET	3.1
1	A	828	LEU	3.0
1	A	814	LEU	3.0
1	A	955	MET	2.9
1	A	468	ALA	2.9
1	A	50	TRP	2.9
1	A	284	HIS	2.8
1	A	873	PHE	2.7
1	A	282	PRO	2.7
1	A	183	GLU	2.6
1	A	430	THR	2.6
1	A	795	VAL	2.6
1	A	139	ARG	2.6
1	A	856	PHE	2.6
1	A	106	VAL	2.6
1	A	47	LYS	2.5
1	A	77	TRP	2.5
1	A	854	TRP	2.5
1	A	865	VAL	2.5
1	A	429	GLU	2.4
1	A	182	GLY	2.3
1	A	890	ILE	2.3
1	A	428	ASN	2.2
1	A	875	GLN	2.2
1	A	48	SER	2.2
1	A	433	VAL	2.2
1	A	951	ASP	2.2
1	A	295	TYR	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	435	GLU	2.2
1	A	431	LYS	2.1
1	A	437	VAL	2.1
1	A	467	ARG	2.1
1	A	306	ALA	2.0
1	A	283	VAL	2.0
1	A	293	ILE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	PTY	A	1002	19/50	0.69	0.35	107,120,142,142	0
3	PTY	A	1006	19/50	0.76	0.26	105,128,152,156	0
3	PTY	A	1005	19/50	0.85	0.27	104,119,136,138	0
3	PTY	A	1004	19/50	0.86	0.24	85,117,122,126	0
4	SO4	A	1008	5/5	0.90	0.15	85,100,103,108	0
3	PTY	A	1003	19/50	0.91	0.23	103,108,121,123	0
4	SO4	A	1007	5/5	0.97	0.12	96,99,102,103	0
2	NA	A	1001	1/1	0.98	0.04	47,47,47,47	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around PTY A 1002:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PTY A 1006:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around PTY A 1005:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around PTY A 1004:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.