



# wwPDB X-ray Structure Validation Summary Report

Dec 17, 2023 – 07:53 pm GMT

PDB ID : 3ZX0  
Title : NTPDase1 in complex with Heptamolybdate  
Authors : Zebisch, M.; Schaefer, P.; Straeter, N.  
Deposited on : 2011-08-04  
Resolution : 2.50 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the  symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) ) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4661 (2.50-2.50)
Clashscore	141614	5346 (2.50-2.50)
Ramachandran outliers	138981	5231 (2.50-2.50)
Sidechain outliers	138945	5233 (2.50-2.50)
RSRZ outliers	127900	4559 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	452	<div style="display: flex; align-items: center;"> <div style="width: 10%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 63%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 19%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 15%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 10px;">10%      63%      19%      •      15%</p>
1	B	452	<div style="display: flex; align-items: center;"> <div style="width: 11%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 64%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 20%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 15%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 10px;">11%      64%      20%      •      15%</p>
1	C	452	<div style="display: flex; align-items: center;"> <div style="width: 8%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 64%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 20%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 13%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 10px;">8%      64%      20%      •      13%</p>
1	D	452	<div style="display: flex; align-items: center;"> <div style="width: 4%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 68%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 19%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 12%; height: 10px; background-color: grey; margin-right: 5px;"></div> </div> <p style="margin-left: 10px;">4%      68%      19%      •      12%</p>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard

residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	ACY	A	511	-	-	X	-
3	ACY	C	511	-	-	X	-
4	MO7	B	531[A]	-	-	X	-
4	MO7	C	531[B]	-	-	X	-
4	MO7	D	531	-	-	X	-

## 2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 12434 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ECTONUCLEOSIDE TRIPHOSPHATE DIPHOSPHOHYDROLASE 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	385	Total 3026	C 1958	N 486	O 562	S 20	0	2	0
1	B	386	Total 2994	C 1935	N 482	O 558	S 19	0	1	0
1	C	393	Total 3115	C 2020	N 499	O 576	S 20	0	2	0
1	D	397	Total 3121	C 2021	N 504	O 576	S 20	0	3	0

There are 132 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	15	MET	-	expression tag	UNP P97687
A	16	ALA	-	expression tag	UNP P97687
A	17	HIS	-	expression tag	UNP P97687
A	18	HIS	-	expression tag	UNP P97687
A	19	HIS	-	expression tag	UNP P97687
A	20	HIS	-	expression tag	UNP P97687
A	21	HIS	-	expression tag	UNP P97687
A	22	HIS	-	expression tag	UNP P97687
A	23	VAL	-	expression tag	UNP P97687
A	24	GLY	-	expression tag	UNP P97687
A	25	THR	-	expression tag	UNP P97687
A	26	GLY	-	expression tag	UNP P97687
A	27	SER	-	expression tag	UNP P97687
A	28	ASN	-	expression tag	UNP P97687
A	29	ASP	-	expression tag	UNP P97687
A	30	ASP	-	expression tag	UNP P97687
A	31	ASP	-	expression tag	UNP P97687
A	32	ASP	-	expression tag	UNP P97687
A	33	LYS	-	expression tag	UNP P97687
A	34	SER	-	expression tag	UNP P97687

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	35	PRO	-	expression tag	UNP P97687
A	36	ASP	-	expression tag	UNP P97687
A	37	PRO	-	expression tag	UNP P97687
A	80	GLN	LEU	SEE REMARK 999	UNP P97687
A	190	LYS	-	linker	UNP P97687
A	191	THR	-	linker	UNP P97687
A	192	PRO	-	linker	UNP P97687
A	204	GLY	-	linker	UNP P97687
A	205	GLY	-	linker	UNP P97687
A	206	SER	-	linker	UNP P97687
A	220	ILE	VAL	SEE REMARK 999	UNP P97687
A	227	SER	GLN	SEE REMARK 999	UNP P97687
A	331	ILE	PHE	conflict	UNP P97687
B	15	MET	-	expression tag	UNP P97687
B	16	ALA	-	expression tag	UNP P97687
B	17	HIS	-	expression tag	UNP P97687
B	18	HIS	-	expression tag	UNP P97687
B	19	HIS	-	expression tag	UNP P97687
B	20	HIS	-	expression tag	UNP P97687
B	21	HIS	-	expression tag	UNP P97687
B	22	HIS	-	expression tag	UNP P97687
B	23	VAL	-	expression tag	UNP P97687
B	24	GLY	-	expression tag	UNP P97687
B	25	THR	-	expression tag	UNP P97687
B	26	GLY	-	expression tag	UNP P97687
B	27	SER	-	expression tag	UNP P97687
B	28	ASN	-	expression tag	UNP P97687
B	29	ASP	-	expression tag	UNP P97687
B	30	ASP	-	expression tag	UNP P97687
B	31	ASP	-	expression tag	UNP P97687
B	32	ASP	-	expression tag	UNP P97687
B	33	LYS	-	expression tag	UNP P97687
B	34	SER	-	expression tag	UNP P97687
B	35	PRO	-	expression tag	UNP P97687
B	36	ASP	-	expression tag	UNP P97687
B	37	PRO	-	expression tag	UNP P97687
B	80	GLN	LEU	SEE REMARK 999	UNP P97687
B	190	LYS	-	linker	UNP P97687
B	191	THR	-	linker	UNP P97687
B	192	PRO	-	linker	UNP P97687
B	204	GLY	-	linker	UNP P97687
B	205	GLY	-	linker	UNP P97687

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	206	SER	-	linker	UNP P97687
B	220	ILE	VAL	SEE REMARK 999	UNP P97687
B	227	SER	GLN	SEE REMARK 999	UNP P97687
B	331	ILE	PHE	conflict	UNP P97687
C	15	MET	-	expression tag	UNP P97687
C	16	ALA	-	expression tag	UNP P97687
C	17	HIS	-	expression tag	UNP P97687
C	18	HIS	-	expression tag	UNP P97687
C	19	HIS	-	expression tag	UNP P97687
C	20	HIS	-	expression tag	UNP P97687
C	21	HIS	-	expression tag	UNP P97687
C	22	HIS	-	expression tag	UNP P97687
C	23	VAL	-	expression tag	UNP P97687
C	24	GLY	-	expression tag	UNP P97687
C	25	THR	-	expression tag	UNP P97687
C	26	GLY	-	expression tag	UNP P97687
C	27	SER	-	expression tag	UNP P97687
C	28	ASN	-	expression tag	UNP P97687
C	29	ASP	-	expression tag	UNP P97687
C	30	ASP	-	expression tag	UNP P97687
C	31	ASP	-	expression tag	UNP P97687
C	32	ASP	-	expression tag	UNP P97687
C	33	LYS	-	expression tag	UNP P97687
C	34	SER	-	expression tag	UNP P97687
C	35	PRO	-	expression tag	UNP P97687
C	36	ASP	-	expression tag	UNP P97687
C	37	PRO	-	expression tag	UNP P97687
C	80	GLN	LEU	SEE REMARK 999	UNP P97687
C	190	LYS	-	linker	UNP P97687
C	191	THR	-	linker	UNP P97687
C	192	PRO	-	linker	UNP P97687
C	204	GLY	-	linker	UNP P97687
C	205	GLY	-	linker	UNP P97687
C	206	SER	-	linker	UNP P97687
C	220	ILE	VAL	SEE REMARK 999	UNP P97687
C	227	SER	GLN	SEE REMARK 999	UNP P97687
C	331	ILE	PHE	conflict	UNP P97687
D	15	MET	-	expression tag	UNP P97687
D	16	ALA	-	expression tag	UNP P97687
D	17	HIS	-	expression tag	UNP P97687
D	18	HIS	-	expression tag	UNP P97687
D	19	HIS	-	expression tag	UNP P97687

*Continued on next page...*


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	20	HIS	-	expression tag	UNP P97687
D	21	HIS	-	expression tag	UNP P97687
D	22	HIS	-	expression tag	UNP P97687
D	23	VAL	-	expression tag	UNP P97687
D	24	GLY	-	expression tag	UNP P97687
D	25	THR	-	expression tag	UNP P97687
D	26	GLY	-	expression tag	UNP P97687
D	27	SER	-	expression tag	UNP P97687
D	28	ASN	-	expression tag	UNP P97687
D	29	ASP	-	expression tag	UNP P97687
D	30	ASP	-	expression tag	UNP P97687
D	31	ASP	-	expression tag	UNP P97687
D	32	ASP	-	expression tag	UNP P97687
D	33	LYS	-	expression tag	UNP P97687
D	34	SER	-	expression tag	UNP P97687
D	35	PRO	-	expression tag	UNP P97687
D	36	ASP	-	expression tag	UNP P97687
D	37	PRO	-	expression tag	UNP P97687
D	80	GLN	LEU	SEE REMARK 999	UNP P97687
D	190	LYS	-	linker	UNP P97687
D	191	THR	-	linker	UNP P97687
D	192	PRO	-	linker	UNP P97687
D	204	GLY	-	linker	UNP P97687
D	205	GLY	-	linker	UNP P97687
D	206	SER	-	linker	UNP P97687
D	220	ILE	VAL	SEE REMARK 999	UNP P97687
D	227	SER	GLN	SEE REMARK 999	UNP P97687
D	331	ILE	PHE	conflict	UNP P97687

- Molecule 2 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	4	Total Cl 4 4	0	0
2	B	5	Total Cl 5 5	0	0
2	C	5	Total Cl 5 5	0	0
2	D	8	Total Cl 8 8	0	0


- Molecule 3 is ACETIC ACID (three-letter code: ACY) (formula: C<sub>2</sub>H<sub>4</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	B	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	C	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0
3	D	1	Total C O 4 2 2	0	0

- Molecule 4 is bis(mu4-oxo)-bis(mu3-oxo)-octakis(mu2-oxo)-dodecaoxo-heptamolybdenum (VI) (three-letter code: MO7) (formula: Mo<sub>7</sub>O<sub>24</sub>).





Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	Mo	O		
4	A	1	31	7	24	0	0
4	B	1	31	7	24	0	1
4	C	1	31	7	24	0	1
4	D	1	31	7	24	0	0


- Molecule 5 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
			Total	Na		
5	B	1	1	1	0	0
5	C	2	2	2	0	0
5	D	1	1	1	0	0


### 3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: ECTONUCLEOSIDE TRIPHOSPHATE DIPHOSPHOHYDROLASE 1




#### • Molecule 1: ECTONUCLEOSIDE TRIPHOSPHATE DIPHOSPHOHYDROLASE 1






● Molecule 1: ECTONUCLEOSIDE TRIPHOSPHATE DIPHOSPHOHYDROLASE 1



● Molecule 1: ECTONUCLEOSIDE TRIPHOSPHATE DIPHOSPHOHYDROLASE 1



## 4 Data and refinement statistics i

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	163.81Å 80.27Å 164.92Å 90.00° 117.92° 90.00°	Depositor
Resolution (Å)	145.73 – 2.50 28.75 – 2.50	Depositor EDS
% Data completeness (in resolution range)	87.6 (145.73-2.50) 88.0 (28.75-2.50)	Depositor EDS
$R_{merge}$	0.06	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.21 (at 2.51Å)	Xtrriage
Refinement program	REFMAC 5.6.0117	Depositor
R, $R_{free}$	0.213 , 0.257 0.213 , 0.255	Depositor DCC
$R_{free}$ test set	1157 reflections (2.01%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	57.4	Xtrriage
Anisotropy	0.043	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 43.2	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.007 for h,-k,-h-l	Xtrriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	12434	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	72.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.75% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NA, CL, ACY, MO7

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.82	4/3110 (0.1%)	0.93	4/4203 (0.1%)
1	B	0.79	3/3073 (0.1%)	0.85	4/4158 (0.1%)
1	C	0.90	4/3204 (0.1%)	0.98	6/4334 (0.1%)
1	D	0.93	6/3213 (0.2%)	1.03	10/4351 (0.2%)
All	All	0.86	17/12600 (0.1%)	0.95	24/17046 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

The worst 5 of 17 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	135	ARG	CZ-NH1	-8.23	1.22	1.33
1	D	135	ARG	CZ-NH2	-6.76	1.24	1.33
1	D	451	TRP	CD2-CE2	6.37	1.49	1.41
1	C	179	TRP	CD2-CE2	6.08	1.48	1.41
1	A	451	TRP	CD2-CE2	5.77	1.48	1.41

The worst 5 of 24 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	138	ARG	NE-CZ-NH1	13.29	126.94	120.30
1	A	138	ARG	NE-CZ-NH2	-12.99	113.81	120.30
1	C	138	ARG	NE-CZ-NH1	12.14	126.37	120.30
1	D	138	ARG	NE-CZ-NH2	-11.77	114.42	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	135	ARG	NE-CZ-NH1	11.31	125.96	120.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	206	SER	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3026	0	2900	78	0
1	B	2994	0	2847	74	0
1	C	3115	0	3024	59	0
1	D	3121	0	3007	46	0
2	A	4	0	0	1	0
2	B	5	0	0	2	0
2	C	5	0	0	3	0
2	D	8	0	0	3	0
3	A	4	0	3	3	0
3	B	8	0	6	1	0
3	C	8	0	6	4	0
3	D	8	0	6	2	0
4	A	31	0	0	6	0
4	B	31	0	0	8	0
4	C	31	0	0	13	0
4	D	31	0	0	7	0
5	B	1	0	0	0	0
5	C	2	0	0	0	0
5	D	1	0	0	0	0
All	All	12434	0	11799	272	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

The worst 5 of 272 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:230:GLU:C	1:A:232:PRO:HD3	1.53	1.29
1:D:225:LEU:HD13	1:D:353:GLN:NE2	1.56	1.20
1:A:167:LYS:HD2	1:B:232:PRO:HG2	1.15	1.14
1:D:225:LEU:HD13	1:D:353:GLN:HE21	0.98	1.12
1:A:231:ALA:N	1:A:232:PRO:HD3	1.71	1.04

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	377/452 (83%)	348 (92%)	27 (7%)	2 (0%)	29	48
1	B	375/452 (83%)	347 (92%)	26 (7%)	2 (0%)	29	48
1	C	387/452 (86%)	374 (97%)	12 (3%)	1 (0%)	41	61
1	D	394/452 (87%)	370 (94%)	21 (5%)	3 (1%)	19	35
All	All	1533/1808 (85%)	1439 (94%)	86 (6%)	8 (0%)	29	48

5 of 8 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	343	ALA
1	D	226	ASN
1	A	229	LEU
1	D	343	ALA
1	A	227	SER

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	318/390 (82%)	291 (92%)	27 (8%)	10	21
1	B	312/390 (80%)	293 (94%)	19 (6%)	18	36
1	C	334/390 (86%)	310 (93%)	24 (7%)	14	28
1	D	330/390 (85%)	311 (94%)	19 (6%)	20	38
All	All	1294/1560 (83%)	1205 (93%)	89 (7%)	15	30

5 of 89 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	272	SER
1	D	99	ASP
1	C	293	SER
1	C	392	SER
1	D	238	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 31 such sidechains are listed below:

Mol	Chain	Res	Type
1	B	374	ASN
1	D	323	GLN
1	C	164	GLN
1	D	353	GLN
1	D	123	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.



## 5.6 Ligand geometry [i](#)

Of 37 ligands modelled in this entry, 26 are monoatomic - leaving 11 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	MO7	A	531	-	20,42,42	2.47	9 (45%)	-		
4	MO7	C	531[B]	1	20,42,42	52.86	9 (45%)	-		
3	ACY	B	512	-	3,3,3	0.71	0	3,3,3	1.56	1 (33%)
4	MO7	B	531[A]	-	20,42,42	9.12	9 (45%)	-		
3	ACY	C	512	-	3,3,3	0.94	0	3,3,3	1.05	0
3	ACY	C	511	-	3,3,3	1.38	1 (33%)	3,3,3	0.86	0
3	ACY	A	511	-	3,3,3	1.13	0	3,3,3	0.73	0
3	ACY	D	512	-	3,3,3	0.91	0	3,3,3	0.60	0
4	MO7	D	531	-	20,42,42	8.92	11 (55%)	-		
3	ACY	B	511	-	3,3,3	1.10	0	3,3,3	0.10	0
3	ACY	D	511	-	3,3,3	0.87	0	3,3,3	0.36	0

The worst 5 of 39 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	531[B]	MO7	O22-MO6	235.59	5.85	1.68
4	B	531[A]	MO7	O1-MO5	27.23	4.92	1.95
4	D	531	MO7	O1-MO5	25.80	4.77	1.95
4	B	531[A]	MO7	O4-MO2	24.51	4.63	1.95
4	D	531	MO7	O4-MO2	23.87	4.56	1.95

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	512	ACY	O-C-CH3	-2.17	113.90	122.33

There are no chirality outliers.


There are no torsion outliers.


There are no ring outliers.


10 monomers are involved in 44 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	531	MO7	6	0
4	C	531[B]	MO7	13	0
3	B	512	ACY	1	0
4	B	531[A]	MO7	8	0
3	C	512	ACY	1	0
3	C	511	ACY	3	0
3	A	511	ACY	3	0
3	D	512	ACY	1	0
4	D	531	MO7	7	0
3	D	511	ACY	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	385/452 (85%)	0.59	44 (11%) 5 4	41, 79, 132, 158	0
1	B	386/452 (85%)	0.65	49 (12%) 3 3	54, 79, 128, 162	0
1	C	393/452 (86%)	0.25	34 (8%) 10 10	35, 63, 103, 128	0
1	D	397/452 (87%)	0.01	17 (4%) 35 38	32, 58, 92, 114	0
All	All	1561/1808 (86%)	0.37	144 (9%) 9 9	32, 70, 118, 162	0

The worst 5 of 144 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	47	VAL	9.3
1	A	229	LEU	7.4
1	A	122	HIS	7.1
1	B	77	VAL	6.8
1	A	333	ASN	6.7

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q < 0.9’ lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
5	NA	C	522	1/1	0.90	0.05	42,42,42,42	0
5	NA	D	521	1/1	0.91	0.07	48,48,48,48	0
2	CL	B	506	1/1	0.92	0.16	67,67,67,67	0
3	ACY	A	511	4/4	0.92	0.14	48,54,59,61	0
5	NA	C	521	1/1	0.93	0.26	58,58,58,58	0
3	ACY	B	512	4/4	0.95	0.64	61,66,67,67	0
2	CL	D	508	1/1	0.95	0.16	69,69,69,69	0
2	CL	B	503	1/1	0.96	0.07	65,65,65,65	0
2	CL	C	506	1/1	0.96	0.13	43,43,43,43	0
2	CL	D	506	1/1	0.97	0.13	58,58,58,58	0
2	CL	B	502	1/1	0.97	0.07	60,60,60,60	0
2	CL	A	501	1/1	0.97	0.14	56,56,56,56	0
3	ACY	B	511	4/4	0.97	0.29	45,55,58,59	0
2	CL	A	502	1/1	0.97	0.14	60,60,60,60	0
3	ACY	C	512	4/4	0.97	0.22	33,45,47,49	0
2	CL	C	505	1/1	0.97	0.06	50,50,50,50	0
2	CL	B	501	1/1	0.97	0.11	63,63,63,63	0
2	CL	D	505	1/1	0.97	0.07	58,58,58,58	0
2	CL	B	505	1/1	0.98	0.04	58,58,58,58	0
2	CL	A	503	1/1	0.98	0.06	60,60,60,60	0
2	CL	D	501	1/1	0.98	0.18	41,41,41,41	0
2	CL	D	502	1/1	0.98	0.09	52,52,52,52	0
3	ACY	C	511	4/4	0.98	0.11	29,38,41,45	0
2	CL	D	503	1/1	0.98	0.05	44,44,44,44	0
3	ACY	D	512	4/4	0.98	0.16	42,42,42,43	0
4	MO7	B	531[A]	31/31	0.98	0.06	43,64,82,94	31
4	MO7	C	531[B]	31/31	0.98	0.07	47,61,73,84	31
5	NA	B	521	1/1	0.98	0.13	56,56,56,56	0
2	CL	C	501	1/1	0.98	0.16	39,39,39,39	0
2	CL	C	503	1/1	0.98	0.08	63,63,63,63	0
2	CL	D	507	1/1	0.98	0.08	52,52,52,52	0
2	CL	C	502	1/1	0.99	0.09	54,54,54,54	0
4	MO7	D	531	31/31	0.99	0.06	29,41,54,55	31
3	ACY	D	511	4/4	0.99	0.09	45,46,46,52	0
2	CL	D	509	1/1	0.99	0.26	42,42,42,42	1
4	MO7	A	531	31/31	0.99	0.06	30,43,52,60	31
2	CL	A	505	1/1	0.99	0.10	56,56,56,56	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






**Electron density around MO7 B 531 (A):**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around MO7 C 531 (B):**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around MO7 D 531:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.5 Other polymers [i](#)

There are no such residues in this entry.