



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 21, 2024 – 10:00 am BST

PDB ID : 4A95
Title : Plasmodium vivax N-myristoyltransferase with quinoline inhibitor
Authors : Goncalves, V.; Brannigan, J.A.; Whalley, D.; Ansell, K.H.; Saxty, B.; Holder, A.A.; Wilkinson, A.J.; Tate, E.W.; Leatherbarrow, R.J.
Deposited on : 2011-11-24
Resolution : 1.55 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : 2.36.2
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.55 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1483 (1.56-1.56)
Clashscore	141614	1529 (1.56-1.56)
Ramachandran outliers	138981	1498 (1.56-1.56)
Sidechain outliers	138945	1495 (1.56-1.56)
RSRZ outliers	127900	1465 (1.56-1.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	384	 87% 11% .
1	B	384	 89% 11% .
1	C	384	 83% 11% . 5%

2 Entry composition i


There are 7 unique types of molecules in this entry. The entry contains 11498 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called GLYCYLPEPTIDE N-TETRADECANOYLTRANSFERASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	384	Total 3279	C 2132	N 535	O 600	S 12	0	17	0
1	B	384	Total 3282	C 2139	N 532	O 599	S 12	0	18	0
1	C	366	Total 3126	C 2039	N 501	O 575	S 11	0	14	0

- Molecule 2 is 3-(3-BUTYL-6-METHOXY-2-METHYL-QUINOLIN-4-YL)SULFANYLPROPANENITRILE (three-letter code: 9MT) (formula: C₁₈H₂₂N₂OS).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
2	A	1	Total 22	C 18	N 2	O 1	S 1	0	0
2	B	1	Total 22	C 18	N 2	O 1	S 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
2	C	1	22	18	2	1	1	0	0

- Molecule 3 is 2-oxopentadecyl-CoA (three-letter code: NHW) (formula: $C_{36}H_{64}N_7O_{17}P_3S$).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
			Total	C	N	O	P	S		
3	A	1	64	36	7	17	3	1	0	0
3	B	1	64	36	7	17	3	1	0	0
3	C	1	64	36	7	17	3	1	0	0

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total 1 Cl	0	0
4	B	1	Total 1 Cl	0	0
4	C	1	Total 1 Cl	0	0

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total Mg 1 1	0	0
5	B	1	Total Mg 1 1	0	0
5	C	1	Total Mg 1 1	0	0

- Molecule 6 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	B	1	Total O S 5 4 1	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	574	Total O 574 574	0	0
7	B	522	Total O 522 522	0	0
7	C	446	Total O 446 446	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: GLYCYLPEPTIDE N-TETRADECANOYLTRANSFERASE



- Molecule 1: GLYCYLPEPTIDE N-TETRADECANOYLTRANSFERASE



- Molecule 1: GLYCYLPEPTIDE N-TETRADECANOYLTRANSFERASE



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	57.49Å 121.56Å 179.01Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	72.08 – 1.55 60.78 – 1.55	Depositor EDS
% Data completeness (in resolution range)	85.3 (72.08-1.55) 85.3 (60.78-1.55)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.97 (at 1.55Å)	Xtrriage
Refinement program	REFMAC 5.6.0116	Depositor
R, R_{free}	0.186 , 0.236 0.186 , 0.235	Depositor DCC
R_{free} test set	7732 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	14.2	Xtrriage
Anisotropy	0.100	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 39.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.26$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	11498	wwPDB-VP
Average B, all atoms (Å ²)	16.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.30% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, SO4, NHW, MG, 9MT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.20	3/3389 (0.1%)	1.06	7/4586 (0.2%)
1	B	1.19	6/3404 (0.2%)	1.08	9/4603 (0.2%)
1	C	1.17	5/3235 (0.2%)	1.01	2/4381 (0.0%)
All	All	1.18	14/10028 (0.1%)	1.05	18/13570 (0.1%)

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	198	ALA	CA-CB	5.81	1.64	1.52
1	C	377	GLU	CG-CD	-5.79	1.43	1.51
1	C	368	GLU	CD-OE1	-5.77	1.19	1.25
1	A	314	PHE	CE1-CZ	5.60	1.48	1.37
1	A	211[A]	TYR	CD1-CE1	5.40	1.47	1.39
1	A	211[B]	TYR	CD1-CE1	5.40	1.47	1.39
1	B	95	TYR	CD2-CE2	5.38	1.47	1.39
1	C	368	GLU	CD-OE2	-5.36	1.19	1.25
1	B	364	PHE	CE2-CZ	5.27	1.47	1.37
1	C	192	TRP	CE3-CZ3	5.19	1.47	1.38
1	B	314	PHE	CE2-CZ	5.17	1.47	1.37
1	C	71	TYR	CE1-CZ	5.14	1.45	1.38
1	B	51	PHE	CE2-CZ	5.12	1.47	1.37
1	B	196	TYR	CG-CD2	5.05	1.45	1.39

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	156[A]	LYS	CD-CE-NZ	6.66	127.02	111.70
1	B	156[B]	LYS	CD-CE-NZ	6.66	127.02	111.70
1	A	208	ASP	CB-CG-OD1	6.22	123.89	118.30
1	A	130	LYS	CD-CE-NZ	-5.86	98.21	111.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	336	PHE	CB-CG-CD2	-5.84	116.71	120.80
1	A	336	PHE	CB-CG-CD2	-5.68	116.83	120.80
1	B	219	LYS	CD-CE-NZ	-5.53	98.99	111.70
1	B	208	ASP	CB-CG-OD1	5.49	123.24	118.30
1	B	104	ARG	NE-CZ-NH2	-5.42	117.59	120.30
1	A	358	ARG	NE-CZ-NH1	5.40	123.00	120.30
1	B	202	LEU	CB-CG-CD1	-5.37	101.86	111.00
1	C	278	TYR	CZ-CE2-CD2	-5.29	115.03	119.80
1	A	93	ASP	CB-CG-OD1	5.23	123.01	118.30
1	C	104	ARG	NE-CZ-NH2	-5.17	117.71	120.30
1	A	83	ASP	CB-CG-OD1	5.16	122.94	118.30
1	A	336	PHE	CB-CG-CD1	5.10	124.37	120.80
1	B	185	ARG	NE-CZ-NH2	-5.02	117.79	120.30
1	B	113	LEU	CB-CG-CD2	-5.02	102.47	111.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3279	0	3295	33	0
1	B	3282	0	3316	31	0
1	C	3126	0	3117	24	0
2	A	22	0	22	8	0
2	B	22	0	22	2	0
2	C	22	0	22	2	0
3	A	64	0	60	0	0
3	B	64	0	60	0	0
3	C	64	0	60	0	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
5	C	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	B	5	0	0	1	0
7	A	574	0	0	7	0
7	B	522	0	0	7	0
7	C	446	0	0	7	0
All	All	11498	0	9974	92	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (92) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:56:LYS:HB3	1:C:58:GLU:OE1	1.46	1.15
1:B:262:GLU:OE2	1:B:266[B]:LYS:NZ	1.89	1.03
1:B:159:GLU:CD	1:B:409[A]:LEU:HD22	1.88	0.93
1:C:30:PHE:O	1:C:33[A]:THR:HG22	1.70	0.92
1:C:257[B]:LYS:HD3	1:C:259:LYS:HE2	1.53	0.91
1:B:346[B]:LYS:HD2	7:B:2484:HOH:O	1.74	0.85
2:A:1000:9MT:H61C	2:A:1000:9MT:H21C	1.56	0.84
1:C:58:GLU:CD	1:C:58:GLU:H	1.84	0.81
1:A:66:LYS:HE2	7:A:2113:HOH:O	1.81	0.81
1:C:76:CYS:O	1:C:123[A]:LYS:HE3	1.81	0.80
1:B:110:GLU:HG3	7:B:2196:HOH:O	1.88	0.71
1:C:346:LYS:HD3	7:C:2415:HOH:O	1.93	0.69
1:C:262[B]:GLU:HG3	1:C:283:LYS:HE3	1.75	0.68
1:C:360[B]:ASN:ND2	7:C:2407:HOH:O	2.28	0.67
1:B:123[B]:LYS:HG3	7:B:2224:HOH:O	1.94	0.66
1:B:159:GLU:OE2	1:B:409[A]:LEU:HD22	1.93	0.66
1:A:85[A]:SER:OG	7:A:2157:HOH:O	2.12	0.66
1:A:346[A]:LYS:HE2	7:A:2525:HOH:O	1.96	0.64
1:A:213:HIS:HE1	7:A:2350:HOH:O	1.81	0.63
1:B:159:GLU:CD	1:B:409[A]:LEU:CD2	2.66	0.62
1:C:27:ASP:OD2	1:C:29:LYS:HE3	2.00	0.62
1:B:346[B]:LYS:HE3	1:B:378:ASP:CB	2.30	0.62
1:A:211[A]:TYR:CD1	2:A:1000:9MT:C17	2.85	0.59
1:A:42:GLU:OE1	1:B:346[A]:LYS:HE3	2.01	0.59
1:A:266[A]:LYS:HE3	7:C:2028:HOH:O	2.02	0.59
1:A:218:VAL:O	1:A:222[A]:ILE:HG12	2.03	0.58
1:A:346[B]:LYS:NZ	7:A:2515:HOH:O	2.39	0.55
1:C:262[A]:GLU:HG2	7:C:2314:HOH:O	2.04	0.55
1:A:213:HIS:HD2	1:A:365:ASN:OD1	1.88	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:159:GLU:OE2	1:A:409[B]:LEU:HD12	2.07	0.54
1:A:211[A]:TYR:CE1	2:A:1000:9MT:H161	2.45	0.52
1:C:213:HIS:HD2	1:C:365:ASN:OD1	1.91	0.52
1:B:346[B]:LYS:HE3	1:B:378:ASP:HB3	1.91	0.52
1:C:33[A]:THR:HG23	1:C:34:GLN:OE1	2.10	0.52
1:A:134:SER:OG	1:A:136:LYS:HB2	2.09	0.52
1:A:151:HIS:O	1:A:152:LYS:HB2	2.09	0.52
1:B:213:HIS:HD2	1:B:365:ASN:OD1	1.95	0.50
1:C:98:ASP:OD2	1:C:102:ILE:HG23	2.12	0.50
1:A:210:ARG:NH1	6:B:1411:SO4:O4	2.32	0.50
1:B:152:LYS:NZ	7:B:2248:HOH:O	2.30	0.49
1:B:230[B]:ASN:CB	1:B:233:LEU:H	2.25	0.49
1:A:222[A]:ILE:HD13	1:A:227:SER:HB2	1.95	0.49
1:A:218:VAL:HG21	1:A:242:TYR:HB2	1.93	0.49
1:C:212:TYR:OH	1:C:373:LYS:HE2	2.13	0.48
1:A:230:ASN:OD1	1:A:232:ARG:HG3	2.15	0.47
1:B:123[A]:LYS:HB3	7:B:2120:HOH:O	2.14	0.47
1:A:218:VAL:CG2	1:A:242:TYR:HB2	2.45	0.46
1:A:175:ALA:HB3	1:A:176:PRO:HD3	1.98	0.46
1:A:66:LYS:HE3	7:A:2112:HOH:O	2.17	0.45
2:A:1000:9MT:H152	2:A:1000:9MT:H12	1.99	0.45
1:A:211[B]:TYR:CE2	1:A:367:LEU:HD21	2.51	0.45
1:A:340:THR:HB	1:A:348:LEU:HD22	1.98	0.45
1:B:237:ARG:NH2	7:B:2341:HOH:O	2.50	0.45
1:A:220:LYS:HE2	1:A:330:LEU:HD12	1.99	0.44
1:A:138:ILE:C	1:A:138:ILE:HD12	2.38	0.44
1:C:211[C]:TYR:CE2	1:C:367:LEU:HD21	2.53	0.44
1:A:98:ASP:HA	2:A:1000:9MT:H112	1.99	0.44
1:B:304[A]:GLU:O	1:B:305:ASN:C	2.56	0.44
1:C:123[A]:LYS:HA	1:C:123[A]:LYS:HD2	1.48	0.44
1:B:346[B]:LYS:HE3	1:B:378:ASP:HB2	2.00	0.43
1:B:156[A]:LYS:HE2	1:B:156[A]:LYS:HA	1.99	0.43
1:A:127:ILE:HD11	1:A:185:ARG:HD2	2.01	0.43
1:C:211[C]:TYR:CD1	2:C:1000:9MT:N1	2.86	0.43
1:B:226:PHE:CZ	2:B:1000:9MT:H12C	2.54	0.43
1:B:159:GLU:OE1	1:B:409[A]:LEU:CD2	2.68	0.42
1:A:243[A]:ARG:HG2	7:A:2394:HOH:O	2.19	0.42
2:B:1000:9MT:H61C	2:B:1000:9MT:H31C	1.84	0.42
1:C:156:LYS:HG3	1:C:191:ILE:HG12	2.00	0.42
1:B:43:PHE:CZ	1:B:396:LYS:HG3	2.55	0.42
1:A:250:ILE:O	1:A:253[B]:MET:HG2	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:172:LYS:HE3	7:C:2228:HOH:O	2.19	0.42
1:B:218:VAL:HG21	1:B:242:TYR:HB2	2.02	0.41
1:A:211[A]:TYR:CD1	2:A:1000:9MT:H151	2.55	0.41
2:C:1000:9MT:H31C	2:C:1000:9MT:H61C	1.78	0.41
1:B:230[B]:ASN:HB3	1:B:233:LEU:H	1.84	0.41
1:C:213:HIS:HE1	7:C:2263:HOH:O	2.02	0.41
1:A:211[A]:TYR:HD1	2:A:1000:9MT:C17	2.33	0.41
2:A:1000:9MT:H21C	2:A:1000:9MT:C6	2.37	0.41
1:C:32[B]:TYR:OH	1:C:39:ILE:HB	2.20	0.41
1:B:56:LYS:HB3	1:B:58:GLU:HG2	2.03	0.41
1:B:230[B]:ASN:HB2	1:B:233:LEU:H	1.86	0.41
1:C:43:PHE:CE1	1:C:396:LYS:HG3	2.56	0.41
1:C:118:SER:HB3	1:C:289:TRP:CZ2	2.56	0.41
1:A:213:HIS:CD2	1:A:365:ASN:OD1	2.71	0.41
1:A:304:GLU:O	1:A:305[A]:ASN:ND2	2.53	0.40
1:B:249:ASN:ND2	7:B:2365:HOH:O	2.37	0.40
1:C:357:LYS:HE2	7:C:2275:HOH:O	2.20	0.40
1:B:218:VAL:O	1:B:222[A]:ILE:HG23	2.21	0.40
1:B:39:ILE:HD12	1:B:39:ILE:HA	1.70	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	399/384 (104%)	385 (96%)	14 (4%)	0	100	100
1	B	399/384 (104%)	387 (97%)	12 (3%)	0	100	100
1	C	377/384 (98%)	362 (96%)	15 (4%)	0	100	100
All	All	1175/1152 (102%)	1134 (96%)	41 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	367/350 (105%)	355 (97%)	12 (3%)	38	10
1	B	368/350 (105%)	359 (98%)	9 (2%)	49	20
1	C	348/350 (99%)	330 (95%)	18 (5%)	23	3
All	All	1083/1050 (103%)	1044 (96%)	39 (4%)	43	8

All (39) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	39	ILE
1	A	58	GLU
1	A	99	ASP
1	A	136	LYS
1	A	219	LYS
1	A	253[A]	MET
1	A	253[B]	MET
1	A	258	LYS
1	A	266[A]	LYS
1	A	266[B]	LYS
1	A	305[A]	ASN
1	A	305[B]	ASN
1	B	39	ILE
1	B	106	ASN
1	B	156[A]	LYS
1	B	156[B]	LYS
1	B	214	ARG
1	B	222[A]	ILE
1	B	222[B]	ILE
1	B	232	ARG
1	B	325	ASP
1	C	33[A]	THR
1	C	33[B]	THR
1	C	39	ILE
1	C	45	GLU
1	C	99	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	102	ILE
1	C	119	PRO
1	C	123[A]	LYS
1	C	123[B]	LYS
1	C	214[A]	ARG
1	C	214[B]	ARG
1	C	244	VAL
1	C	266	LYS
1	C	294[A]	GLU
1	C	294[B]	GLU
1	C	329	THR
1	C	360[A]	ASN
1	C	360[B]	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	213	HIS
1	A	249	ASN
1	A	350	GLN
1	B	34	GLN
1	B	106	ASN
1	B	213	HIS
1	B	331	ASN
1	B	371	GLN
1	C	106	ASN
1	C	213	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 13 ligands modelled in this entry, 6 are monoatomic - leaving 7 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NHW	C	1001	5	58,66,66	1.31	3 (5%)	70,92,92	1.37	8 (11%)
3	NHW	B	1001	5	58,66,66	1.27	4 (6%)	70,92,92	1.36	9 (12%)
6	SO4	B	1411	-	4,4,4	0.31	0	6,6,6	0.95	0
2	9MT	C	1000	-	23,23,23	0.94	0	26,30,30	1.60	6 (23%)
2	9MT	B	1000	-	23,23,23	1.10	2 (8%)	26,30,30	1.93	8 (30%)
2	9MT	A	1000	-	23,23,23	1.31	4 (17%)	26,30,30	2.16	11 (42%)
3	NHW	A	1001	5	58,66,66	1.15	4 (6%)	70,92,92	1.45	12 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NHW	C	1001	5	-	4/61/81/81	0/3/3/3
3	NHW	B	1001	5	-	2/61/81/81	0/3/3/3
2	9MT	C	1000	-	-	1/11/11/11	0/2/2/2
2	9MT	B	1000	-	-	2/11/11/11	0/2/2/2
2	9MT	A	1000	-	-	5/11/11/11	0/2/2/2
3	NHW	A	1001	5	-	2/61/81/81	0/3/3/3

All (17) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	1001	NHW	P3X-O3X	6.54	1.71	1.59
3	B	1001	NHW	P3X-O3X	4.77	1.68	1.59
3	A	1001	NHW	P3X-O3X	4.11	1.67	1.59
3	A	1001	NHW	O4X-C1X	3.18	1.45	1.41
3	A	1001	NHW	C7-C6	2.95	1.60	1.51

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1001	NHW	CP-C1M	2.87	1.56	1.51
2	B	1000	9MT	C12-C10	2.66	1.41	1.37
3	B	1001	NHW	C13-C11	2.58	1.59	1.53
2	A	1000	9MT	C14-C13	-2.52	1.39	1.43
3	C	1001	NHW	O4X-C4X	2.48	1.50	1.45
3	B	1001	NHW	CP-S1	2.33	1.87	1.81
2	A	1000	9MT	C14-S	-2.30	1.74	1.77
2	A	1000	9MT	C5-N	2.20	1.35	1.32
3	C	1001	NHW	CP-S1	2.16	1.87	1.81
2	A	1000	9MT	C4-C5	2.13	1.42	1.39
3	B	1001	NHW	P2A-O4A	-2.12	1.45	1.55
2	B	1000	9MT	C8-C9	2.09	1.41	1.36

All (54) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	1001	NHW	N3A-C2A-N1A	-6.43	118.62	128.68
2	B	1000	9MT	C5-N-C7	5.38	123.60	118.38
3	A	1001	NHW	C6-C5-N4	-4.87	108.23	116.42
3	B	1001	NHW	N3A-C2A-N1A	-4.50	121.64	128.68
2	A	1000	9MT	C9-C8-C7	-4.44	115.25	120.84
3	B	1001	NHW	C6-C5-N4	-4.36	109.09	116.42
2	A	1000	9MT	C3-C4-C14	-3.95	112.77	119.94
2	A	1000	9MT	C4-C5-N	-3.87	117.59	122.05
3	A	1001	NHW	O5-C5-C6	3.75	128.88	122.02
3	A	1001	NHW	O4X-C1X-C2X	-3.62	101.64	106.93
3	C	1001	NHW	O4X-C1X-C2X	-3.62	101.64	106.93
2	C	1000	9MT	C8-C7-C13	3.49	123.13	119.13
2	C	1000	9MT	C15-C16-C17	-3.37	102.46	111.97
2	A	1000	9MT	C6-C5-C4	3.33	127.04	122.32
3	B	1001	NHW	O1M-C1M-CP	-3.16	117.67	122.17
2	A	1000	9MT	C5-N-C7	3.14	121.43	118.38
2	A	1000	9MT	C2-C3-C4	3.11	121.94	113.82
2	B	1000	9MT	C8-C7-C13	2.99	122.56	119.13
2	B	1000	9MT	C13-C7-N	-2.92	119.72	122.81
3	A	1001	NHW	C6-C7-N8	-2.87	106.11	111.90
3	A	1001	NHW	C14-C11-C13	2.83	114.94	109.17
2	A	1000	9MT	C8-C9-C10	2.83	123.97	120.17
2	C	1000	9MT	C9-C8-C7	-2.78	117.34	120.84
2	B	1000	9MT	C15-C16-C17	-2.73	104.27	111.97
2	C	1000	9MT	C14-C13-C7	2.59	120.45	117.57
3	B	1001	NHW	C2A-N1A-C6A	2.58	123.16	118.75

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	1001	NHW	O5-C5-N4	2.56	127.84	123.01
2	B	1000	9MT	C15-S-C14	2.55	109.80	101.88
2	B	1000	9MT	C1-C2-C3	-2.54	101.99	113.98
3	C	1001	NHW	C13-C11-C10	2.52	113.19	108.82
2	A	1000	9MT	C10-C12-C13	-2.49	116.75	120.05
3	C	1001	NHW	O6A-C12-C11	2.47	114.52	110.55
3	B	1001	NHW	C3-N4-C5	2.39	127.27	122.84
2	B	1000	9MT	C16-C15-S	-2.37	106.79	113.36
2	B	1000	9MT	C3-C4-C14	2.36	124.23	119.94
3	C	1001	NHW	C2A-N1A-C6A	2.36	122.79	118.75
3	B	1001	NHW	O5-C5-C6	2.35	126.32	122.02
3	A	1001	NHW	C2-C3-N4	-2.35	107.48	112.42
2	A	1000	9MT	C8-C7-C13	2.34	121.81	119.13
3	B	1001	NHW	C13-C11-C10	2.34	112.87	108.82
3	A	1001	NHW	O4A-P2A-O5A	2.32	123.71	112.24
3	B	1001	NHW	C7-C6-C5	-2.31	108.52	112.36
2	A	1000	9MT	C12-C13-C7	2.30	121.76	118.94
3	A	1001	NHW	N3A-C2A-N1A	-2.26	125.14	128.68
3	A	1001	NHW	C3M-C2M-C1M	-2.25	108.82	114.60
3	C	1001	NHW	C2-C3-N4	-2.22	107.74	112.42
2	C	1000	9MT	C5-N-C7	2.19	120.51	118.38
3	A	1001	NHW	C4A-C5A-N7A	-2.15	107.16	109.40
2	C	1000	9MT	C13-C7-N	-2.14	120.55	122.81
2	A	1000	9MT	O-C10-C12	-2.09	118.74	124.43
3	B	1001	NHW	C7-N8-C9	-2.05	118.94	122.59
3	A	1001	NHW	C1X-N9A-C4A	-2.04	123.06	126.64
3	C	1001	NHW	P2A-O3A-P1A	-2.02	125.91	132.83
3	A	1001	NHW	C7-N8-C9	2.01	126.18	122.59

There are no chirality outliers.

All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1000	9MT	C2-C3-C4-C14
2	A	1000	9MT	C2-C3-C4-C5
3	C	1001	NHW	C12-O6A-P2A-O5A
2	B	1000	9MT	C16-C15-S-C14
2	C	1000	9MT	C16-C15-S-C14
2	A	1000	9MT	C-C1-C2-C3
2	B	1000	9MT	C-C1-C2-C3
2	A	1000	9MT	C1-C2-C3-C4
3	A	1001	NHW	C9M-CAM-CBM-CCM

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	A	1000	9MT	C16-C15-S-C14
3	A	1001	NHW	C6-C7-N8-C9
3	B	1001	NHW	C6-C7-N8-C9
3	B	1001	NHW	C7M-C8M-C9M-CAM
3	C	1001	NHW	C12-O6A-P2A-O3A
3	C	1001	NHW	C11-C12-O6A-P2A
3	C	1001	NHW	C12-O6A-P2A-O4A


There are no ring outliers.



4 monomers are involved in 13 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	1411	SO4	1	0
2	C	1000	9MT	2	0
2	B	1000	9MT	2	0
2	A	1000	9MT	8	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	384/384 (100%)	-0.41	3 (0%) 86 89	8, 13, 23, 50	20 (5%)
1	B	384/384 (100%)	-0.41	0 100 100	7, 13, 27, 38	19 (4%)
1	C	366/384 (95%)	-0.35	4 (1%) 80 84	9, 14, 28, 50	20 (5%)
All	All	1134/1152 (98%)	-0.39	7 (0%) 89 92	7, 14, 27, 50	59 (5%)

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	211[A]	TYR	3.3
1	C	211[A]	TYR	3.2
1	A	39	ILE	2.2
1	A	232	ARG	2.1
1	C	410	LEU	2.1
1	C	323	GLY	2.1
1	C	32[A]	TYR	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	9MT	B	1000	22/22	0.92	0.11	16,20,26,28	0
6	SO4	B	1411	5/5	0.93	0.10	41,45,49,49	0
2	9MT	C	1000	22/22	0.94	0.10	15,18,23,26	0
2	9MT	A	1000	22/22	0.94	0.10	12,17,23,24	0
3	NHW	B	1001	64/64	0.98	0.06	7,12,15,17	0
3	NHW	C	1001	64/64	0.98	0.06	8,12,16,22	0
5	MG	A	1412	1/1	0.98	0.04	20,20,20,20	0
3	NHW	A	1001	64/64	0.98	0.07	9,11,15,17	0
4	CL	A	1411	1/1	0.99	0.04	12,12,12,12	0
5	MG	B	1413	1/1	0.99	0.06	20,20,20,20	0
5	MG	C	1412	1/1	0.99	0.09	21,21,21,21	0
4	CL	C	1411	1/1	0.99	0.03	13,13,13,13	0
4	CL	B	1412	1/1	1.00	0.07	12,12,12,12	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







Electron density around 9MT C 1000:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)


**Electron density around 9MT A 1000:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)









6.5 Other polymers [i](#)

There are no such residues in this entry.