



# Full wwPDB X-ray Structure Validation Report i

May 15, 2020 – 05:46 am BST

PDB ID : 4AST  
Title : The apo structure of a bacterial aldo-keto reductase AKR14A1  
Authors : Zhu, X.; Ellis, E.M.; Lapthorn, A.  
Deposited on : 2012-05-03  
Resolution : 2.38 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the i symbol.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.11
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

## X-RAY DIFFRACTION

The reported resolution of this entry is 2.38 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5509 (2.40-2.36)
Clashscore	141614	6082 (2.40-2.36)
Ramachandran outliers	138981	5973 (2.40-2.36)
Sidechain outliers	138945	5975 (2.40-2.36)
RSRZ outliers	127900	5397 (2.40-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain		
1	G	346	9%	80%	7% • 12%
1	H	346	8%	77%	8% • 14%

## 2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 20048 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ALDO-KETO REDUCTASE AKR14A1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	307	Total 2429	C 1533	N 428	O 458	S 10	0	1	0
1	B	311	Total 2449	C 1546	N 431	O 462	S 10	0	0	0
1	C	310	Total 2453	C 1548	N 431	O 464	S 10	0	1	0
1	D	308	Total 2447	C 1546	N 431	O 460	S 10	0	2	0
1	E	307	Total 2428	C 1533	N 427	O 458	S 10	0	1	0
1	F	303	Total 2403	C 1518	N 423	O 452	S 10	0	1	0
1	G	303	Total 2400	C 1516	N 422	O 452	S 10	0	1	0
1	H	297	Total 2358	C 1492	N 415	O 441	S 10	0	1	0

- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	113	Total 113 O 113 113	0	0
2	B	114	Total 114 O 114 114	0	0
2	C	93	Total 93 O 93 93	0	0
2	D	96	Total 96 O 96 96	0	0
2	E	86	Total 86 O 86 86	0	0
2	F	63	Total 63 O 63 63	0	0

*Continued on next page...*


*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	G	54	Total O 54 54	0	0
2	H	62	Total O 62 62	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ALDO-KETO REDUCTASE AKR14A1




- Molecule 1: ALDO-KETO REDUCTASE AKR14A1



- Molecule 1: ALDO-KETO REDUCTASE AKR14A1






- Molecule 1: ALDO-KETO REDUCTASE AKR14A1






- Molecule 1: ALDO-KETO REDUCTASE AKR14A1




- Molecule 1: ALDO-KETO REDUCTASE AKR14A1



- Molecule 1: ALDO-KETO REDUCTASE AKR14A1





## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	98.81 Å    144.32 Å    113.90 Å 90.00°    96.51°    90.00°	Depositor
Resolution (Å)	113.16 – 2.38 33.95 – 2.38	Depositor EDS
% Data completeness (in resolution range)	93.8 (113.16-2.38) 93.9 (33.95-2.38)	Depositor EDS
$R_{merge}$	0.07	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	2.76 (at 2.39 Å)	Xtriage
Refinement program	REFMAC 5.6.0117	Depositor
$R$ , $R_{free}$	0.239 , 0.279 0.237 , 0.276	Depositor DCC
$R_{free}$ test set	5959 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	36.8	Xtriage
Anisotropy	0.031	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31 , 35.8	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.50$ , $< L^2 > = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	20048	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.04% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.92	2/2479 (0.1%)	0.92	5/3357 (0.1%)
1	B	0.94	3/2499 (0.1%)	0.93	6/3384 (0.2%)
1	C	0.89	3/2503 (0.1%)	0.92	6/3390 (0.2%)
1	D	0.88	0/2499	0.89	3/3385 (0.1%)
1	E	0.87	1/2478 (0.0%)	0.92	7/3356 (0.2%)
1	F	0.89	2/2453 (0.1%)	0.97	11/3322 (0.3%)
1	G	0.83	2/2450 (0.1%)	0.86	4/3317 (0.1%)
1	H	0.84	2/2408 (0.1%)	0.91	8/3260 (0.2%)
All	All	0.88	15/19769 (0.1%)	0.91	50/26771 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	D	0	1

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	202	TRP	CD2-CE2	7.02	1.49	1.41
1	F	33	TRP	CD2-C $\bar{E}$ 2	6.75	1.49	1.41
1	G	33	TRP	CD2-CE2	6.67	1.49	1.41
1	G	202	TRP	CD2-CE2	6.65	1.49	1.41
1	C	202	TRP	CD2-CE2	6.23	1.48	1.41
1	F	202	TRP	CD2-CE2	6.13	1.48	1.41
1	C	185	TRP	CD2-C $\bar{E}$ 2	6.08	1.48	1.41
1	B	202	TRP	CD2-CE2	5.96	1.48	1.41
1	H	202	TRP	CD2-CE2	5.96	1.48	1.41
1	B	3	TRP	CD2-CE2	5.90	1.48	1.41
1	A	202	TRP	CD2-CE2	5.89	1.48	1.41
1	B	232	GLY	N-CA	5.44	1.54	1.46

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	103	TRP	CD2-CE2	5.42	1.47	1.41
1	A	202	TRP	CG-CD1	5.30	1.44	1.36
1	H	3	TRP	CD2-CE2	5.03	1.47	1.41

All (50) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	F	294	ARG	NE-CZ-NH1	12.64	126.62	120.30
1	E	294	ARG	NE-CZ-NH1	11.78	126.19	120.30
1	F	146	MET	CB-CA-C	8.06	126.53	110.40
1	H	294	ARG	NE-CZ-NH1	7.92	124.26	120.30
1	H	146	MET	CB-CA-C	7.87	126.14	110.40
1	F	294	ARG	NE-CZ-NH2	-7.78	116.41	120.30
1	C	294	ARG	CG-CD-NE	7.74	128.06	111.80
1	B	281	MET	CG-SD-CE	-7.39	88.38	100.20
1	E	294	ARG	NE-CZ-NH2	-7.29	116.66	120.30
1	H	146	MET	CA-CB-CG	7.07	125.32	113.30
1	A	82	ARG	NE-CZ-NH2	-7.05	116.77	120.30
1	G	89	ARG	CG-CD-NE	6.91	126.31	111.80
1	F	146	MET	CA-CB-CG	6.88	125.00	113.30
1	C	281	MET	CG-SD-CE	-6.76	89.39	100.20
1	H	89	ARG	CG-CD-NE	6.67	125.81	111.80
1	B	89	ARG	CG-CD-NE	6.67	125.80	111.80
1	C	89	ARG	CG-CD-NE	6.50	125.45	111.80
1	D	89	ARG	CG-CD-NE	6.50	125.45	111.80
1	A	89	ARG	CG-CD-NE	6.49	125.43	111.80
1	F	89	ARG	CG-CD-NE	6.48	125.41	111.80
1	F	146	MET	N-CA-CB	-6.46	98.98	110.60
1	B	300	ILE	CG1-CB-CG2	-6.18	97.81	111.40
1	F	294	ARG	CD-NE-CZ	6.15	132.21	123.60
1	E	89	ARG	NE-CZ-NH1	6.03	123.31	120.30
1	F	294	ARG	CG-CD-NE	6.00	124.39	111.80
1	H	146	MET	N-CA-CB	-5.97	99.86	110.60
1	A	174	ARG	CG-CD-NE	-5.86	99.49	111.80
1	B	294	ARG	CG-CD-NE	5.84	124.08	111.80
1	H	79	ARG	NE-CZ-NH2	-5.76	117.42	120.30
1	H	79	ARG	NE-CZ-NH1	5.73	123.17	120.30
1	C	198	LEU	CB-CG-CD1	-5.60	101.48	111.00
1	E	294	ARG	CG-CD-NE	5.51	123.37	111.80
1	D	82	ARG	NE-CZ-NH1	5.48	123.04	120.30
1	A	82	ARG	NE-CZ-NH1	5.44	123.02	120.30
1	G	82	ARG	NE-CZ-NH2	-5.43	117.58	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	4	LEU	CA-CB-CG	5.43	127.78	115.30
1	B	213	GLN	CA-CB-CG	5.39	125.26	113.40
1	F	198	LEU	CB-CG-CD1	-5.34	101.91	111.00
1	C	4	LEU	CB-CG-CD2	5.32	120.05	111.00
1	G	183	ARG	NE-CZ-NH1	5.32	122.96	120.30
1	B	183	ARG	NE-CZ-NH1	5.31	122.96	120.30
1	F	281	MET	CG-SD-CE	-5.29	91.75	100.20
1	E	307	GLN	CB-CG-CD	5.27	125.29	111.60
1	D	183	ARG	NE-CZ-NH1	5.25	122.92	120.30
1	A	284	MET	CG-SD-CE	5.21	108.53	100.20
1	G	146	MET	CG-SD-CE	5.17	108.47	100.20
1	E	294	ARG	CD-NE-CZ	5.16	130.83	123.60
1	F	201	ARG	NE-CZ-NH2	-5.16	117.72	120.30
1	H	163	LEU	CB-CG-CD1	-5.12	102.29	111.00
1	E	299	LEU	CA-CB-CG	5.09	127.00	115.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	D	89	ARG	Sidechain

## 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbit. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2429	0	2390	11	0
1	B	2449	0	2414	6	0
1	C	2453	0	2414	13	1
1	D	2447	0	2402	20	1
1	E	2428	0	2391	15	0
1	F	2403	0	2368	30	0
1	G	2400	0	2362	16	1
1	H	2358	0	2324	27	0
2	A	113	0	0	1	0
2	B	114	0	0	0	1
2	C	93	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	D	96	0	0	2	0
2	E	86	0	0	0	0
2	F	63	0	0	3	0
2	G	54	0	0	0	0
2	H	62	0	0	1	0
All	All	20048	0	19065	132	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (132) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:146:MET:HE3	1:D:178:MET:CE	1.74	1.16
1:G:146:MET:CE	1:G:178:MET:HE2	1.76	1.15
1:F:146:MET:CE	1:F:177:LYS:HB3	1.78	1.14
1:E:146:MET:HE3	1:E:178:MET:CE	1.76	1.14
1:F:146:MET:HG3	1:F:178:MET:CE	1.79	1.12
1:G:146:MET:HE2	1:G:178:MET:CE	1.86	1.04
1:D:146:MET:HE3	1:D:178:MET:HE1	1.35	1.02
1:E:146:MET:CE	1:E:178:MET:HE2	1.90	1.01
1:F:146:MET:CG	1:F:178:MET:HE1	1.89	1.01
1:F:146:MET:HG3	1:F:178:MET:HE1	1.01	0.99
1:C:203:VAL:CG1	1:C:209:LEU:HD21	1.96	0.94
1:G:146:MET:HE2	1:G:178:MET:HE2	0.94	0.91
1:E:146:MET:HE3	1:E:178:MET:HE2	0.95	0.89
1:D:146:MET:HE3	1:D:178:MET:HE2	1.54	0.88
1:D:209:LEU:HB2	2:D:2075:HOH:O	1.73	0.87
1:C:203:VAL:CG1	1:C:209:LEU:CD2	2.54	0.85
1:F:146:MET:HE1	1:F:177:LYS:HB3	1.60	0.83
1:D:146:MET:CE	1:D:178:MET:CE	2.58	0.81
1:C:203:VAL:HG11	1:C:209:LEU:HD21	1.63	0.78
1:D:146:MET:CE	1:D:178:MET:HE1	2.16	0.76
1:F:146:MET:CG	1:F:178:MET:CE	2.55	0.75
1:G:146:MET:CE	1:G:178:MET:CE	2.53	0.75
1:H:146:MET:HE1	1:H:174:ARG:HH11	1.53	0.73
1:F:146:MET:HE3	1:F:174:ARG:O	1.88	0.73
1:H:198:LEU:HD21	1:H:288:TRP:CD2	2.24	0.73
1:H:198:LEU:HD21	1:H:288:TRP:CG	2.24	0.72
1:D:146:MET:CE	1:D:178:MET:HE2	2.19	0.72
1:F:146:MET:CE	1:F:177:LYS:CB	2.64	0.72

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:198:LEU:CD2	1:H:288:TRP:CD2	2.74	0.71
1:F:146:MET:HE2	1:F:177:LYS:HB3	1.71	0.70
1:H:170:TYR:CE2	1:H:178:MET:HE3	2.30	0.67
1:D:283:GLN:NE2	1:D:313:GLN:HB2	2.09	0.66
1:A:146:MET:HE1	1:A:178:MET:HB2	1.79	0.65
1:F:12:GLN:HG3	2:F:2008:HOH:O	2.00	0.62
1:H:274:ALA:HB2	1:H:284:MET:HE2	1.82	0.62
1:H:170:TYR:HE2	1:H:178:MET:CE	2.14	0.61
1:C:203:VAL:HG13	1:C:209:LEU:CD2	2.31	0.61
1:B:283:GLN:NE2	1:B:313:GLN:HB2	2.16	0.60
1:F:283:GLN:NE2	1:F:310:GLU:HG3	2.18	0.59
1:F:273:MET:HE1	1:F:327:GLN:HB2	1.85	0.59
1:C:203:VAL:HG13	1:C:209:LEU:HD23	1.85	0.59
1:F:274:ALA:HB2	1:F:284:MET:HE2	1.84	0.58
1:D:209:LEU:HD13	1:D:294:ARG:HD3	1.85	0.58
1:E:146:MET:CE	1:E:178:MET:CE	2.66	0.58
1:F:75:GLU:HB3	1:H:79:ARG:NH2	2.19	0.57
1:H:146:MET:CE	1:H:174:ARG:HH11	2.18	0.57
1:H:198:LEU:HD23	1:H:288:TRP:CD2	2.40	0.56
1:H:170:TYR:HE2	1:H:178:MET:HE3	1.69	0.56
1:H:203:VAL:CG1	1:H:209:LEU:HG	2.36	0.55
1:E:220:ILE:HG12	1:E:299:LEU:HD22	1.90	0.54
1:H:198:LEU:CD2	1:H:288:TRP:CE2	2.90	0.54
1:H:323:LYS:HE2	1:H:327:GLN:HE22	1.72	0.54
1:D:263:ASN:ND2	1:D:335:GLY:O	2.41	0.53
1:E:220:ILE:HD11	1:E:299:LEU:HD13	1.90	0.53
1:F:146:MET:HE2	1:F:177:LYS:CB	2.36	0.53
1:G:146:MET:HE1	1:G:177:LYS:HB3	1.92	0.52
1:E:61:ASP:HA	1:E:95:SER:OG	2.10	0.52
1:G:283:GLN:NE2	1:G:313:GLN:HB2	2.25	0.51
1:F:146:MET:HE2	1:F:177:LYS:CG	2.40	0.51
1:A:61:ASP:HA	1:A:95:SER:OG	2.11	0.51
1:H:198:LEU:HD21	1:H:288:TRP:CD1	2.47	0.50
1:E:203:VAL:HG13	1:E:209:LEU:HG	1.92	0.50
1:F:146:MET:HE1	1:F:177:LYS:CB	2.34	0.50
1:C:61:ASP:HA	1:C:95:SER:OG	2.10	0.50
1:F:61:ASP:HA	1:F:95:SER:OG	2.12	0.50
1:D:61:ASP:HA	1:D:95:SER:OG	2.12	0.49
1:H:61:ASP:HA	1:H:95:SER:OG	2.11	0.49
1:G:146:MET:HE3	1:G:174:ARG:O	2.12	0.49
1:H:203:VAL:HG13	1:H:209:LEU:HG	1.95	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:203:VAL:CG1	1:E:209:LEU:HG	2.43	0.49
1:F:283:GLN:HE21	1:F:310:GLU:HG3	1.76	0.49
1:H:146:MET:HG3	1:H:178:MET:CE	2.43	0.49
1:G:61:ASP:HA	1:G:95:SER:OG	2.13	0.48
1:H:283:GLN:NE2	1:H:313:GLN:HB2	2.29	0.48
1:F:146:MET:HE3	1:F:177:LYS:HB3	1.84	0.47
1:E:146:MET:HE2	1:E:177:LYS:HG3	1.97	0.47
1:E:283:GLN:NE2	1:E:313:GLN:HB2	2.29	0.47
1:E:81:LEU:HD21	1:E:129:LEU:HD21	1.96	0.47
1:G:60:PHE:HE2	1:G:92:LEU:HD22	1.79	0.47
1:A:61:ASP:OD2	1:A:97:LYS:NZ	2.46	0.47
1:D:63:ALA:HB3	1:D:66:TYR:CD1	2.50	0.47
1:F:203:VAL:CG1	1:F:209:LEU:HG	2.45	0.47
1:B:20:LYS:O	1:C:145:PRO:HG3	2.14	0.46
1:B:61:ASP:HA	1:B:95:SER:OG	2.14	0.46
1:H:146:MET:CE	1:H:174:ARG:NH1	2.79	0.46
1:F:178:MET:HB2	1:F:178:MET:HE3	1.84	0.46
1:G:303:SER:O	1:G:304:ARG:HG3	2.16	0.46
1:F:75:GLU:HB3	1:H:79:ARG:HH22	1.80	0.46
1:C:203:VAL:HG12	1:C:209:LEU:HD21	1.90	0.46
1:C:81:LEU:HD21	1:C:129:LEU:HD21	1.98	0.46
1:D:283:GLN:HE21	1:D:313:GLN:HB2	1.78	0.46
1:A:292:ASP:HB2	2:A:2101:HOH:O	2.16	0.45
1:A:79:ARG:NH2	1:D:75:GLU:HB3	2.31	0.45
1:H:146:MET:HG3	1:H:178:MET:HE2	1.98	0.45
1:H:198:LEU:HD21	1:H:288:TRP:CE2	2.49	0.45
1:C:49:LEU:HD22	1:C:60:PHE:CE2	2.51	0.45
1:G:146:MET:HE3	1:G:178:MET:HB2	1.99	0.45
1:F:265:ASN:HB3	2:F:2055:HOH:O	2.17	0.45
1:B:199:LEU:HD22	1:B:337:LEU:HB3	1.98	0.44
1:D:146:MET:CE	1:D:178:MET:HB2	2.47	0.44
1:H:213:GLN:HG2	2:H:2050:HOH:O	2.18	0.43
1:G:61:ASP:OD2	1:G:97:LYS:NZ	2.44	0.43
1:E:203:VAL:HG22	1:E:208:LEU:HD23	2.01	0.43
1:F:140:VAL:HG21	2:F:2047:HOH:O	2.19	0.43
1:F:146:MET:HE2	1:F:177:LYS:HG3	2.01	0.43
1:C:203:VAL:HG12	1:C:209:LEU:CD2	2.46	0.42
1:A:75:GLU:HB3	1:D:79:ARG:NH2	2.34	0.42
1:F:267:LEU:O	1:F:281:MET:HE1	2.18	0.42
1:A:136:TYR:HA	1:A:166:GLY:O	2.19	0.42
1:F:146:MET:SD	1:F:178:MET:CE	3.07	0.42

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:166:GLY:HA2	1:G:189:LEU:HD11	2.02	0.42
1:B:132:VAL:O	1:B:162:ALA:HA	2.20	0.42
1:D:279:GLN:NE2	1:D:317:ASN:HB3	2.35	0.42
1:E:136:TYR:HA	1:E:166:GLY:O	2.19	0.42
1:F:146:MET:CE	1:F:177:LYS:CG	2.97	0.42
1:D:20:LYS:O	1:H:145:PRO:HG3	2.20	0.42
1:H:136:TYR:HA	1:H:166:GLY:O	2.19	0.42
1:B:263:ASN:ND2	1:B:335:GLY:O	2.53	0.41
1:A:228:GLY:O	1:A:231:THR:HG23	2.20	0.41
1:A:42:LEU:HD21	1:A:79:ARG:HD3	2.01	0.41
1:E:63:ALA:HB3	1:E:66:TYR:CD1	2.56	0.41
1:A:182:LEU:HA	1:A:182:LEU:HD23	1.91	0.41
1:D:209:LEU:CB	2:D:2075:HOH:O	2.51	0.41
1:G:28:LEU:HD13	1:G:312:VAL:HA	2.01	0.41
1:F:203:VAL:HG22	1:F:208:LEU:HD23	2.03	0.41
1:A:51:LYS:HD3	1:A:51:LYS:HA	1.95	0.40
1:C:274:ALA:HB2	1:C:284:MET:HE2	2.03	0.40
1:D:136:TYR:HA	1:D:166:GLY:O	2.20	0.40
1:G:136:TYR:HA	1:G:166:GLY:O	2.21	0.40
1:H:51:LYS:HD3	1:H:51:LYS:HA	1.95	0.40
1:G:199:LEU:HD22	1:G:337:LEU:HB3	2.03	0.40
1:C:136:TYR:HA	1:C:166:GLY:O	2.22	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:210:ASP:OD2	2:B:2108:HOH:O[1_556]	2.15	0.05
1:C:173:GLU:OE2	1:G:276:GLN:OE1[2_545]	2.19	0.01

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	304/346 (88%)	298 (98%)	6 (2%)	0	100	100
1	B	307/346 (89%)	301 (98%)	5 (2%)	1 (0%)	41	53
1	C	307/346 (89%)	301 (98%)	5 (2%)	1 (0%)	41	53
1	D	306/346 (88%)	301 (98%)	3 (1%)	2 (1%)	22	30
1	E	304/346 (88%)	297 (98%)	6 (2%)	1 (0%)	41	53
1	F	300/346 (87%)	293 (98%)	6 (2%)	1 (0%)	41	53
1	G	300/346 (87%)	293 (98%)	6 (2%)	1 (0%)	41	53
1	H	294/346 (85%)	290 (99%)	3 (1%)	1 (0%)	41	53
All	All	2422/2768 (88%)	2374 (98%)	40 (2%)	8 (0%)	41	53

All (8) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	194	PRO
1	E	99	GLY
1	G	99	GLY
1	B	99	GLY
1	F	99	GLY
1	H	99	GLY
1	C	99	GLY
1	D	99	GLY

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	257/290 (89%)	256 (100%)	1 (0%)	91	96
1	B	259/290 (89%)	258 (100%)	1 (0%)	91	96
1	C	260/290 (90%)	256 (98%)	4 (2%)	65	79
1	D	258/290 (89%)	254 (98%)	4 (2%)	62	78
1	E	257/290 (89%)	254 (99%)	3 (1%)	71	84
1	F	255/290 (88%)	254 (100%)	1 (0%)	91	96

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	G	254/290 (88%)	253 (100%)	1 (0%)	91 96
1	H	249/290 (86%)	247 (99%)	2 (1%)	81 91
All	All	2049/2320 (88%)	2032 (99%)	17 (1%)	81 91

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	89	ARG
1	B	89	ARG
1	C	4	LEU
1	C	89	ARG
1	C	229	LEU
1	C	261	GLU
1	D	89	ARG
1	D	264	LEU
1	D	318	LEU
1	D	325	LEU
1	E	89	ARG
1	E	269	LEU
1	E	299	LEU
1	F	89	ARG
1	G	89	ARG
1	H	89	ARG
1	H	229	LEU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	193	GLN
1	A	338	ASN
1	C	338	ASN
1	D	331	HIS
1	G	76	ASN
1	H	327	GLN

### 5.3.3 RNA

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

## 5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [\(i\)](#)

### 6.1 Protein, DNA and RNA chains [\(i\)](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å <sup>2</sup> )	Q<0.9
1	A	307/346 (88%)	-0.11	3 (0%)	82	83	16, 25, 48, 71	1 (0%)
1	B	311/346 (89%)	-0.16	0	100	100	16, 26, 48, 69	1 (0%)
1	C	310/346 (89%)	-0.08	2 (0%)	89	89	18, 30, 52, 79	1 (0%)
1	D	308/346 (89%)	-0.05	5 (1%)	72	73	18, 29, 56, 78	1 (0%)
1	E	307/346 (88%)	0.12	12 (3%)	39	42	20, 33, 64, 94	1 (0%)
1	F	303/346 (87%)	0.28	21 (6%)	16	18	20, 34, 71, 92	1 (0%)
1	G	303/346 (87%)	0.53	32 (10%)	6	7	24, 39, 80, 99	1 (0%)
1	H	297/346 (85%)	0.45	28 (9%)	8	9	20, 40, 75, 95	1 (0%)
All	All	2446/2768 (88%)	0.12	103 (4%)	36	39	16, 32, 67, 99	8 (0%)

All (103) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	G	267	LEU	5.2
1	G	337	LEU	4.9
1	G	333	ALA	4.6
1	H	268	ARG	4.4
1	G	335	GLY	4.3
1	H	269	LEU	4.1
1	F	268	ARG	3.9
1	H	272	GLU	3.9
1	E	261	GLU	3.8
1	E	268	ARG	3.8
1	F	267	LEU	3.8
1	G	320	PHE	3.8
1	G	332	ILE	3.7
1	G	334	ASP	3.6
1	F	330	GLN	3.6
1	H	271	ASN	3.5

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	F	269	LEU	3.4
1	H	274	ALA	3.4
1	G	202	TRP	3.3
1	F	261	GLU	3.3
1	H	202	TRP	3.3
1	G	269	LEU	3.3
1	H	322	THR	3.2
1	H	321	SER	3.2
1	G	336	GLU	3.2
1	G	321	SER	3.2
1	F	229	LEU	3.2
1	H	332	ILE	3.1
1	H	229	LEU	3.1
1	H	328	ILE	3.1
1	E	259	LEU	3.1
1	H	204[A]	ASP	3.1
1	H	267	LEU	3.0
1	H	199	LEU	3.0
1	E	265	ASN	2.9
1	G	229	LEU	2.9
1	F	260	THR	2.9
1	G	265	ASN	2.9
1	A	264	LEU	2.8
1	H	28	LEU	2.8
1	G	205	LYS	2.8
1	D	264	LEU	2.8
1	H	325	LEU	2.8
1	F	265	ASN	2.8
1	F	62	LEU	2.7
1	F	264	LEU	2.7
1	G	319	THR	2.7
1	E	333	ALA	2.7
1	H	29	SER	2.7
1	G	325	LEU	2.7
1	G	322	THR	2.7
1	F	263	ASN	2.7
1	G	213	GLN	2.7
1	E	266	SER	2.7
1	G	173	GLU	2.7
1	D	268	ARG	2.7
1	G	134	ILE	2.7
1	G	276	GLN	2.6

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	G	268	ARG	2.6
1	H	276	GLN	2.6
1	G	220	ILE	2.6
1	H	270	LEU	2.6
1	E	264	LEU	2.6
1	F	299	LEU	2.6
1	G	298	VAL	2.5
1	E	267	LEU	2.5
1	C	304	ARG	2.5
1	G	299	LEU	2.5
1	H	327	GLN	2.5
1	E	204[A]	ASP	2.4
1	D	267	LEU	2.4
1	F	262	ALA	2.4
1	F	327	GLN	2.4
1	G	199	LEU	2.4
1	F	328	ILE	2.3
1	H	326	ALA	2.3
1	G	191	ILE	2.3
1	H	299	LEU	2.3
1	G	270	LEU	2.2
1	F	60	PHE	2.2
1	G	266	SER	2.2
1	F	276	GLN	2.2
1	H	196	TYR	2.2
1	D	204[A]	ASP	2.2
1	F	331	HIS	2.2
1	H	198	LEU	2.2
1	F	214	ASN	2.2
1	G	323	LYS	2.2
1	H	323	LYS	2.1
1	C	336	GLU	2.1
1	E	299	LEU	2.1
1	F	227	GLN	2.1
1	H	220	ILE	2.1
1	A	229	LEU	2.1
1	E	269	LEU	2.1
1	G	204[A]	ASP	2.1
1	F	134	ILE	2.1
1	H	288	TRP	2.1
1	D	60	PHE	2.1
1	A	220	ILE	2.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	G	330	GLN	2.0
1	E	327	GLN	2.0
1	H	280	SER	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

## 6.4 Ligands [\(i\)](#)

There are no ligands in this entry.

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.