



wwPDB X-ray Structure Validation Summary Report ⓘ

Aug 30, 2020 – 01:07 PM BST

PDB ID : 4CG3
Title : Structural and functional studies on a thermostable polyethylene terephthalate degrading hydrolase from *Thermobifida fusca*
Authors : Roth, C.; Wei, R.; Oeser, T.; Then, J.; Foellner, C.; Zimmermann, W.; Straeter, N.
Deposited on : 2013-11-20
Resolution : 1.55 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.13
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.13


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.55 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1483 (1.56-1.56)
Ramachandran outliers	138981	1498 (1.56-1.56)
Sidechain outliers	138945	1495 (1.56-1.56)
RSRZ outliers	127900	1465 (1.56-1.56)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	1-A	313	<div style="display: flex; align-items: center;"> <div style="width: 8%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 72%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 16%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center; margin-top: 5px;">8% 72% 8% •• 16%</p>
1	10-A	313	<div style="display: flex; align-items: center;"> <div style="width: 8%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 74%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 8%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 16%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center; margin-top: 5px;">8% 74% 8% • 16%</p>
1	11-A	313	<div style="display: flex; align-items: center;"> <div style="width: 8%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 72%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 11%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 16%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center; margin-top: 5px;">8% 72% 11% • 16%</p>
1	12-A	313	<div style="display: flex; align-items: center;"> <div style="width: 8%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 73%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 9%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 16%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center; margin-top: 5px;">8% 73% 9% •• 16%</p>
1	13-A	313	<div style="display: flex; align-items: center;"> <div style="width: 8%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 74%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 9%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 16%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center; margin-top: 5px;">8% 74% 9% • 16%</p>
1	14-A	313	<div style="display: flex; align-items: center;"> <div style="width: 8%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 72%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 10%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 16%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center; margin-top: 5px;">8% 72% 10% •• 16%</p>
1	15-A	313	<div style="display: flex; align-items: center;"> <div style="width: 8%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 75%; height: 10px; background-color: green; margin-right: 5px;"></div> <div style="width: 5%; height: 10px; background-color: yellow; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: orange; margin-right: 5px;"></div> <div style="width: 1%; height: 10px; background-color: red; margin-right: 5px;"></div> <div style="width: 16%; height: 10px; background-color: grey;"></div> </div> <p style="text-align: center; margin-top: 5px;">8% 75% 5% •• 16%</p>


























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	16-A	313	
1	17-A	313	
1	18-A	313	
1	19-A	313	
1	2-A	313	
1	20-A	313	
1	21-A	313	
1	22-A	313	
1	23-A	313	
1	24-A	313	
1	25-A	313	
1	26-A	313	
1	27-A	313	
1	28-A	313	
1	29-A	313	
1	3-A	313	
1	30-A	313	
1	31-A	313	
1	32-A	313	
1	33-A	313	
1	34-A	313	
1	35-A	313	
1	36-A	313	
1	37-A	313	
1	38-A	313	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	39-A	313	
1	4-A	313	
1	40-A	313	
1	41-A	313	
1	42-A	313	
1	43-A	313	
1	44-A	313	
1	45-A	313	
1	46-A	313	
1	47-A	313	
1	48-A	313	
1	49-A	313	
1	5-A	313	
1	50-A	313	
1	51-A	313	
1	52-A	313	
1	53-A	313	
1	54-A	313	
1	55-A	313	
1	56-A	313	
1	57-A	313	
1	58-A	313	
1	59-A	313	
1	6-A	313	
1	60-A	313	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain			
1	61-A	313	8%	74%	7%	16%
1	62-A	313	8%	72%	8%	16%
1	63-A	313	8%	76%	6%	16%
1	64-A	313	8%	75%	7%	16%
1	65-A	313	8%	73%	9%	16%
1	66-A	313	8%	73%	9%	16%
1	67-A	313	8%	75%	6%	16%
1	68-A	313	8%	77%	6%	16%
1	69-A	313	8%	77%	6%	16%
1	7-A	313	8%	74%	7%	16%
1	70-A	313	8%	73%	9%	16%
1	71-A	313	8%	76%	5%	16%
1	72-A	313	8%	72%	9%	16%
1	73-A	313	8%	71%	10%	16%
1	74-A	313	8%	75%	7%	16%
1	75-A	313	8%	72%	10%	16%
1	76-A	313	8%	73%	9%	16%
1	77-A	313	8%	73%	9%	16%
1	8-A	313	8%	75%	7%	16%
1	9-A	313	8%	72%	10%	16%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	1-A	1001	-	-	-	X
2	SO4	10-A	1001	-	-	-	X
2	SO4	11-A	1001	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	12-A	1001	-	-	-	X
2	SO4	13-A	1001	-	-	-	X
2	SO4	14-A	1001	-	-	-	X
2	SO4	15-A	1001	-	-	-	X
2	SO4	16-A	1001	-	-	-	X
2	SO4	17-A	1001	-	-	-	X
2	SO4	18-A	1001	-	-	-	X
2	SO4	19-A	1001	-	-	-	X
2	SO4	2-A	1001	-	-	-	X
2	SO4	20-A	1001	-	-	-	X
2	SO4	21-A	1001	-	-	-	X
2	SO4	22-A	1001	-	-	-	X
2	SO4	23-A	1001	-	-	-	X
2	SO4	24-A	1001	-	-	-	X
2	SO4	25-A	1001	-	-	-	X
2	SO4	26-A	1001	-	-	-	X
2	SO4	27-A	1001	-	-	-	X
2	SO4	28-A	1001	-	-	-	X
2	SO4	29-A	1001	-	-	-	X
2	SO4	3-A	1001	-	-	-	X
2	SO4	30-A	1001	-	-	-	X
2	SO4	31-A	1001	-	-	-	X
2	SO4	32-A	1001	-	-	-	X
2	SO4	33-A	1001	-	-	-	X
2	SO4	34-A	1001	-	-	-	X
2	SO4	35-A	1001	-	-	-	X
2	SO4	36-A	1001	-	-	-	X
2	SO4	37-A	1001	-	-	-	X
2	SO4	38-A	1001	-	-	-	X
2	SO4	39-A	1001	-	-	-	X
2	SO4	4-A	1001	-	-	-	X
2	SO4	40-A	1001	-	-	-	X
2	SO4	41-A	1001	-	-	-	X
2	SO4	42-A	1001	-	-	-	X
2	SO4	43-A	1001	-	-	-	X
2	SO4	44-A	1001	-	-	-	X
2	SO4	45-A	1001	-	-	-	X
2	SO4	46-A	1001	-	-	-	X
2	SO4	47-A	1001	-	-	-	X
2	SO4	48-A	1001	-	-	-	X
2	SO4	49-A	1001	-	-	-	X
2	SO4	5-A	1001	-	-	-	X

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	SO4	50-A	1001	-	-	-	X
2	SO4	51-A	1001	-	-	-	X
2	SO4	52-A	1001	-	-	-	X
2	SO4	53-A	1001	-	-	-	X
2	SO4	54-A	1001	-	-	-	X
2	SO4	55-A	1001	-	-	-	X
2	SO4	56-A	1001	-	-	-	X
2	SO4	57-A	1001	-	-	-	X
2	SO4	58-A	1001	-	-	-	X
2	SO4	59-A	1001	-	-	-	X
2	SO4	6-A	1001	-	-	-	X
2	SO4	60-A	1001	-	-	-	X
2	SO4	61-A	1001	-	-	-	X
2	SO4	62-A	1001	-	-	-	X
2	SO4	63-A	1001	-	-	-	X
2	SO4	64-A	1001	-	-	-	X
2	SO4	65-A	1001	-	-	-	X
2	SO4	66-A	1001	-	-	-	X
2	SO4	67-A	1001	-	-	-	X
2	SO4	68-A	1001	-	-	-	X
2	SO4	69-A	1001	-	-	-	X
2	SO4	7-A	1001	-	-	-	X
2	SO4	70-A	1001	-	-	-	X
2	SO4	71-A	1001	-	-	-	X
2	SO4	72-A	1001	-	-	-	X
2	SO4	73-A	1001	-	-	-	X
2	SO4	74-A	1001	-	-	-	X
2	SO4	75-A	1001	-	-	-	X
2	SO4	76-A	1001	-	-	-	X
2	SO4	77-A	1001	-	-	-	X
2	SO4	8-A	1001	-	-	-	X
2	SO4	9-A	1001	-	-	-	X

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 314292 atoms, of which 151613 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CUTINASE.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	H	N	O				S
1	1-A	263	3980	1269	1969	352	385	5	0	0	0
1	2-A	263	3980	1269	1969	352	385	5	0	0	0
1	3-A	263	3980	1269	1969	352	385	5	0	0	0
1	4-A	263	3980	1269	1969	352	385	5	0	0	0
1	5-A	263	3980	1269	1969	352	385	5	0	0	0
1	6-A	263	3980	1269	1969	352	385	5	0	0	0
1	7-A	263	3980	1269	1969	352	385	5	0	0	0
1	8-A	263	3980	1269	1969	352	385	5	0	0	0
1	9-A	263	3980	1269	1969	352	385	5	0	0	0
1	10-A	263	3980	1269	1969	352	385	5	0	0	0
1	11-A	263	3980	1269	1969	352	385	5	0	0	0
1	12-A	263	3980	1269	1969	352	385	5	0	0	0
1	13-A	263	3980	1269	1969	352	385	5	0	0	0
1	14-A	263	3980	1269	1969	352	385	5	0	0	0
1	15-A	263	3980	1269	1969	352	385	5	0	0	0
1	16-A	263	3980	1269	1969	352	385	5	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
1	17-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	18-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	19-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	20-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	21-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	22-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	23-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	24-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	25-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	26-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	27-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	28-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	29-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	30-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	31-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	32-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	33-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	34-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	35-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	36-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	37-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
1	38-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	39-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	40-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	41-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	42-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	43-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	44-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	45-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	46-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	47-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	48-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	49-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	50-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	51-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	52-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	53-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	54-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	55-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	56-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	57-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			
1	58-A	263	Total	C	H	N	O	S	0	0	0
			3980	1269	1969	352	385	5			

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	H	N	O				S
1	59-A	263	Total 3980	C 1269	H 1969	N 352	O 385	S 5	0	0	0
1	60-A	263	Total 3980	C 1269	H 1969	N 352	O 385	S 5	0	0	0
1	61-A	263	Total 3980	C 1269	H 1969	N 352	O 385	S 5	0	0	0
1	62-A	263	Total 3980	C 1269	H 1969	N 352	O 385	S 5	0	0	0
1	63-A	263	Total 3980	C 1269	H 1969	N 352	O 385	S 5	0	0	0
1	64-A	263	Total 3980	C 1269	H 1969	N 352	O 385	S 5	0	0	0
1	65-A	263	Total 3980	C 1269	H 1969	N 352	O 385	S 5	0	0	0
1	66-A	263	Total 3980	C 1269	H 1969	N 352	O 385	S 5	0	0	0
1	67-A	263	Total 3980	C 1269	H 1969	N 352	O 385	S 5	0	0	0
1	68-A	263	Total 3980	C 1269	H 1969	N 352	O 385	S 5	0	0	0
1	69-A	263	Total 3980	C 1269	H 1969	N 352	O 385	S 5	0	0	0
1	70-A	263	Total 3980	C 1269	H 1969	N 352	O 385	S 5	0	0	0
1	71-A	263	Total 3980	C 1269	H 1969	N 352	O 385	S 5	0	0	0
1	72-A	263	Total 3980	C 1269	H 1969	N 352	O 385	S 5	0	0	0
1	73-A	263	Total 3980	C 1269	H 1969	N 352	O 385	S 5	0	0	0
1	74-A	263	Total 3980	C 1269	H 1969	N 352	O 385	S 5	0	0	0
1	75-A	263	Total 3980	C 1269	H 1969	N 352	O 385	S 5	0	0	0
1	76-A	263	Total 3980	C 1269	H 1969	N 352	O 385	S 5	0	0	0
1	77-A	263	Total 3980	C 1269	H 1969	N 352	O 385	S 5	0	0	0

There are 52 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-30	MET	-	expression tag	UNP E5BBQ3

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	-29	LYS	-	expression tag	UNP E5BBQ3
A	-28	TYR	-	expression tag	UNP E5BBQ3
A	-27	LEU	-	expression tag	UNP E5BBQ3
A	-26	LEU	-	expression tag	UNP E5BBQ3
A	-25	PRO	-	expression tag	UNP E5BBQ3
A	-24	THR	-	expression tag	UNP E5BBQ3
A	-23	ALA	-	expression tag	UNP E5BBQ3
A	-22	ALA	-	expression tag	UNP E5BBQ3
A	-21	ALA	-	expression tag	UNP E5BBQ3
A	-20	GLY	-	expression tag	UNP E5BBQ3
A	-19	LEU	-	expression tag	UNP E5BBQ3
A	-18	LEU	-	expression tag	UNP E5BBQ3
A	-17	LEU	-	expression tag	UNP E5BBQ3
A	-16	LEU	-	expression tag	UNP E5BBQ3
A	-15	ALA	-	expression tag	UNP E5BBQ3
A	-14	ALA	-	expression tag	UNP E5BBQ3
A	-13	GLN	-	expression tag	UNP E5BBQ3
A	-12	PRO	-	expression tag	UNP E5BBQ3
A	-11	ALA	-	expression tag	UNP E5BBQ3
A	-10	MET	-	expression tag	UNP E5BBQ3
A	-9	ALA	-	expression tag	UNP E5BBQ3
A	-8	MET	-	expression tag	UNP E5BBQ3
A	-7	ASP	-	expression tag	UNP E5BBQ3
A	-6	ILE	-	expression tag	UNP E5BBQ3
A	-5	GLY	-	expression tag	UNP E5BBQ3
A	-4	ILE	-	expression tag	UNP E5BBQ3
A	-3	ASN	-	expression tag	UNP E5BBQ3
A	-2	SER	-	expression tag	UNP E5BBQ3
A	-1	ASP	-	expression tag	UNP E5BBQ3
A	0	PRO	-	expression tag	UNP E5BBQ3
A	262	TYR	-	expression tag	UNP E5BBQ3
A	263	PRO	-	expression tag	UNP E5BBQ3
A	264	ASN	-	expression tag	UNP E5BBQ3
A	265	SER	-	expression tag	UNP E5BBQ3
A	266	SER	-	expression tag	UNP E5BBQ3
A	267	SER	-	expression tag	UNP E5BBQ3
A	268	VAL	-	expression tag	UNP E5BBQ3
A	269	ASP	-	expression tag	UNP E5BBQ3
A	270	LYS	-	expression tag	UNP E5BBQ3
A	271	LEU	-	expression tag	UNP E5BBQ3
A	272	ALA	-	expression tag	UNP E5BBQ3
A	273	ALA	-	expression tag	UNP E5BBQ3

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	274	ALA	-	expression tag	UNP E5BBQ3
A	275	LEU	-	expression tag	UNP E5BBQ3
A	276	GLU	-	expression tag	UNP E5BBQ3
A	277	HIS	-	expression tag	UNP E5BBQ3
A	278	HIS	-	expression tag	UNP E5BBQ3
A	279	HIS	-	expression tag	UNP E5BBQ3
A	280	HIS	-	expression tag	UNP E5BBQ3
A	281	HIS	-	expression tag	UNP E5BBQ3
A	282	HIS	-	expression tag	UNP E5BBQ3

- Molecule 2 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf		
2	1-A	1	Total	O	S	0	0
			5	4	1		
2	2-A	1	Total	O	S	0	0
			5	4	1		
2	3-A	1	Total	O	S	0	0
			5	4	1		
2	4-A	1	Total	O	S	0	0
			5	4	1		
2	5-A	1	Total	O	S	0	0
			5	4	1		
2	6-A	1	Total	O	S	0	0
			5	4	1		
2	7-A	1	Total	O	S	0	0
			5	4	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	S		
2	8-A	1	5	4	1	0	0
2	9-A	1	5	4	1	0	0
2	10-A	1	5	4	1	0	0
2	11-A	1	5	4	1	0	0
2	12-A	1	5	4	1	0	0
2	13-A	1	5	4	1	0	0
2	14-A	1	5	4	1	0	0
2	15-A	1	5	4	1	0	0
2	16-A	1	5	4	1	0	0
2	17-A	1	5	4	1	0	0
2	18-A	1	5	4	1	0	0
2	19-A	1	5	4	1	0	0
2	20-A	1	5	4	1	0	0
2	21-A	1	5	4	1	0	0
2	22-A	1	5	4	1	0	0
2	23-A	1	5	4	1	0	0
2	24-A	1	5	4	1	0	0
2	25-A	1	5	4	1	0	0
2	26-A	1	5	4	1	0	0
2	27-A	1	5	4	1	0	0
2	28-A	1	5	4	1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	S		
2	29-A	1	5	4	1	0	0
2	30-A	1	5	4	1	0	0
2	31-A	1	5	4	1	0	0
2	32-A	1	5	4	1	0	0
2	33-A	1	5	4	1	0	0
2	34-A	1	5	4	1	0	0
2	35-A	1	5	4	1	0	0
2	36-A	1	5	4	1	0	0
2	37-A	1	5	4	1	0	0
2	38-A	1	5	4	1	0	0
2	39-A	1	5	4	1	0	0
2	40-A	1	5	4	1	0	0
2	41-A	1	5	4	1	0	0
2	42-A	1	5	4	1	0	0
2	43-A	1	5	4	1	0	0
2	44-A	1	5	4	1	0	0
2	45-A	1	5	4	1	0	0
2	46-A	1	5	4	1	0	0
2	47-A	1	5	4	1	0	0
2	48-A	1	5	4	1	0	0
2	49-A	1	5	4	1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	O	S		
2	50-A	1	5	4	1	0	0
2	51-A	1	5	4	1	0	0
2	52-A	1	5	4	1	0	0
2	53-A	1	5	4	1	0	0
2	54-A	1	5	4	1	0	0
2	55-A	1	5	4	1	0	0
2	56-A	1	5	4	1	0	0
2	57-A	1	5	4	1	0	0
2	58-A	1	5	4	1	0	0
2	59-A	1	5	4	1	0	0
2	60-A	1	5	4	1	0	0
2	61-A	1	5	4	1	0	0
2	62-A	1	5	4	1	0	0
2	63-A	1	5	4	1	0	0
2	64-A	1	5	4	1	0	0
2	65-A	1	5	4	1	0	0
2	66-A	1	5	4	1	0	0
2	67-A	1	5	4	1	0	0
2	68-A	1	5	4	1	0	0
2	69-A	1	5	4	1	0	0
2	70-A	1	5	4	1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	71-A	1	Total	O	S	0	0
			5	4	1		
2	72-A	1	Total	O	S	0	0
			5	4	1		
2	73-A	1	Total	O	S	0	0
			5	4	1		
2	74-A	1	Total	O	S	0	0
			5	4	1		
2	75-A	1	Total	O	S	0	0
			5	4	1		
2	76-A	1	Total	O	S	0	0
			5	4	1		
2	77-A	1	Total	O	S	0	0
			5	4	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	1-A	99	Total	O	0	0
			99	99		
3	2-A	101	Total	O	0	1
			102	102		
3	3-A	98	Total	O	0	0
			98	98		
3	4-A	85	Total	O	0	0
			85	85		
3	5-A	97	Total	O	0	1
			98	98		
3	6-A	98	Total	O	0	1
			99	99		
3	7-A	98	Total	O	0	0
			98	98		
3	8-A	100	Total	O	0	1
			101	101		
3	9-A	95	Total	O	0	0
			95	95		
3	10-A	90	Total	O	0	0
			90	90		
3	11-A	102	Total	O	0	1
			103	103		
3	12-A	97	Total	O	0	0
			97	97		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	13-A	87	Total O 87 87	0	0
3	14-A	89	Total O 90 90	0	1
3	15-A	111	Total O 112 112	0	1
3	16-A	93	Total O 93 93	0	0
3	17-A	82	Total O 82 82	0	0
3	18-A	88	Total O 89 89	0	1
3	19-A	89	Total O 89 89	0	0
3	20-A	102	Total O 103 103	0	1
3	21-A	101	Total O 101 101	0	0
3	22-A	83	Total O 83 83	0	0
3	23-A	102	Total O 103 103	0	1
3	24-A	98	Total O 98 98	0	0
3	25-A	98	Total O 99 99	0	1
3	26-A	85	Total O 85 85	0	0
3	27-A	99	Total O 100 100	0	1
3	28-A	103	Total O 104 104	0	1
3	29-A	104	Total O 105 105	0	1
3	30-A	94	Total O 94 94	0	0
3	31-A	91	Total O 91 91	0	0
3	32-A	95	Total O 96 96	0	1
3	33-A	90	Total O 90 90	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	34-A	93	Total O 94 94	0	1
3	35-A	97	Total O 98 98	0	1
3	36-A	98	Total O 98 98	0	0
3	37-A	97	Total O 97 97	0	0
3	38-A	91	Total O 91 91	0	0
3	39-A	103	Total O 104 104	0	1
3	40-A	89	Total O 89 89	0	0
3	41-A	103	Total O 104 104	0	1
3	42-A	111	Total O 112 112	0	1
3	43-A	102	Total O 102 102	0	0
3	44-A	83	Total O 83 83	0	0
3	45-A	95	Total O 96 96	0	1
3	46-A	98	Total O 99 99	0	1
3	47-A	99	Total O 100 100	0	1
3	48-A	83	Total O 83 83	0	0
3	49-A	92	Total O 93 93	0	1
3	50-A	94	Total O 95 95	0	1
3	51-A	98	Total O 99 99	0	1
3	52-A	98	Total O 98 98	0	0
3	53-A	90	Total O 90 90	0	0
3	54-A	94	Total O 95 95	0	1

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	55-A	92	Total O 92 92	0	0
3	56-A	94	Total O 95 95	0	1
3	57-A	96	Total O 97 97	0	1
3	58-A	91	Total O 91 91	0	0
3	59-A	88	Total O 88 88	0	0
3	60-A	97	Total O 98 98	0	1
3	61-A	112	Total O 113 113	0	1
3	62-A	103	Total O 103 103	0	0
3	63-A	106	Total O 107 107	0	1
3	64-A	100	Total O 100 100	0	0
3	65-A	88	Total O 88 88	0	0
3	66-A	103	Total O 104 104	0	1
3	67-A	102	Total O 102 102	0	0
3	68-A	104	Total O 105 105	0	1
3	69-A	104	Total O 104 104	0	0
3	70-A	103	Total O 103 103	0	0
3	71-A	107	Total O 108 108	0	1
3	72-A	101	Total O 101 101	0	0
3	73-A	96	Total O 96 96	0	0
3	74-A	95	Total O 95 95	0	0
3	75-A	88	Total O 88 88	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	76-A	88	Total 88	O 88	0	0
3	77-A	101	Total 102	O 102	0	1


- Molecule 1: CUTINASE




- Molecule 1: CUTINASE




- Molecule 1: CUTINASE




- Molecule 1: CUTINASE




- Molecule 1: CUTINASE




- Molecule 1: CUTINASE




- Molecule 1: CUTINASE




- Molecule 1: CUTINASE






- Molecule 1: CUTINASE











- Molecule 1: CUTINASE






- Molecule 1: CUTINASE





- Molecule 1: CUTINASE





- Molecule 1: CUTINASE





- Molecule 1: CUTINASE





• Molecule 1: CUTINASE



• Molecule 1: CUTINASE




• Molecule 1: CUTINASE



LEU
GLU
HIS
HIS
HIS
HIS
HIS
HIS

- Molecule 1: CUTINASE


Chain 41-A: 

MET LYS TYR LEU PRO THR ALA ALA ALA GLY LEU LEU LEU LEU LEU ALA ALA ALA GLN PRO ALA MET MET ASP ASP ILE ILE ILE ASN SER ASP ASP PRO A1 P8 T11 D12 A13 L14 L15 E16 A17 R18 R31 R46 R47 I48 T61 A65 E72 T88 M105 H106

M107 I108 M109 R110 R116 L137 Q142 R143 P144 D145 L157 L175 D176 T177 I178 S194 L203 N212 I213 K216 P244 R245 D246 G247 L248 F249 G250 E251 V252 E254 Y262 P263 ASN SER SER VAL ASP LYS LEU ALA ALA ALA E72 T88 M105 H106

HIS
HIS
HIS

- Molecule 1: CUTINASE


Chain 42-A: 

MET LYS TYR LEU PRO THR ALA ALA ALA GLY LEU LEU LEU LEU ALA ALA ALA GLN PRO ALA MET MET ASP ASP ILE ILE ILE ASN SER ASP ASP PRO A1 P8 T11 D12 A13 E16 A17 R18 R31 R46 T61 A65 L70 T89 E88 M107 R110

T114 S117 S122 M127 S136 S141 Q142 R143 P144 K147 L175 D176 T177 I178 S195 I213 F216 I217 R228 P244 R245 D246 G247 L248 F249 G250 E251 V252 E253 R256 Y262 P263 ASN SER SER VAL ASP LYS LEU ALA ALA ALA

GLU
HIS
HIS
HIS
HIS
HIS


- Molecule 1: CUTINASE

Chain 43-A: 

MET LYS TYR LEU PRO THR ALA ALA ALA GLY LEU LEU LEU LEU ALA ALA ALA GLN PRO ALA MET MET ASP ASP ILE ILE ILE ASN SER ASP ASP PRO A1 P8 T11 D12 A13 E16 A17 R18 R31 R46 R62 T63 E64 T88 M107 I108 M109 R110


R116 Q142 R143 P144 D145 L175 D176 T177 I178 S195 N212 I213 P214 N215 K216 I217 N232 P244 R245 D246 G247 L248 F249 G250 E251 V252 E253 Y262 P263 ASN SER SER VAL ASP LYS LEU ALA ALA ALA ALA G82 T83 E84 T88 M107 I108 M109 R110

- Molecule 1: CUTINASE



Chain 44-A: 

MET LYS TYR LEU PRO THR ALA ALA ALA GLY LEU LEU LEU LEU ALA ALA ALA GLN PRO ALA MET MET ASP ASP ILE ILE ILE ASN SER ASP ASP PRO A1 P8 M9 T11 D12 A13 E16 A17 R18 S19 V24 R31 S35 R46 E47 I48 M49 T61 G62 T63 E64



A65 R73 E98 M105 M106 M107 I108 M109 R110 R116 S117 S122 M131 S141 Q142 R143 P144 D145 M158 S163 L175 D176 T177 I178 T183 L203 M212 I213 P214 M215 K216 I217 S222 M232 R235 P244 R245 I246 M247 L248 F249 G250 E251





• Molecule 1: CUTINASE





• Molecule 1: CUTINASE




• Molecule 1: CUTINASE






• Molecule 1: CUTINASE












- Molecule 1: CUTINASE




- Molecule 1: CUTINASE




- Molecule 1: CUTINASE





- Molecule 1: CUTINASE









• Molecule 1: CUTINASE




• Molecule 1: CUTINASE




• Molecule 1: CUTINASE





• Molecule 1: CUTINASE









• Molecule 1: CUTINASE




• Molecule 1: CUTINASE




• Molecule 1: CUTINASE





• Molecule 1: CUTINASE











• Molecule 1: CUTINASE




• Molecule 1: CUTINASE




• Molecule 1: CUTINASE





• Molecule 1: CUTINASE









• Molecule 1: CUTINASE





• Molecule 1: CUTINASE




• Molecule 1: CUTINASE





• Molecule 1: CUTINASE





● Molecule 1: CUTINASE



4 Data and refinement statistics

Property	Value	Source
Space group	I 41	Depositor
Cell constants a, b, c, α , β , γ	117.90Å 117.90Å 36.44Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	23.12 – 1.55 23.12 – 1.55	Depositor EDS
% Data completeness (in resolution range)	99.9 (23.12-1.55) 99.9 (23.12-1.55)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.09 (at 1.55Å)	Xtrriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
R, R_{free}	0.117 , 0.149 0.129 , 0.159	Depositor DCC
R_{free} test set	3279 reflections (8.93%)	wwPDB-VP
Wilson B-factor (Å ²)	16.0	Xtrriage
Anisotropy	0.254	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.12 , 250.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.021 for -k,-h,-l	Xtrriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	314292	wwPDB-VP
Average B, all atoms (Å ²)	14.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 8.33% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	1-A	0.80	1/2064 (0.0%)	1.04	12/2817 (0.4%)
1	2-A	0.88	6/2064 (0.3%)	1.04	12/2817 (0.4%)
1	3-A	0.75	3/2064 (0.1%)	0.93	3/2817 (0.1%)
1	4-A	0.79	4/2064 (0.2%)	1.09	9/2817 (0.3%)
1	5-A	0.78	2/2064 (0.1%)	1.10	12/2817 (0.4%)
1	6-A	0.79	1/2064 (0.0%)	1.13	11/2817 (0.4%)
1	7-A	0.80	6/2064 (0.3%)	0.95	9/2817 (0.3%)
1	8-A	0.75	1/2064 (0.0%)	0.95	9/2817 (0.3%)
1	9-A	0.77	1/2064 (0.0%)	0.93	5/2817 (0.2%)
1	10-A	0.78	2/2064 (0.1%)	1.03	6/2817 (0.2%)
1	11-A	0.80	4/2064 (0.2%)	0.96	9/2817 (0.3%)
1	12-A	0.76	1/2064 (0.0%)	0.98	7/2817 (0.2%)
1	13-A	0.71	0/2064	1.02	6/2817 (0.2%)
1	14-A	0.78	3/2064 (0.1%)	1.10	12/2817 (0.4%)
1	15-A	0.77	4/2064 (0.2%)	1.03	11/2817 (0.4%)
1	16-A	0.78	2/2064 (0.1%)	0.96	5/2817 (0.2%)
1	17-A	0.72	2/2064 (0.1%)	0.98	6/2817 (0.2%)
1	18-A	0.68	1/2064 (0.0%)	0.95	8/2817 (0.3%)
1	19-A	0.69	0/2064	0.90	3/2817 (0.1%)
1	20-A	0.83	4/2064 (0.2%)	0.95	5/2817 (0.2%)
1	21-A	0.73	2/2064 (0.1%)	0.89	2/2817 (0.1%)
1	22-A	0.68	0/2064	0.90	5/2817 (0.2%)
1	23-A	0.79	4/2064 (0.2%)	1.00	6/2817 (0.2%)
1	24-A	0.75	3/2064 (0.1%)	0.95	9/2817 (0.3%)
1	25-A	0.72	1/2064 (0.0%)	0.91	2/2817 (0.1%)
1	26-A	0.74	1/2064 (0.0%)	0.96	6/2817 (0.2%)
1	27-A	0.81	3/2064 (0.1%)	0.94	5/2817 (0.2%)
1	28-A	0.77	2/2064 (0.1%)	0.92	5/2817 (0.2%)
1	29-A	0.81	4/2064 (0.2%)	0.98	7/2817 (0.2%)
1	30-A	0.79	3/2064 (0.1%)	0.95	5/2817 (0.2%)
1	31-A	0.77	4/2064 (0.2%)	0.97	8/2817 (0.3%)
1	32-A	0.71	0/2064	0.89	1/2817 (0.0%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	33-A	0.77	4/2064 (0.2%)	1.00	6/2817 (0.2%)
1	34-A	0.73	1/2064 (0.0%)	0.94	5/2817 (0.2%)
1	35-A	0.71	0/2064	0.99	9/2817 (0.3%)
1	36-A	0.73	1/2064 (0.0%)	0.90	6/2817 (0.2%)
1	37-A	0.74	1/2064 (0.0%)	0.94	4/2817 (0.1%)
1	38-A	0.77	1/2064 (0.0%)	0.98	6/2817 (0.2%)
1	39-A	0.80	4/2064 (0.2%)	0.92	3/2817 (0.1%)
1	40-A	0.74	2/2064 (0.1%)	0.99	8/2817 (0.3%)
1	41-A	0.78	3/2064 (0.1%)	0.95	7/2817 (0.2%)
1	42-A	0.82	3/2064 (0.1%)	0.98	8/2817 (0.3%)
1	43-A	0.81	2/2064 (0.1%)	1.00	10/2817 (0.4%)
1	44-A	0.81	2/2064 (0.1%)	1.01	9/2817 (0.3%)
1	45-A	0.82	2/2064 (0.1%)	1.05	10/2817 (0.4%)
1	46-A	0.79	4/2064 (0.2%)	1.01	6/2817 (0.2%)
1	47-A	0.80	3/2064 (0.1%)	1.04	8/2817 (0.3%)
1	48-A	0.83	4/2064 (0.2%)	1.04	12/2817 (0.4%)
1	49-A	0.83	6/2064 (0.3%)	0.98	4/2817 (0.1%)
1	50-A	0.76	1/2064 (0.0%)	0.94	6/2817 (0.2%)
1	51-A	0.75	0/2064	0.94	6/2817 (0.2%)
1	52-A	0.73	1/2064 (0.0%)	0.97	9/2817 (0.3%)
1	53-A	0.73	1/2064 (0.0%)	0.97	7/2817 (0.2%)
1	54-A	0.70	0/2064	0.96	3/2817 (0.1%)
1	55-A	0.77	2/2064 (0.1%)	1.08	17/2817 (0.6%)
1	56-A	0.76	0/2064	0.94	5/2817 (0.2%)
1	57-A	0.80	4/2064 (0.2%)	0.96	9/2817 (0.3%)
1	58-A	0.82	8/2064 (0.4%)	1.01	10/2817 (0.4%)
1	59-A	0.80	4/2064 (0.2%)	0.98	7/2817 (0.2%)
1	60-A	0.81	4/2064 (0.2%)	0.99	10/2817 (0.4%)
1	61-A	0.80	3/2064 (0.1%)	0.97	4/2817 (0.1%)
1	62-A	0.77	2/2064 (0.1%)	0.96	9/2817 (0.3%)
1	63-A	0.75	0/2064	0.96	6/2817 (0.2%)
1	64-A	0.74	2/2064 (0.1%)	0.91	4/2817 (0.1%)
1	65-A	0.74	2/2064 (0.1%)	0.94	8/2817 (0.3%)
1	66-A	0.73	2/2064 (0.1%)	0.93	5/2817 (0.2%)
1	67-A	0.74	2/2064 (0.1%)	0.98	7/2817 (0.2%)
1	68-A	0.71	1/2064 (0.0%)	0.92	5/2817 (0.2%)
1	69-A	0.71	0/2064	1.04	8/2817 (0.3%)
1	70-A	0.76	2/2064 (0.1%)	0.96	5/2817 (0.2%)
1	71-A	0.73	0/2064	0.89	4/2817 (0.1%)
1	72-A	0.73	1/2064 (0.0%)	1.00	10/2817 (0.4%)
1	73-A	0.84	6/2064 (0.3%)	1.05	12/2817 (0.4%)
1	74-A	0.79	5/2064 (0.2%)	0.96	5/2817 (0.2%)
1	75-A	0.74	1/2064 (0.0%)	0.95	9/2817 (0.3%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	76-A	0.78	2/2064 (0.1%)	1.01	9/2817 (0.3%)
1	77-A	0.72	2/2064 (0.1%)	0.92	2/2817 (0.1%)
All	All	0.77	176/158928 (0.1%)	0.98	543/216909 (0.3%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	1-A	0	5
1	2-A	0	3
1	3-A	0	5
1	4-A	0	5
1	5-A	0	9
1	6-A	0	9
1	7-A	0	3
1	8-A	0	2
1	9-A	0	3
1	10-A	0	2
1	11-A	0	2
1	12-A	0	5
1	14-A	0	3
1	15-A	0	2
1	16-A	0	1
1	17-A	0	1
1	18-A	0	1
1	19-A	0	4
1	20-A	0	2
1	21-A	0	1
1	22-A	0	1
1	23-A	0	4
1	24-A	0	4
1	25-A	0	3
1	26-A	0	4
1	27-A	0	3
1	28-A	0	4
1	29-A	0	5
1	31-A	0	1
1	32-A	0	2
1	34-A	0	2
1	35-A	0	2

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
1	36-A	0	2
1	37-A	0	3
1	38-A	0	1
1	39-A	0	2
1	40-A	0	2
1	41-A	0	2
1	42-A	0	3
1	43-A	0	5
1	44-A	0	9
1	45-A	0	8
1	46-A	0	4
1	47-A	0	4
1	48-A	0	4
1	49-A	0	1
1	50-A	0	3
1	51-A	0	1
1	52-A	0	3
1	53-A	0	8
1	54-A	0	3
1	55-A	0	4
1	56-A	0	2
1	57-A	0	4
1	58-A	0	2
1	59-A	0	3
1	60-A	0	2
1	61-A	0	3
1	62-A	0	5
1	63-A	0	4
1	64-A	0	4
1	65-A	0	3
1	66-A	0	2
1	67-A	0	3
1	68-A	0	2
1	69-A	0	4
1	70-A	0	4
1	71-A	0	1
1	72-A	0	2
1	73-A	0	6
1	74-A	0	4
1	75-A	0	6
1	76-A	0	2
1	77-A	0	6

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
All	All	0	249

The worst 5 of 176 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	20-A	131	MET	CB-CG	15.09	1.99	1.51
1	14-A	131	MET	CB-CG	11.82	1.89	1.51
1	70-A	5	GLU	CB-CG	10.43	1.72	1.52
1	57-A	43	TYR	CB-CG	-9.79	1.36	1.51
1	59-A	64	GLU	CB-CG	9.10	1.69	1.52

The worst 5 of 543 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	6-A	243	GLY	C-N-CD	-22.23	71.71	120.60
1	5-A	243	GLY	C-N-CD	-20.43	75.65	120.60
1	10-A	243	GLY	C-N-CD	-19.10	78.58	120.60
1	4-A	127	MET	CG-SD-CE	-16.77	73.37	100.20
1	14-A	127	MET	CG-SD-CE	-16.75	73.39	100.20

There are no chirality outliers.

5 of 249 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	1-A	13	ALA	Peptide
1	1-A	214	PRO	Peptide
1	1-A	247	GLY	Peptide
1	1-A	250	GLY	Peptide
1	1-A	63	THR	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1-A	2011	1969	1963	0	0
1	2-A	2011	1969	1963	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	3-A	2011	1969	1963	0	0
1	4-A	2011	1969	1963	0	0
1	5-A	2011	1969	1963	0	0
1	6-A	2011	1969	1963	0	0
1	7-A	2011	1969	1963	0	0
1	8-A	2011	1969	1963	0	0
1	9-A	2011	1969	1963	0	0
1	10-A	2011	1969	1963	0	0
1	11-A	2011	1969	1963	0	0
1	12-A	2011	1969	1963	0	0
1	13-A	2011	1969	1963	0	0
1	14-A	2011	1969	1963	0	0
1	15-A	2011	1969	1963	0	0
1	16-A	2011	1969	1963	0	0
1	17-A	2011	1969	1963	0	0
1	18-A	2011	1969	1963	0	0
1	19-A	2011	1969	1963	0	0
1	20-A	2011	1969	1963	0	0
1	21-A	2011	1969	1963	0	0
1	22-A	2011	1969	1963	0	0
1	23-A	2011	1969	1963	0	0
1	24-A	2011	1969	1963	0	0
1	25-A	2011	1969	1963	0	0
1	26-A	2011	1969	1963	0	0
1	27-A	2011	1969	1963	0	0
1	28-A	2011	1969	1963	0	0
1	29-A	2011	1969	1963	0	0
1	30-A	2011	1969	1963	0	0
1	31-A	2011	1969	1963	0	0
1	32-A	2011	1969	1963	0	0
1	33-A	2011	1969	1963	0	0
1	34-A	2011	1969	1963	0	0
1	35-A	2011	1969	1963	0	0
1	36-A	2011	1969	1963	0	0
1	37-A	2011	1969	1963	0	0
1	38-A	2011	1969	1963	0	0
1	39-A	2011	1969	1963	0	0
1	40-A	2011	1969	1963	0	0
1	41-A	2011	1969	1963	0	0
1	42-A	2011	1969	1963	0	0
1	43-A	2011	1969	1963	0	0
1	44-A	2011	1969	1963	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	45-A	2011	1969	1963	0	0
1	46-A	2011	1969	1963	0	0
1	47-A	2011	1969	1963	0	0
1	48-A	2011	1969	1963	0	0
1	49-A	2011	1969	1963	0	0
1	50-A	2011	1969	1963	0	0
1	51-A	2011	1969	1963	0	0
1	52-A	2011	1969	1963	0	0
1	53-A	2011	1969	1963	0	0
1	54-A	2011	1969	1963	0	0
1	55-A	2011	1969	1963	0	0
1	56-A	2011	1969	1963	0	0
1	57-A	2011	1969	1963	0	0
1	58-A	2011	1969	1963	0	0
1	59-A	2011	1969	1963	0	0
1	60-A	2011	1969	1963	0	0
1	61-A	2011	1969	1963	0	0
1	62-A	2011	1969	1963	0	0
1	63-A	2011	1969	1963	0	0
1	64-A	2011	1969	1963	0	0
1	65-A	2011	1969	1963	0	0
1	66-A	2011	1969	1963	0	0
1	67-A	2011	1969	1963	0	0
1	68-A	2011	1969	1963	0	0
1	69-A	2011	1969	1963	0	0
1	70-A	2011	1969	1963	0	0
1	71-A	2011	1969	1963	0	0
1	72-A	2011	1969	1963	0	0
1	73-A	2011	1969	1963	0	0
1	74-A	2011	1969	1963	0	0
1	75-A	2011	1969	1963	0	0
1	76-A	2011	1969	1963	0	0
1	77-A	2011	1969	1963	0	0
2	1-A	5	0	0	0	0
2	2-A	5	0	0	0	0
2	3-A	5	0	0	0	0
2	4-A	5	0	0	0	0
2	5-A	5	0	0	0	0
2	6-A	5	0	0	0	0
2	7-A	5	0	0	0	0
2	8-A	5	0	0	0	0
2	9-A	5	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	10-A	5	0	0	0	0
2	11-A	5	0	0	0	0
2	12-A	5	0	0	0	0
2	13-A	5	0	0	0	0
2	14-A	5	0	0	0	0
2	15-A	5	0	0	0	0
2	16-A	5	0	0	0	0
2	17-A	5	0	0	0	0
2	18-A	5	0	0	0	0
2	19-A	5	0	0	0	0
2	20-A	5	0	0	0	0
2	21-A	5	0	0	0	0
2	22-A	5	0	0	0	0
2	23-A	5	0	0	0	0
2	24-A	5	0	0	0	0
2	25-A	5	0	0	0	0
2	26-A	5	0	0	0	0
2	27-A	5	0	0	0	0
2	28-A	5	0	0	0	0
2	29-A	5	0	0	0	0
2	30-A	5	0	0	0	0
2	31-A	5	0	0	0	0
2	32-A	5	0	0	0	0
2	33-A	5	0	0	0	0
2	34-A	5	0	0	0	0
2	35-A	5	0	0	0	0
2	36-A	5	0	0	0	0
2	37-A	5	0	0	0	0
2	38-A	5	0	0	0	0
2	39-A	5	0	0	0	0
2	40-A	5	0	0	0	0
2	41-A	5	0	0	0	0
2	42-A	5	0	0	0	0
2	43-A	5	0	0	0	0
2	44-A	5	0	0	0	0
2	45-A	5	0	0	0	0
2	46-A	5	0	0	0	0
2	47-A	5	0	0	0	0
2	48-A	5	0	0	0	0
2	49-A	5	0	0	0	0
2	50-A	5	0	0	0	0
2	51-A	5	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	52-A	5	0	0	0	0
2	53-A	5	0	0	0	0
2	54-A	5	0	0	0	0
2	55-A	5	0	0	0	0
2	56-A	5	0	0	0	0
2	57-A	5	0	0	0	0
2	58-A	5	0	0	0	0
2	59-A	5	0	0	0	0
2	60-A	5	0	0	0	0
2	61-A	5	0	0	0	0
2	62-A	5	0	0	0	0
2	63-A	5	0	0	0	0
2	64-A	5	0	0	0	0
2	65-A	5	0	0	0	0
2	66-A	5	0	0	0	0
2	67-A	5	0	0	0	0
2	68-A	5	0	0	0	0
2	69-A	5	0	0	0	0
2	70-A	5	0	0	0	0
2	71-A	5	0	0	0	0
2	72-A	5	0	0	0	0
2	73-A	5	0	0	0	0
2	74-A	5	0	0	0	0
2	75-A	5	0	0	0	0
2	76-A	5	0	0	0	0
2	77-A	5	0	0	0	0
3	1-A	99	0	0	0	0
3	2-A	102	0	0	0	0
3	3-A	98	0	0	0	0
3	4-A	85	0	0	0	0
3	5-A	98	0	0	0	0
3	6-A	99	0	0	0	0
3	7-A	98	0	0	0	0
3	8-A	101	0	0	0	0
3	9-A	95	0	0	0	0
3	10-A	90	0	0	0	0
3	11-A	103	0	0	0	0
3	12-A	97	0	0	0	0
3	13-A	87	0	0	0	0
3	14-A	90	0	0	0	0
3	15-A	112	0	0	0	0
3	16-A	93	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	17-A	82	0	0	0	0
3	18-A	89	0	0	0	0
3	19-A	89	0	0	0	0
3	20-A	103	0	0	0	0
3	21-A	101	0	0	0	0
3	22-A	83	0	0	0	0
3	23-A	103	0	0	0	0
3	24-A	98	0	0	0	0
3	25-A	99	0	0	0	0
3	26-A	85	0	0	0	0
3	27-A	100	0	0	0	0
3	28-A	104	0	0	0	0
3	29-A	105	0	0	0	0
3	30-A	94	0	0	0	0
3	31-A	91	0	0	0	0
3	32-A	96	0	0	0	0
3	33-A	90	0	0	0	0
3	34-A	94	0	0	0	0
3	35-A	98	0	0	0	0
3	36-A	98	0	0	0	0
3	37-A	97	0	0	0	0
3	38-A	91	0	0	0	0
3	39-A	104	0	0	0	0
3	40-A	89	0	0	0	0
3	41-A	104	0	0	0	0
3	42-A	112	0	0	0	0
3	43-A	102	0	0	0	0
3	44-A	83	0	0	0	0
3	45-A	96	0	0	0	0
3	46-A	99	0	0	0	0
3	47-A	100	0	0	0	0
3	48-A	83	0	0	0	0
3	49-A	93	0	0	0	0
3	50-A	95	0	0	0	0
3	51-A	99	0	0	0	0
3	52-A	98	0	0	0	0
3	53-A	90	0	0	0	0
3	54-A	95	0	0	0	0
3	55-A	92	0	0	0	0
3	56-A	95	0	0	0	0
3	57-A	97	0	0	0	0
3	58-A	91	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	59-A	88	0	0	0	0
3	60-A	98	0	0	0	0
3	61-A	113	0	0	0	0
3	62-A	103	0	0	0	0
3	63-A	107	0	0	0	0
3	64-A	100	0	0	0	0
3	65-A	88	0	0	0	0
3	66-A	104	0	0	0	0
3	67-A	102	0	0	0	0
3	68-A	105	0	0	0	0
3	69-A	104	0	0	0	0
3	70-A	103	0	0	0	0
3	71-A	108	0	0	0	0
3	72-A	101	0	0	0	0
3	73-A	96	0	0	0	0
3	74-A	95	0	0	0	0
3	75-A	88	0	0	0	0
3	76-A	88	0	0	0	0
3	77-A	102	0	0	0	0
All	All	162679	151613	151151	0	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). Clashscore could not be calculated for this entry.

There are no clashes within the asymmetric unit.

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	1-A	261/313 (83%)	242 (93%)	11 (4%)	8 (3%)	4 0
1	2-A	261/313 (83%)	239 (92%)	18 (7%)	4 (2%)	10 1

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	3-A	261/313 (83%)	238 (91%)	17 (6%)	6 (2%)	6	0
1	4-A	261/313 (83%)	237 (91%)	12 (5%)	12 (5%)	2	0
1	5-A	261/313 (83%)	233 (89%)	16 (6%)	12 (5%)	2	0
1	6-A	261/313 (83%)	239 (92%)	16 (6%)	6 (2%)	6	0
1	7-A	261/313 (83%)	247 (95%)	7 (3%)	7 (3%)	5	0
1	8-A	261/313 (83%)	243 (93%)	14 (5%)	4 (2%)	10	1
1	9-A	261/313 (83%)	240 (92%)	13 (5%)	8 (3%)	4	0
1	10-A	261/313 (83%)	248 (95%)	10 (4%)	3 (1%)	14	2
1	11-A	261/313 (83%)	242 (93%)	14 (5%)	5 (2%)	8	1
1	12-A	261/313 (83%)	243 (93%)	14 (5%)	4 (2%)	10	1
1	13-A	261/313 (83%)	243 (93%)	13 (5%)	5 (2%)	8	1
1	14-A	261/313 (83%)	244 (94%)	12 (5%)	5 (2%)	8	1
1	15-A	261/313 (83%)	244 (94%)	13 (5%)	4 (2%)	10	1
1	16-A	261/313 (83%)	240 (92%)	18 (7%)	3 (1%)	14	2
1	17-A	261/313 (83%)	244 (94%)	13 (5%)	4 (2%)	10	1
1	18-A	261/313 (83%)	238 (91%)	16 (6%)	7 (3%)	5	0
1	19-A	261/313 (83%)	243 (93%)	15 (6%)	3 (1%)	14	2
1	20-A	261/313 (83%)	240 (92%)	18 (7%)	3 (1%)	14	2
1	21-A	261/313 (83%)	244 (94%)	13 (5%)	4 (2%)	10	1
1	22-A	261/313 (83%)	244 (94%)	14 (5%)	3 (1%)	14	2
1	23-A	261/313 (83%)	245 (94%)	10 (4%)	6 (2%)	6	0
1	24-A	261/313 (83%)	248 (95%)	9 (3%)	4 (2%)	10	1
1	25-A	261/313 (83%)	245 (94%)	13 (5%)	3 (1%)	14	2
1	26-A	261/313 (83%)	243 (93%)	14 (5%)	4 (2%)	10	1
1	27-A	261/313 (83%)	243 (93%)	11 (4%)	7 (3%)	5	0
1	28-A	261/313 (83%)	242 (93%)	13 (5%)	6 (2%)	6	0
1	29-A	261/313 (83%)	241 (92%)	18 (7%)	2 (1%)	19	4
1	30-A	261/313 (83%)	249 (95%)	6 (2%)	6 (2%)	6	0
1	31-A	261/313 (83%)	242 (93%)	9 (3%)	10 (4%)	3	0
1	32-A	261/313 (83%)	245 (94%)	10 (4%)	6 (2%)	6	0
1	33-A	261/313 (83%)	241 (92%)	12 (5%)	8 (3%)	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	34-A	261/313 (83%)	242 (93%)	11 (4%)	8 (3%)	4	0
1	35-A	261/313 (83%)	237 (91%)	19 (7%)	5 (2%)	8	1
1	36-A	261/313 (83%)	241 (92%)	15 (6%)	5 (2%)	8	1
1	37-A	261/313 (83%)	244 (94%)	11 (4%)	6 (2%)	6	0
1	38-A	261/313 (83%)	240 (92%)	15 (6%)	6 (2%)	6	0
1	39-A	261/313 (83%)	244 (94%)	12 (5%)	5 (2%)	8	1
1	40-A	261/313 (83%)	238 (91%)	16 (6%)	7 (3%)	5	0
1	41-A	261/313 (83%)	242 (93%)	13 (5%)	6 (2%)	6	0
1	42-A	261/313 (83%)	242 (93%)	12 (5%)	7 (3%)	5	0
1	43-A	261/313 (83%)	239 (92%)	13 (5%)	9 (3%)	3	0
1	44-A	261/313 (83%)	236 (90%)	14 (5%)	11 (4%)	3	0
1	45-A	261/313 (83%)	235 (90%)	16 (6%)	10 (4%)	3	0
1	46-A	261/313 (83%)	241 (92%)	13 (5%)	7 (3%)	5	0
1	47-A	261/313 (83%)	241 (92%)	13 (5%)	7 (3%)	5	0
1	48-A	261/313 (83%)	239 (92%)	14 (5%)	8 (3%)	4	0
1	49-A	261/313 (83%)	238 (91%)	13 (5%)	10 (4%)	3	0
1	50-A	261/313 (83%)	241 (92%)	13 (5%)	7 (3%)	5	0
1	51-A	261/313 (83%)	243 (93%)	12 (5%)	6 (2%)	6	0
1	52-A	261/313 (83%)	235 (90%)	14 (5%)	12 (5%)	2	0
1	53-A	261/313 (83%)	241 (92%)	10 (4%)	10 (4%)	3	0
1	54-A	261/313 (83%)	239 (92%)	11 (4%)	11 (4%)	3	0
1	55-A	261/313 (83%)	240 (92%)	12 (5%)	9 (3%)	3	0
1	56-A	261/313 (83%)	242 (93%)	8 (3%)	11 (4%)	3	0
1	57-A	261/313 (83%)	243 (93%)	8 (3%)	10 (4%)	3	0
1	58-A	261/313 (83%)	241 (92%)	11 (4%)	9 (3%)	3	0
1	59-A	261/313 (83%)	239 (92%)	16 (6%)	6 (2%)	6	0
1	60-A	261/313 (83%)	242 (93%)	11 (4%)	8 (3%)	4	0
1	61-A	261/313 (83%)	236 (90%)	17 (6%)	8 (3%)	4	0
1	62-A	261/313 (83%)	240 (92%)	11 (4%)	10 (4%)	3	0
1	63-A	261/313 (83%)	243 (93%)	13 (5%)	5 (2%)	8	1
1	64-A	261/313 (83%)	239 (92%)	15 (6%)	7 (3%)	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	65-A	261/313 (83%)	240 (92%)	11 (4%)	10 (4%)	3	0
1	66-A	261/313 (83%)	240 (92%)	13 (5%)	8 (3%)	4	0
1	67-A	261/313 (83%)	247 (95%)	9 (3%)	5 (2%)	8	1
1	68-A	261/313 (83%)	241 (92%)	17 (6%)	3 (1%)	14	2
1	69-A	261/313 (83%)	245 (94%)	14 (5%)	2 (1%)	19	4
1	70-A	261/313 (83%)	243 (93%)	11 (4%)	7 (3%)	5	0
1	71-A	261/313 (83%)	241 (92%)	12 (5%)	8 (3%)	4	0
1	72-A	261/313 (83%)	229 (88%)	19 (7%)	13 (5%)	2	0
1	73-A	261/313 (83%)	235 (90%)	14 (5%)	12 (5%)	2	0
1	74-A	261/313 (83%)	235 (90%)	17 (6%)	9 (3%)	3	0
1	75-A	261/313 (83%)	243 (93%)	12 (5%)	6 (2%)	6	0
1	76-A	261/313 (83%)	241 (92%)	12 (5%)	8 (3%)	4	0
1	77-A	261/313 (83%)	243 (93%)	12 (5%)	6 (2%)	6	0
All	All	20097/24101 (83%)	18565 (92%)	1007 (5%)	525 (3%)	5	0

5 of 525 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	1-A	215	ASN
1	1-A	244	PRO
1	1-A	248	LEU
1	3-A	2	ASN
1	3-A	244	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	1-A	216/254 (85%)	190 (88%)	26 (12%)	5	0
1	2-A	216/254 (85%)	192 (89%)	24 (11%)	6	0
1	3-A	216/254 (85%)	195 (90%)	21 (10%)	8	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	4-A	216/254 (85%)	191 (88%)	25 (12%)	5	0
1	5-A	216/254 (85%)	197 (91%)	19 (9%)	10	1
1	6-A	216/254 (85%)	189 (88%)	27 (12%)	4	0
1	7-A	216/254 (85%)	197 (91%)	19 (9%)	10	1
1	8-A	216/254 (85%)	196 (91%)	20 (9%)	9	0
1	9-A	216/254 (85%)	186 (86%)	30 (14%)	3	0
1	10-A	216/254 (85%)	192 (89%)	24 (11%)	6	0
1	11-A	216/254 (85%)	189 (88%)	27 (12%)	4	0
1	12-A	216/254 (85%)	189 (88%)	27 (12%)	4	0
1	13-A	216/254 (85%)	192 (89%)	24 (11%)	6	0
1	14-A	216/254 (85%)	186 (86%)	30 (14%)	3	0
1	15-A	216/254 (85%)	191 (88%)	25 (12%)	5	0
1	16-A	216/254 (85%)	192 (89%)	24 (11%)	6	0
1	17-A	216/254 (85%)	196 (91%)	20 (9%)	9	0
1	18-A	216/254 (85%)	191 (88%)	25 (12%)	5	0
1	19-A	216/254 (85%)	198 (92%)	18 (8%)	11	1
1	20-A	216/254 (85%)	188 (87%)	28 (13%)	4	0
1	21-A	216/254 (85%)	194 (90%)	22 (10%)	7	0
1	22-A	216/254 (85%)	187 (87%)	29 (13%)	4	0
1	23-A	216/254 (85%)	192 (89%)	24 (11%)	6	0
1	24-A	216/254 (85%)	193 (89%)	23 (11%)	6	0
1	25-A	216/254 (85%)	195 (90%)	21 (10%)	8	0
1	26-A	216/254 (85%)	196 (91%)	20 (9%)	9	0
1	27-A	216/254 (85%)	189 (88%)	27 (12%)	4	0
1	28-A	216/254 (85%)	200 (93%)	16 (7%)	13	1
1	29-A	216/254 (85%)	191 (88%)	25 (12%)	5	0
1	30-A	216/254 (85%)	200 (93%)	16 (7%)	13	1
1	31-A	216/254 (85%)	198 (92%)	18 (8%)	11	1
1	32-A	216/254 (85%)	189 (88%)	27 (12%)	4	0
1	33-A	216/254 (85%)	192 (89%)	24 (11%)	6	0
1	34-A	216/254 (85%)	190 (88%)	26 (12%)	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	35-A	216/254 (85%)	189 (88%)	27 (12%)	4	0
1	36-A	216/254 (85%)	197 (91%)	19 (9%)	10	1
1	37-A	216/254 (85%)	196 (91%)	20 (9%)	9	0
1	38-A	216/254 (85%)	193 (89%)	23 (11%)	6	0
1	39-A	216/254 (85%)	191 (88%)	25 (12%)	5	0
1	40-A	216/254 (85%)	188 (87%)	28 (13%)	4	0
1	41-A	216/254 (85%)	197 (91%)	19 (9%)	10	1
1	42-A	216/254 (85%)	194 (90%)	22 (10%)	7	0
1	43-A	216/254 (85%)	198 (92%)	18 (8%)	11	1
1	44-A	216/254 (85%)	184 (85%)	32 (15%)	3	0
1	45-A	216/254 (85%)	190 (88%)	26 (12%)	5	0
1	46-A	216/254 (85%)	185 (86%)	31 (14%)	3	0
1	47-A	216/254 (85%)	191 (88%)	25 (12%)	5	0
1	48-A	216/254 (85%)	193 (89%)	23 (11%)	6	0
1	49-A	216/254 (85%)	188 (87%)	28 (13%)	4	0
1	50-A	216/254 (85%)	195 (90%)	21 (10%)	8	0
1	51-A	216/254 (85%)	190 (88%)	26 (12%)	5	0
1	52-A	216/254 (85%)	198 (92%)	18 (8%)	11	1
1	53-A	216/254 (85%)	192 (89%)	24 (11%)	6	0
1	54-A	216/254 (85%)	186 (86%)	30 (14%)	3	0
1	55-A	216/254 (85%)	187 (87%)	29 (13%)	4	0
1	56-A	216/254 (85%)	187 (87%)	29 (13%)	4	0
1	57-A	216/254 (85%)	194 (90%)	22 (10%)	7	0
1	58-A	216/254 (85%)	193 (89%)	23 (11%)	6	0
1	59-A	216/254 (85%)	187 (87%)	29 (13%)	4	0
1	60-A	216/254 (85%)	189 (88%)	27 (12%)	4	0
1	61-A	216/254 (85%)	192 (89%)	24 (11%)	6	0
1	62-A	216/254 (85%)	184 (85%)	32 (15%)	3	0
1	63-A	216/254 (85%)	196 (91%)	20 (9%)	9	0
1	64-A	216/254 (85%)	198 (92%)	18 (8%)	11	1
1	65-A	216/254 (85%)	191 (88%)	25 (12%)	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	66-A	216/254 (85%)	190 (88%)	26 (12%)	5	0
1	67-A	216/254 (85%)	194 (90%)	22 (10%)	7	0
1	68-A	216/254 (85%)	200 (93%)	16 (7%)	13	1
1	69-A	216/254 (85%)	200 (93%)	16 (7%)	13	1
1	70-A	216/254 (85%)	191 (88%)	25 (12%)	5	0
1	71-A	216/254 (85%)	195 (90%)	21 (10%)	8	0
1	72-A	216/254 (85%)	189 (88%)	27 (12%)	4	0
1	73-A	216/254 (85%)	192 (89%)	24 (11%)	6	0
1	74-A	216/254 (85%)	198 (92%)	18 (8%)	11	1
1	75-A	216/254 (85%)	191 (88%)	25 (12%)	5	0
1	76-A	216/254 (85%)	192 (89%)	24 (11%)	6	0
1	77-A	216/254 (85%)	188 (87%)	28 (13%)	4	0
All	All	16632/19558 (85%)	14796 (89%)	1836 (11%)	6	0

5 of 1836 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	36-A	31	ARG
1	44-A	215	ASN
1	72-A	61	THR
1	37-A	92	GLN
1	40-A	138	ARG

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

77 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	73-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	45-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	60-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	69-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	70-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	27-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	2-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	7-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	20-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	62-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	56-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	24-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	18-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	23-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	65-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	61-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	41-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	13-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	1-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	8-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	35-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	43-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	46-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	14-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	44-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	74-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	68-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	25-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	71-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	50-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	29-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	3-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	28-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	4-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	49-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	55-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	22-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	34-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	64-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	30-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	77-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	67-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	9-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	39-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	15-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	42-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	75-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	11-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	47-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	16-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	72-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	21-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	76-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	5-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	59-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	26-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	12-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	53-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	40-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	6-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	33-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	31-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	63-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	32-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	10-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	66-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	36-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	19-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	48-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	58-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	SO4	37-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	51-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	38-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	52-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	57-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	17-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0
2	SO4	54-A	1001	-	4,4,4	0.25	0	6,6,6	0.70	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	1-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	2-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	3-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	4-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	5-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	6-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	7-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	8-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	9-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	10-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	11-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	12-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	13-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	14-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	15-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	16-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	17-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	18-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	19-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	20-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	21-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	22-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	23-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	24-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	25-A	263/313 (84%)	0.31	24 (9%)	9 10	9, 14, 19, 25	263 (100%)
1	26-A	263/313 (84%)	0.31	24 (9%)	9 10	9, 14, 19, 25	263 (100%)
1	27-A	263/313 (84%)	0.31	24 (9%)	9 10	9, 14, 19, 25	263 (100%)
1	28-A	263/313 (84%)	0.31	24 (9%)	9 10	9, 14, 19, 25	263 (100%)
1	29-A	263/313 (84%)	0.31	24 (9%)	9 10	9, 14, 19, 25	263 (100%)
1	30-A	263/313 (84%)	0.31	24 (9%)	9 10	9, 14, 19, 25	263 (100%)
1	31-A	263/313 (84%)	0.31	24 (9%)	9 10	9, 14, 19, 25	263 (100%)
1	32-A	263/313 (84%)	0.31	24 (9%)	9 10	9, 14, 19, 25	263 (100%)
1	33-A	263/313 (84%)	0.31	24 (9%)	9 10	9, 14, 19, 25	263 (100%)
1	34-A	263/313 (84%)	0.31	24 (9%)	9 10	9, 14, 19, 25	263 (100%)
1	35-A	263/313 (84%)	0.31	24 (9%)	9 10	9, 14, 19, 25	263 (100%)
1	36-A	263/313 (84%)	0.31	24 (9%)	9 10	9, 14, 19, 25	263 (100%)
1	37-A	263/313 (84%)	0.31	24 (9%)	9 10	9, 14, 19, 25	263 (100%)
1	38-A	263/313 (84%)	0.31	24 (9%)	9 10	9, 14, 19, 25	263 (100%)
1	39-A	263/313 (84%)	0.31	24 (9%)	9 10	9, 14, 19, 25	263 (100%)
1	40-A	263/313 (84%)	0.31	24 (9%)	9 10	9, 14, 19, 25	263 (100%)
1	41-A	263/313 (84%)	0.31	24 (9%)	9 10	9, 14, 19, 25	263 (100%)
1	42-A	263/313 (84%)	0.31	24 (9%)	9 10	9, 14, 19, 25	263 (100%)
1	43-A	263/313 (84%)	0.31	24 (9%)	9 10	9, 14, 19, 25	263 (100%)
1	44-A	263/313 (84%)	0.31	24 (9%)	9 10	9, 14, 19, 25	263 (100%)
1	45-A	263/313 (84%)	0.31	24 (9%)	9 10	9, 14, 19, 25	263 (100%)
1	46-A	263/313 (84%)	0.31	24 (9%)	9 10	9, 14, 19, 25	263 (100%)
1	47-A	263/313 (84%)	0.31	24 (9%)	9 10	9, 14, 19, 25	263 (100%)
1	48-A	263/313 (84%)	0.31	24 (9%)	9 10	9, 14, 19, 25	263 (100%)
1	49-A	263/313 (84%)	0.31	24 (9%)	9 10	9, 14, 19, 25	263 (100%)
1	50-A	263/313 (84%)	0.31	24 (9%)	9 10	9, 14, 19, 25	263 (100%)
1	51-A	263/313 (84%)	0.31	24 (9%)	9 10	9, 14, 19, 25	263 (100%)
1	52-A	263/313 (84%)	0.31	24 (9%)	9 10	9, 14, 19, 25	263 (100%)
1	53-A	263/313 (84%)	0.31	24 (9%)	9 10	9, 14, 19, 25	263 (100%)
1	54-A	263/313 (84%)	0.31	24 (9%)	9 10	9, 14, 19, 25	263 (100%)
1	55-A	263/313 (84%)	0.31	24 (9%)	9 10	9, 14, 19, 25	263 (100%)

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	56-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	57-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	58-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	59-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	60-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	61-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	62-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	63-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	64-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	65-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	66-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	67-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	68-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	69-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	70-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	71-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	72-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	73-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	74-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	75-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	76-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
1	77-A	263/313 (84%)	0.31	24 (9%) 9 10	9, 14, 19, 25	263 (100%)
All	All	20251/24101 (84%)	0.31	1848 (9%) 11 10	9, 14, 19, 25	20251 (100%)

The worst 5 of 1848 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	1-A	248	LEU	23.6
1	2-A	248	LEU	23.6
1	3-A	248	LEU	23.6
1	4-A	248	LEU	23.6
1	5-A	248	LEU	23.6

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	SO4	73-A	1001	5/5	0.12	0.70	25,27,28,28	5
2	SO4	45-A	1001	5/5	0.12	0.70	24,24,25,26	5
2	SO4	60-A	1001	5/5	0.12	0.70	30,30,30,32	5
2	SO4	69-A	1001	5/5	0.12	0.70	31,31,32,33	5
2	SO4	70-A	1001	5/5	0.12	0.70	29,31,31,32	5
2	SO4	74-A	1001	5/5	0.12	0.70	24,25,26,27	5
2	SO4	2-A	1001	5/5	0.12	0.70	22,22,23,24	5
2	SO4	7-A	1001	5/5	0.12	0.70	24,24,26,26	5
2	SO4	20-A	1001	5/5	0.12	0.70	18,19,19,21	5
2	SO4	62-A	1001	5/5	0.12	0.70	27,27,29,30	5
2	SO4	56-A	1001	5/5	0.12	0.70	25,25,26,27	5
2	SO4	24-A	1001	5/5	0.12	0.70	23,24,25,26	5
2	SO4	18-A	1001	5/5	0.12	0.70	21,21,22,23	5
2	SO4	23-A	1001	5/5	0.12	0.70	23,23,24,25	5
2	SO4	54-A	1001	5/5	0.12	0.70	21,22,22,23	5
2	SO4	65-A	1001	5/5	0.12	0.70	24,24,25,26	5
2	SO4	77-A	1001	5/5	0.12	0.70	26,26,28,28	5
2	SO4	61-A	1001	5/5	0.12	0.70	28,28,29,30	5
2	SO4	55-A	1001	5/5	0.12	0.70	22,22,23,24	5
2	SO4	41-A	1001	5/5	0.12	0.70	26,27,28,28	5
2	SO4	13-A	1001	5/5	0.12	0.70	22,23,23,24	5
2	SO4	1-A	1001	5/5	0.12	0.70	24,24,24,26	5
2	SO4	8-A	1001	5/5	0.12	0.70	24,24,25,26	5
2	SO4	35-A	1001	5/5	0.12	0.70	24,24,24,26	5
2	SO4	43-A	1001	5/5	0.12	0.70	23,24,25,25	5
2	SO4	14-A	1001	5/5	0.12	0.70	23,24,25,25	5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	SO4	44-A	1001	5/5	0.12	0.70	24,25,26,27	5
2	SO4	49-A	1001	5/5	0.12	0.70	22,23,24,24	5
2	SO4	68-A	1001	5/5	0.12	0.70	27,28,29,29	5
2	SO4	25-A	1001	5/5	0.12	0.70	21,22,22,23	5
2	SO4	71-A	1001	5/5	0.12	0.70	29,31,31,32	5
2	SO4	29-A	1001	5/5	0.12	0.70	24,25,26,26	5
2	SO4	3-A	1001	5/5	0.12	0.70	24,25,25,26	5
2	SO4	28-A	1001	5/5	0.12	0.70	23,24,24,25	5
2	SO4	4-A	1001	5/5	0.12	0.70	26,26,28,28	5
2	SO4	27-A	1001	5/5	0.12	0.70	22,22,23,24	5
2	SO4	19-A	1001	5/5	0.12	0.70	20,20,22,22	5
2	SO4	22-A	1001	5/5	0.12	0.70	19,21,21,21	5
2	SO4	34-A	1001	5/5	0.12	0.70	25,25,27,27	5
2	SO4	64-A	1001	5/5	0.12	0.70	25,25,26,27	5
2	SO4	30-A	1001	5/5	0.12	0.70	25,26,27,27	5
2	SO4	63-A	1001	5/5	0.12	0.70	26,27,27,28	5
2	SO4	67-A	1001	5/5	0.12	0.70	26,26,26,28	5
2	SO4	9-A	1001	5/5	0.12	0.70	20,22,22,23	5
2	SO4	39-A	1001	5/5	0.12	0.70	25,27,27,28	5
2	SO4	15-A	1001	5/5	0.12	0.70	21,23,23,23	5
2	SO4	42-A	1001	5/5	0.12	0.70	24,25,26,27	5
2	SO4	75-A	1001	5/5	0.12	0.70	23,24,25,25	5
2	SO4	11-A	1001	5/5	0.12	0.70	21,22,23,24	5
2	SO4	47-A	1001	5/5	0.12	0.70	21,21,22,23	5
2	SO4	16-A	1001	5/5	0.12	0.70	21,22,22,23	5
2	SO4	72-A	1001	5/5	0.12	0.70	27,28,29,30	5
2	SO4	76-A	1001	5/5	0.12	0.70	25,26,27,27	5
2	SO4	33-A	1001	5/5	0.12	0.70	27,28,29,29	5
2	SO4	5-A	1001	5/5	0.12	0.70	27,28,29,30	5
2	SO4	52-A	1001	5/5	0.12	0.70	20,21,21,22	5
2	SO4	26-A	1001	5/5	0.12	0.70	20,21,21,23	5
2	SO4	38-A	1001	5/5	0.12	0.70	24,25,25,26	5
2	SO4	53-A	1001	5/5	0.12	0.70	20,21,21,22	5
2	SO4	40-A	1001	5/5	0.12	0.70	27,28,29,30	5
2	SO4	6-A	1001	5/5	0.12	0.70	25,26,27,27	5
2	SO4	21-A	1001	5/5	0.12	0.70	18,19,19,20	5
2	SO4	31-A	1001	5/5	0.12	0.70	26,28,28,29	5
2	SO4	50-A	1001	5/5	0.12	0.70	20,20,22,22	5
2	SO4	59-A	1001	5/5	0.12	0.70	29,30,31,32	5
2	SO4	10-A	1001	5/5	0.12	0.70	21,21,23,23	5
2	SO4	66-A	1001	5/5	0.12	0.70	23,24,25,25	5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	SO4	36-A	1001	5/5	0.12	0.70	24,24,26,26	5
2	SO4	48-A	1001	5/5	0.12	0.70	22,23,23,24	5
2	SO4	58-A	1001	5/5	0.12	0.70	27,27,28,29	5
2	SO4	37-A	1001	5/5	0.12	0.70	23,24,24,25	5
2	SO4	51-A	1001	5/5	0.12	0.70	18,19,19,20	5
2	SO4	12-A	1001	5/5	0.12	0.70	20,21,21,22	5
2	SO4	46-A	1001	5/5	0.12	0.70	23,24,24,25	5
2	SO4	57-A	1001	5/5	0.12	0.70	25,26,26,28	5
2	SO4	17-A	1001	5/5	0.12	0.70	21,21,22,23	5
2	SO4	32-A	1001	5/5	0.12	0.70	27,27,29,29	5

6.5 Other polymers [i](#)

There are no such residues in this entry.