



Full wwPDB X-ray Structure Validation Report ⓘ

May 29, 2020 – 04:43 am BST

PDB ID : 4CQ1
Title : Crystal structure of the neuronal isoform of PTB
Authors : Joshi, A.; Buckroyd, A.N.; Curry, S.
Deposited on : 2014-02-10
Resolution : 1.69 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.69 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4298 (1.70-1.70)
Clashscore	141614	4695 (1.70-1.70)
Ramachandran outliers	138981	4610 (1.70-1.70)
Sidechain outliers	138945	4610 (1.70-1.70)
RSRZ outliers	127900	4222 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	196	 % 82% 15% . .
1	B	196	 % 90% 8% .
1	C	196	 79% 16% . .
1	D	196	 85% 11% . .
1	E	196	 % 80% 17% .
1	F	196	 % 88% 9% . .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	G	196	 <p>%</p> <p>90% 7% . .</p>
1	H	196	 <p>84% 14% .</p>

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 12397 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called POLYPYRIMIDINE TRACT-BINDING PROTEIN 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	191	1453	924	252	271	6	0	0	0
1	B	192	1462	932	255	269	6	0	0	0
1	C	188	1434	916	249	263	6	0	0	0
1	D	189	1447	923	252	266	6	0	0	0
1	E	189	1438	917	248	267	6	0	0	0
1	F	191	1452	926	253	267	6	0	0	0
1	G	191	1447	921	251	269	6	0	0	0
1	H	191	1462	929	256	271	6	0	0	0

- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	G	1	Total	Zn	0	0
			1	1		
2	E	2	Total	Zn	0	0
			2	2		
2	B	3	Total	Zn	0	0
			3	3		
2	C	1	Total	Zn	0	0
			1	1		
2	A	2	Total	Zn	0	0
			2	2		
2	F	3	Total	Zn	0	0
			3	3		

- Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	G	1	Total Cl 1 1	0	0
3	D	1	Total Cl 1 1	0	0
3	E	1	Total Cl 1 1	0	0
3	B	1	Total Cl 1 1	0	0
3	C	1	Total Cl 1 1	0	0
3	A	1	Total Cl 1 1	0	0
3	F	2	Total Cl 2 2	0	0

- Molecule 4 is water.



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	89	Total O 89 89	0	0
4	B	118	Total O 118 118	0	0
4	C	87	Total O 87 87	0	0
4	D	108	Total O 108 108	0	0
4	E	88	Total O 88 88	0	0
4	F	99	Total O 99 99	0	0
4	G	85	Total O 85 85	0	0
4	H	108	Total O 108 108	0	0





- Molecule 1: POLYPYRIMIDINE TRACT-BINDING PROTEIN 2



- Molecule 1: POLYPYRIMIDINE TRACT-BINDING PROTEIN 2



- Molecule 1: POLYPYRIMIDINE TRACT-BINDING PROTEIN 2



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	61.00Å 65.81Å 99.58Å 89.99° 90.00° 89.99°	Depositor
Resolution (Å)	40.81 – 1.69 40.81 – 1.69	Depositor EDS
% Data completeness (in resolution range)	88.9 (40.81-1.69) 88.9 (40.81-1.69)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.60 (at 1.69Å)	Xtrriage
Refinement program	REFMAC 5.8.0049	Depositor
R, R_{free}	0.170 , 0.208 0.178 , 0.178	Depositor DCC
R_{free} test set	7740 reflections (5.03%)	wwPDB-VP
Wilson B-factor (Å ²)	13.8	Xtrriage
Anisotropy	0.644	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 22.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.27$	Xtrriage
Estimated twinning fraction	0.457 for h,-k,-l 0.358 for -h,k,-l 0.366 for -h,-k,l	Xtrriage
Reported twinning fraction	0.153 for H, K, L 0.245 for -h,-k,l 0.176 for h,-k,-l 0.425 for -H, K, -L	Depositor
Outliers	0 of 153727 reflections	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	12397	wwPDB-VP
Average B, all atoms (Å ²)	18.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 44.01 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.6234e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.34	0/1481	0.49	0/2006
1	B	0.37	0/1490	0.51	0/2015
1	C	0.33	0/1462	0.49	0/1980
1	D	0.36	0/1475	0.50	0/1997
1	E	0.36	0/1466	0.51	0/1988
1	F	0.33	0/1480	0.49	0/2004
1	G	0.34	0/1475	0.50	0/2002
1	H	0.34	0/1490	0.50	0/2017
All	All	0.35	0/11819	0.50	0/16009

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	2
1	C	0	1
All	All	0	3

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	465	SER	Peptide
1	A	517	GLY	Peptide
1	C	465	SER	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1453	0	1411	26	0
1	B	1462	0	1442	15	0
1	C	1434	0	1409	23	0
1	D	1447	0	1422	20	0
1	E	1438	0	1397	24	0
1	F	1452	0	1419	15	0
1	G	1447	0	1389	8	0
1	H	1462	0	1430	14	0
2	A	2	0	0	0	0
2	B	3	0	0	0	0
2	C	1	0	0	0	0
2	E	2	0	0	0	0
2	F	3	0	0	0	0
2	G	1	0	0	0	0
3	A	1	0	0	0	0
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
3	E	1	0	0	0	0
3	F	2	0	0	0	0
3	G	1	0	0	0	0
4	A	89	0	0	2	1
4	B	118	0	0	4	0
4	C	87	0	0	0	1
4	D	108	0	0	3	0
4	E	88	0	0	1	0
4	F	99	0	0	3	0
4	G	85	0	0	0	0
4	H	108	0	0	1	0
All	All	12397	0	11319	134	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (134) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:411:LYS:CB	4:F:2046:HOH:O	1.87	1.20
1:D:390:LEU:HD21	1:D:450:ILE:HG21	1.41	1.02
4:B:2085:HOH:O	1:D:414:THR:HG22	1.59	1.02
1:B:490:ASP:HB2	4:B:2102:HOH:O	1.61	0.99
1:A:411:LYS:HE3	1:C:465:SER:HA	1.45	0.97
1:E:490:ASP:OD2	1:E:492:LYS:HB2	1.66	0.95
1:D:437:HIS:HB2	1:D:440:LYS:HG2	1.57	0.86
1:D:445:LYS:O	1:D:448:GLN:HG2	1.77	0.83
1:C:390:LEU:HD21	1:C:450:ILE:HG21	1.61	0.83
1:A:399:LYS:HG3	1:A:404:ILE:HD13	1.67	0.77
1:C:516:LEU:HD11	1:C:522:LEU:HD13	1.69	0.75
1:A:468:GLU:HG3	1:A:485:PHE:CD1	2.22	0.74
1:E:464:PRO:O	1:E:465:SER:OG	2.07	0.73
1:D:414:THR:HG21	4:D:2027:HOH:O	1.89	0.73
1:E:490:ASP:OD2	1:E:492:LYS:CB	2.36	0.71
1:B:348:GLU:CD	1:E:449:ASN:HD21	1.95	0.69
1:A:411:LYS:CE	1:C:465:SER:HA	2.20	0.67
1:D:414:THR:HG23	1:D:416:GLN:HE21	1.60	0.67
1:F:470:ASP:OD2	4:F:2071:HOH:O	2.12	0.66
1:H:486:LYS:HE2	4:H:2088:HOH:O	1.97	0.65
1:C:429:LYS:HG2	1:C:431:PHE:CZ	2.32	0.65
1:A:481:THR:HG23	4:A:2075:HOH:O	1.96	0.64
1:B:425:GLN:CB	4:B:2057:HOH:O	2.45	0.64
1:A:468:GLU:HG3	1:A:485:PHE:CE1	2.32	0.64
1:B:465:SER:O	1:D:411:LYS:HE2	1.98	0.64
1:E:490:ASP:OD2	1:E:492:LYS:CG	2.46	0.63
1:E:464:PRO:O	1:E:465:SER:CB	2.46	0.63
1:G:450:ILE:HG22	1:G:450:ILE:O	1.98	0.62
1:H:515:ASN:HB2	1:H:521:HIS:CE1	2.33	0.62
1:A:450:ILE:HG22	1:A:450:ILE:O	2.00	0.62
1:A:351:THR:HG22	1:F:528:LYS:HE3	1.83	0.61
1:A:490:ASP:OD2	1:A:492:LYS:CG	2.49	0.61
1:E:347:GLU:H	1:E:347:GLU:CD	2.03	0.60
1:H:418:PRO:HD3	1:H:428:THR:HG21	1.83	0.60
1:D:437:HIS:CB	1:D:440:LYS:HG2	2.29	0.59
1:D:445:LYS:O	1:D:448:GLN:CG	2.51	0.59
1:C:468:GLU:HG3	1:C:485:PHE:CD1	2.37	0.58
1:C:463:PRO:HB3	1:C:520:HIS:CG	2.39	0.58
1:E:437:HIS:O	1:E:440:LYS:CE	2.53	0.56
1:F:411:LYS:CA	4:F:2046:HOH:O	2.32	0.56
1:H:394:HIS:HD2	1:H:452:PRO:HA	1.71	0.56
1:A:399:LYS:HG3	1:A:404:ILE:CD1	2.36	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:437:HIS:HB2	1:C:440:LYS:CG	2.37	0.55
1:C:486:LYS:HD3	1:C:487:PHE:O	2.06	0.55
1:H:369:LYS:NZ	1:H:379:LEU:HD12	2.21	0.55
1:C:488:PHE:HD2	1:C:493:MET:HB2	1.71	0.54
1:C:399:LYS:HD3	1:C:502:GLU:CD	2.28	0.54
1:F:392:MET:CE	1:F:409:LEU:HD13	2.38	0.53
1:A:399:LYS:HB3	1:A:502:GLU:HG3	1.91	0.53
1:B:413:GLN:HG2	1:B:414:THR:HG23	1.91	0.53
1:C:441:LYS:O	1:C:444:SER:HB2	2.08	0.53
1:D:337:ASN:OD1	1:D:337:ASN:N	2.40	0.53
1:A:425:GLN:HG2	1:A:425:GLN:O	2.09	0.52
1:A:386:ASN:OD1	1:A:389:GLN:NE2	2.40	0.52
1:E:516:LEU:HD11	1:E:522:LEU:HD13	1.92	0.52
1:G:418:PRO:HD3	1:G:428:THR:HG21	1.92	0.51
1:C:390:LEU:HD21	1:C:450:ILE:CG2	2.37	0.51
1:A:342:VAL:HG13	1:A:407:VAL:HG22	1.92	0.51
1:C:381:GLN:OE1	1:C:414:THR:OG1	2.28	0.51
1:A:429:LYS:HG2	1:A:431:PHE:CZ	2.46	0.51
1:F:460:SER:OG	1:F:523:ARG:HB2	2.11	0.50
1:A:351:THR:CG2	1:F:528:LYS:HE3	2.41	0.50
1:E:426:GLY:N	1:E:427:LEU:HD12	2.27	0.50
1:F:496:LEU:HD23	1:F:496:LEU:C	2.32	0.49
1:G:441:LYS:O	1:G:444:SER:HB3	2.13	0.49
1:E:496:LEU:HD23	1:E:496:LEU:C	2.33	0.48
1:H:347:GLU:HG2	1:H:375:LYS:C	2.33	0.48
1:A:490:ASP:O	1:A:491:HIS:HB2	2.12	0.48
1:E:490:ASP:O	1:E:491:HIS:HB2	2.12	0.48
1:C:463:PRO:HB3	1:C:520:HIS:CD2	2.48	0.48
1:D:445:LYS:C	1:D:448:GLN:HG2	2.33	0.48
1:B:429:LYS:HG2	1:B:431:PHE:CZ	2.49	0.48
1:B:362:TYR:OH	1:B:453:PRO:HD3	2.13	0.48
1:B:490:ASP:O	1:B:491:HIS:HB2	2.14	0.47
1:C:362:TYR:OH	1:C:453:PRO:HD3	2.14	0.47
1:F:374:LYS:HD2	1:F:374:LYS:HA	1.65	0.46
1:E:373:ASN:CB	4:E:2023:HOH:O	2.63	0.46
1:A:490:ASP:OD2	1:A:492:LYS:HB2	2.15	0.46
1:C:414:THR:HG1	1:C:415:VAL:H	1.63	0.46
1:D:367:ARG:HD3	1:D:417:LEU:HD21	1.97	0.46
1:B:348:GLU:OE1	1:E:449:ASN:ND2	2.48	0.46
1:H:344:ASN:O	1:H:403:LYS:HE2	2.16	0.46
1:B:508:LEU:HD23	1:B:508:LEU:C	2.36	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:384:ASP:OD1	1:H:384:ASP:C	2.53	0.46
1:A:451:PHE:HB3	4:A:2057:HOH:O	2.16	0.46
1:E:437:HIS:O	1:E:440:LYS:HE2	2.15	0.45
1:F:374:LYS:HE2	1:F:376:ASP:OD1	2.16	0.45
1:A:362:TYR:OH	1:A:453:PRO:HD3	2.17	0.45
1:A:485:PHE:HD2	1:A:496:LEU:HD12	1.81	0.45
1:H:394:HIS:CD2	1:H:452:PRO:HA	2.52	0.45
1:E:342:VAL:HG21	1:E:380:ILE:HD12	1.99	0.45
1:E:460:SER:HB2	1:E:493:MET:HG2	1.98	0.45
1:H:441:LYS:O	1:H:444:SER:HB2	2.17	0.45
1:F:451:PHE:CD2	1:F:527:SER:HA	2.52	0.45
1:D:362:TYR:OH	1:D:453:PRO:HD3	2.17	0.45
1:E:399:LYS:HD3	1:E:502:GLU:CD	2.38	0.45
1:B:465:SER:O	1:D:411:LYS:CE	2.66	0.44
1:H:337:ASN:OD1	1:H:337:ASN:N	2.49	0.44
1:B:440:LYS:HD3	4:B:2064:HOH:O	2.17	0.43
1:E:516:LEU:HD11	1:E:522:LEU:HB2	1.99	0.43
1:F:392:MET:HE1	1:F:409:LEU:HD13	1.99	0.43
1:E:426:GLY:O	1:E:428:THR:N	2.48	0.43
1:H:463:PRO:HB2	1:H:464:PRO:HD2	2.01	0.43
1:B:413:GLN:HG2	1:B:414:THR:CG2	2.49	0.43
1:C:355:LEU:HD22	1:C:380:ILE:HD11	2.01	0.43
1:A:348:GLU:O	1:F:451:PHE:CZ	2.72	0.43
1:B:490:ASP:HB3	1:B:492:LYS:HG3	2.00	0.43
1:A:386:ASN:O	1:A:389:GLN:HG3	2.19	0.43
1:G:340:LEU:HD11	1:G:388:SER:HA	2.00	0.43
1:B:348:GLU:O	1:E:451:PHE:HZ	2.01	0.42
1:D:414:THR:HG23	1:D:416:GLN:NE2	2.32	0.42
1:F:362:TYR:HB3	1:F:390:LEU:HD23	2.01	0.42
1:C:342:VAL:O	1:C:377:SER:HA	2.20	0.42
1:A:411:LYS:HA	1:A:411:LYS:HD3	1.79	0.42
1:G:463:PRO:HG2	1:G:466:VAL:HG23	2.01	0.42
1:E:429:LYS:HB3	1:E:431:PHE:CE2	2.54	0.42
1:F:429:LYS:HG2	1:F:431:PHE:CZ	2.55	0.42
1:D:426:GLY:HA2	4:D:2058:HOH:O	2.19	0.42
1:C:508:LEU:HD23	1:C:508:LEU:C	2.40	0.42
1:E:432:GLY:O	1:E:433:ASN:HB2	2.20	0.41
1:G:466:VAL:CG1	1:G:471:LEU:HG	2.50	0.41
1:H:517:GLY:O	1:H:518:GLU:HB2	2.21	0.41
1:C:488:PHE:HD1	1:H:424:ASP:OD2	2.04	0.41
1:C:437:HIS:CB	1:C:440:LYS:CG	2.97	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:457:LEU:HD21	1:D:504:ALA:HB1	2.03	0.41
1:G:450:ILE:CG2	1:G:450:ILE:O	2.67	0.41
1:A:485:PHE:CD2	1:A:496:LEU:HD12	2.55	0.41
1:G:391:ALA:O	1:G:395:LEU:HB2	2.20	0.41
1:C:457:LEU:HD21	1:C:504:ALA:HB1	2.02	0.41
1:D:441:LYS:O	1:D:444:SER:CB	2.69	0.41
1:A:482:VAL:HG13	1:A:496:LEU:HD21	2.03	0.40
1:E:340:LEU:HD21	1:E:388:SER:HB2	2.03	0.40
1:D:373:ASN:CB	4:D:2031:HOH:O	2.69	0.40
1:D:342:VAL:HG21	1:D:359:PHE:CZ	2.57	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:2078:HOH:O	4:C:2045:HOH:O[1_554]	1.48	0.72

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	187/196 (95%)	183 (98%)	3 (2%)	1 (0%)	29 13
1	B	188/196 (96%)	183 (97%)	5 (3%)	0	100 100
1	C	184/196 (94%)	182 (99%)	2 (1%)	0	100 100
1	D	185/196 (94%)	181 (98%)	3 (2%)	1 (0%)	29 13
1	E	185/196 (94%)	179 (97%)	6 (3%)	0	100 100
1	F	187/196 (95%)	183 (98%)	4 (2%)	0	100 100
1	G	187/196 (95%)	185 (99%)	2 (1%)	0	100 100
1	H	187/196 (95%)	184 (98%)	3 (2%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	1490/1568 (95%)	1460 (98%)	28 (2%)	2 (0%)	51 33

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	450	ILE
1	D	418	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	154/172 (90%)	150 (97%)	4 (3%)	46 28
1	B	156/172 (91%)	154 (99%)	2 (1%)	69 56
1	C	152/172 (88%)	150 (99%)	2 (1%)	69 56
1	D	154/172 (90%)	152 (99%)	2 (1%)	69 56
1	E	152/172 (88%)	148 (97%)	4 (3%)	46 28
1	F	153/172 (89%)	149 (97%)	4 (3%)	46 28
1	G	150/172 (87%)	147 (98%)	3 (2%)	55 38
1	H	156/172 (91%)	151 (97%)	5 (3%)	39 20
All	All	1227/1376 (89%)	1201 (98%)	26 (2%)	53 36

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	376	ASP
1	A	436	LEU
1	A	459	LEU
1	A	530	THR
1	B	376	ASP
1	B	410	SER
1	C	486	LYS
1	C	518	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	416	GLN
1	D	417	LEU
1	E	417	LEU
1	E	436	LEU
1	E	525	SER
1	E	529	SER
1	F	374	LYS
1	F	417	LEU
1	F	489	GLN
1	F	525	SER
1	G	376	ASP
1	G	440	LYS
1	G	450	ILE
1	H	371	LEU
1	H	376	ASP
1	H	386	ASN
1	H	413	GLN
1	H	465	SER

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (14) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	416	GLN
1	A	425	GLN
1	B	393	ASN
1	D	337	ASN
1	D	389	GLN
1	D	416	GLN
1	D	497	GLN
1	E	449	ASN
1	G	389	GLN
1	H	337	ASN
1	H	394	HIS
1	H	413	GLN
1	H	416	GLN
1	H	449	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 20 ligands modelled in this entry, 20 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	191/196 (97%)	-0.32	1 (0%) 91 92	8, 17, 33, 47	0
1	B	192/196 (97%)	-0.38	2 (1%) 82 85	7, 17, 32, 63	0
1	C	188/196 (95%)	-0.40	0 100 100	8, 17, 32, 37	0
1	D	189/196 (96%)	-0.45	0 100 100	7, 15, 31, 42	0
1	E	189/196 (96%)	-0.40	1 (0%) 91 92	9, 15, 33, 46	0
1	F	191/196 (97%)	-0.34	1 (0%) 91 92	8, 16, 33, 63	0
1	G	191/196 (97%)	-0.36	1 (0%) 91 92	8, 17, 34, 43	0
1	H	191/196 (97%)	-0.40	0 100 100	8, 16, 31, 46	0
All	All	1522/1568 (97%)	-0.38	6 (0%) 92 93	7, 16, 33, 63	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	424	ASP	4.3
1	G	417	LEU	3.9
1	F	424	ASP	3.2
1	A	465	SER	3.1
1	E	426	GLY	3.1
1	B	417	LEU	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	CL	G	1533	1/1	0.98	0.04	25,25,25,25	0
3	CL	B	1533	1/1	0.99	0.06	22,22,22,22	0
2	ZN	E	1532	1/1	0.99	0.04	20,20,20,20	0
2	ZN	C	1532	1/1	0.99	0.03	22,22,22,22	0
2	ZN	B	1535	1/1	0.99	0.02	28,28,28,28	0
3	CL	C	1533	1/1	0.99	0.05	24,24,24,24	0
3	CL	F	1533	1/1	0.99	0.06	19,19,19,19	0
3	CL	E	1533	1/1	0.99	0.03	23,23,23,23	0
2	ZN	E	1534	1/1	0.99	0.03	24,24,24,24	0
2	ZN	A	1534	1/1	0.99	0.03	23,23,23,23	0
2	ZN	F	1536	1/1	0.99	0.04	24,24,24,24	0
3	CL	D	1532	1/1	0.99	0.07	26,26,26,26	0
2	ZN	A	1532	1/1	0.99	0.03	22,22,22,22	0
2	ZN	B	1534	1/1	1.00	0.02	18,18,18,18	0
2	ZN	F	1534	1/1	1.00	0.02	19,19,19,19	0
3	CL	A	1533	1/1	1.00	0.03	20,20,20,20	0
2	ZN	G	1532	1/1	1.00	0.03	21,21,21,21	0
3	CL	F	1535	1/1	1.00	0.05	28,28,28,28	0
2	ZN	F	1532	1/1	1.00	0.03	16,16,16,16	0
2	ZN	B	1532	1/1	1.00	0.03	19,19,19,19	0

6.5 Other polymers [i](#)

There are no such residues in this entry.