



Full wwPDB X-ray Structure Validation Report i

May 21, 2020 – 11:44 pm BST

PDB ID : 4CV0
Title : Crystal structure of *S. aureus* FabI in complex with NADPH and CG400549 (small unit cell)
Authors : Schiebel, J.; Chang, A.; Shah, S.; Tonge, P.J.; Kisker, C.
Deposited on : 2014-03-22
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.11
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit crite-

ria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	SO4	A	1259	-	-	X	-

2 Entry composition [\(i\)](#)

There are 6 unique types of molecules in this entry. The entry contains 8665 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ENOYL-[ACYL-CARRIER-PROTEIN] REDUCTASE [NADPH].

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	254	Total	C 2034	N 1284	O 351	S 394	5	0	13
1	B	255	Total	C 1987	N 1255	O 343	S 384	5	0	4
1	C	254	Total	C 1955	N 1232	O 338	S 381	4	0	0
1	D	254	Total	C 1955	N 1232	O 338	S 381	4	0	0

There are 108 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-25	MET	-	expression tag	UNP Q7A6D8
A	-24	LYS	-	expression tag	UNP Q7A6D8
A	-23	HIS	-	expression tag	UNP Q7A6D8
A	-22	HIS	-	expression tag	UNP Q7A6D8
A	-21	HIS	-	expression tag	UNP Q7A6D8
A	-20	HIS	-	expression tag	UNP Q7A6D8
A	-19	HIS	-	expression tag	UNP Q7A6D8
A	-18	HIS	-	expression tag	UNP Q7A6D8
A	-17	PRO	-	expression tag	UNP Q7A6D8
A	-16	MET	-	expression tag	UNP Q7A6D8
A	-15	SER	-	expression tag	UNP Q7A6D8
A	-14	ASP	-	expression tag	UNP Q7A6D8
A	-13	TYR	-	expression tag	UNP Q7A6D8
A	-12	ASP	-	expression tag	UNP Q7A6D8
A	-11	ILE	-	expression tag	UNP Q7A6D8
A	-10	PRO	-	expression tag	UNP Q7A6D8
A	-9	THR	-	expression tag	UNP Q7A6D8
A	-8	THR	-	expression tag	UNP Q7A6D8
A	-7	GLU	-	expression tag	UNP Q7A6D8
A	-6	ASN	-	expression tag	UNP Q7A6D8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-5	LEU	-	expression tag	UNP Q7A6D8
A	-4	TYR	-	expression tag	UNP Q7A6D8
A	-3	PHE	-	expression tag	UNP Q7A6D8
A	-2	GLN	-	expression tag	UNP Q7A6D8
A	-1	GLY	-	expression tag	UNP Q7A6D8
A	0	ALA	-	expression tag	UNP Q7A6D8
A	2	VAL	LEU	engineered mutation	UNP Q7A6D8
B	-25	MET	-	expression tag	UNP Q7A6D8
B	-24	LYS	-	expression tag	UNP Q7A6D8
B	-23	HIS	-	expression tag	UNP Q7A6D8
B	-22	HIS	-	expression tag	UNP Q7A6D8
B	-21	HIS	-	expression tag	UNP Q7A6D8
B	-20	HIS	-	expression tag	UNP Q7A6D8
B	-19	HIS	-	expression tag	UNP Q7A6D8
B	-18	HIS	-	expression tag	UNP Q7A6D8
B	-17	PRO	-	expression tag	UNP Q7A6D8
B	-16	MET	-	expression tag	UNP Q7A6D8
B	-15	SER	-	expression tag	UNP Q7A6D8
B	-14	ASP	-	expression tag	UNP Q7A6D8
B	-13	TYR	-	expression tag	UNP Q7A6D8
B	-12	ASP	-	expression tag	UNP Q7A6D8
B	-11	ILE	-	expression tag	UNP Q7A6D8
B	-10	PRO	-	expression tag	UNP Q7A6D8
B	-9	THR	-	expression tag	UNP Q7A6D8
B	-8	THR	-	expression tag	UNP Q7A6D8
B	-7	GLU	-	expression tag	UNP Q7A6D8
B	-6	ASN	-	expression tag	UNP Q7A6D8
B	-5	LEU	-	expression tag	UNP Q7A6D8
B	-4	TYR	-	expression tag	UNP Q7A6D8
B	-3	PHE	-	expression tag	UNP Q7A6D8
B	-2	GLN	-	expression tag	UNP Q7A6D8
B	-1	GLY	-	expression tag	UNP Q7A6D8
B	0	ALA	-	expression tag	UNP Q7A6D8
B	2	VAL	LEU	engineered mutation	UNP Q7A6D8
C	-25	MET	-	expression tag	UNP Q7A6D8
C	-24	LYS	-	expression tag	UNP Q7A6D8
C	-23	HIS	-	expression tag	UNP Q7A6D8
C	-22	HIS	-	expression tag	UNP Q7A6D8
C	-21	HIS	-	expression tag	UNP Q7A6D8
C	-20	HIS	-	expression tag	UNP Q7A6D8
C	-19	HIS	-	expression tag	UNP Q7A6D8
C	-18	HIS	-	expression tag	UNP Q7A6D8

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	-17	PRO	-	expression tag	UNP Q7A6D8
C	-16	MET	-	expression tag	UNP Q7A6D8
C	-15	SER	-	expression tag	UNP Q7A6D8
C	-14	ASP	-	expression tag	UNP Q7A6D8
C	-13	TYR	-	expression tag	UNP Q7A6D8
C	-12	ASP	-	expression tag	UNP Q7A6D8
C	-11	ILE	-	expression tag	UNP Q7A6D8
C	-10	PRO	-	expression tag	UNP Q7A6D8
C	-9	THR	-	expression tag	UNP Q7A6D8
C	-8	THR	-	expression tag	UNP Q7A6D8
C	-7	GLU	-	expression tag	UNP Q7A6D8
C	-6	ASN	-	expression tag	UNP Q7A6D8
C	-5	LEU	-	expression tag	UNP Q7A6D8
C	-4	TYR	-	expression tag	UNP Q7A6D8
C	-3	PHE	-	expression tag	UNP Q7A6D8
C	-2	GLN	-	expression tag	UNP Q7A6D8
C	-1	GLY	-	expression tag	UNP Q7A6D8
C	0	ALA	-	expression tag	UNP Q7A6D8
C	2	VAL	LEU	engineered mutation	UNP Q7A6D8
D	-25	MET	-	expression tag	UNP Q7A6D8
D	-24	LYS	-	expression tag	UNP Q7A6D8
D	-23	HIS	-	expression tag	UNP Q7A6D8
D	-22	HIS	-	expression tag	UNP Q7A6D8
D	-21	HIS	-	expression tag	UNP Q7A6D8
D	-20	HIS	-	expression tag	UNP Q7A6D8
D	-19	HIS	-	expression tag	UNP Q7A6D8
D	-18	HIS	-	expression tag	UNP Q7A6D8
D	-17	PRO	-	expression tag	UNP Q7A6D8
D	-16	MET	-	expression tag	UNP Q7A6D8
D	-15	SER	-	expression tag	UNP Q7A6D8
D	-14	ASP	-	expression tag	UNP Q7A6D8
D	-13	TYR	-	expression tag	UNP Q7A6D8
D	-12	ASP	-	expression tag	UNP Q7A6D8
D	-11	ILE	-	expression tag	UNP Q7A6D8
D	-10	PRO	-	expression tag	UNP Q7A6D8
D	-9	THR	-	expression tag	UNP Q7A6D8
D	-8	THR	-	expression tag	UNP Q7A6D8
D	-7	GLU	-	expression tag	UNP Q7A6D8
D	-6	ASN	-	expression tag	UNP Q7A6D8
D	-5	LEU	-	expression tag	UNP Q7A6D8
D	-4	TYR	-	expression tag	UNP Q7A6D8
D	-3	PHE	-	expression tag	UNP Q7A6D8

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	-2	GLN	-	expression tag	UNP Q7A6D8
D	-1	GLY	-	expression tag	UNP Q7A6D8
D	0	ALA	-	expression tag	UNP Q7A6D8
D	2	VAL	LEU	engineered mutation	UNP Q7A6D8

- Molecule 2 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (three-letter code: NDP) (formula: C₂₁H₃₀N₇O₁₇P₃).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	B	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	C	1	Total	C	N	O	P	0	0
			48	21	7	17	3		
2	D	1	Total	C	N	O	P	0	0
			48	21	7	17	3		

- Molecule 3 is 1-(3-amino-2-methylbenzyl)-4-[2-(thiophen-2-yl)ethoxy]pyridin-2(1H)-one (three-letter code: PT6) (formula: C₁₉H₂₀N₂O₂S).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	S		
3	A	1	Total	24	19	2	2	1	0
3	B	1	Total	24	19	2	2	1	0
3	C	1	Total	24	19	2	2	1	0
3	D	1	Total	24	19	2	2	1	0

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total O S 5 4 1	0	0
4	B	1	Total O S 5 4 1	0	0
4	C	1	Total O S 5 4 1	0	0

- Molecule 5 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	B	1	Total C O 4 2 2	0	0
5	D	1	Total C O 4 2 2	0	0


- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	121	Total O 121 121	0	0
6	B	117	Total O 117 117	0	0
6	C	83	Total O 83 83	0	0
6	D	102	Total O 102 102	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ENOYL-[ACYL-CARRIER-PROTEIN] REDUCTASE [NADPH]



- Molecule 1: ENOYL-[ACYL-CARRIER-PROTEIN] REDUCTASE [NADPH]




- Molecule 1: ENOYL-[ACYL-CARRIER-PROTEIN] REDUCTASE [NADPH]



- Molecule 1: ENOYL-[ACYL-CARRIER-PROTEIN] REDUCTASE [NADPH]





4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	76.97 Å 113.08 Å 117.70 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	45.57 – 2.20 43.20 – 2.20	Depositor EDS
% Data completeness (in resolution range)	99.9 (45.57-2.20) 99.9 (43.20-2.20)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	2.94 (at 2.20 Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R , R_{free}	0.205 , 0.277 0.218 , 0.289	Depositor DCC
R_{free} test set	2666 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	23.2	Xtriage
Anisotropy	0.769	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 33.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.42$, $\langle L^2 \rangle = 0.24$	Xtriage
Estimated twinning fraction	0.059 for -h,l,k	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	8665	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.94% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: PT6, EDO, NDP, SO4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.68	0/2083	0.76	1/2804 (0.0%)
1	B	0.70	0/2026	0.75	1/2728 (0.0%)
1	C	0.69	0/1982	0.76	0/2671
1	D	0.68	0/1982	0.75	2/2671 (0.1%)
All	All	0.69	0/8073	0.75	4/10874 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	D	249	ASP	CB-CG-OD2	-6.36	112.58	118.30
1	A	196	LEU	CA-CB-CG	6.35	129.90	115.30
1	B	208	LEU	CA-CB-CG	6.01	129.13	115.30
1	D	249	ASP	CB-CG-OD1	5.26	123.03	118.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2034	0	2059	53	0
1	B	1987	0	2018	41	0
1	C	1955	0	1968	31	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	1955	0	1968	42	0
2	A	48	0	26	1	0
2	B	48	0	26	5	0
2	C	48	0	26	2	0
2	D	48	0	26	3	0
3	A	24	0	20	0	0
3	B	24	0	20	1	0
3	C	24	0	20	0	0
3	D	24	0	20	0	0
4	A	5	0	0	2	0
4	B	5	0	0	1	0
4	C	5	0	0	0	0
5	B	4	0	6	0	0
5	D	4	0	6	1	0
6	A	121	0	0	1	0
6	B	117	0	0	4	0
6	C	83	0	0	5	0
6	D	102	0	0	3	0
All	All	8665	0	8209	148	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (148) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:203[B]:GLY:N	4:A:1259:SO4:O3	1.86	1.09
1:A:98[B]:ASN:HD21	1:A:100[B]:GLU:HB3	1.11	1.08
1:A:201[A]:VAL:HG22	1:A:204[A]:PHE:HB2	1.37	1.04
1:A:201[A]:VAL:CG2	1:A:204[A]:PHE:HB2	1.98	0.92
1:A:201[A]:VAL:HG22	1:A:204[A]:PHE:CB	2.03	0.87
1:A:98[B]:ASN:HD21	1:A:100[B]:GLU:CB	1.93	0.81
1:A:98[B]:ASN:ND2	1:A:100[B]:GLU:HB3	1.95	0.80
1:C:45:ARG:HD3	6:C:2017:HOH:O	1.84	0.77
1:A:148:LEU:HD21	1:C:256:LYS:HD2	1.67	0.76
1:A:256:LYS:HE2	1:C:255:ILE:O	1.86	0.75
1:A:42[B]:GLU:OE2	1:A:45:ARG:NH2	2.21	0.73
1:C:56:ASN:HB3	6:C:2024:HOH:O	1.90	0.72
1:B:16:ASN:HD21	1:B:196:LEU:HB2	1.56	0.71
1:B:148:LEU:HD21	1:D:256:LYS:HG2	1.74	0.70
1:A:99[B]:MET:HG3	1:A:103:ARG:HH21	1.56	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:180:PRO:HG3	1:D:218:LYS:HD3	1.78	0.66
1:B:217:LEU:HD12	1:B:250:SER:HA	1.78	0.66
1:D:207:ILE:HD11	6:D:2072:HOH:O	1.95	0.65
1:D:112:GLU:H	1:D:112:GLU:CD	2.02	0.63
1:A:254:ALA:HB1	1:D:172:LYS:HG2	1.81	0.62
1:B:218[A]:LYS:HD3	1:C:180:PRO:HG3	1.82	0.62
1:A:203[A]:GLY:C	1:A:205[A]:ASN:N	2.50	0.62
1:A:42[B]:GLU:HA	1:A:42[B]:GLU:OE1	2.00	0.62
1:D:38:THR:HG21	1:D:65:ILE:HD12	1.82	0.62
1:D:188:ILE:HG21	1:D:226:VAL:HG13	1.82	0.60
1:C:43:ARG:HB2	6:C:2016:HOH:O	2.00	0.59
1:A:204[A]:PHE:C	1:A:204[A]:PHE:CD1	2.76	0.59
1:A:99[B]:MET:HE2	1:A:201[B]:VAL:HA	1.85	0.58
1:B:40:ARG:HD3	2:B:1257:NDP:C6A	2.34	0.58
1:D:198:ALA:O	1:D:201:VAL:HG12	2.04	0.57
1:C:63:TYR:CE2	1:C:80:ILE:HG12	2.39	0.57
1:B:217:LEU:HB2	1:B:250:SER:HB3	1.87	0.57
1:C:210:GLU:OE2	1:C:214:ARG:HD3	2.05	0.56
1:B:196:LEU:HB3	6:B:2014:HOH:O	2.05	0.56
1:A:98[A]:ASN:HB3	1:A:100[A]:GLU:HG2	1.86	0.55
1:A:207:ILE:O	1:A:211:ILE:HG12	2.07	0.55
1:A:214[A]:ARG:NH1	6:A:2111:HOH:O	2.39	0.55
1:A:203[A]:GLY:C	1:A:205[A]:ASN:H	2.09	0.55
1:D:249:ASP:O	1:D:250:SER:HB2	2.07	0.55
1:A:96:PHE:CE1	1:A:116:LEU:HD21	2.42	0.55
1:D:23:GLY:O	1:D:27:VAL:HG23	2.07	0.55
1:A:228:LYS:HD2	1:D:237:LEU:HA	1.89	0.54
1:B:224:VAL:O	1:B:228:LYS:HG3	2.08	0.54
1:C:124:SER:O	1:C:128:VAL:HG23	2.07	0.54
1:D:57:GLN:O	6:D:2031:HOH:O	2.18	0.53
1:A:40:ARG:HD3	2:A:1257:NDP:C6A	2.38	0.53
1:B:2:VAL:O	1:B:31:LEU:HD22	2.08	0.53
1:D:201:VAL:HG13	1:D:204:PHE:HB2	1.89	0.53
1:A:42[B]:GLU:CD	1:A:45:ARG:HH21	2.11	0.52
1:A:99[B]:MET:CE	1:A:201[B]:VAL:HA	2.40	0.52
1:D:98:ASN:ND2	1:D:113:GLY:HA2	2.25	0.52
1:B:71[B]:GLU:CD	1:B:71[B]:GLU:H	2.14	0.51
1:A:203[B]:GLY:CA	4:A:1259:SO4:O3	2.56	0.51
1:C:93:SER:O	2:C:1257:NDP:H52N	2.10	0.51
1:C:177:ASP:HB2	6:D:2060:HOH:O	2.10	0.50
1:B:16:ASN:ND2	1:B:196:LEU:HB2	2.23	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:61:HIS:ND1	5:D:1259:EDO:O2	2.38	0.50
1:D:110:SER:HB2	1:D:112:GLU:OE1	2.10	0.49
1:B:157:TYR:CZ	1:B:160:MET:HG3	2.46	0.49
1:C:77:PHE:HB3	6:C:2033:HOH:O	2.11	0.49
1:D:40:ARG:HD3	2:D:1257:NDP:C6A	2.42	0.49
1:D:67:VAL:HG22	2:D:1257:NDP:N1A	2.28	0.49
1:A:201[B]:VAL:CG2	1:A:201[B]:VAL:O	2.59	0.49
1:B:91:TYR:CE2	1:B:93:SER:HB2	2.47	0.49
1:C:155:GLN:O	1:C:156:ASN:HB2	2.13	0.49
1:D:5:GLU:O	1:D:6:ASN:HB2	2.13	0.49
1:D:205:ASN:OD1	1:D:205:ASN:N	2.44	0.49
1:B:99[B]:MET:SD	1:B:103[B]:ARG:NH2	2.85	0.49
1:B:216:PRO:O	1:C:179:GLY:HA3	2.13	0.49
1:A:14:ILE:HG13	1:A:21:ALA:HB3	1.95	0.48
1:C:111:ARG:NH2	1:D:70:ASP:OD1	2.46	0.48
1:B:78:GLU:HG2	1:B:82:LYS:HE3	1.95	0.48
1:A:201[B]:VAL:HG23	1:A:201[B]:VAL:O	2.13	0.48
1:A:37:PHE:HB2	1:A:62:LEU:HD23	1.96	0.47
1:D:91:TYR:CE1	1:D:93:SER:HB2	2.49	0.47
1:C:189:SER:HB3	1:C:247:HIS:CD2	2.49	0.47
1:C:40:ARG:HD3	2:C:1257:NDP:C6A	2.45	0.47
1:D:38:THR:CG2	1:D:65:ILE:HD12	2.45	0.47
1:B:197:SER:HB3	3:B:1258:PT6:H72C	1.96	0.47
1:B:91:TYR:HE2	1:B:93:SER:HB2	1.80	0.46
1:D:91:TYR:HE1	1:D:93:SER:HB2	1.80	0.46
1:A:69:SER:HB3	1:A:72:GLU:HB2	1.96	0.46
1:D:179:GLY:N	1:D:180:PRO:CD	2.79	0.46
1:B:38:THR:HG21	1:B:65:ILE:HD12	1.96	0.46
1:D:44:SER:O	1:D:48:LEU:HB2	2.16	0.46
1:A:228:LYS:HB3	1:D:237:LEU:O	2.17	0.45
1:C:101:ASP:OD2	1:C:113:GLY:HA3	2.17	0.45
1:C:146:THR:OG1	1:C:147:TYR:N	2.48	0.45
1:D:99:MET:HA	1:D:102:LEU:HD12	1.99	0.45
1:A:133[A]:LYS:NZ	1:A:181:ASP:OD2	2.48	0.45
1:A:22:PHE:O	1:A:26:LYS:HG3	2.17	0.45
1:A:42[B]:GLU:CA	1:A:42[B]:GLU:OE1	2.61	0.45
1:D:16:ASN:HD21	1:D:196:LEU:HB2	1.81	0.44
1:D:93:SER:OG	2:D:1257:NDP:H52N	2.18	0.44
1:C:37:PHE:HB2	1:C:62:LEU:HD23	2.00	0.44
1:D:100:GLU:H	1:D:100:GLU:CD	2.20	0.44
1:C:89:GLY:HA2	1:C:141:SER:O	2.17	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:214:ARG:HH12	1:D:210:GLU:CD	2.21	0.44
1:B:2:VAL:CG2	1:C:237:LEU:HD11	2.47	0.44
1:A:69:SER:O	1:A:73:VAL:HG23	2.18	0.44
1:B:38:THR:HA	1:B:63:TYR:O	2.18	0.44
1:C:121:SER:HB2	1:C:163:ALA:HB1	2.00	0.44
1:B:40:ARG:NE	2:B:1257:NDP:O1X	2.42	0.43
1:A:173:TYR:CZ	1:B:153:ALA:HA	2.52	0.43
1:B:3:ASN:OD1	1:B:3:ASN:N	2.51	0.43
1:A:201[A]:VAL:HG21	1:A:204[A]:PHE:HB2	1.94	0.43
1:A:256:LYS:CE	1:C:255:ILE:O	2.64	0.43
1:A:236:ASP:O	1:A:239:SER:HB3	2.20	0.42
1:C:159:VAL:HG22	1:C:159:VAL:O	2.19	0.42
1:D:160:MET:O	1:D:164:LYS:HG2	2.19	0.42
1:A:203[A]:GLY:O	1:A:206:THR:N	2.49	0.42
1:B:255:ILE:O	1:D:256:LYS:HE2	2.19	0.42
1:B:103[A]:ARG:HA	1:B:103[A]:ARG:HD3	1.69	0.42
1:B:195:THR:HG21	2:B:1257:NDP:O2N	2.19	0.42
1:B:148:LEU:HD21	1:D:256:LYS:CG	2.48	0.42
1:B:202:GLY:HA2	4:B:1259:SO4:O1	2.20	0.42
1:D:57:GLN:HA	1:D:58:PRO:HD2	1.92	0.42
1:B:207:ILE:O	1:B:211:ILE:HG12	2.19	0.42
1:A:217:LEU:HB2	1:A:250:SER:HB3	2.02	0.42
1:A:101:ASP:HB3	1:A:109:THR:HG23	2.01	0.41
1:A:153:ALA:HA	1:B:173:TYR:CZ	2.55	0.41
1:B:147:TYR:HB2	2:B:1257:NDP:C5N	2.50	0.41
1:B:152:PHE:CB	1:D:256:LYS:HB2	2.50	0.41
1:A:203[A]:GLY:O	1:A:205[A]:ASN:N	2.53	0.41
1:B:172:LYS:HE2	6:B:2113:HOH:O	2.20	0.41
1:C:14:ILE:HD12	1:C:37:PHE:CD2	2.55	0.41
1:B:201:VAL:HG23	1:B:204:PHE:HB2	2.01	0.41
1:C:232:TYR:CE1	1:C:238:SER:HB3	2.55	0.41
1:A:22:PHE:CE2	1:A:26:LYS:HD3	2.55	0.41
1:C:65:ILE:CG2	1:C:73:VAL:HG22	2.51	0.41
1:D:49:GLU:HG2	1:D:62:LEU:HD21	2.02	0.41
1:D:227:GLY:O	1:D:230:ALA:HB3	2.21	0.41
1:A:118:GLN:OE1	1:A:163:ALA:HA	2.20	0.41
1:A:38:THR:HA	1:A:63:TYR:O	2.21	0.41
1:A:204[B]:PHE:CE1	1:A:208:LEU:HG	2.56	0.41
1:A:78:GLU:O	1:A:82:LYS:HG2	2.21	0.41
1:B:199:LYS:HE3	6:B:2098:HOH:O	2.21	0.41
1:B:3:ASN:HB3	6:B:2004:HOH:O	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:51:LEU:O	1:C:54:GLN:HB2	2.21	0.41
1:B:67:VAL:HG22	2:B:1257:NDP:N1A	2.36	0.40
1:C:43:ARG:CB	6:C:2016:HOH:O	2.65	0.40
1:B:152:PHE:HB2	1:D:256:LYS:HB2	2.03	0.40
1:A:63:TYR:CE2	1:A:80:ILE:HG12	2.56	0.40
1:D:16:ASN:ND2	1:D:196:LEU:HD22	2.36	0.40
1:A:39:TYR:OH	1:A:45:ARG:HD3	2.21	0.40
1:C:210:GLU:O	1:C:214:ARG:HB2	2.21	0.40
1:D:233:LEU:HD21	1:D:246:ILE:HD12	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	265/282 (94%)	248 (94%)	15 (6%)	2 (1%)	19 19
1	B	257/282 (91%)	249 (97%)	8 (3%)	0	100 100
1	C	252/282 (89%)	233 (92%)	18 (7%)	1 (0%)	34 37
1	D	252/282 (89%)	241 (96%)	11 (4%)	0	100 100
All	All	1026/1128 (91%)	971 (95%)	52 (5%)	3 (0%)	47 46

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	205[A]	ASN
1	A	205[B]	ASN
1	C	58	PRO

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	218/234 (93%)	206 (94%)	12 (6%)	21 26
1	B	213/234 (91%)	203 (95%)	10 (5%)	26 33
1	C	208/234 (89%)	202 (97%)	6 (3%)	42 54
1	D	208/234 (89%)	199 (96%)	9 (4%)	29 36
All	All	847/936 (90%)	810 (96%)	37 (4%)	31 35

All (37) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	99[A]	MET
1	A	99[B]	MET
1	A	138	GLU
1	A	196	LEU
1	A	201[A]	VAL
1	A	201[B]	VAL
1	A	204[A]	PHE
1	A	204[B]	PHE
1	A	205[A]	ASN
1	A	205[B]	ASN
1	A	210	GLU
1	A	256	LYS
1	B	3	ASN
1	B	4	LEU
1	B	30	GLN
1	B	49	GLU
1	B	55	LEU
1	B	82	LYS
1	B	138	GLU
1	B	196	LEU
1	B	197	SER
1	B	229	THR
1	C	43	ARG
1	C	45	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	55	LEU
1	C	99	MET
1	C	208	LEU
1	C	210	GLU
1	D	40	ARG
1	D	41	LYS
1	D	42	GLU
1	D	46	LYS
1	D	48	LEU
1	D	62	LEU
1	D	205	ASN
1	D	207	ILE
1	D	218	LYS

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	64	GLN
1	A	75	ASN
1	B	30	GLN
1	B	54	GLN
1	C	155	GLN
1	D	30	GLN
1	D	98	ASN

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry (i)

13 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
5	EDO	B	1260	-	3,3,3	0.40	0	2,2,2	0.36	0
4	SO4	B	1259	-	4,4,4	0.20	0	6,6,6	0.33	0
4	SO4	C	1259	-	4,4,4	0.11	0	6,6,6	0.21	0
3	PT6	C	1258	-	25,26,26	1.20	2 (8%)	23,35,35	0.90	1 (4%)
3	PT6	D	1258	-	25,26,26	0.91	1 (4%)	23,35,35	0.93	1 (4%)
3	PT6	A	1258	-	25,26,26	1.81	2 (8%)	23,35,35	0.88	1 (4%)
3	PT6	B	1258	-	25,26,26	0.89	2 (8%)	23,35,35	0.88	1 (4%)
4	SO4	A	1259	-	4,4,4	0.14	0	6,6,6	0.07	0
5	EDO	D	1259	-	3,3,3	0.54	0	2,2,2	0.26	0
2	NDP	B	1257	-	45,52,52	0.62	0	53,80,80	1.19	5 (9%)
2	NDP	A	1257	-	45,52,52	0.71	2 (4%)	53,80,80	1.09	3 (5%)
2	NDP	D	1257	-	45,52,52	0.51	0	53,80,80	1.13	6 (11%)
2	NDP	C	1257	-	45,52,52	0.66	1 (2%)	53,80,80	1.11	4 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	B	1260	-	-	0/1/1/1	-
3	PT6	C	1258	-	-	1/9/10/10	0/3/3/3
3	PT6	D	1258	-	-	1/9/10/10	0/3/3/3
3	PT6	A	1258	-	-	0/9/10/10	0/3/3/3
3	PT6	B	1258	-	-	1/9/10/10	0/3/3/3
5	EDO	D	1259	-	-	1/1/1/1	-
2	NDP	B	1257	-	-	7/30/77/77	0/5/5/5
2	NDP	A	1257	-	-	7/30/77/77	0/5/5/5
2	NDP	D	1257	-	-	9/30/77/77	0/5/5/5

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NDP	C	1257	-	-	7/30/77/77	0/5/5/5

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	1258	PT6	C12-C13	7.79	1.54	1.50
3	C	1258	PT6	C12-C13	4.13	1.52	1.50
2	A	1257	NDP	C6N-N1N	2.59	1.43	1.37
3	C	1258	PT6	C9-C10	2.46	1.43	1.38
2	A	1257	NDP	C7N-C3N	2.26	1.53	1.48
3	B	1258	PT6	C9-C10	2.20	1.43	1.38
3	A	1258	PT6	C9-C10	2.20	1.43	1.38
3	D	1258	PT6	C17-C10	-2.17	1.35	1.39
2	C	1257	NDP	C6N-N1N	2.13	1.42	1.37
3	B	1258	PT6	C15-C14	2.08	1.46	1.39

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1257	NDP	C2D-C1D-N1N	3.62	122.37	113.30
2	C	1257	NDP	PN-O3-PA	-3.43	121.07	132.83
2	B	1257	NDP	C2D-C1D-N1N	2.74	120.18	113.30
2	B	1257	NDP	C5A-C6A-N6A	2.65	124.38	120.35
2	A	1257	NDP	C5A-C6A-N6A	2.50	124.16	120.35
3	A	1258	PT6	O-C11-C12	-2.47	102.53	109.37
2	A	1257	NDP	PN-O3-PA	-2.43	124.48	132.83
2	D	1257	NDP	C5A-C6A-N6A	2.35	123.92	120.35
2	C	1257	NDP	O4D-C1D-N1N	2.32	112.59	108.06
2	D	1257	NDP	O7N-C7N-C3N	-2.28	116.60	120.90
2	B	1257	NDP	O2X-P2B-O2B	-2.26	95.88	105.99
2	B	1257	NDP	O4D-C1D-N1N	-2.24	103.68	108.06
2	C	1257	NDP	O2N-PN-O1N	2.23	123.26	112.24
2	B	1257	NDP	O2A-PA-O1A	2.20	123.12	112.24
2	C	1257	NDP	O7N-C7N-C3N	-2.19	116.77	120.90
2	D	1257	NDP	O2A-PA-O1A	2.15	122.85	112.24
2	D	1257	NDP	O2B-P2B-O1X	2.09	117.47	109.39
2	D	1257	NDP	C3N-C7N-N7N	2.08	121.37	117.67
3	C	1258	PT6	O-C11-C12	-2.04	103.72	109.37
3	D	1258	PT6	O-C11-C12	-2.02	103.77	109.37
2	D	1257	NDP	O2N-PN-O1N	2.01	122.19	112.24
3	B	1258	PT6	O-C11-C12	-2.01	103.81	109.37

There are no chirality outliers.

All (34) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	1257	NDP	PN-O3-PA-O5B
2	B	1257	NDP	C5D-O5D-PN-O1N
2	B	1257	NDP	C5D-O5D-PN-O2N
2	A	1257	NDP	C5D-O5D-PN-O1N
2	D	1257	NDP	C5D-O5D-PN-O3
2	D	1257	NDP	C5D-O5D-PN-O2N
2	C	1257	NDP	C5D-O5D-PN-O1N
2	C	1257	NDP	C5D-O5D-PN-O2N
3	C	1258	PT6	O-C11-C12-C13
3	D	1258	PT6	O-C11-C12-C13
2	D	1257	NDP	O4D-C4D-C5D-O5D
2	D	1257	NDP	PN-O3-PA-O5B
2	C	1257	NDP	PN-O3-PA-O5B
2	A	1257	NDP	C5D-O5D-PN-O3
2	A	1257	NDP	C5D-O5D-PN-O2N
5	D	1259	EDO	O1-C1-C2-O2
2	D	1257	NDP	C3D-C4D-C5D-O5D
2	A	1257	NDP	O4D-C1D-N1N-C6N
2	D	1257	NDP	O4D-C1D-N1N-C6N
2	A	1257	NDP	O4B-C4B-C5B-O5B
2	B	1257	NDP	O4D-C1D-N1N-C6N
2	C	1257	NDP	O4D-C1D-N1N-C6N
3	B	1258	PT6	O-C11-C12-C13
2	A	1257	NDP	C2D-C1D-N1N-C6N
2	C	1257	NDP	C2D-C1D-N1N-C6N
2	B	1257	NDP	O4B-C4B-C5B-O5B
2	B	1257	NDP	C2D-C1D-N1N-C6N
2	D	1257	NDP	C2D-C1D-N1N-C6N
2	C	1257	NDP	O4B-C4B-C5B-O5B
2	B	1257	NDP	C5D-O5D-PN-O3
2	C	1257	NDP	C5D-O5D-PN-O3
2	D	1257	NDP	O4B-C4B-C5B-O5B
2	A	1257	NDP	C2N-C3N-C7N-N7N
2	D	1257	NDP	C2N-C3N-C7N-N7N

There are no ring outliers.

8 monomers are involved in 16 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	1259	SO4	1	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	1258	PT6	1	0
4	A	1259	SO4	2	0
5	D	1259	EDO	1	0
2	B	1257	NDP	5	0
2	A	1257	NDP	1	0
2	D	1257	NDP	3	0
2	C	1257	NDP	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å ²)	Q<0.9
1	A	254/282 (90%)	-0.22	1 (0%)	92	91	13, 23, 43, 56
1	B	255/282 (90%)	-0.30	1 (0%)	92	91	14, 23, 41, 49
1	C	254/282 (90%)	0.04	4 (1%)	72	70	15, 26, 46, 63
1	D	254/282 (90%)	-0.14	4 (1%)	72	70	15, 25, 54, 69
All	All	1017/1128 (90%)	-0.16	10 (0%)	82	81	13, 24, 46, 69

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	44	SER	3.9
1	D	43	ARG	3.9
1	D	203	GLY	2.9
1	C	85	GLY	2.8
1	C	60	ALA	2.6
1	B	2	VAL	2.3
1	A	43	ARG	2.2
1	C	58	PRO	2.2
1	C	59	GLU	2.2
1	D	196	LEU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains i

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates i


There are no carbohydrates in this entry.


6.4 Ligands (i)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	EDO	D	1259	4/4	0.71	0.28	43,44,45,45	0
3	PT6	D	1258	24/24	0.93	0.12	22,27,30,33	0
3	PT6	C	1258	24/24	0.93	0.13	20,22,26,28	0
4	SO4	A	1259	5/5	0.94	0.14	75,75,75,75	5
3	PT6	A	1258	24/24	0.94	0.11	21,23,26,26	0
2	NDP	C	1257	48/48	0.94	0.12	16,27,37,39	0
2	NDP	D	1257	48/48	0.95	0.11	26,32,44,45	0
4	SO4	C	1259	5/5	0.95	0.10	50,50,51,51	0
3	PT6	B	1258	24/24	0.96	0.09	24,27,30,31	0
2	NDP	B	1257	48/48	0.96	0.10	21,26,30,32	0
2	NDP	A	1257	48/48	0.97	0.09	18,26,32,34	0
5	EDO	B	1260	4/4	0.97	0.16	36,36,36,36	0
4	SO4	B	1259	5/5	0.97	0.14	49,50,51,52	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.









6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.