



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 4, 2024 – 02:57 AM EST

PDB ID : 4DY0  
Title : Crystal structure of native protease nexin-1 with heparin  
Authors : Huntington, J.A.; Li, W.  
Deposited on : 2012-02-28  
Resolution : 2.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1164 (2.36-2.36)
Clashscore	141614	1232 (2.36-2.36)
Ramachandran outliers	138981	1211 (2.36-2.36)
Sidechain outliers	138945	1212 (2.36-2.36)
RSRZ outliers	127900	1150 (2.36-2.36)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	379	
1	B	379	
2	C	2	

## 2 Entry composition [i](#)


There are 5 unique types of molecules in this entry. The entry contains 5947 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Glia-derived nexin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	362	Total 2759	C 1780	N 461	O 505	S 13	0	1	0
1	B	370	Total 2873	C 1849	N 485	O 525	S 14	0	5	0

- Molecule 2 is an oligosaccharide called 2-deoxy-6-O-sulfo-2-(sulfoamino)-alpha-D-glucopyranose-(1-4)-2-O-sulfo-alpha-L-idopyranuronic acid.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	C	2	Total 35	C 12	N 1	O 19	S 3	0	0	0

- Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		
3	B	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	92	Total	O	0	0
			92	92		
5	B	156	Total	O	0	0
			156	156		


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Glia-derived nexin



- Molecule 1: Glia-derived nexin



- Molecule 2: 2-deoxy-6-O-sulfo-2-(sulfoamino)-alpha-D-glucopyranose-(1-4)-2-O-sulfo-alpha-L-idopyranuronic acid



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 41 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	140.65Å 140.65Å 93.55Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	68.14 – 2.35 68.14 – 2.35	Depositor EDS
% Data completeness (in resolution range)	99.9 (68.14-2.35) 99.9 (68.14-2.35)	Depositor EDS
$R_{merge}$	0.14	Depositor
$R_{sym}$	0.13	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.11 (at 2.34Å)	Xtrriage
Refinement program	REFMAC 5.6.0098	Depositor
R, $R_{free}$	0.182 , 0.226 0.180 , 0.226	Depositor DCC
$R_{free}$ test set	1976 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	37.3	Xtrriage
Anisotropy	0.009	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 34.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	5947	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	37.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.02% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GOL, SO4, SGN, IDS

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.62	5/2817 (0.2%)	0.54	0/3835
1	B	0.67	4/2932 (0.1%)	0.54	1/3987 (0.0%)
All	All	0.64	9/5749 (0.2%)	0.54	1/7822 (0.0%)

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	196	TYR	CD2-CE2	-7.38	1.28	1.39
1	B	117	CYS	CB-SG	-6.27	1.71	1.82
1	A	197	GLN	CB-CG	-5.79	1.36	1.52
1	B	22	GLN	CB-CG	-5.55	1.37	1.52
1	A	196	TYR	CE1-CZ	-5.46	1.31	1.38
1	A	211	SER	CB-OG	-5.45	1.35	1.42
1	B	22	GLN	CG-CD	-5.18	1.39	1.51
1	A	196	TYR	CD1-CE1	-5.16	1.31	1.39
1	B	117	CYS	C-O	-5.16	1.13	1.23

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	313	GLU	N-CA-C	-5.43	96.33	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen



atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2759	0	2723	84	0
1	B	2873	0	2879	74	0
2	C	35	0	14	3	0
3	A	5	0	0	1	0
3	B	15	0	0	1	0
4	A	6	0	8	0	0
4	B	6	0	8	1	0
5	A	92	0	0	5	0
5	B	156	0	0	9	0
All	All	5947	0	5632	159	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (159) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:1:IDS:O1S	2:C:1:IDS:H1	1.44	1.08
1:A:156:ASP:OD2	1:A:159:LEU:HB2	1.60	1.02
1:B:351:TRP:CE3	1:B:353:ILE:HD11	2.06	0.91
1:A:27[B]:ARG:NE	1:A:30:ASP:OD2	2.04	0.90
1:A:8:LEU:HD21	1:A:69:VAL:CG1	2.01	0.90
1:B:309:THR:HG23	1:B:309:THR:O	1.71	0.88
1:B:351:TRP:HE3	1:B:353:ILE:HD11	1.41	0.83
1:B:118:GLU:OE2	1:B:120:ARG:HD3	1.80	0.81
1:A:25:LYS:HE2	5:A:572:HOH:O	1.80	0.81
1:A:274:LEU:HD23	1:A:275:PRO:HD2	1.61	0.81
1:B:309:THR:O	1:B:309:THR:CG2	2.30	0.79
1:A:8:LEU:HD21	1:A:69:VAL:HG11	1.64	0.78
1:B:192:ASP:HB3	1:B:194:LYS:H	1.48	0.78
1:A:156:ASP:OD2	1:A:159:LEU:CB	2.32	0.77
1:A:45:MET:HE2	1:A:164:LEU:HD12	1.68	0.75
1:B:351:TRP:HE3	1:B:353:ILE:CD1	2.01	0.74
1:A:297:MET:HE3	1:A:298:PHE:CZ	2.25	0.71
1:B:149:LEU:HD12	1:B:321:LEU:HD13	1.74	0.70
1:B:27:ARG:NH1	1:B:30:ASP:OD2	2.25	0.69
1:A:94:ALA:HB2	1:A:137:TRP:CH2	2.29	0.67
1:B:379:PRO:O	5:B:599:HOH:O	2.12	0.67
1:B:192:ASP:HB3	1:B:194:LYS:HB2	1.76	0.66

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:8:LEU:HD21	1:B:73:LEU:HD13	1.77	0.66
1:A:8:LEU:CD2	1:A:69:VAL:CG1	2.74	0.65
1:B:309:THR:HG23	1:B:311:GLY:O	1.96	0.65
1:A:147:ASP:OD1	1:A:148:ASN:N	2.27	0.64
1:B:95:VAL:HG22	1:B:164:LEU:HD13	1.80	0.63
1:B:222:PHE:HE1	1:B:265:MET:HG3	1.64	0.62
1:B:284:ASP:OD1	5:B:563:HOH:O	2.16	0.62
1:A:297:MET:CE	1:A:298:PHE:CZ	2.83	0.62
1:A:362:ILE:HB	1:A:372:PHE:HB2	1.82	0.61
1:A:156:ASP:CG	1:A:159:LEU:HB2	2.21	0.60
1:A:45:MET:HE2	1:A:164:LEU:CD1	2.31	0.60
1:A:156:ASP:OD2	1:A:159:LEU:CG	2.49	0.60
1:B:98:LYS:HD3	1:B:161:ARG:HD3	1.84	0.60
1:B:270:VAL:HG12	1:B:350:PRO:HG2	1.84	0.59
1:A:250:ILE:N	1:A:251:PRO:CD	2.65	0.59
1:B:149:LEU:HD12	1:B:321:LEU:CD1	2.32	0.59
1:B:160:THR:OG1	5:B:564:HOH:O	2.07	0.59
1:B:95:VAL:HG22	1:B:164:LEU:CD1	2.32	0.59
1:B:323:LYS:NZ	3:B:403:SO4:O3	2.31	0.58
1:B:269:ARG:NH2	4:B:404:GOL:O3	2.34	0.58
1:B:333:THR:HG22	1:B:334:LYS:N	2.19	0.58
1:B:165:VAL:HG22	1:B:321:LEU:HD11	1.86	0.58
1:A:8:LEU:HD21	1:A:73:LEU:HD13	1.84	0.57
1:B:61:VAL:HG21	1:B:294:ILE:HG13	1.86	0.57
1:A:218:LEU:HD22	1:B:293:GLY:HA2	1.87	0.57
1:A:274:LEU:HD23	1:A:275:PRO:CD	2.35	0.57
1:B:90:THR:HG21	1:B:142:THR:HA	1.86	0.56
1:A:97:VAL:O	1:A:121:ASN:HA	2.06	0.56
1:A:81:VAL:HG12	1:A:81:VAL:O	2.05	0.55
1:A:225:LEU:N	1:A:225:LEU:HD12	2.21	0.55
1:A:100:ALA:CB	1:A:121:ASN:HB3	2.37	0.55
1:B:148:ASN:ND2	5:B:648:HOH:O	2.22	0.55
1:B:351:TRP:CE3	1:B:353:ILE:CD1	2.82	0.55
2:C:1:IDS:O1S	2:C:1:IDS:C1	2.36	0.55
1:A:95:VAL:CG1	1:A:162:LEU:HD11	2.37	0.55
1:B:138:VAL:HG11	1:B:149:LEU:HD23	1.87	0.55
1:A:8:LEU:CD2	1:A:69:VAL:HG13	2.37	0.55
1:A:21:ASN:O	1:A:25:LYS:HE3	2.07	0.55
1:B:190:ALA:HB3	1:B:192:ASP:HB2	1.89	0.54
1:B:250:ILE:N	1:B:251:PRO:CD	2.70	0.54
1:A:224:GLU:C	1:A:225:LEU:HD12	2.29	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:135:ASN:O	1:B:138:VAL:HG12	2.08	0.53
1:B:96:PHE:HB3	1:B:122:VAL:CG1	2.38	0.53
1:A:287:GLU:HB2	1:A:288:PRO:HD3	1.91	0.52
1:B:378:LYS:CB	5:B:585:HOH:O	2.57	0.52
1:B:27:ARG:HB3	1:B:30:ASP:OD2	2.09	0.52
1:A:105:VAL:HB	1:A:106:PRO:HD3	1.92	0.51
1:B:162:LEU:HB2	1:B:316:HIS:O	2.10	0.51
1:A:8:LEU:CD2	1:A:69:VAL:HG11	2.39	0.51
1:A:268:LYS:O	1:A:270:VAL:HG23	2.10	0.51
1:B:250:ILE:HB	1:B:251:PRO:HD3	1.91	0.51
1:B:69:VAL:HG13	1:B:73:LEU:HD22	1.93	0.51
1:B:48:LEU:CD1	1:B:66:VAL:HG11	2.41	0.51
1:B:250:ILE:N	1:B:251:PRO:HD2	2.26	0.51
1:B:378:LYS:HB2	5:B:585:HOH:O	2.11	0.50
1:A:156:ASP:OD2	1:A:159:LEU:HG	2.12	0.50
1:B:105:VAL:N	1:B:106:PRO:CD	2.75	0.50
1:B:124:PHE:O	1:B:157:GLY:HA2	2.12	0.50
1:B:216:ASN:O	1:B:217:ASP:HB2	2.12	0.50
1:A:218:LEU:CD2	1:B:293:GLY:HA2	2.42	0.49
1:A:108:VAL:HA	1:A:119:VAL:HG11	1.93	0.49
1:A:151:SER:HB3	1:A:153:ASP:OD1	2.12	0.49
1:B:147:ASP:OD1	1:B:148:ASN:N	2.38	0.49
1:B:201:LEU:HD22	1:B:330:GLU:HG3	1.95	0.49
1:A:150:LEU:HD12	1:A:150:LEU:N	2.27	0.48
1:A:45:MET:CE	1:A:164:LEU:CD1	2.90	0.48
1:A:204:LEU:HG	1:A:271:GLN:HG2	1.95	0.48
1:B:48:LEU:HD13	1:B:66:VAL:HG11	1.96	0.48
1:B:95:VAL:HB	1:B:119:VAL:HB	1.94	0.48
1:A:222:PHE:HA	1:A:236:ILE:O	2.13	0.48
1:A:119:VAL:HG12	5:A:540:HOH:O	2.14	0.48
1:B:85:ASN:O	1:B:86:LYS:HB2	2.14	0.47
1:A:62:MET:O	1:A:63:ARG:HB2	2.14	0.47
1:A:159:LEU:HA	1:A:159:LEU:HD23	1.45	0.47
1:A:34:ILE:HG22	1:A:35:SER:N	2.29	0.47
1:A:100:ALA:HB3	1:A:121:ASN:HB3	1.95	0.47
1:B:333:THR:CG2	1:B:334:LYS:N	2.77	0.47
1:B:287:GLU:HB2	1:B:288:PRO:HD3	1.96	0.47
1:A:159:LEU:HD23	1:A:159:LEU:N	2.21	0.47
1:A:314:ASN:CB	5:A:541:HOH:O	2.63	0.46
1:B:222:PHE:HA	1:B:236:ILE:O	2.15	0.46
1:B:378:LYS:HA	5:B:585:HOH:O	2.13	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:69:VAL:CG1	1:A:69:VAL:O	2.64	0.46
1:A:283:THR:HG23	1:A:285:LEU:HD13	1.97	0.46
1:A:108:VAL:HG13	1:A:119:VAL:HG13	1.98	0.46
1:A:200:MET:HG2	1:A:275:PRO:HA	1.97	0.46
1:A:216:ASN:O	1:A:217:ASP:HB2	2.15	0.46
1:A:250:ILE:O	1:A:253:ILE:HG13	2.16	0.46
1:A:277:PHE:CE2	1:A:279:ALA:HB2	2.50	0.46
1:B:222:PHE:CE1	1:B:265:MET:HG3	2.47	0.46
1:A:178:PHE:CD2	1:A:201:LEU:HB3	2.50	0.46
1:B:128:ALA:HA	1:B:152:PRO:HG3	1.98	0.46
1:B:378:LYS:CA	5:B:585:HOH:O	2.63	0.46
1:B:198:VAL:HG13	5:B:541:HOH:O	2.15	0.45
1:B:8:LEU:CD2	1:B:73:LEU:HD13	2.45	0.45
1:B:69:VAL:CG1	1:B:73:LEU:HD22	2.47	0.45
1:A:69:VAL:O	1:A:69:VAL:HG12	2.17	0.45
1:A:225:LEU:N	1:A:225:LEU:CD1	2.79	0.45
1:B:96:PHE:HB3	1:B:122:VAL:HG11	1.99	0.44
1:A:95:VAL:HG13	1:A:162:LEU:HD11	1.99	0.44
1:A:97:VAL:HG11	1:A:103:ILE:HD11	1.99	0.44
1:A:173:LEU:HB2	1:A:228:HIS:ND1	2.33	0.44
1:A:42:VAL:HG11	1:A:320:ILE:HG21	2.00	0.44
1:A:151:SER:CB	1:A:153:ASP:OD1	2.66	0.44
1:A:250:ILE:N	1:A:251:PRO:HD3	2.32	0.44
1:A:179:GLN:HA	1:A:180:PRO:HD3	1.81	0.43
1:A:305:PHE:HB3	1:A:308:ILE:HD12	2.00	0.43
1:A:115:PHE:C	1:A:116:GLN:NE2	2.72	0.43
1:B:310:THR:HG22	1:B:310:THR:O	2.18	0.43
1:A:214:ALA:HB1	1:A:215:PRO:HD2	2.01	0.43
1:B:211:SER:HB3	1:B:221:ASN:OD1	2.18	0.43
1:A:34:ILE:CG2	1:A:35:SER:N	2.81	0.42
1:B:81:VAL:O	1:B:81:VAL:CG1	2.67	0.42
1:A:103:ILE:H	1:A:103:ILE:HG12	1.67	0.42
1:A:146:ILE:HA	3:A:401:SO4:O3	2.18	0.42
1:A:365:ASN:N	1:A:366:PRO:CD	2.82	0.42
1:A:282:GLN:HG2	1:A:283:THR:N	2.33	0.42
1:A:81:VAL:O	1:A:81:VAL:CG1	2.68	0.42
1:B:131:CYS:SG	1:B:155:ILE:HD12	2.60	0.42
1:B:34[A]:ILE:HD13	1:B:34[A]:ILE:HA	1.87	0.42
1:B:137:TRP:CE2	1:B:141:GLU:HG3	2.55	0.42
2:C:1:IDS:C6	2:C:2:SGN:H5	2.49	0.41
1:A:67:ASN:HB2	5:A:507:HOH:O	2.20	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:258:ILE:O	1:A:262:MET:HG2	2.20	0.41
1:A:283:THR:HG23	1:A:285:LEU:CD1	2.50	0.41
1:A:166:ASN:O	1:A:322:GLN:HA	2.20	0.41
1:A:362:ILE:CB	1:A:372:PHE:HB2	2.50	0.41
1:B:81:VAL:O	1:B:81:VAL:HG12	2.20	0.41
1:A:4:ASN:OD1	1:A:4:ASN:C	2.58	0.41
1:A:53:ARG:HB3	1:A:296:ASP:OD2	2.19	0.41
1:B:213:SER:HB3	1:B:219:TRP:CE2	2.56	0.41
1:B:34[A]:ILE:CG2	1:B:35:SER:N	2.84	0.41
1:B:35:SER:HB2	1:B:168[A]:VAL:HG11	2.02	0.41
1:A:100:ALA:H	1:A:121:ASN:HB2	1.86	0.40
1:A:89:VAL:HG22	1:A:170:PHE:CD1	2.56	0.40
1:A:250:ILE:HG13	5:A:530:HOH:O	2.21	0.40
1:B:205:SER:OG	1:B:206:VAL:N	2.54	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	357/379 (94%)	348 (98%)	9 (2%)	0	100	100
1	B	371/379 (98%)	361 (97%)	10 (3%)	0	100	100
All	All	728/758 (96%)	709 (97%)	19 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	292/332 (88%)	276 (94%)	16 (6%)	21	24
1	B	311/332 (94%)	291 (94%)	20 (6%)	17	18
All	All	603/664 (91%)	567 (94%)	36 (6%)	19	21

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	48	LEU
1	A	53	ARG
1	A	73	LEU
1	A	116	GLN
1	A	119	VAL
1	A	121	ASN
1	A	141	GLU
1	A	197	GLN
1	A	204	LEU
1	A	211	SER
1	A	218	LEU
1	A	271	GLN
1	A	274	LEU
1	A	285	LEU
1	A	331	ASP
1	A	375	GLN
1	B	7	SER
1	B	24	VAL
1	B	27	ARG
1	B	46	LEU
1	B	48	LEU
1	B	67	ASN
1	B	69	VAL
1	B	73	LEU
1	B	118	GLU
1	B	119	VAL
1	B	122	VAL
1	B	156	ASP
1	B	162	LEU
1	B	198	VAL
1	B	268	LYS
1	B	269	ARG
1	B	271	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	310	THR
1	B	314	ASN
1	B	315	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	22	GLN
1	A	116	GLN
1	A	271	GLN
1	B	18	GLN
1	B	271	GLN
1	B	377	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	IDS	C	1	2	17,17,17	1.08	1 (5%)	20,26,26	0.81	0
2	SGN	C	2	2	17,18,20	3.73	3 (17%)	18,27,31	1.36	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	IDS	C	1	2	-	1/9/29/29	0/1/1/1
2	SGN	C	2	2	-	8/11/24/31	1/1/1/1

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	2	SGN	O2S-S1	10.04	1.53	1.42
2	C	2	SGN	O1S-S1	10.01	1.53	1.42
2	C	2	SGN	S1-N2	4.71	1.65	1.59
2	C	1	IDS	O2S-S	2.21	1.54	1.45

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	2	SGN	O1S-S1-O2S	-4.61	109.26	120.16

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	1	IDS	C1-C2-O2-S
2	C	2	SGN	C4-C5-C6-O6
2	C	2	SGN	O5-C5-C6-O6
2	C	2	SGN	C2-N2-S1-O1S
2	C	2	SGN	C2-N2-S1-O2S
2	C	2	SGN	C2-N2-S1-O3S
2	C	2	SGN	C6-O6-S2-O5S
2	C	2	SGN	C6-O6-S2-O6S
2	C	2	SGN	C6-O6-S2-O4S

All (1) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	C	2	SGN	C1-C2-C3-C4-C5-O5

2 monomers are involved in 3 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	2	SGN	1	0
2	C	1	IDS	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



## 5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	GOL	A	404	-	5,5,5	0.29	0	5,5,5	0.23	0
3	SO4	A	401	-	4,4,4	0.33	0	6,6,6	0.09	0
4	GOL	B	404	-	5,5,5	0.32	0	5,5,5	0.36	0
3	SO4	B	401	-	4,4,4	0.30	0	6,6,6	0.07	0
3	SO4	B	403	-	4,4,4	0.34	0	6,6,6	0.07	0
3	SO4	B	402	-	4,4,4	0.35	0	6,6,6	0.06	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	B	404	-	-	2/4/4/4	-
4	GOL	A	404	-	-	4/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	B	404	GOL	C1-C2-C3-O3
4	A	404	GOL	O1-C1-C2-O2
4	B	404	GOL	O2-C2-C3-O3
4	A	404	GOL	O1-C1-C2-C3
4	A	404	GOL	C1-C2-C3-O3
4	A	404	GOL	O2-C2-C3-O3

There are no ring outliers.

3 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	401	SO4	1	0
4	B	404	GOL	1	0
3	B	403	SO4	1	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	362/379 (95%)	-0.06	6 (1%) 70 78	17, 37, 66, 96	0
1	B	370/379 (97%)	-0.19	1 (0%) 94 97	19, 31, 60, 94	0
All	All	732/758 (96%)	-0.12	7 (0%) 82 88	17, 34, 64, 96	0

All (7) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	4	ASN	2.6
1	A	67	ASN	2.5
1	A	6	LEU	2.3
1	B	72	ILE	2.1
1	A	60	MET	2.1
1	A	10	GLU	2.1
1	A	66	VAL	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)


There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	IDS	C	1	17/17	0.57	0.38	105,168,206,219	0
2	SGN	C	2	18/20	0.66	0.37	79,136,164,176	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.



## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
4	GOL	B	404	6/6	0.80	0.24	56,76,89,107	0
4	GOL	A	404	6/6	0.87	0.17	63,72,73,77	0
3	SO4	B	403	5/5	0.89	0.14	67,81,90,91	0
3	SO4	A	401	5/5	0.94	0.22	74,80,99,101	0
3	SO4	B	402	5/5	0.97	0.11	61,62,72,73	0
3	SO4	B	401	5/5	0.99	0.14	37,39,44,51	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.