



Full wwPDB X-ray Structure Validation Report

May 27, 2020 – 01:33 am BST

PDB ID : 4FCY
Title : Crystal structure of the bacteriophage Mu transpososome
Authors : Montano, S.P.; Pigli, Y.Z.; Rice, P.A.
Deposited on : 2012-05-25
Resolution : 3.71 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the  symbol.

The following versions of software and data (see [references](#) ) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.11
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.71 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1049 (3.88-3.52)
Clashscore	141614	1027 (3.86-3.54)
Ramachandran outliers	138981	1069 (3.88-3.52)
Sidechain outliers	138945	1065 (3.88-3.52)
RSRZ outliers	127900	1578 (3.90-3.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	529	
1	B	529	
2	C	68	
3	E	13	
4	D	49	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 10056 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Transposase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	443	Total	C	N	O	S	0	0	0
			3587	2278	640	651	18			
1	B	476	Total	C	N	O	S	0	0	0
			3810	2423	680	689	18			

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	521	LEU	MET	engineered mutation	UNP P07636
A	525	LEU	ASN	engineered mutation	UNP P07636
B	521	LEU	MET	engineered mutation	UNP P07636
B	525	LEU	ASN	engineered mutation	UNP P07636

- Molecule 2 is a DNA chain called DNA (68-MER).


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
2	C	68	Total	C	N	O	P	0	0	0
			1384	665	226	426	67			

- Molecule 3 is a DNA chain called DNA (13-MER).


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
3	E	13	Total	C	N	O	P	0	0	0
			263	125	52	73	13			

- Molecule 4 is a DNA chain called DNA (49-MER).

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	P			
4	D	49	Total	C	N	O	P	0	0	0
			1012	479	208	277	48			




- Molecule 2: DNA (68-MER)



- Molecule 3: DNA (13-MER)



- Molecule 4: DNA (49-MER)



4 Data and refinement statistics

Property	Value	Source
Space group	I 41 2 2	Depositor
Cell constants a, b, c, α , β , γ	196.14Å 196.14Å 349.98Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.03 – 3.71 49.03 – 3.71	Depositor EDS
% Data completeness (in resolution range)	47.0 (49.03-3.71) 46.1 (49.03-3.71)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.56 (at 3.67Å)	Xtriage
Refinement program	PHENIX (phenix.refine: dev_847)	Depositor
R, R_{free}	0.393 , 0.437 0.386 , 0.434	Depositor DCC
R_{free} test set	939 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	144.3	Xtriage
Anisotropy	0.035	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 174.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.84	EDS
Total number of atoms	10056	wwPDB-VP
Average B, all atoms (Å ²)	294.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.40% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.33	0/3667	0.57	0/4945
1	B	0.32	0/3895	0.56	0/5255
2	C	0.69	0/1543	1.46	14/2379 (0.6%)
3	E	0.59	0/295	1.26	2/451 (0.4%)
4	D	0.62	0/1141	1.38	13/1757 (0.7%)
All	All	0.44	0/10541	0.92	29/14787 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	24	DC	O4'-C1'-N1	8.56	114.00	108.00
2	C	40	DT	O4'-C1'-N1	6.90	112.83	108.00
2	C	41	DG	O4'-C1'-N9	6.86	112.81	108.00
2	C	5	DT	O4'-C1'-N1	6.82	112.77	108.00
2	C	26	DT	O4'-C1'-N1	6.57	112.60	108.00
4	D	46	DT	O4'-C1'-N1	6.46	112.52	108.00
2	C	61	DT	N3-C4-O4	6.13	123.58	119.90
2	C	38	DC	O4'-C1'-N1	6.08	112.26	108.00
4	D	46	DT	C3'-C2'-C1'	-6.06	95.23	102.50
2	C	49	DT	O4'-C1'-N1	6.02	112.22	108.00
4	D	44	DA	O4'-C1'-N9	5.94	112.16	108.00
4	D	6	DG	O4'-C1'-N9	5.94	112.16	108.00
2	C	40	DT	O4'-C1'-C2'	-5.87	101.21	105.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	48	DT	O4'-C1'-N1	5.82	112.08	108.00
2	C	4	DT	O4'-C1'-N1	5.68	111.98	108.00
2	C	41	DG	C1'-O4'-C4'	-5.49	104.61	110.10
2	C	57	DT	N3-C4-O4	5.44	123.17	119.90
4	D	47	DG	O4'-C1'-N9	5.39	111.77	108.00
4	D	23	DA	C3'-C2'-C1'	-5.35	96.08	102.50
4	D	11	DG	O4'-C1'-N9	5.33	111.73	108.00
4	D	32	DC	O4'-C1'-N1	5.28	111.70	108.00
4	D	35	DT	C5-C4-O4	-5.22	121.25	124.90
4	D	21	DA	O4'-C1'-N9	5.21	111.65	108.00
4	D	46	DT	C1'-O4'-C4'	-5.20	104.90	110.10
3	E	7	DA	O4'-C1'-N9	5.17	111.62	108.00
4	D	28	DA	C3'-C2'-C1'	-5.09	96.39	102.50
2	C	3	DT	O4'-C1'-N1	5.08	111.55	108.00
3	E	9	DA	O4'-C1'-N9	5.07	111.55	108.00
2	C	26	DT	O4'-C1'-C2'	-5.00	101.90	105.90

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	351	PRO	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3587	0	3530	77	0
1	B	3810	0	3765	66	0
2	C	1384	0	779	19	0
3	E	263	0	145	3	0
4	D	1012	0	547	16	0
All	All	10056	0	8766	162	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (162) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:489:LEU:HD13	1:A:536:ASP:HB2	1.58	0.83
1:A:111:LEU:HD22	1:B:369:LEU:HD23	1.61	0.80
1:A:144:THR:OG1	4:D:25:DG:OP2	1.99	0.79
1:A:315:ARG:HH22	1:A:534:ARG:HH12	1.27	0.78
1:A:311:ILE:HD13	1:A:363:PRO:HG2	1.65	0.77
1:A:111:LEU:HD23	1:B:368:LEU:HG	1.69	0.73
4:D:27:DG:HO3'	4:D:28:DA:HO5'	1.31	0.73
1:A:315:ARG:NH2	1:A:534:ARG:HH12	1.87	0.71
1:B:272:LEU:HD13	1:B:288:LYS:HE3	1.73	0.70
1:A:272:LEU:HD13	1:A:288:LYS:HE3	1.73	0.70
1:B:600:VAL:HA	1:B:603:LEU:HD23	1.74	0.69
1:A:237:VAL:O	1:A:241:GLU:N	2.27	0.66
1:B:152:VAL:O	1:B:160:TRP:NE1	2.30	0.65
1:A:152:VAL:O	1:A:160:TRP:NE1	2.30	0.64
1:A:351:PRO:HB3	1:A:352:ASN:HB3	1.80	0.64
1:B:355:ARG:HE	1:B:508:GLY:HA3	1.62	0.64
1:A:101:ASP:OD2	1:A:104:ARG:NH2	2.31	0.63
1:B:220:SER:N	2:C:19:DG:OP2	2.33	0.62
1:B:357:LYS:HD2	1:B:493:GLU:HG3	1.81	0.61
1:A:212:ARG:HG2	1:A:212:ARG:HH11	1.65	0.61
1:A:581:LEU:O	1:A:585:THR:HG23	2.01	0.61
1:A:487:MET:SD	1:A:547:TYR:OH	2.59	0.60
1:B:212:ARG:HH11	1:B:212:ARG:HG2	1.65	0.59
1:A:353:ARG:HH21	1:A:490:LEU:HD13	1.66	0.59
1:A:274:ASN:HB3	1:A:414:TYR:CE1	2.37	0.59
1:B:297:THR:HG21	1:B:468:PHE:HA	1.86	0.58
1:B:178:SER:OG	1:B:227:ARG:NH1	2.36	0.58
1:A:400:LEU:HA	1:A:403:TYR:HD2	1.69	0.57
1:B:486:ARG:HD3	1:B:545:TYR:CD2	2.39	0.57
1:A:297:THR:HG21	1:A:468:PHE:HA	1.86	0.56
1:A:410:LEU:HD22	1:A:431:VAL:HG21	1.86	0.56
2:C:33:DT:H3	4:D:23:DA:H61	1.53	0.56
1:B:147:ASP:OD2	4:D:48:DC:N4	2.40	0.54
1:B:220:SER:HG	2:C:19:DG:H8	1.55	0.54
1:B:472:TYR:O	1:B:475:THR:HG22	2.08	0.54
1:B:146:ARG:HH11	2:C:5:DT:H71	1.74	0.54
1:A:224:ALA:O	1:A:228:ILE:HG12	2.09	0.53
2:C:64:DT:O4	3:E:6:DA:N6	2.42	0.53
1:A:274:ASN:HB3	1:A:414:TYR:HE1	1.73	0.53
1:A:301:LEU:O	1:A:324:ARG:NH1	2.42	0.53
1:B:181:ASP:OD2	1:B:217:SER:N	2.39	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:49:DT:H3	4:D:7:DA:H61	1.54	0.53
1:A:582:LYS:O	1:A:585:THR:OG1	2.23	0.52
1:A:358:VAL:HG22	1:A:492:ALA:HA	1.90	0.52
1:B:301:LEU:O	1:B:324:ARG:NH1	2.42	0.52
1:B:532:VAL:HG23	1:B:549:LEU:HD23	1.91	0.52
1:A:237:VAL:HG13	1:A:243:GLU:H	1.75	0.52
1:A:161:ALA:HB2	1:B:369:LEU:HD22	1.91	0.51
1:A:89:ARG:HB3	1:A:93:TRP:CD1	2.45	0.51
1:A:415:THR:HG22	1:A:426:TYR:CZ	2.45	0.51
1:B:506:LYS:HD3	1:B:515:LYS:HG3	1.92	0.51
1:A:155:PHE:O	1:A:160:TRP:NE1	2.44	0.51
1:A:550:ASP:OD2	1:A:552:ARG:NH1	2.44	0.50
1:A:311:ILE:HD11	1:A:347:THR:HA	1.92	0.50
1:B:199:ALA:HB3	1:B:202:LYS:HG2	1.93	0.50
1:A:275:VAL:HG22	1:A:414:TYR:HB2	1.93	0.50
1:A:296:LYS:HE2	1:A:457:MET:SD	2.53	0.49
1:B:577:ARG:O	1:B:581:LEU:HG	2.13	0.49
4:D:38:DA:H2''	4:D:39:DC:C6	2.46	0.49
1:B:288:LYS:HD3	1:B:308:SER:HA	1.95	0.49
1:A:357:LYS:HD2	1:A:493:GLU:HG3	1.94	0.49
1:A:93:TRP:O	1:B:483:GLU:HG2	2.12	0.49
1:A:288:LYS:HD3	1:A:308:SER:HA	1.95	0.49
1:B:89:ARG:HB3	1:B:93:TRP:CD1	2.47	0.49
2:C:45:DC:H2''	2:C:46:DG:C8	2.47	0.49
1:B:296:LYS:HE2	1:B:457:MET:SD	2.52	0.49
1:A:181:ASP:OD2	1:A:217:SER:N	2.42	0.48
1:A:577:ARG:O	1:A:581:LEU:HG	2.12	0.48
1:A:331:PHE:HB3	1:A:372:ALA:HA	1.95	0.48
1:A:355:ARG:HB3	1:A:506:LYS:O	2.14	0.48
1:B:155:PHE:O	1:B:160:TRP:NE1	2.44	0.48
2:C:24:DG:H4'	2:C:25:DC:OP1	2.14	0.47
1:B:331:PHE:HB3	1:B:372:ALA:HA	1.95	0.47
1:B:410:LEU:HD22	1:B:431:VAL:HG21	1.96	0.47
1:A:520:ASN:ND2	1:A:556:GLU:O	2.46	0.47
1:B:188:LEU:HB2	1:B:207:LEU:HD22	1.96	0.47
1:A:202:LYS:O	1:A:206:ARG:HG3	2.14	0.47
1:A:359:LYS:HG2	1:A:491:PRO:HB2	1.96	0.47
1:A:222:ALA:O	1:A:226:ARG:HB2	2.15	0.47
1:A:235:MET:O	1:A:238:ALA:HB3	2.15	0.47
2:C:50:DC:H2''	2:C:51:DA:H5'	1.97	0.47
3:E:9:DA:H2''	3:E:10:DA:C8	2.50	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:D:20:DA:H2"	4:D:21:DA:C8	2.49	0.47
1:A:161:ALA:CB	1:B:369:LEU:HD22	2.45	0.46
1:B:89:ARG:NH1	1:B:89:ARG:HB2	2.30	0.46
2:C:62:DT:H2"	2:C:63:DG:C8	2.51	0.46
1:B:237:VAL:O	1:B:241:GLU:HB2	2.16	0.46
1:B:275:VAL:HG22	1:B:414:TYR:HA	1.97	0.46
1:A:188:LEU:HB2	1:A:207:LEU:HD22	1.98	0.46
1:B:311:ILE:HG21	1:B:363:PRO:HG2	1.98	0.46
1:A:351:PRO:HA	1:A:357:LYS:HG3	1.98	0.46
1:B:570:ALA:O	1:B:574:TYR:HB2	2.15	0.45
1:B:482:GLU:OE2	1:B:485:LYS:NZ	2.44	0.45
1:B:355:ARG:NE	1:B:508:GLY:HA3	2.27	0.45
1:A:180:PHE:CE2	1:A:219:PRO:HB3	2.51	0.45
1:A:359:LYS:HB2	1:A:491:PRO:O	2.16	0.45
1:B:237:VAL:O	1:B:241:GLU:N	2.50	0.45
2:C:65:DT:H2"	2:C:66:DG:C8	2.51	0.45
1:B:224:ALA:O	1:B:228:ILE:HG12	2.17	0.44
4:D:43:DA:H2"	4:D:44:DA:C8	2.52	0.44
1:A:98:ASN:HA	1:B:552:ARG:HG2	1.99	0.44
1:A:212:ARG:HH11	1:A:212:ARG:CG	2.29	0.44
1:A:262:ALA:O	1:A:263:MET:HB2	2.18	0.44
4:D:29:DA:H2"	4:D:30:DA:C8	2.52	0.44
1:A:88:ASP:HA	1:A:89:ARG:NH2	2.32	0.44
1:B:148:LYS:O	1:B:152:VAL:HG22	2.18	0.44
1:B:305:CYS:HB3	1:B:437:LEU:HD21	2.00	0.44
1:B:520:ASN:ND2	1:B:556:GLU:O	2.46	0.44
2:C:13:DT:H2"	2:C:14:DA:C8	2.52	0.44
1:B:494:ALA:HB2	1:B:549:LEU:HD21	1.98	0.44
1:A:100:SER:HA	1:B:550:ASP:O	2.18	0.43
2:C:15:DT:H3	4:D:41:DA:H61	1.65	0.43
1:A:502:GLU:HG2	1:A:519:TYR:CD1	2.53	0.43
1:A:134:VAL:HG11	1:A:145:LEU:HD22	2.01	0.43
1:A:297:THR:HB	1:A:467:VAL:HG23	2.00	0.43
1:B:262:ALA:O	1:B:263:MET:HB2	2.18	0.43
1:B:134:VAL:HG11	1:B:145:LEU:HD22	2.01	0.43
1:B:297:THR:HB	1:B:467:VAL:HG23	2.00	0.43
1:B:502:GLU:HG2	1:B:519:TYR:CD1	2.54	0.43
3:E:8:DC:H2"	3:E:9:DA:C8	2.53	0.43
1:A:362:ASP:OD1	1:A:364:LYS:HB2	2.18	0.43
1:A:425:ASN:HB3	1:A:429:ARG:NE	2.34	0.43
1:A:472:TYR:O	1:A:475:THR:HG22	2.17	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:93:TRP:CD1	1:B:481:THR:HG21	2.53	0.43
4:D:10:DC:H2"	4:D:11:DG:C8	2.54	0.43
1:A:305:CYS:HB3	1:A:437:LEU:HD21	2.01	0.43
1:B:202:LYS:HG3	1:B:203:CYS:N	2.34	0.42
2:C:64:DT:H2"	2:C:65:DT:C6	2.54	0.42
4:D:26:DC:H2"	4:D:27:DG:H5"	2.01	0.42
4:D:8:DA:H2"	4:D:9:DG:C8	2.54	0.42
1:B:212:ARG:HH11	1:B:212:ARG:CG	2.30	0.42
1:A:228:ILE:HA	1:A:231:LEU:HG	2.02	0.42
1:B:598:LEU:O	1:B:602:GLU:HG2	2.18	0.42
2:C:32:DG:H2"	2:C:33:DT:C6	2.54	0.42
1:A:479:LYS:HA	1:A:479:LYS:HD3	1.90	0.42
1:A:182:GLU:O	1:A:186:GLN:HG3	2.20	0.42
2:C:31:DC:H2"	2:C:32:DG:C8	2.54	0.42
1:A:274:ASN:ND2	1:A:274:ASN:O	2.41	0.42
1:A:531:VAL:HG21	1:A:546:CYS:HB3	2.02	0.42
1:A:294:ASP:HB2	1:A:301:LEU:HD11	2.01	0.41
1:A:351:PRO:CB	1:A:352:ASN:HB3	2.49	0.41
1:B:276:PHE:CE2	1:B:415:THR:HG21	2.55	0.41
1:A:296:LYS:NZ	1:A:471:GLU:OE1	2.53	0.41
1:B:232:ASP:HB3	1:B:235:MET:HG2	2.02	0.41
1:B:296:LYS:NZ	1:B:471:GLU:OE1	2.53	0.41
1:A:191:ASP:HB3	1:A:203:CYS:SG	2.60	0.41
4:D:30:DA:H2"	4:D:31:DG:C8	2.56	0.41
1:A:204:TYR:O	1:A:208:GLU:HG3	2.20	0.41
1:B:290:TRP:CD2	1:B:314:ILE:HG12	2.56	0.41
1:B:583:SER:HA	1:B:586:LYS:HD2	2.02	0.41
1:B:143:SER:HB3	4:D:48:DC:C5	2.55	0.41
1:B:294:ASP:HB2	1:B:301:LEU:HD11	2.01	0.41
2:C:46:DG:H2"	2:C:47:DC:C6	2.56	0.41
1:B:157:LYS:N	1:B:158:PRO:HD2	2.36	0.41
1:A:290:TRP:CD2	1:A:314:ILE:HG12	2.56	0.40
1:B:205:GLU:O	1:B:208:GLU:HB2	2.21	0.40
1:A:157:LYS:N	1:A:158:PRO:HD2	2.36	0.40
1:B:298:ARG:HA	1:B:298:ARG:HD3	1.87	0.40
1:A:106:LEU:O	1:A:110:TRP:HD1	2.04	0.40
1:B:290:TRP:CG	1:B:314:ILE:HG12	2.57	0.40
2:C:42:DC:H2"	2:C:43:DG:C8	2.57	0.40
2:C:49:DT:H3	4:D:7:DA:N6	2.17	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	431/529 (82%)	414 (96%)	15 (4%)	2 (0%)	29	66
1	B	466/529 (88%)	450 (97%)	14 (3%)	2 (0%)	34	69
All	All	897/1058 (85%)	864 (96%)	29 (3%)	4 (0%)	34	69

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	352	ASN
1	B	355	ARG
1	A	231	LEU
1	B	231	LEU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	370/430 (86%)	355 (96%)	15 (4%)	30	59
1	B	387/430 (90%)	370 (96%)	17 (4%)	28	58
All	All	757/860 (88%)	725 (96%)	32 (4%)	30	59

All (32) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	89	ARG
1	A	141	SER

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	159	ASP
1	A	165	VAL
1	A	212	ARG
1	A	217	SER
1	A	226	ARG
1	A	239	CYS
1	A	274	ASN
1	A	310	ASN
1	A	331	PHE
1	A	432	ASP
1	A	440	LEU
1	A	525	LEU
1	A	528	VAL
1	B	89	ARG
1	B	141	SER
1	B	159	ASP
1	B	165	VAL
1	B	178	SER
1	B	191	ASP
1	B	206	ARG
1	B	212	ARG
1	B	217	SER
1	B	226	ARG
1	B	310	ASN
1	B	331	PHE
1	B	378	SER
1	B	432	ASP
1	B	440	LEU
1	B	525	LEU
1	B	528	VAL

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	267	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	443/529 (83%)	1.26	103 (23%) 0 0	134, 303, 577, 797	0
1	B	476/529 (89%)	0.35	37 (7%) 13 9	130, 264, 400, 526	0
2	C	68/68 (100%)	0.02	4 (5%) 22 15	200, 257, 409, 476	0
3	E	13/13 (100%)	1.18	3 (23%) 0 0	290, 364, 508, 517	0
4	D	49/49 (100%)	-0.59	0 100 100	201, 257, 336, 350	0
All	All	1049/1188 (88%)	0.68	147 (14%) 2 3	130, 277, 475, 797	0

All (147) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	492	ALA	30.2
1	A	532	VAL	12.9
1	A	542	SER	11.8
1	A	358	VAL	10.7
1	A	359	LYS	10.6
1	A	559	CYS	10.4
1	A	502	GLU	8.9
1	A	496	ASN	8.5
1	A	499	ARG	7.3
1	A	554	ILE	7.3
1	A	560	LEU	7.1
1	A	457	MET	6.8
1	A	510	SER	6.6
1	B	162	ALA	6.6
1	A	519	TYR	6.6
1	A	550	ASP	6.6
1	A	538	GLN	6.4
1	B	602	GLU	6.3
1	A	301	LEU	6.3
1	A	285	ILE	6.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	397	VAL	6.0
1	A	428	ASP	5.9
1	A	516	ASN	5.8
1	B	396	GLY	5.6
1	A	531	VAL	5.4
1	A	546	CYS	5.3
1	A	545	TYR	5.1
1	A	547	TYR	5.1
1	B	165	VAL	5.1
1	A	495	VAL	5.0
1	A	509	GLY	5.0
1	A	501	GLY	5.0
1	A	347	THR	4.8
1	A	539	GLN	4.8
1	A	273	HIS	4.8
1	A	349	GLY	4.8
1	A	517	VAL	4.7
1	A	361	ASP	4.6
1	A	491	PRO	4.6
1	A	515	LYS	4.6
1	A	529	LYS	4.6
1	A	520	ASN	4.6
1	A	424	ASP	4.5
1	B	601	ALA	4.5
1	A	287	PRO	4.5
1	A	178	SER	4.4
1	A	498	SER	4.4
1	A	555	CYS	4.4
1	A	420	GLN	4.3
1	B	272	LEU	4.3
1	A	296	LYS	4.1
1	A	415	THR	4.0
1	A	263	MET	4.0
1	A	541	HIS	4.0
1	A	357	LYS	4.0
1	B	262	ALA	4.0
1	B	296	LYS	3.8
1	A	497	VAL	3.8
1	A	421	ALA	3.8
1	A	493	GLU	3.7
1	A	270	GLY	3.7
1	A	275	VAL	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	178	SER	3.6
2	C	69	DG	3.5
1	A	360	GLU	3.5
1	B	436	PHE	3.5
1	A	530	LYS	3.4
3	E	3	DG	3.4
1	B	276	PHE	3.4
1	A	451	THR	3.3
1	A	137	HIS	3.3
1	A	427	GLY	3.3
1	B	535	PHE	3.3
1	A	423	PRO	3.3
1	A	500	LYS	3.3
1	A	108	GLU	3.2
1	A	376	TRP	3.2
1	A	533	VAL	3.1
1	A	548	THR	3.1
3	E	10	DA	3.1
1	A	408	PRO	3.1
1	A	286	ARG	3.1
1	A	336	ASP	3.0
1	B	200	PHE	3.0
1	A	179	GLU	3.0
2	C	66	DG	3.0
1	B	430	ALA	2.9
1	A	300	ILE	2.9
1	A	206	ARG	2.9
1	A	558	GLU	2.9
1	A	528	VAL	2.9
3	E	2	DC	2.9
1	B	159	ASP	2.8
1	A	292	TRP	2.8
1	A	374	MET	2.8
1	B	382	GLY	2.8
1	A	461	LYS	2.7
1	A	488	LEU	2.7
1	A	231	LEU	2.7
1	B	104	ARG	2.7
1	A	450	ARG	2.7
1	A	557	ALA	2.7
1	B	385	TRP	2.7
1	B	461	LYS	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	395	PHE	2.6
1	A	219	PRO	2.6
1	B	263	MET	2.6
1	B	300	ILE	2.6
1	A	294	ASP	2.6
1	A	480	PRO	2.6
1	B	292	TRP	2.5
1	B	291	PHE	2.5
2	C	58	DG	2.5
1	B	145	LEU	2.5
1	A	544	VAL	2.5
1	A	247	MET	2.4
1	B	140	VAL	2.4
1	A	458	CYS	2.4
1	B	598	LEU	2.4
2	C	65	DT	2.4
1	A	269	ASP	2.4
1	B	370	MET	2.4
1	B	440	LEU	2.4
1	A	551	GLY	2.3
1	A	165	VAL	2.3
1	A	333	ILE	2.3
1	B	273	HIS	2.3
1	A	117	ALA	2.3
1	A	521	LEU	2.3
1	B	139	GLN	2.3
1	A	422	LYS	2.2
1	A	353	ARG	2.2
1	A	494	ALA	2.2
1	A	419	PRO	2.2
1	A	234	ALA	2.2
1	B	457	MET	2.2
1	A	534	ARG	2.2
1	A	164	LEU	2.2
1	B	369	LEU	2.2
1	B	472	TYR	2.2
1	A	543	THR	2.1
1	A	400	LEU	2.1
1	B	163	ALA	2.1
1	A	258	GLU	2.1
1	A	329	GLU	2.1
1	B	131	PHE	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	207	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.