



Full wwPDB X-ray Structure Validation Report ⓘ

May 17, 2020 – 02:34 am BST

PDB ID : 4IEN
Title : Crystal Structure of Acyl-CoA Hydrolase from Neisseria meningitidis FAM18
Authors : Khandokar, Y.B.; Forwood, J.K.
Deposited on : 2012-12-13
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	8085 (2.00-2.00)
Clashscore	141614	9178 (2.00-2.00)
Ramachandran outliers	138981	9054 (2.00-2.00)
Sidechain outliers	138945	9053 (2.00-2.00)
RSRZ outliers	127900	7900 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	163	 5% 85% 7% •• 6%
1	B	163	 4% 82% 12% • 6%
1	C	163	 6% 82% 10% • 6%
1	D	163	 4% 85% 7% •• 6%

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 5424 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Putative acyl-CoA hydrolase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	154	1210	757	213	229	11	0	0	0
1	B	154	1210	757	213	229	11	0	0	0
1	C	154	1210	757	213	229	11	0	0	0
1	D	154	1210	757	213	229	11	0	0	0

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-2	SER	-	EXPRESSION TAG	UNP A1KUS8
A	-1	ASN	-	EXPRESSION TAG	UNP A1KUS8
A	0	ALA	-	EXPRESSION TAG	UNP A1KUS8
B	-2	SER	-	EXPRESSION TAG	UNP A1KUS8
B	-1	ASN	-	EXPRESSION TAG	UNP A1KUS8
B	0	ALA	-	EXPRESSION TAG	UNP A1KUS8
C	-2	SER	-	EXPRESSION TAG	UNP A1KUS8
C	-1	ASN	-	EXPRESSION TAG	UNP A1KUS8
C	0	ALA	-	EXPRESSION TAG	UNP A1KUS8
D	-2	SER	-	EXPRESSION TAG	UNP A1KUS8
D	-1	ASN	-	EXPRESSION TAG	UNP A1KUS8
D	0	ALA	-	EXPRESSION TAG	UNP A1KUS8

- Molecule 2 is COENZYME A (three-letter code: COA) (formula: C₂₁H₃₆N₇O₁₆P₃S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf		
			Total	C	N	O	P			S	
2	A	1	Total	48	21	7	16	3	1	0	0
2	B	1	Total	48	21	7	16	3	1	0	0
2	C	1	Total	48	21	7	16	3	1	0	0
2	D	1	Total	48	21	7	16	3	1	0	0

- Molecule 3 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula: $C_{10}H_{15}N_5O_{11}P_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
3	A	1	Total	C	N	O	P	0	0
			28	10	5	11	2		
3	B	1	Total	C	N	O	P	0	0
			28	10	5	11	2		
3	C	1	Total	C	N	O	P	0	0
			28	10	5	11	2		
3	D	1	Total	C	N	O	P	0	0
			28	10	5	11	2		

- Molecule 4 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	B	1	Total	Cl	0	0
			1	1		
4	A	1	Total	Cl	0	0
			1	1		
4	D	1	Total	Cl	0	0
			1	1		
4	C	1	Total	Cl	0	0
			1	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	79	Total	O	0	0
			79	79		
5	B	58	Total	O	0	0
			58	58		
5	C	70	Total	O	0	0
			70	70		
5	D	69	Total	O	0	0
			69	69		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



- Molecule 1: Putative acyl-CoA hydrolase




- Molecule 1: Putative acyl-CoA hydrolase



- Molecule 1: Putative acyl-CoA hydrolase



- Molecule 1: Putative acyl-CoA hydrolase



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 3	Depositor
Cell constants a, b, c, α , β , γ	152.52Å 152.52Å 152.52Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	35.95 – 2.00 35.95 – 2.00	Depositor EDS
% Data completeness (in resolution range)	100.0 (35.95-2.00) 100.0 (35.95-2.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.73 (at 2.00Å)	Xtrriage
Refinement program	REFMAC 5.7.0029	Depositor
R, R_{free}	0.167 , 0.194 0.176 , 0.200	Depositor DCC
R_{free} test set	3993 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	23.0	Xtrriage
Anisotropy	0.000	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.38 , 47.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.028 for l,-k,h	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5424	wwPDB-VP
Average B, all atoms (Å ²)	29.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.42% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GDP, COA, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.25	4/1231 (0.3%)	1.21	10/1663 (0.6%)
1	B	1.26	5/1231 (0.4%)	1.18	7/1663 (0.4%)
1	C	1.29	8/1231 (0.6%)	1.39	8/1663 (0.5%)
1	D	1.26	6/1231 (0.5%)	1.37	10/1663 (0.6%)
All	All	1.27	23/4924 (0.5%)	1.29	35/6652 (0.5%)

All (23) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	60	ASP	C-O	7.71	1.38	1.23
1	D	60	ASP	C-O	7.54	1.37	1.23
1	C	60	ASP	C-O	7.29	1.37	1.23
1	C	47	SER	CB-OG	7.06	1.51	1.42
1	A	60	ASP	C-O	7.06	1.36	1.23
1	B	47	SER	CB-OG	6.89	1.51	1.42
1	C	40	GLN	CG-CD	6.85	1.66	1.51
1	C	61	LYS	C-O	6.75	1.36	1.23
1	A	61	LYS	C-O	6.69	1.36	1.23
1	D	40	GLN	CG-CD	6.36	1.65	1.51
1	A	40	GLN	CG-CD	6.35	1.65	1.51
1	D	72	ASP	CB-CG	6.28	1.65	1.51
1	B	40	GLN	CG-CD	6.28	1.65	1.51
1	C	93	ARG	CD-NE	-6.25	1.35	1.46
1	B	89	GLU	CD-OE2	-6.10	1.19	1.25
1	C	48	ARG	CD-NE	-5.96	1.36	1.46
1	D	61	LYS	C-O	5.91	1.34	1.23
1	D	48	ARG	CD-NE	-5.59	1.36	1.46
1	B	61	LYS	C-O	5.37	1.33	1.23
1	C	138	ARG	CZ-NH2	-5.25	1.26	1.33
1	C	33	GLU	CD-OE2	-5.13	1.20	1.25
1	D	66	GLU	CD-OE2	-5.07	1.20	1.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	53	TYR	CE1-CZ	-5.00	1.32	1.38

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	93	ARG	NE-CZ-NH2	-21.87	109.36	120.30
1	C	93	ARG	NE-CZ-NH1	18.92	129.76	120.30
1	D	93	ARG	NE-CZ-NH2	-18.17	111.22	120.30
1	D	93	ARG	NE-CZ-NH1	16.92	128.76	120.30
1	D	72	ASP	CB-CG-OD2	-16.24	103.69	118.30
1	B	138	ARG	NE-CZ-NH1	13.01	126.81	120.30
1	C	138	ARG	NE-CZ-NH1	12.73	126.66	120.30
1	A	138	ARG	NE-CZ-NH1	12.48	126.54	120.30
1	D	138	ARG	NE-CZ-NH1	10.06	125.33	120.30
1	C	93	ARG	CD-NE-CZ	8.69	135.77	123.60
1	A	85	ARG	NE-CZ-NH2	-8.02	116.29	120.30
1	B	145	ARG	NE-CZ-NH2	-7.68	116.46	120.30
1	B	145	ARG	NE-CZ-NH1	7.17	123.89	120.30
1	D	72	ASP	OD1-CG-OD2	6.59	135.82	123.30
1	C	60	ASP	CB-CG-OD1	6.55	124.19	118.30
1	B	147	ASP	CB-CG-OD2	6.34	124.01	118.30
1	D	16	GLU	N-CA-CB	-6.31	99.25	110.60
1	C	48	ARG	NE-CZ-NH2	-6.16	117.22	120.30
1	D	16	GLU	CA-CB-CG	6.15	126.94	113.40
1	A	88	MET	CA-CB-CG	5.89	123.31	113.30
1	D	85	ARG	NE-CZ-NH2	-5.86	117.37	120.30
1	A	88	MET	CG-SD-CE	-5.85	90.83	100.20
1	D	93	ARG	CD-NE-CZ	5.84	131.77	123.60
1	B	138	ARG	NE-CZ-NH2	-5.45	117.57	120.30
1	A	105	ARG	NE-CZ-NH1	5.41	123.00	120.30
1	A	136	ARG	NE-CZ-NH1	5.38	122.99	120.30
1	B	85	ARG	NE-CZ-NH1	5.35	122.97	120.30
1	A	134	ARG	NE-CZ-NH1	5.26	122.93	120.30
1	B	40	GLN	CA-CB-CG	5.21	124.85	113.40
1	C	85	ARG	NE-CZ-NH1	5.20	122.90	120.30
1	C	138	ARG	CG-CD-NE	5.18	122.68	111.80
1	A	138	ARG	NE-CZ-NH2	-5.12	117.74	120.30
1	A	93	ARG	NE-CZ-NH2	5.05	122.82	120.30
1	D	136	ARG	NE-CZ-NH1	5.03	122.82	120.30
1	A	145	ARG	NE-CZ-NH2	-5.01	117.80	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1210	0	1210	5	0
1	B	1210	0	1210	10	0
1	C	1210	0	1210	9	0
1	D	1210	0	1210	5	0
2	A	48	0	32	1	0
2	B	48	0	31	1	0
2	C	48	0	32	0	0
2	D	48	0	32	1	0
3	A	28	0	12	0	0
3	B	28	0	12	0	0
3	C	28	0	12	1	0
3	D	28	0	12	1	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
5	A	79	0	0	1	0
5	B	58	0	0	2	0
5	C	70	0	0	1	0
5	D	69	0	0	0	0
All	All	5424	0	5015	23	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (23) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:158:CYS:O	1:B:134:ARG:HD2	1.67	0.93
1:B:129:GLU:HA	5:C:356:HOH:O	1.80	0.81
1:A:134:ARG:HD2	1:B:158:CYS:O	1.86	0.75
1:B:130:ILE:O	1:C:85:ARG:HG3	1.99	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:134:ARG:NH1	1:D:158:CYS:O	2.34	0.61
1:A:133:ASP:OD1	1:A:136:ARG:NH1	2.36	0.58
1:D:60:ASP:OD1	1:D:61:LYS:HG2	2.06	0.56
1:B:136:ARG:NH2	1:C:85:ARG:HD3	2.22	0.55
1:B:146:ARG:NH1	5:B:345:HOH:O	2.40	0.55
1:C:133:ASP:OD1	1:C:136:ARG:NH1	2.40	0.55
1:A:146:ARG:HG3	5:A:376:HOH:O	2.06	0.55
1:B:9:SER:HA	1:B:48:ARG:NH1	2.25	0.51
1:C:158:CYS:O	1:D:134:ARG:CZ	2.59	0.50
1:B:57:LEU:HD21	2:B:202:COA:C4A	2.43	0.49
1:A:57:LEU:HD21	2:A:201:COA:C4A	2.44	0.47
1:C:138:ARG:HD2	3:C:202:GDP:O3B	2.16	0.45
1:B:61:LYS:N	5:B:330:HOH:O	2.47	0.44
1:C:9:SER:HA	1:C:48:ARG:HH21	1.84	0.41
1:C:139:TYR:C	1:C:139:TYR:CD1	2.93	0.41
1:B:99:ILE:HA	1:B:99:ILE:HD13	1.84	0.41
1:C:83:THR:HG22	1:C:88:MET:HG2	2.02	0.40
1:D:138:ARG:HD2	3:D:203:GDP:O3B	2.21	0.40
1:D:57:LEU:HD21	2:D:202:COA:C4A	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	152/163 (93%)	149 (98%)	3 (2%)	0	100	100
1	B	152/163 (93%)	149 (98%)	3 (2%)	0	100	100
1	C	152/163 (93%)	148 (97%)	4 (3%)	0	100	100
1	D	152/163 (93%)	149 (98%)	3 (2%)	0	100	100
All	All	608/652 (93%)	595 (98%)	13 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	136/143 (95%)	133 (98%)	3 (2%)	52	55
1	B	136/143 (95%)	133 (98%)	3 (2%)	52	55
1	C	136/143 (95%)	131 (96%)	5 (4%)	34	32
1	D	136/143 (95%)	132 (97%)	4 (3%)	42	43
All	All	544/572 (95%)	529 (97%)	15 (3%)	43	44

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	88	MET
1	A	105	ARG
1	A	134	ARG
1	B	105	ARG
1	B	121	LYS
1	B	134	ARG
1	C	8	PRO
1	C	93	ARG
1	C	103	GLU
1	C	105	ARG
1	C	144	LYS
1	D	16	GLU
1	D	60	ASP
1	D	61	LYS
1	D	103	GLU

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	151	GLN
1	B	151	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	151	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 12 ligands modelled in this entry, 4 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	GDP	C	202	-	24,30,30	1.35	3 (12%)	31,47,47	1.83	5 (16%)
3	GDP	A	202	-	24,30,30	1.24	3 (12%)	31,47,47	2.23	9 (29%)
3	GDP	D	203	-	24,30,30	1.48	3 (12%)	31,47,47	2.17	7 (22%)
3	GDP	B	203	-	24,30,30	1.14	2 (8%)	31,47,47	1.84	8 (25%)
2	COA	D	202	-	41,50,50	1.40	7 (17%)	52,75,75	1.78	13 (25%)
2	COA	B	202	-	41,50,50	1.36	6 (14%)	52,75,75	2.34	14 (26%)
2	COA	A	201	-	41,50,50	1.46	7 (17%)	52,75,75	2.36	18 (34%)
2	COA	C	201	-	41,50,50	1.20	5 (12%)	52,75,75	1.47	8 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	GDP	C	202	-	-	1/12/32/32	0/3/3/3
3	GDP	A	202	-	-	1/12/32/32	0/3/3/3
3	GDP	D	203	-	-	1/12/32/32	0/3/3/3
3	GDP	B	203	-	-	1/12/32/32	0/3/3/3
2	COA	D	202	-	-	0/44/64/64	0/3/3/3
2	COA	B	202	-	-	0/44/64/64	0/3/3/3
2	COA	A	201	-	-	0/44/64/64	0/3/3/3
2	COA	C	201	-	-	2/44/64/64	0/3/3/3

All (36) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	203	GDP	C6-C5	4.28	1.48	1.41
3	D	203	GDP	C2'-C1'	3.90	1.59	1.53
2	B	202	COA	O2B-C2B	-3.87	1.33	1.43
2	A	201	COA	C2B-C1B	3.77	1.59	1.53
3	A	202	GDP	C2'-C1'	3.27	1.58	1.53
3	C	202	GDP	PB-O3B	-3.11	1.42	1.54
2	B	202	COA	C2A-N3A	3.06	1.37	1.32
2	A	201	COA	P2A-O4A	-3.04	1.40	1.50
3	B	203	GDP	C2'-C1'	2.99	1.58	1.53
3	C	202	GDP	O4'-C4'	-2.83	1.38	1.45
2	A	201	COA	C4A-N3A	2.82	1.39	1.35
2	B	202	COA	CDP-CBP	-2.82	1.47	1.53
3	C	202	GDP	C6-C5	2.74	1.46	1.41
2	D	202	COA	C2A-N3A	2.70	1.36	1.32
2	D	202	COA	P2A-O4A	-2.66	1.41	1.50
2	D	202	COA	C2A-N1A	2.60	1.38	1.33
2	A	201	COA	C6P-C5P	2.57	1.56	1.51
2	A	201	COA	O4B-C4B	-2.55	1.39	1.45
2	B	202	COA	P3B-O9A	-2.54	1.45	1.54
2	D	202	COA	C3P-N4P	2.51	1.51	1.46
2	D	202	COA	P1A-O1A	-2.48	1.42	1.50
3	B	203	GDP	C5-C4	2.37	1.47	1.40
2	D	202	COA	C2P-S1P	2.37	1.89	1.80
2	C	201	COA	C2P-S1P	2.34	1.89	1.80
2	A	201	COA	P3B-O3B	2.33	1.63	1.59
2	C	201	COA	P3B-O3B	2.29	1.63	1.59
2	C	201	COA	P1A-O2A	-2.29	1.44	1.55
2	A	201	COA	P3B-O7A	-2.26	1.43	1.50
2	B	202	COA	C2B-C3B	-2.25	1.47	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	A	202	GDP	PB-O3B	-2.22	1.46	1.54
3	D	203	GDP	O3'-C3'	-2.20	1.37	1.43
3	A	202	GDP	C5-C4	2.19	1.46	1.40
2	D	202	COA	P3B-O3B	-2.14	1.55	1.59
2	B	202	COA	O9P-C9P	-2.12	1.19	1.23
2	C	201	COA	O4B-C1B	2.11	1.44	1.41
2	C	201	COA	C5P-N4P	2.01	1.38	1.33

All (82) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	203	GDP	C6-C5-C4	-8.26	112.91	120.80
3	A	202	GDP	C6-C5-C4	-7.07	114.05	120.80
2	B	202	COA	O5B-P1A-O1A	-6.57	83.41	109.07
2	A	201	COA	CDP-CBP-CAP	5.93	119.10	108.82
2	B	202	COA	N3A-C2A-N1A	-5.85	119.54	128.68
2	A	201	COA	O4B-C1B-C2B	-5.79	98.46	106.93
2	B	202	COA	O4B-C1B-C2B	-5.64	98.68	106.93
2	A	201	COA	N3A-C2A-N1A	-5.59	119.94	128.68
3	A	202	GDP	C6-N1-C2	5.38	124.47	115.93
3	C	202	GDP	C6-C5-C4	-5.35	115.69	120.80
3	B	203	GDP	C6-C5-C4	-5.21	115.82	120.80
2	A	201	COA	O5B-P1A-O1A	-5.19	88.77	109.07
2	B	202	COA	O2A-P1A-O1A	5.17	137.81	112.24
2	A	201	COA	O5A-P2A-O4A	5.12	137.56	112.24
2	B	202	COA	P2A-O3A-P1A	-4.22	118.34	132.83
2	A	201	COA	O6A-CCP-CBP	-4.13	103.90	110.55
2	B	202	COA	CEP-CBP-CDP	-4.13	100.75	109.17
3	C	202	GDP	C5-C6-N1	-4.09	117.83	123.43
3	A	202	GDP	C5-C6-N1	-4.08	117.86	123.43
2	A	201	COA	O2A-P1A-O1A	4.01	132.06	112.24
2	B	202	COA	O5A-P2A-O6A	-3.93	89.49	107.75
2	B	202	COA	O5A-P2A-O4A	3.91	131.55	112.24
3	D	203	GDP	C6-N1-C2	3.90	122.13	115.93
3	D	203	GDP	N3-C2-N1	-3.88	122.05	127.22
3	C	202	GDP	C6-N1-C2	3.77	121.93	115.93
2	B	202	COA	CEP-CBP-CCP	3.77	114.38	108.23
2	D	202	COA	P2A-O3A-P1A	-3.70	120.14	132.83
3	B	203	GDP	C5-C6-N1	-3.69	118.38	123.43
2	D	202	COA	CDP-CBP-CAP	3.63	115.12	108.82
2	D	202	COA	N3A-C2A-N1A	-3.59	123.07	128.68
2	C	201	COA	N3A-C2A-N1A	-3.54	123.15	128.68

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	202	COA	O6A-CCP-CBP	-3.52	104.88	110.55
2	B	202	COA	CDP-CBP-CAP	3.51	114.91	108.82
2	A	201	COA	C5A-C6A-N6A	-3.51	115.03	120.35
2	D	202	COA	O6A-CCP-CBP	-3.47	104.96	110.55
2	C	201	COA	C1B-N9A-C4A	-3.29	120.86	126.64
3	B	203	GDP	C6-N1-C2	3.27	121.12	115.93
3	C	202	GDP	C2-N3-C4	3.18	118.99	115.36
3	D	203	GDP	C2-N3-C4	3.10	118.90	115.36
2	D	202	COA	O5B-P1A-O1A	-3.10	96.95	109.07
2	D	202	COA	O4B-C4B-C3B	3.10	111.51	104.87
2	D	202	COA	O2A-P1A-O5B	-3.08	93.45	107.75
3	A	202	GDP	C1'-N9-C4	-3.03	121.32	126.64
2	D	202	COA	C3P-N4P-C5P	-3.02	117.22	122.84
2	D	202	COA	O2A-P1A-O1A	3.01	127.12	112.24
2	A	201	COA	O3B-P3B-O7A	-2.98	97.89	109.39
2	A	201	COA	O2B-C2B-C3B	2.90	119.39	111.17
3	B	203	GDP	O4'-C1'-C2'	-2.84	102.77	106.93
3	B	203	GDP	C3'-C2'-C1'	2.77	105.15	100.98
2	C	201	COA	O2A-P1A-O1A	2.77	125.94	112.24
2	D	202	COA	C7P-C6P-C5P	-2.77	107.75	112.36
2	D	202	COA	O2B-C2B-C3B	2.76	119.01	111.17
2	A	201	COA	P2A-O3A-P1A	-2.76	123.36	132.83
2	A	201	COA	O9A-P3B-O8A	2.73	118.05	107.64
3	C	202	GDP	N3-C2-N1	-2.65	123.69	127.22
3	A	202	GDP	N3-C2-N1	-2.60	123.76	127.22
2	C	201	COA	O5A-P2A-O6A	-2.59	95.70	107.75
2	A	201	COA	O2B-C2B-C1B	-2.59	101.28	110.85
3	B	203	GDP	O3B-PB-O2B	2.53	117.31	107.64
2	A	201	COA	C7P-C6P-C5P	-2.50	108.19	112.36
2	C	201	COA	O5A-P2A-O4A	2.39	124.04	112.24
3	D	203	GDP	C5-C6-N1	-2.35	120.21	123.43
2	A	201	COA	O5P-C5P-C6P	-2.32	117.78	122.02
2	B	202	COA	O2B-C2B-C1B	-2.31	102.31	110.85
2	C	201	COA	C5A-C6A-N6A	-2.30	116.86	120.35
3	A	202	GDP	O3B-PB-O3A	2.28	112.30	104.64
2	B	202	COA	O5P-C5P-C6P	-2.26	117.89	122.02
2	D	202	COA	O5P-C5P-C6P	-2.25	117.90	122.02
3	A	202	GDP	O3A-PB-O1B	-2.25	98.72	111.19
2	A	201	COA	CEP-CBP-CDP	-2.23	104.62	109.17
2	C	201	COA	C6P-C5P-N4P	2.22	120.16	116.42
3	A	202	GDP	O4'-C1'-C2'	-2.20	103.71	106.93
3	D	203	GDP	O2A-PA-O1A	2.19	123.09	112.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	201	COA	O2A-P1A-O5B	2.18	117.86	107.75
3	B	203	GDP	O2'-C2'-C1'	-2.17	102.83	110.85
3	A	202	GDP	O3'-C3'-C2'	2.17	118.84	111.82
3	B	203	GDP	O3A-PB-O1B	-2.17	99.17	111.19
3	D	203	GDP	O3A-PB-O1B	-2.14	99.34	111.19
2	B	202	COA	C2B-C3B-C4B	-2.13	99.45	103.22
2	A	201	COA	O8A-P3B-O7A	2.08	118.84	110.68
2	D	202	COA	C2P-C3P-N4P	2.07	117.04	112.31
2	A	201	COA	OAP-CAP-CBP	-2.04	105.44	110.25

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	C	202	GDP	PB-O3A-PA-O5'
3	D	203	GDP	PB-O3A-PA-O5'
3	B	203	GDP	PB-O3A-PA-O5'
3	A	202	GDP	PB-O3A-PA-O5'
2	C	201	COA	P1A-O3A-P2A-O5A
2	C	201	COA	C3B-O3B-P3B-O8A


There are no ring outliers.


5 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	202	GDP	1	0
3	D	203	GDP	1	0
2	D	202	COA	1	0
2	B	202	COA	1	0
2	A	201	COA	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient

equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	154/163 (94%)	-0.29	8 (5%) 27 26	15, 22, 53, 88	0
1	B	154/163 (94%)	-0.18	6 (3%) 39 38	15, 24, 59, 91	0
1	C	154/163 (94%)	-0.14	10 (6%) 18 18	16, 24, 65, 111	0
1	D	154/163 (94%)	-0.22	7 (4%) 33 32	16, 25, 52, 86	0
All	All	616/652 (94%)	-0.21	31 (5%) 28 28	15, 24, 59, 111	0

All (31) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	153	SER	8.0
1	C	156	MET	6.6
1	A	156	MET	5.4
1	B	156	MET	5.2
1	C	154	GLU	5.0
1	C	155	ASP	4.9
1	B	153	SER	4.5
1	C	157	SER	4.3
1	D	154	GLU	4.2
1	D	153	SER	3.9
1	A	154	GLU	3.9
1	C	158	CYS	3.8
1	B	154	GLU	3.7
1	D	156	MET	3.6
1	C	151	GLN	3.4
1	B	155	ASP	3.4
1	C	6	GLN	3.0
1	A	155	ASP	3.0
1	A	153	SER	2.8
1	B	149	SER	2.7
1	A	151	GLN	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	151	GLN	2.6
1	D	7	LEU	2.6
1	C	152	ALA	2.5
1	D	6	GLN	2.4
1	D	155	ASP	2.3
1	C	7	LEU	2.3
1	A	157	SER	2.3
1	A	152	ALA	2.2
1	A	158	CYS	2.1
1	D	134	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no carbohydrates in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	COA	B	202	48/48	0.96	0.09	12,21,34,36	0
2	COA	A	201	48/48	0.97	0.07	12,21,31,33	0
2	COA	C	201	48/48	0.97	0.08	13,23,32,39	0
3	GDP	C	202	28/28	0.98	0.07	16,20,24,29	0
3	GDP	D	203	28/28	0.98	0.12	19,24,34,37	0
2	COA	D	202	48/48	0.98	0.07	13,19,26,34	0
3	GDP	A	202	28/28	0.99	0.06	15,17,22,24	0
4	CL	D	201	1/1	0.99	0.05	16,16,16,16	0
4	CL	B	201	1/1	0.99	0.04	14,14,14,14	0
3	GDP	B	203	28/28	0.99	0.08	15,19,27,28	0
4	CL	C	203	1/1	0.99	0.06	15,15,15,15	0
4	CL	A	203	1/1	1.00	0.07	15,15,15,15	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.






Electron density around COA A 201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around COA C 201:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around GDP C 202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around GDP D 203:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around COA D 202:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around GDP A 202:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.