



# Full wwPDB X-ray Structure Validation Report ⓘ

Aug 17, 2022 – 06:42 PM EDT

PDB ID : 4MAD  
Title : Crystal structure of beta-galactosidase C (BgaC) from *Bacillus circulans* ATCC 31382  
Authors : Kamerke, C.; You, D.J.; Kanaya, S.; Elling, L.  
Deposited on : 2013-08-16  
Resolution : 1.80 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at <http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.29  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.29


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*



The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5950 (1.80-1.80)
Clashscore	141614	6793 (1.80-1.80)
Ramachandran outliers	138981	6697 (1.80-1.80)
Sidechain outliers	138945	6696 (1.80-1.80)
RSRZ outliers	127900	5850 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	600	
1	B	600	

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 9884 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta-galactosidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	581	4698	3040	770	874	14	0	0	0
1	B	586	4737	3066	776	881	14	0	0	0

There are 28 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-13	MET	-	expression tag	UNP O31341
A	-12	GLY	-	expression tag	UNP O31341
A	-11	SER	-	expression tag	UNP O31341
A	-10	SER	-	expression tag	UNP O31341
A	-9	HIS	-	expression tag	UNP O31341
A	-8	HIS	-	expression tag	UNP O31341
A	-7	HIS	-	expression tag	UNP O31341
A	-6	HIS	-	expression tag	UNP O31341
A	-5	HIS	-	expression tag	UNP O31341
A	-4	HIS	-	expression tag	UNP O31341
A	-3	SER	-	expression tag	UNP O31341
A	-2	GLN	-	expression tag	UNP O31341
A	-1	ASP	-	expression tag	UNP O31341
A	0	PRO	-	expression tag	UNP O31341
B	-13	MET	-	expression tag	UNP O31341
B	-12	GLY	-	expression tag	UNP O31341
B	-11	SER	-	expression tag	UNP O31341
B	-10	SER	-	expression tag	UNP O31341
B	-9	HIS	-	expression tag	UNP O31341
B	-8	HIS	-	expression tag	UNP O31341
B	-7	HIS	-	expression tag	UNP O31341
B	-6	HIS	-	expression tag	UNP O31341
B	-5	HIS	-	expression tag	UNP O31341
B	-4	HIS	-	expression tag	UNP O31341
B	-3	SER	-	expression tag	UNP O31341

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-2	GLN	-	expression tag	UNP O31341
B	-1	ASP	-	expression tag	UNP O31341
B	0	PRO	-	expression tag	UNP O31341

- Molecule 2 is 2-(2-METHOXYETHOXY)ETHANOL (three-letter code: PG0) (formula: C<sub>5</sub>H<sub>12</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			8	5	3		
2	A	1	Total	C	O	0	0
			8	5	3		
2	B	1	Total	C	O	0	0
			8	5	3		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	208	Total	O	0	0
			208	208		
3	B	217	Total	O	0	0
			217	217		


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Beta-galactosidase



- Molecule 1: Beta-galactosidase



## 4 Data and refinement statistics i

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	143.27Å 93.12Å 119.57Å 90.00° 125.67° 90.00°	Depositor
Resolution (Å)	41.66 – 1.80 41.66 – 1.80	Depositor EDS
% Data completeness (in resolution range)	99.5 (41.66-1.80) 99.5 (41.66-1.80)	Depositor EDS
$R_{merge}$	0.11	Depositor
$R_{sym}$	0.11	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.65 (at 1.79Å)	Xtrriage
Refinement program	REFMAC refmac_5.5.0109	Depositor
R, $R_{free}$	0.181 , 0.216 0.193 , 0.226	Depositor DCC
$R_{free}$ test set	5897 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	19.3	Xtrriage
Anisotropy	0.715	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 40.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.33$	Xtrriage
Estimated twinning fraction	0.011 for h,-k,-h-l	Xtrriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	9884	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	22.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.06% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: PG0

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	1.67	8/4831 (0.2%)	0.87	8/6558 (0.1%)
1	B	1.67	21/4872 (0.4%)	0.87	8/6614 (0.1%)
All	All	1.67	29/9703 (0.3%)	0.87	16/13172 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
All	All	0	2

All (29) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	98	GLU	CD-OE2	-5.99	1.19	1.25
1	B	571	VAL	CB-CG2	-5.89	1.40	1.52
1	A	107	TRP	CB-CG	-5.87	1.39	1.50
1	A	288	ASN	C-N	-5.86	1.20	1.34
1	B	98	GLU	CD-OE2	-5.77	1.19	1.25
1	B	326	VAL	CB-CG2	-5.76	1.40	1.52
1	B	301	TYR	CE2-CZ	-5.68	1.31	1.38
1	B	260	GLU	CG-CD	5.58	1.60	1.51
1	B	392	TYR	CD1-CE1	-5.57	1.30	1.39
1	B	546	TYR	C-O	-5.53	1.12	1.23
1	B	44	CYS	CB-SG	-5.51	1.72	1.81
1	A	98	GLU	CD-OE1	-5.51	1.19	1.25
1	A	215	SER	CB-OG	-5.48	1.35	1.42
1	B	43	ALA	CA-CB	-5.46	1.41	1.52

*Continued on next page...*

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	233	GLU	CD-OE1	-5.46	1.19	1.25
1	B	464	VAL	CB-CG2	-5.41	1.41	1.52
1	A	256	GLU	CD-OE1	-5.39	1.19	1.25
1	A	35	GLU	CD-OE1	-5.36	1.19	1.25
1	B	280	GLY	C-O	-5.28	1.15	1.23
1	B	496	GLU	CD-OE2	-5.28	1.19	1.25
1	B	66	VAL	CB-CG1	-5.23	1.41	1.52
1	B	81	GLU	CD-OE2	-5.21	1.20	1.25
1	A	22	GLY	C-O	-5.18	1.15	1.23
1	B	546	TYR	CD2-CE2	-5.15	1.31	1.39
1	B	69	GLY	C-O	-5.11	1.15	1.23
1	B	580	GLY	C-O	-5.10	1.15	1.23
1	B	313	GLU	CD-OE1	-5.09	1.20	1.25
1	B	373	GLU	CD-OE1	-5.06	1.20	1.25
1	B	256	GLU	CD-OE2	-5.06	1.20	1.25

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	474	TRP	N-CA-C	7.80	132.06	111.00
1	B	474	TRP	N-CA-CB	-7.80	96.57	110.60
1	A	7	ASP	CB-CA-C	-7.14	96.11	110.40
1	A	154	ILE	C-N-CA	-6.56	105.29	121.70
1	A	156	ASN	N-CA-CB	-6.27	99.32	110.60
1	B	435	GLU	O-C-N	6.13	132.50	122.70
1	A	139	ARG	NE-CZ-NH1	5.76	123.18	120.30
1	B	154	ILE	C-N-CA	-5.75	107.32	121.70
1	B	212	ARG	NE-CZ-NH2	-5.59	117.50	120.30
1	A	474	TRP	N-CA-CB	-5.56	100.60	110.60
1	A	288	ASN	C-N-CA	-5.54	107.84	121.70
1	A	341	LEU	CA-CB-CG	5.51	127.97	115.30
1	B	155	GLU	N-CA-C	-5.40	96.41	111.00
1	A	6	TYR	CB-CA-C	-5.37	99.66	110.40
1	B	546	TYR	C-N-CA	5.10	134.45	121.70
1	B	435	GLU	CA-C-N	-5.07	106.05	117.20

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	421	ASN	Peptide
1	B	421	ASN	Peptide



## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4698	0	4542	72	0
1	B	4737	0	4587	82	0
2	A	16	0	24	3	0
2	B	8	0	12	0	0
3	A	208	0	0	3	0
3	B	217	0	0	2	0
All	All	9884	0	9165	154	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (154) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:490:THR:HG22	1:B:492:ASP:H	1.08	1.15
1:A:15:LYS:HB2	1:A:15:LYS:NZ	1.48	1.14
1:B:319:ARG:HH11	1:B:319:ARG:CG	1.64	1.06
1:B:319:ARG:HH11	1:B:319:ARG:HG3	1.23	1.01
1:B:585:THR:HG22	1:B:585:THR:O	1.64	0.97
1:A:15:LYS:NZ	1:A:15:LYS:CB	2.29	0.93
1:A:15:LYS:HB2	1:A:15:LYS:HZ2	1.15	0.92
1:A:15:LYS:HB2	1:A:15:LYS:HZ3	1.32	0.90
1:B:490:THR:CG2	1:B:492:ASP:H	1.84	0.90
1:B:490:THR:HG22	1:B:492:ASP:N	1.91	0.85
1:A:25:HIS:HD2	1:A:28:ARG:HH11	1.23	0.84
1:B:25:HIS:HD2	1:B:28:ARG:HH11	1.26	0.84
1:A:241:HIS:HE1	1:A:286:ASN:HD22	1.30	0.79
1:B:319:ARG:HG3	1:B:319:ARG:NH1	1.96	0.79
1:A:288:ASN:ND2	1:A:291:ASP:H	1.82	0.78
1:B:585:THR:O	1:B:585:THR:CG2	2.29	0.78
1:A:7:ASP:OD1	1:A:8:ASP:N	2.16	0.77
1:B:241:HIS:HE1	1:B:286:ASN:HD22	1.33	0.77
1:A:288:ASN:HD21	1:A:291:ASP:H	1.33	0.76
1:A:483:ASP:H	2:A:901:PG0:H53	1.50	0.76
1:A:165:GLN:HE21	1:A:169:GLN:HE21	1.35	0.74

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:283:ASN:HD21	1:A:535:ARG:HH21	1.35	0.74
1:A:97:ALA:O	1:A:98:GLU:HB2	1.87	0.73
1:B:319:ARG:HH11	1:B:319:ARG:HG2	1.55	0.72
1:A:292:TYR:H	1:A:421:ASN:HD21	1.38	0.71
1:A:50:GLU:OE2	1:A:90:ARG:HD3	1.93	0.68
1:B:349:GLU:HB3	1:B:489:PHE:HB3	1.75	0.68
1:B:490:THR:HG21	1:B:492:ASP:CG	2.15	0.68
1:A:15:LYS:CB	1:A:15:LYS:HZ3	1.97	0.68
2:A:901:PG0:H52	3:A:1069:HOH:O	1.94	0.68
1:A:236:HIS:HE1	1:A:272:MET:O	1.77	0.67
1:A:25:HIS:CD2	1:A:28:ARG:HH11	2.10	0.67
1:B:319:ARG:NH1	1:B:323:GLU:OE2	2.27	0.67
1:B:344:LYS:NZ	1:B:346:LYS:HZ2	1.93	0.66
1:B:421:ASN:O	1:B:424:CYS:HB2	1.95	0.66
1:B:319:ARG:NE	1:B:331:LEU:HD13	2.13	0.63
1:B:344:LYS:NZ	1:B:346:LYS:NZ	2.47	0.62
1:B:25:HIS:CD2	1:B:28:ARG:HH11	2.12	0.62
1:B:96:CYS:O	1:B:97:ALA:HB3	1.97	0.62
1:B:236:HIS:HE1	1:B:272:MET:O	1.83	0.62
1:B:319:ARG:CD	1:B:331:LEU:HD13	2.31	0.60
1:A:120:ASN:HD22	1:A:123:TYR:H	1.49	0.60
1:A:532:HIS:HD2	1:A:534:GLY:H	1.47	0.60
1:B:173:ASP:OD2	1:B:177:LYS:CE	2.50	0.60
1:B:283:ASN:HD21	1:B:535:ARG:HH21	1.50	0.60
1:B:490:THR:CG2	1:B:492:ASP:CG	2.70	0.60
1:A:280:GLY:HA2	1:A:532:HIS:CG	2.37	0.59
1:B:532:HIS:HD2	1:B:534:GLY:H	1.48	0.59
1:B:319:ARG:HD3	1:B:331:LEU:HD13	1.84	0.59
1:B:7:ASP:OD1	1:B:8:ASP:N	2.36	0.59
1:A:482:LYS:H	2:A:901:PG0:H51	1.68	0.58
1:A:283:ASN:HD21	1:A:535:ARG:NH2	2.01	0.58
1:A:241:HIS:HD2	1:A:244:GLU:OE2	1.86	0.58
1:A:176:LYS:HE3	1:A:180:GLY:O	2.03	0.58
1:B:236:HIS:HD2	1:B:314:LYS:HD3	1.69	0.57
1:B:106:TYR:CD2	1:B:378:ALA:HB2	2.39	0.56
1:B:326:VAL:HG23	1:B:328:LEU:HG	1.86	0.56
1:B:319:ARG:CG	1:B:319:ARG:NH1	2.39	0.56
1:B:576:THR:HG23	3:B:1109:HOH:O	2.06	0.56
1:B:25:HIS:HE1	3:B:1055:HOH:O	1.87	0.56
1:B:90:ARG:HH11	1:B:153:GLN:HE22	1.54	0.56
1:A:532:HIS:CD2	1:A:534:GLY:H	2.22	0.56

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:169:GLN:HE22	1:B:172:ARG:HH11	1.52	0.56
1:A:283:ASN:ND2	1:A:535:ARG:HH21	2.02	0.55
1:A:408:VAL:O	1:A:415:VAL:HG22	2.06	0.55
1:A:353:LEU:C	1:A:353:LEU:HD23	2.27	0.55
1:B:397:LEU:O	1:B:426:ARG:HA	2.07	0.54
1:B:7:ASP:CG	1:B:8:ASP:H	2.10	0.54
1:B:532:HIS:CD2	1:B:534:GLY:H	2.25	0.54
1:B:280:GLY:HA2	1:B:532:HIS:CG	2.44	0.53
1:A:106:TYR:CD2	1:A:378:ALA:HB2	2.44	0.53
1:B:241:HIS:CE1	1:B:286:ASN:HD22	2.20	0.53
1:A:201:GLU:HA	1:A:201:GLU:OE1	2.09	0.53
1:A:120:ASN:ND2	1:A:123:TYR:H	2.07	0.52
1:B:353:LEU:C	1:B:353:LEU:HD23	2.30	0.52
1:A:35:GLU:OE2	1:A:82:LYS:HE2	2.09	0.52
1:B:139:ARG:HB3	1:B:140:PRO:HD3	1.92	0.52
1:A:241:HIS:CE1	1:A:286:ASN:HD22	2.19	0.51
1:A:288:ASN:C	1:A:288:ASN:HD22	2.14	0.51
1:A:568:HIS:HE1	3:A:1190:HOH:O	1.92	0.51
1:B:359:ARG:HD3	1:B:486:SER:O	2.10	0.51
1:B:585:THR:N	1:B:586:PRO:CD	2.73	0.51
1:A:349:GLU:HB3	1:A:489:PHE:HB3	1.91	0.51
1:B:319:ARG:HE	1:B:331:LEU:HD13	1.74	0.51
1:A:285:ALA:H	1:A:449:ASN:HD22	1.59	0.51
1:A:121:GLN:O	1:A:125:GLU:HG3	2.11	0.50
1:A:25:HIS:HE1	3:A:1043:HOH:O	1.94	0.50
1:B:490:THR:CG2	1:B:491:ALA:N	2.74	0.50
1:A:576:THR:OG1	1:A:577:PRO:HD2	2.12	0.49
1:B:241:HIS:HD2	1:B:244:GLU:OE2	1.96	0.49
1:B:576:THR:HG23	1:B:576:THR:O	2.12	0.49
1:B:415:VAL:HG22	1:B:427:LEU:HD13	1.95	0.48
1:B:120:ASN:HD22	1:B:123:TYR:H	1.60	0.48
1:B:60:PRO:HD2	1:B:64:GLN:O	2.14	0.48
1:B:474:TRP:CD1	1:B:474:TRP:N	2.78	0.48
1:B:288:ASN:O	1:B:289:GLU:HB2	2.13	0.48
1:A:232:MET:O	1:A:269:ASN:HB3	2.14	0.48
1:A:120:ASN:ND2	1:A:122:PRO:HD2	2.29	0.47
1:B:139:ARG:N	1:B:140:PRO:CD	2.76	0.47
1:A:288:ASN:ND2	1:A:290:THR:H	2.12	0.47
1:A:454:VAL:HG22	1:A:454:VAL:O	2.15	0.47
1:A:292:TYR:H	1:A:421:ASN:ND2	2.11	0.46
1:B:283:ASN:ND2	1:B:535:ARG:HE	2.13	0.46

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:549:ALA:N	1:A:550:PRO:CD	2.78	0.46
1:B:285:ALA:H	1:B:449:ASN:HD22	1.63	0.46
1:A:52:TYR:CE2	1:A:97:ALA:HB2	2.50	0.46
1:A:236:HIS:CE1	1:A:272:MET:O	2.64	0.46
1:B:520:GLU:O	1:B:520:GLU:HG2	2.16	0.46
1:B:549:ALA:N	1:B:550:PRO:CD	2.78	0.46
1:A:139:ARG:N	1:A:140:PRO:CD	2.79	0.46
1:B:173:ASP:OD2	1:B:177:LYS:NZ	2.49	0.45
1:A:422:ARG:C	1:A:424:CYS:H	2.18	0.45
1:B:283:ASN:HD21	1:B:535:ARG:NH2	2.13	0.45
1:A:283:ASN:ND2	1:A:535:ARG:HE	2.15	0.45
1:A:516:ILE:HG12	1:A:573:PHE:CE1	2.52	0.45
1:A:349:GLU:HB3	1:A:489:PHE:CB	2.47	0.45
1:A:400:GLN:O	1:A:462:GLU:HB2	2.17	0.45
1:A:176:LYS:HA	1:A:176:LYS:HD2	1.67	0.44
1:A:529:ASN:ND2	1:A:558:GLU:H	2.14	0.44
1:B:283:ASN:ND2	1:B:535:ARG:HH21	2.16	0.44
1:A:271:TYR:HA	1:A:272:MET:HA	1.77	0.44
1:B:217:PHE:O	1:B:221:LYS:HG3	2.17	0.44
1:B:529:ASN:ND2	1:B:558:GLU:H	2.16	0.44
1:A:143:SER:HA	1:A:147:GLY:O	2.18	0.44
1:A:342:PHE:HB3	1:A:506:LEU:HD11	2.00	0.44
1:B:344:LYS:HZ1	1:B:346:LYS:NZ	2.16	0.44
1:B:402:ILE:O	1:B:402:ILE:HG23	2.18	0.44
1:B:582:ILE:HA	1:B:583:PRO:HD3	1.84	0.43
1:B:283:ASN:HD21	1:B:535:ARG:HE	1.66	0.43
1:B:52:TYR:CE2	1:B:97:ALA:HB2	2.53	0.43
1:B:236:HIS:CE1	1:B:272:MET:O	2.69	0.43
1:B:120:ASN:ND2	1:B:123:TYR:H	2.16	0.43
1:B:569:GLN:CD	1:B:569:GLN:N	2.72	0.42
1:A:400:GLN:HA	1:A:401:ASP:HA	1.84	0.42
1:B:494:VAL:HG12	1:B:500:TYR:CD1	2.54	0.42
1:A:241:HIS:HE1	1:A:286:ASN:ND2	2.08	0.42
1:B:319:ARG:HE	1:B:331:LEU:CD1	2.33	0.42
1:B:342:PHE:HB3	1:B:506:LEU:HD11	2.01	0.42
1:A:281:PHE:CZ	1:A:532:HIS:HE1	2.37	0.42
1:A:207:VAL:O	1:A:231:CYS:HA	2.20	0.42
1:B:90:ARG:HH11	1:B:153:GLN:NE2	2.15	0.41
1:A:369:PRO:HG2	1:A:463:GLY:HA2	2.02	0.41
1:B:503:LYS:HG2	1:B:504:GLY:N	2.34	0.41
1:B:271:TYR:HA	1:B:272:MET:HA	1.86	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:561:LEU:C	1:A:561:LEU:HD23	2.40	0.41
1:B:549:ALA:HB3	1:B:550:PRO:HD3	2.03	0.41
1:A:241:HIS:CD2	1:A:244:GLU:OE2	2.72	0.41
1:B:400:GLN:HA	1:B:401:ASP:HA	1.88	0.41
1:A:91:PRO:HD2	1:A:153:GLN:O	2.21	0.41
1:A:403:HIS:HA	1:A:404:ASP:HA	1.80	0.41
1:A:549:ALA:HB3	1:A:550:PRO:HD3	2.03	0.41
1:A:469:GLN:NE2	1:B:163:ASN:HB3	2.36	0.40
1:A:323:GLU:HG2	1:A:328:LEU:HD12	2.03	0.40
1:B:403:HIS:HA	1:B:404:ASP:HA	1.77	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	579/600 (96%)	565 (98%)	14 (2%)	0	100	100
1	B	584/600 (97%)	568 (97%)	15 (3%)	1 (0%)	47	33
All	All	1163/1200 (97%)	1133 (97%)	29 (2%)	1 (0%)	51	36

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	473	ASP

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	503/521 (96%)	489 (97%)	14 (3%)	43	30
1	B	508/521 (98%)	494 (97%)	14 (3%)	43	30
All	All	1011/1042 (97%)	983 (97%)	28 (3%)	43	30

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	ASP
1	A	9	SER
1	A	15	LYS
1	A	101	PHE
1	A	155	GLU
1	A	176	LYS
1	A	288	ASN
1	A	319	ARG
1	A	344	LYS
1	A	394	LYS
1	A	422	ARG
1	A	490	THR
1	A	492	ASP
1	A	509	ASP
1	B	57	LEU
1	B	100	GLU
1	B	101	PHE
1	B	121	GLN
1	B	155	GLU
1	B	314	LYS
1	B	319	ARG
1	B	327	ASP
1	B	415	VAL
1	B	419	GLU
1	B	422	ARG
1	B	503	LYS
1	B	554	GLU
1	B	569	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (29) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	25	HIS
1	A	120	ASN
1	A	153	GLN
1	A	165	GLN
1	A	236	HIS
1	A	241	HIS
1	A	283	ASN
1	A	288	ASN
1	A	421	ASN
1	A	449	ASN
1	A	469	GLN
1	A	497	ASN
1	A	529	ASN
1	A	532	HIS
1	A	568	HIS
1	B	25	HIS
1	B	120	ASN
1	B	153	GLN
1	B	165	GLN
1	B	169	GLN
1	B	222	GLN
1	B	236	HIS
1	B	241	HIS
1	B	283	ASN
1	B	449	ASN
1	B	469	GLN
1	B	529	ASN
1	B	532	HIS
1	B	568	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	PG0	A	900	-	7,7,7	0.60	0	6,6,6	0.56	0
2	PG0	B	900	-	7,7,7	0.66	0	6,6,6	0.46	0
2	PG0	A	901	-	7,7,7	0.67	0	6,6,6	0.70	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PG0	A	900	-	-	2/5/5/5	-
2	PG0	B	900	-	-	3/5/5/5	-
2	PG0	A	901	-	-	1/5/5/5	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	B	900	PG0	C4-C3-O1-C2
2	A	900	PG0	O1-C3-C4-O2
2	A	900	PG0	C3-C4-O2-C5
2	B	900	PG0	OTT-C1-C2-O1
2	B	900	PG0	C3-C4-O2-C5
2	A	901	PG0	O1-C3-C4-O2

There are no ring outliers.

1 monomer is involved in 3 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	901	PG0	3	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	581/600 (96%)	-0.37	9 (1%) 73 70	13, 20, 36, 54	0
1	B	586/600 (97%)	-0.29	8 (1%) 75 72	14, 20, 37, 57	0
All	All	1167/1200 (97%)	-0.33	17 (1%) 73 70	13, 20, 36, 57	0

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	424	CYS	7.5
1	B	422	ARG	5.4
1	A	423	GLY	4.6
1	A	424	CYS	4.5
1	A	491	ALA	4.4
1	A	289	GLU	4.0
1	A	7	ASP	3.8
1	B	7	ASP	3.3
1	A	422	ARG	3.2
1	B	423	GLY	3.2
1	A	14	GLY	3.1
1	A	97	ALA	2.9
1	B	327	ASP	2.4
1	B	13	ASP	2.3
1	B	425	SER	2.1
1	B	492	ASP	2.0
1	A	493	GLU	2.0

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
2	PG0	A	900	8/8	0.77	0.26	18,29,33,39	0
2	PG0	B	900	8/8	0.82	0.19	24,29,34,42	0
2	PG0	A	901	8/8	0.91	0.17	11,28,33,34	0

### 6.5 Other polymers [i](#)

There are no such residues in this entry.