



# Full wwPDB X-ray Structure Validation Report ⓘ

Sep 13, 2023 – 08:37 AM EDT

PDB ID : 4Q41  
Title : Crystal structure of Schistosoma mansoni arginase in complex with L-lysine  
Authors : Hai, Y.; Edwards, J.E.; Van Zandt, M.C.; Hoffmann, K.F.; Christianson, D.W.  
Deposited on : 2014-04-12  
Resolution : 2.20 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.35.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	385	 3% 81% 5% 14%
1	B	385	 % 82% 5% • 13%
1	C	385	 3% 80% 6% 14%
1	D	385	 23% 78% 6% • 15%

## 2 Entry composition i

There are 5 unique types of molecules in this entry. The entry contains 10684 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Arginase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	333	2557	1612	447	483	15	0	0	0
1	B	336	2586	1627	452	492	15	0	1	0
1	C	333	2558	1612	446	484	16	0	1	0
1	D	329	2522	1590	440	478	14	0	0	0

There are 84 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-20	MET	-	expression tag	UNP Q6WVP6
A	-19	GLY	-	expression tag	UNP Q6WVP6
A	-18	SER	-	expression tag	UNP Q6WVP6
A	-17	SER	-	expression tag	UNP Q6WVP6
A	-16	HIS	-	expression tag	UNP Q6WVP6
A	-15	HIS	-	expression tag	UNP Q6WVP6
A	-14	HIS	-	expression tag	UNP Q6WVP6
A	-13	HIS	-	expression tag	UNP Q6WVP6
A	-12	HIS	-	expression tag	UNP Q6WVP6
A	-11	HIS	-	expression tag	UNP Q6WVP6
A	-10	SER	-	expression tag	UNP Q6WVP6
A	-9	SER	-	expression tag	UNP Q6WVP6
A	-8	GLY	-	expression tag	UNP Q6WVP6
A	-7	LEU	-	expression tag	UNP Q6WVP6
A	-6	VAL	-	expression tag	UNP Q6WVP6
A	-5	PRO	-	expression tag	UNP Q6WVP6
A	-4	ARG	-	expression tag	UNP Q6WVP6
A	-3	GLY	-	expression tag	UNP Q6WVP6
A	-2	SER	-	expression tag	UNP Q6WVP6
A	-1	HIS	-	expression tag	UNP Q6WVP6
A	0	MET	-	expression tag	UNP Q6WVP6

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	-20	MET	-	expression tag	UNP Q6WVP6
B	-19	GLY	-	expression tag	UNP Q6WVP6
B	-18	SER	-	expression tag	UNP Q6WVP6
B	-17	SER	-	expression tag	UNP Q6WVP6
B	-16	HIS	-	expression tag	UNP Q6WVP6
B	-15	HIS	-	expression tag	UNP Q6WVP6
B	-14	HIS	-	expression tag	UNP Q6WVP6
B	-13	HIS	-	expression tag	UNP Q6WVP6
B	-12	HIS	-	expression tag	UNP Q6WVP6
B	-11	HIS	-	expression tag	UNP Q6WVP6
B	-10	SER	-	expression tag	UNP Q6WVP6
B	-9	SER	-	expression tag	UNP Q6WVP6
B	-8	GLY	-	expression tag	UNP Q6WVP6
B	-7	LEU	-	expression tag	UNP Q6WVP6
B	-6	VAL	-	expression tag	UNP Q6WVP6
B	-5	PRO	-	expression tag	UNP Q6WVP6
B	-4	ARG	-	expression tag	UNP Q6WVP6
B	-3	GLY	-	expression tag	UNP Q6WVP6
B	-2	SER	-	expression tag	UNP Q6WVP6
B	-1	HIS	-	expression tag	UNP Q6WVP6
B	0	MET	-	expression tag	UNP Q6WVP6
C	-20	MET	-	expression tag	UNP Q6WVP6
C	-19	GLY	-	expression tag	UNP Q6WVP6
C	-18	SER	-	expression tag	UNP Q6WVP6
C	-17	SER	-	expression tag	UNP Q6WVP6
C	-16	HIS	-	expression tag	UNP Q6WVP6
C	-15	HIS	-	expression tag	UNP Q6WVP6
C	-14	HIS	-	expression tag	UNP Q6WVP6
C	-13	HIS	-	expression tag	UNP Q6WVP6
C	-12	HIS	-	expression tag	UNP Q6WVP6
C	-11	HIS	-	expression tag	UNP Q6WVP6
C	-10	SER	-	expression tag	UNP Q6WVP6
C	-9	SER	-	expression tag	UNP Q6WVP6
C	-8	GLY	-	expression tag	UNP Q6WVP6
C	-7	LEU	-	expression tag	UNP Q6WVP6
C	-6	VAL	-	expression tag	UNP Q6WVP6
C	-5	PRO	-	expression tag	UNP Q6WVP6
C	-4	ARG	-	expression tag	UNP Q6WVP6
C	-3	GLY	-	expression tag	UNP Q6WVP6
C	-2	SER	-	expression tag	UNP Q6WVP6
C	-1	HIS	-	expression tag	UNP Q6WVP6
C	0	MET	-	expression tag	UNP Q6WVP6

*Continued on next page...*


*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	-20	MET	-	expression tag	UNP Q6WVP6
D	-19	GLY	-	expression tag	UNP Q6WVP6
D	-18	SER	-	expression tag	UNP Q6WVP6
D	-17	SER	-	expression tag	UNP Q6WVP6
D	-16	HIS	-	expression tag	UNP Q6WVP6
D	-15	HIS	-	expression tag	UNP Q6WVP6
D	-14	HIS	-	expression tag	UNP Q6WVP6
D	-13	HIS	-	expression tag	UNP Q6WVP6
D	-12	HIS	-	expression tag	UNP Q6WVP6
D	-11	HIS	-	expression tag	UNP Q6WVP6
D	-10	SER	-	expression tag	UNP Q6WVP6
D	-9	SER	-	expression tag	UNP Q6WVP6
D	-8	GLY	-	expression tag	UNP Q6WVP6
D	-7	LEU	-	expression tag	UNP Q6WVP6
D	-6	VAL	-	expression tag	UNP Q6WVP6
D	-5	PRO	-	expression tag	UNP Q6WVP6
D	-4	ARG	-	expression tag	UNP Q6WVP6
D	-3	GLY	-	expression tag	UNP Q6WVP6
D	-2	SER	-	expression tag	UNP Q6WVP6
D	-1	HIS	-	expression tag	UNP Q6WVP6
D	0	MET	-	expression tag	UNP Q6WVP6

- Molecule 2 is MANGANESE (II) ION (three-letter code: MN) (formula: Mn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	2	Total Mn 2 2	0	0
2	B	2	Total Mn 2 2	0	0
2	C	2	Total Mn 2 2	0	0
2	D	2	Total Mn 2 2	0	0

- Molecule 3 is LYSINE (three-letter code: LYS) (formula: C<sub>6</sub>H<sub>15</sub>N<sub>2</sub>O<sub>2</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	
			Total	C	N			O
3	A	1	10	6	2	2	0	0
3	B	1	10	6	2	2	0	0

- Molecule 4 is GLYCEROL (three-letter code: GOL) (formula: C<sub>3</sub>H<sub>8</sub>O<sub>3</sub>).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
4	A	1	6	3	3	0	0
4	A	1	6	3	3	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			6	3	3		
4	B	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		
4	C	1	Total	C	O	0	0
			6	3	3		



- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	155	Total	O	0	0
			155	155		
5	B	138	Total	O	0	0
			138	138		
5	C	82	Total	O	0	0
			82	82		
5	D	22	Total	O	0	0
			22	22		



### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Arginase




- Molecule 1: Arginase




- Molecule 1: Arginase



- Molecule 1: Arginase







## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 3	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	177.45Å 177.45Å 177.45Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.22 – 2.20 49.22 – 2.20	Depositor EDS
% Data completeness (in resolution range)	100.0 (49.22-2.20) 100.0 (49.22-2.20)	Depositor EDS
$R_{merge}$	0.12	Depositor
$R_{sym}$	0.12	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.21 (at 2.20Å)	Xtrriage
Refinement program	PHENIX (phenix.refine: 1.8.3_1479)	Depositor
R, $R_{free}$	0.172 , 0.201 0.175 , 0.202	Depositor DCC
$R_{free}$ test set	4730 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	35.8	Xtrriage
Anisotropy	0.000	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 42.0	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	0.033 for l,-k,h	Xtrriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	10684	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	48.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.68% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MN, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.45	0/2604	0.58	0/3528
1	B	0.44	0/2633	0.58	0/3568
1	C	0.36	0/2608	0.50	0/3535
1	D	0.32	0/2569	0.45	0/3484
All	All	0.40	0/10414	0.53	0/14115

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2557	0	2574	8	0
1	B	2586	0	2595	8	0
1	C	2558	0	2573	9	0
1	D	2522	0	2531	13	0
2	A	2	0	0	0	0
2	B	2	0	0	0	0
2	C	2	0	0	0	0
2	D	2	0	0	0	0
3	A	10	0	12	2	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	10	0	12	1	0
4	A	12	0	16	0	0
4	B	12	0	16	0	0
4	C	12	0	16	0	0
5	A	155	0	0	2	0
5	B	138	0	0	0	0
5	C	82	0	0	0	0
5	D	22	0	0	0	0
All	All	10684	0	10345	38	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (38) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:131:HIS:CE1	1:D:262:ASP:HB2	2.37	0.59
1:B:213[A]:ASP:OD2	3:B:403:LYS:N	2.35	0.59
1:D:158:ASP:HB3	1:D:174:PRO:HD2	1.90	0.53
1:C:69:ILE:HD13	1:C:98:ILE:HA	1.91	0.53
1:C:210:ARG:HD3	1:C:230:MET:HG3	1.92	0.50
1:A:160:ASN:ND2	3:A:403:LYS:OXT	2.45	0.49
1:D:173:MET:N	1:D:174:PRO:HD3	2.27	0.49
1:D:69:ILE:HD13	1:D:98:ILE:HA	1.95	0.49
1:D:316:GLU:HG2	1:D:320:LYS:HE3	1.95	0.48
1:D:29:ILE:HG22	1:D:31:THR:HG23	1.95	0.47
1:C:252:ARG:NH1	1:C:254:GLU:OE1	2.48	0.47
1:B:357:ALA:O	1:B:361:GLN:HG2	2.15	0.46
1:A:183:GLN:HG3	1:A:197:PRO:HG2	1.98	0.46
3:A:403:LYS:NZ	5:A:655:HOH:O	2.46	0.45
1:B:76:GLU:CD	1:B:76:GLU:H	2.20	0.45
1:D:86:LYS:HE2	1:D:167:SER:O	2.16	0.45
1:D:209:LEU:HB2	1:D:229:THR:HG22	1.99	0.45
1:A:82:ARG:NH2	1:A:89:ARG:HG3	2.32	0.44
1:A:213:ASP:HB3	5:A:625:HOH:O	2.18	0.44
1:A:18:LYS:HB2	1:A:18:LYS:HE3	1.84	0.44
1:A:86:LYS:NZ	1:A:167:SER:O	2.49	0.42
1:D:196:LYS:HA	1:D:197:PRO:HD3	1.92	0.42
1:B:131:HIS:CE1	1:B:262:ASP:HB2	2.54	0.42
1:C:196:LYS:HA	1:C:197:PRO:HD3	1.79	0.42
1:D:122:THR:HA	1:D:123:PRO:HD3	1.91	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:20:LEU:HD12	1:A:20:LEU:HA	1.87	0.41
1:C:247:LEU:HD12	1:C:247:LEU:HA	1.89	0.41
1:A:163:LEU:HA	1:A:163:LEU:HD13	1.86	0.41
1:B:196:LYS:HA	1:B:197:PRO:HD3	1.92	0.41
1:B:97:ARG:NE	1:C:350:ASP:O	2.53	0.41
1:D:158:ASP:O	1:D:174:PRO:HD2	2.21	0.41
1:D:247:LEU:HD12	1:D:247:LEU:HA	1.84	0.41
1:C:126:ILE:O	1:C:304:GLU:HA	2.21	0.40
1:B:173:MET:N	1:B:174:PRO:CD	2.85	0.40
1:C:124:LEU:HB3	1:C:302:VAL:HG22	2.02	0.40
1:B:135:THR:HA	1:B:178:LEU:HD11	2.03	0.40
1:D:272:PRO:HB2	1:D:317:ASP:HB3	2.04	0.40
1:C:183:GLN:HG3	1:C:197:PRO:HG2	2.04	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	329/385 (86%)	322 (98%)	6 (2%)	1 (0%)	41	46
1	B	333/385 (86%)	327 (98%)	5 (2%)	1 (0%)	41	46
1	C	330/385 (86%)	323 (98%)	5 (2%)	2 (1%)	25	26
1	D	325/385 (84%)	315 (97%)	9 (3%)	1 (0%)	41	46
All	All	1317/1540 (86%)	1287 (98%)	25 (2%)	5 (0%)	34	37

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	361	GLN
1	A	173	MET

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	173	MET
1	C	173	MET
1	D	173	MET

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	280/327 (86%)	270 (96%)	10 (4%)	35	45
1	B	284/327 (87%)	274 (96%)	10 (4%)	36	46
1	C	281/327 (86%)	272 (97%)	9 (3%)	39	50
1	D	276/327 (84%)	269 (98%)	7 (2%)	47	60
All	All	1121/1308 (86%)	1085 (97%)	36 (3%)	39	50

All (36) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	32	ASN
1	A	76	GLU
1	A	89	ARG
1	A	108	GLN
1	A	131	HIS
1	A	171	HIS
1	A	182	LEU
1	A	231	LEU
1	A	341	LEU
1	A	344	LYS
1	B	32	ASN
1	B	100	GLU
1	B	108	GLN
1	B	131	HIS
1	B	163	LEU
1	B	171	HIS
1	B	182	LEU
1	B	185	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	231	LEU
1	B	299	LYS
1	C	32	ASN
1	C	62	GLN
1	C	131	HIS
1	C	171	HIS
1	C	182	LEU
1	C	231	LEU
1	C	247	LEU
1	C	338	SER
1	C	341	LEU
1	D	32	ASN
1	D	37	LYS
1	D	131	HIS
1	D	171	HIS
1	D	231	LEU
1	D	247	LEU
1	D	349	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	200	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 16 ligands modelled in this entry, 8 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
4	GOL	A	404	-	5,5,5	0.46	0	5,5,5	0.47	0
4	GOL	C	404	-	5,5,5	0.35	0	5,5,5	0.25	0
3	LYS	B	403	-	8,9,9	0.78	1 (12%)	9,10,10	1.35	2 (22%)
4	GOL	C	403	-	5,5,5	0.38	0	5,5,5	0.35	0
4	GOL	B	404	-	5,5,5	0.36	0	5,5,5	0.69	0
3	LYS	A	403	-	8,9,9	0.77	0	9,10,10	1.27	2 (22%)
4	GOL	A	405	-	5,5,5	0.22	0	5,5,5	1.04	0
4	GOL	B	405	-	5,5,5	0.32	0	5,5,5	0.56	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	GOL	A	404	-	-	2/4/4/4	-
4	GOL	C	404	-	-	0/4/4/4	-
3	LYS	B	403	-	-	0/9/9/9	-
4	GOL	C	403	-	-	2/4/4/4	-
4	GOL	B	404	-	-	2/4/4/4	-
3	LYS	A	403	-	-	1/9/9/9	-
4	GOL	A	405	-	-	4/4/4/4	-
4	GOL	B	405	-	-	0/4/4/4	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	403	LYS	OXT-C	-2.07	1.23	1.30

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	403	LYS	OXT-C-O	-3.07	117.13	124.09

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	403	LYS	OXT-C-O	-2.79	117.75	124.09
3	B	403	LYS	OXT-C-CA	2.49	121.87	113.38
3	A	403	LYS	OXT-C-CA	2.19	120.85	113.38

There are no chirality outliers.

All (11) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	A	404	GOL	O1-C1-C2-C3
4	A	405	GOL	O1-C1-C2-O2
4	A	405	GOL	O1-C1-C2-C3
4	B	404	GOL	O1-C1-C2-C3
4	A	404	GOL	O1-C1-C2-O2
4	B	404	GOL	O1-C1-C2-O2
4	A	405	GOL	C1-C2-C3-O3
4	C	403	GOL	O1-C1-C2-O2
4	A	405	GOL	O2-C2-C3-O3
4	C	403	GOL	O1-C1-C2-C3
3	A	403	LYS	OXT-C-CA-CB

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	B	403	LYS	1	0
3	A	403	LYS	2	0

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	333/385 (86%)	0.24	11 (3%) 46 44	20, 31, 59, 88	0
1	B	336/385 (87%)	-0.02	4 (1%) 79 77	23, 34, 57, 84	0
1	C	333/385 (86%)	0.11	13 (3%) 39 37	38, 49, 70, 84	1 (0%)
1	D	329/385 (85%)	1.24	89 (27%) 0 0	46, 71, 93, 105	13 (3%)
All	All	1331/1540 (86%)	0.39	117 (8%) 10 8	20, 44, 84, 105	14 (1%)

All (117) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	345	VAL	7.1
1	D	343	PHE	7.1
1	D	195	ILE	5.6
1	D	184	ASP	5.5
1	D	91	PHE	5.5
1	D	166	ALA	5.2
1	D	350	ASP	5.0
1	D	139	LEU	4.9
1	D	351	GLN	4.7
1	D	164	ASN	4.7
1	C	362	THR	4.6
1	D	349	THR	4.6
1	D	352	GLY	4.4
1	D	344	LYS	4.4
1	D	22	THR	4.4
1	D	358	ALA	4.3
1	D	182	LEU	4.2
1	D	354	MET	4.2
1	D	341	LEU	4.1
1	D	192	PHE	4.1
1	D	90	SER	4.1

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	D	177	PHE	4.0
1	D	346	ARG	3.7
1	D	138	ILE	3.7
1	D	96	LEU	3.6
1	D	189	LEU	3.6
1	D	146	PRO	3.5
1	D	163	LEU	3.5
1	D	161	THR	3.4
1	A	343	PHE	3.4
1	D	186	ILE	3.4
1	D	188	TRP	3.3
1	D	162	PRO	3.2
1	D	108	GLN	3.1
1	C	343	PHE	3.1
1	D	353	ILE	3.1
1	D	196	LYS	3.1
1	D	256	ALA	3.1
1	C	233	VAL	3.1
1	C	122	THR	3.1
1	D	355	SER	3.1
1	D	36	PRO	3.1
1	D	187	PRO	3.1
1	D	147	ASP	3.0
1	D	148	LEU	3.0
1	C	105	LEU	3.0
1	D	347	ASN	3.0
1	A	238	ILE	3.0
1	D	342	PRO	2.9
1	D	92	SER	2.9
1	D	74	LEU	2.9
1	D	348	LEU	2.9
1	D	102	VAL	2.8
1	D	183	GLN	2.8
1	D	87	TRP	2.8
1	D	357	ALA	2.8
1	D	190	ASP	2.8
1	D	215	HIS	2.8
1	D	144	ALA	2.7
1	D	170	MET	2.7
1	D	220	ILE	2.6
1	D	72	VAL	2.6
1	D	185	GLN	2.6

*Continued on next page...*

*Continued from previous page...*

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>RSRZ</b>
1	A	357	ALA	2.6
1	A	361	GLN	2.6
1	D	83	PHE	2.6
1	C	358	ALA	2.6
1	D	24	ALA	2.5
1	D	165	SER	2.5
1	D	70	ILE	2.5
1	D	84	GLY	2.5
1	D	60	GLY	2.4
1	D	85	MET	2.4
1	A	283	THR	2.4
1	A	241	VAL	2.4
1	B	110	ASN	2.4
1	D	57	ALA	2.4
1	D	69	ILE	2.4
1	D	99	ALA	2.3
1	D	79	ASP	2.3
1	D	157	GLY	2.3
1	D	222	LYS	2.3
1	A	358	ALA	2.3
1	D	104	GLU	2.3
1	D	61	ILE	2.3
1	D	143	GLU	2.3
1	B	343	PHE	2.2
1	C	108	GLN	2.2
1	D	194	GLY	2.2
1	B	109	SER	2.2
1	D	193	GLU	2.2
1	D	19	LEU	2.2
1	C	192	PHE	2.2
1	D	23	SER	2.2
1	A	291	CYS	2.2
1	D	258	HIS	2.2
1	D	159	ILE	2.2
1	A	233	VAL	2.2
1	D	105	LEU	2.1
1	D	66	CYS	2.1
1	C	360	MET	2.1
1	D	86	LYS	2.1
1	B	361	GLN	2.1
1	C	23	SER	2.1
1	C	121	SER	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	340	HIS	2.1
1	D	47	ILE	2.1
1	C	235	ARG	2.1
1	A	231	LEU	2.1
1	D	106	MET	2.1
1	D	31	THR	2.1
1	D	174	PRO	2.1
1	C	315	GLN	2.0
1	D	71	PRO	2.0
1	A	284	LEU	2.0
1	D	179	VAL	2.0
1	D	359	HIS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	LYS	A	403	10/10	0.81	0.19	36,44,49,54	0
3	LYS	B	403	10/10	0.85	0.15	41,49,58,58	0
4	GOL	C	403	6/6	0.88	0.24	58,60,64,70	0
4	GOL	A	405	6/6	0.91	0.19	36,50,57,61	0
4	GOL	C	404	6/6	0.91	0.20	57,65,69,69	0
4	GOL	B	404	6/6	0.92	0.11	45,51,58,63	0
4	GOL	A	404	6/6	0.95	0.19	42,45,53,55	0
4	GOL	B	405	6/6	0.95	0.14	41,51,58,65	0
2	MN	D	400	1/1	0.96	0.10	48,48,48,48	1
2	MN	C	401	1/1	0.99	0.08	41,41,41,41	0
2	MN	D	401	1/1	0.99	0.06	53,53,53,53	0

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	MN	A	402	1/1	1.00	0.19	25,25,25,25	0
2	MN	B	401	1/1	1.00	0.14	28,28,28,28	0
2	MN	B	402	1/1	1.00	0.14	27,27,27,27	0
2	MN	A	401	1/1	1.00	0.15	26,26,26,26	0
2	MN	C	402	1/1	1.00	0.10	40,40,40,40	0

## 6.5 Other polymers [i](#)

There are no such residues in this entry.