



Full wwPDB X-ray Structure Validation Report i

Feb 21, 2024 – 10:45 PM EST

PDB ID : 4QSM

Title : Crystal structure of human muscle L-lactate dehydrogenase in complex with inhibitor 2, 3-{[7-(2,4-dimethoxypyrimidin-5-yl)-3-sulfamoylquinolin-4-yl]amino}benzoic acid

Authors : Kolappan, S.; Craig, L.

Deposited on : 2014-07-06

Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the i symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467

Mogul : 1.8.5 (274361), CSD as541be (2020)

Xtriage (Phenix) : 1.13

EDS : 2.36

buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Refmac : 5.8.0158

CCP4 : 7.0.044 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001)

Ideal geometry (DNA, RNA) : Parkinson et al. (1996)

Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	2092 (3.00-3.00)
Clashscore	141614	2416 (3.00-3.00)
Ramachandran outliers	138981	2333 (3.00-3.00)
Sidechain outliers	138945	2336 (3.00-3.00)
RSRZ outliers	127900	1990 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain		
1	E	337	2%	80%	15% ..
1	F	337	.%	75%	21% ..
1	G	337		83%	14% ..
1	H	337		81%	15% ..

2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 21120 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called L-lactate dehydrogenase A chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
1	A	332	Total	C 2600	N 1660	O 446	S 481	13	0	3	0
1	B	331	Total	C 2584	N 1650	O 442	S 479	13	0	2	0
1	C	332	Total	C 2619	N 1671	O 448	S 487	13	0	5	0
1	D	332	Total	C 2618	N 1670	O 449	S 486	13	0	5	0
1	E	331	Total	C 2593	N 1655	O 443	S 482	13	0	3	0
1	F	331	Total	C 2619	N 1671	O 451	S 484	13	0	6	0
1	G	331	Total	C 2588	N 1650	O 444	S 481	13	0	3	0
1	H	331	Total	C 2567	N 1639	O 439	S 476	13	0	0	0

There are 48 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	333	HIS	-	expression tag	UNP P00338
A	334	HIS	-	expression tag	UNP P00338
A	335	HIS	-	expression tag	UNP P00338
A	336	HIS	-	expression tag	UNP P00338
A	337	HIS	-	expression tag	UNP P00338
A	338	HIS	-	expression tag	UNP P00338
B	333	HIS	-	expression tag	UNP P00338
B	334	HIS	-	expression tag	UNP P00338
B	335	HIS	-	expression tag	UNP P00338
B	336	HIS	-	expression tag	UNP P00338
B	337	HIS	-	expression tag	UNP P00338
B	338	HIS	-	expression tag	UNP P00338
C	333	HIS	-	expression tag	UNP P00338

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	334	HIS	-	expression tag	UNP P00338
C	335	HIS	-	expression tag	UNP P00338
C	336	HIS	-	expression tag	UNP P00338
C	337	HIS	-	expression tag	UNP P00338
C	338	HIS	-	expression tag	UNP P00338
D	333	HIS	-	expression tag	UNP P00338
D	334	HIS	-	expression tag	UNP P00338
D	335	HIS	-	expression tag	UNP P00338
D	336	HIS	-	expression tag	UNP P00338
D	337	HIS	-	expression tag	UNP P00338
D	338	HIS	-	expression tag	UNP P00338
E	333	HIS	-	expression tag	UNP P00338
E	334	HIS	-	expression tag	UNP P00338
E	335	HIS	-	expression tag	UNP P00338
E	336	HIS	-	expression tag	UNP P00338
E	337	HIS	-	expression tag	UNP P00338
E	338	HIS	-	expression tag	UNP P00338
F	333	HIS	-	expression tag	UNP P00338
F	334	HIS	-	expression tag	UNP P00338
F	335	HIS	-	expression tag	UNP P00338
F	336	HIS	-	expression tag	UNP P00338
F	337	HIS	-	expression tag	UNP P00338
F	338	HIS	-	expression tag	UNP P00338
G	333	HIS	-	expression tag	UNP P00338
G	334	HIS	-	expression tag	UNP P00338
G	335	HIS	-	expression tag	UNP P00338
G	336	HIS	-	expression tag	UNP P00338
G	337	HIS	-	expression tag	UNP P00338
G	338	HIS	-	expression tag	UNP P00338
H	333	HIS	-	expression tag	UNP P00338
H	334	HIS	-	expression tag	UNP P00338
H	335	HIS	-	expression tag	UNP P00338
H	336	HIS	-	expression tag	UNP P00338
H	337	HIS	-	expression tag	UNP P00338
H	338	HIS	-	expression tag	UNP P00338

- Molecule 2 is 3-{[7-(2,4-dimethoxypyrimidin-5-yl)-3-sulfamoylquinolin-4-yl]amino}benzoic acid (three-letter code: 38K) (formula: C₂₂H₁₉N₅O₆S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	N	O	S	0	0
			34	22	5	6	1		
2	B	1	Total	C	N	O	S	0	0
			34	22	5	6	1		
2	C	1	Total	C	N	O	S	0	0
			34	22	5	6	1		
2	D	1	Total	C	N	O	S	0	0
			34	22	5	6	1		
2	E	1	Total	C	N	O	S	0	0
			34	22	5	6	1		
2	F	1	Total	C	N	O	S	0	0
			34	22	5	6	1		
2	G	1	Total	C	N	O	S	0	0
			34	22	5	6	1		
2	H	1	Total	C	N	O	S	0	0
			34	22	5	6	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	7	Total	O	0	0
			7	7		
3	B	6	Total	O	0	0
			6	6		
3	C	8	Total	O	0	0
			8	8		
3	D	10	Total	O	0	0
			10	10		

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	E	6	Total O 6 6	0	0
3	F	6	Total O 6 6	0	0
3	G	11	Total O 11 11	0	0
3	H	6	Total O 6 6	0	0


3 Residue-property plots [\(i\)](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: L-lactate dehydrogenase A chain



- Molecule 1: L-lactate dehydrogenase A chain



- Molecule 1: L-lactate dehydrogenase A chain



- Molecule 1: L-lactate dehydrogenase A chain






- Molecule 1: L-lactate dehydrogenase A chain


A horizontal bar chart titled "Chain E" showing its distribution across four categories. The total length of the bar is 100%.

Category	Percentage
Red	2%
Green	80%
Yellow	15%
Grey	3%



- Molecule 1: L-lactate dehydrogenase A chain

A horizontal bar chart illustrating the percentage of Chain F in the total. The x-axis represents the percentage from 0% to 100%. A single green bar spans from 0% to approximately 75%, labeled 'Chain F'. To the right of the bar, the text '21%' is displayed above a yellow segment, and '•' is shown at the far right end of the bar.



- Molecule 1: L-lactate dehydrogenase A chain

Chain G: 83% 14% 3%



- Molecule 1: L-lactate dehydrogenase A chain

Chain H: 81% 15% ...





4 Data and refinement statistics i

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	147.31Å 147.31Å 334.49Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	34.62 – 3.00 34.62 – 3.00	Depositor EDS
% Data completeness (in resolution range)	99.9 (34.62-3.00) 100.0 (34.62-3.00)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	2.19 (at 3.00Å)	Xtriage
Refinement program	REFMAC 5.7.0029	Depositor
R , R_{free}	0.167 , 0.247 0.169 , 0.239	Depositor DCC
R_{free} test set	4518 reflections (5.32%)	wwPDB-VP
Wilson B-factor (Å ²)	60.7	Xtriage
Anisotropy	0.174	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.32 , 35.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.021 for -h,-k,l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	21120	wwPDB-VP
Average B, all atoms (Å ²)	65.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.51% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: 38K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.56	0/2645	0.77	2/3577 (0.1%)
1	B	0.53	0/2628	0.77	2/3555 (0.1%)
1	C	0.56	0/2664	0.77	1/3604 (0.0%)
1	D	0.57	0/2663	0.79	2/3601 (0.1%)
1	E	0.49	0/2637	0.70	0/3567
1	F	0.53	0/2663	0.73	1/3601 (0.0%)
1	G	0.55	0/2637	0.80	4/3566 (0.1%)
1	H	0.50	0/2611	0.71	0/3532
All	All	0.54	0/21148	0.76	12/28603 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	F	0	1
All	All	0	2

There are no bond length outliers.

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	G	171	ARG	NE-CZ-NH2	-8.24	116.18	120.30
1	B	141	ASP	CB-CG-OD1	7.12	124.71	118.30
1	F	141	ASP	CB-CG-OD1	6.83	124.45	118.30
1	G	171	ARG	NE-CZ-NH1	6.64	123.62	120.30
1	B	171	ARG	NE-CZ-NH1	6.49	123.54	120.30
1	A	171	ARG	NE-CZ-NH1	6.16	123.38	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	171	ARG	NE-CZ-NH2	-6.06	117.27	120.30
1	G	12	LEU	CA-CB-CG	5.85	128.76	115.30
1	C	171	ARG	NE-CZ-NH1	5.68	123.14	120.30
1	D	56	ASP	CB-CG-OD1	5.34	123.10	118.30
1	G	157	ARG	NE-CZ-NH2	-5.18	117.71	120.30
1	D	169	ARG	NE-CZ-NH2	5.10	122.85	120.30

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	14	LYS	Peptide
1	F	14	LYS	Peptide

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2600	0	2686	29	0
1	B	2584	0	2670	39	0
1	C	2619	0	2695	44	0
1	D	2618	0	2698	28	0
1	E	2593	0	2675	37	0
1	F	2619	0	2707	45	0
1	G	2588	0	2671	21	0
1	H	2567	0	2653	30	0
2	A	34	0	18	0	0
2	B	34	0	18	4	0
2	C	34	0	18	7	0
2	D	34	0	18	1	0
2	E	34	0	18	4	0
2	F	34	0	18	2	0
2	G	34	0	18	7	0
2	H	34	0	18	4	0
3	A	7	0	0	0	0
3	B	6	0	0	0	0
3	C	8	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	10	0	0	0	0
3	E	6	0	0	0	0
3	F	6	0	0	0	0
3	G	11	0	0	0	0
3	H	6	0	0	0	0
All	All	21120	0	21599	255	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (255) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:70[A]:LEU:HD13	1:C:70[A]:LEU:O	1.45	1.11
2:H:501:38K:H5	2:H:501:38K:H12	1.11	1.08
2:H:501:38K:H12	2:H:501:38K:C5	1.95	0.96
1:E:107[A]:LEU:C	1:E:107[A]:LEU:HD12	1.88	0.93
2:C:501:38K:H5	2:C:501:38K:H12	1.48	0.92
1:E:107[A]:LEU:HD12	1:E:107[A]:LEU:O	1.68	0.92
1:G:96:ALA:HA	2:G:501:38K:H1	1.45	0.81
1:B:84:ASN:HD22	1:B:85:VAL:N	1.79	0.80
1:C:70[A]:LEU:HD13	1:C:70[A]:LEU:C	2.02	0.79
1:A:327:GLN:HA	1:A:330:LEU:HD22	1.66	0.77
1:E:181:HIS:CE1	1:E:183:LEU:HD22	2.20	0.76
2:E:501:38K:C5	2:E:501:38K:H12	2.17	0.74
1:F:96:ALA:HA	2:F:501:38K:H1	1.53	0.73
2:C:501:38K:H12	2:C:501:38K:C5	2.19	0.72
2:E:501:38K:C5	2:E:501:38K:C15	2.69	0.71
1:G:98:ALA:H	1:G:113:ASN:HD21	1.38	0.71
2:G:501:38K:H12	2:G:501:38K:H5	1.72	0.70
1:A:181:HIS:CE1	1:A:183:LEU:HD22	2.28	0.69
1:D:84:ASN:HD22	1:D:85:VAL:N	1.91	0.69
1:D:111:GLN:HE22	1:D:331:GLN:H	1.39	0.68
1:E:84:ASN:HD22	1:E:85:VAL:N	1.91	0.68
1:F:269:ARG:HD3	1:H:183:LEU:HD23	1.75	0.68
1:B:181:HIS:CE1	1:B:183:LEU:HD22	2.30	0.67
1:H:181:HIS:CE1	1:H:183:LEU:HD22	2.30	0.67
1:A:294[A]:ILE:HD12	1:A:302:ASP:HB2	1.78	0.66
1:F:84:ASN:HD22	1:F:85:VAL:N	1.93	0.66
1:D:277:ILE:HD11	1:D:289:LEU:HD12	1.77	0.65
1:F:327:GLN:HA	1:F:330:LEU:HD22	1.78	0.65

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:84:ASN:HD22	1:H:85:VAL:N	1.94	0.65
1:E:205:ASN:HD22	1:E:208:GLY:H	1.44	0.65
1:C:70[A]:LEU:C	1:C:70[A]:LEU:CD1	2.64	0.65
1:E:171:ARG:HD2	1:E:185:CYS:O	1.97	0.65
1:F:31:VAL:HG22	1:F:252:ILE:HG21	1.79	0.64
1:G:111:GLN:HE22	1:G:331:GLN:H	1.45	0.64
1:E:107[A]:LEU:C	1:E:107[A]:LEU:CD1	2.63	0.63
1:G:84:ASN:HD22	1:G:85:VAL:N	1.96	0.63
1:E:4:LEU:HD13	1:F:215:HIS:HB2	1.80	0.63
1:D:181:HIS:CE1	1:D:183:LEU:HD22	2.33	0.63
2:B:501:38K:C7	1:H:102:GLU:HG3	2.30	0.62
1:C:70[A]:LEU:O	1:C:70[A]:LEU:CD1	2.36	0.61
1:H:96:ALA:HA	2:H:501:38K:H1	1.64	0.61
1:H:273:VAL:O	1:H:290:SER:HA	1.99	0.61
1:F:13:LEU:HB2	1:F:15:GLU:HG2	1.82	0.61
1:H:190:LEU:HD22	1:H:200:VAL:HG21	1.83	0.61
1:F:171:ARG:HD2	1:F:185:CYS:O	2.01	0.61
1:G:100:GLN:HB2	1:G:109:LEU:HD22	1.81	0.61
1:B:327:GLN:HA	1:B:330:LEU:HD22	1.82	0.60
1:H:171:ARG:HD2	1:H:185:CYS:O	2.02	0.60
1:B:110:VAL:O	1:B:114:VAL:HG23	2.02	0.59
1:C:96:ALA:HB2	2:C:501:38K:H2	1.66	0.59
1:D:171:ARG:HD2	1:D:185:CYS:O	2.02	0.59
1:F:181:HIS:CE1	1:F:183:LEU:HD22	2.37	0.59
1:E:183:LEU:HD13	1:F:70:LEU:HD12	1.85	0.59
1:A:4:LEU:HD13	1:B:215:HIS:HB2	1.85	0.59
1:C:111:GLN:HE22	1:C:331[B]:GLN:H	1.51	0.58
1:A:102:GLU:HG2	2:G:501:38K:C5	2.34	0.58
1:A:267:LEU:O	1:C:181:HIS:HB2	2.04	0.58
1:A:84:ASN:HD22	1:A:85:VAL:N	2.02	0.58
1:C:171:ARG:HD2	1:C:185:CYS:O	2.04	0.57
1:D:83:TYR:HB2	1:D:123:ASN:HD22	1.70	0.57
1:H:293:CYS:HB3	1:H:300:ILE:HG23	1.86	0.57
1:B:100:GLN:HB2	1:B:109:LEU:HD22	1.86	0.56
1:D:205:ASN:HD22	1:D:208:GLY:H	1.54	0.56
1:E:331:GLN:HE21	1:E:331:GLN:HA	1.70	0.56
1:F:18:THR:HG22	1:F:19:PRO:O	2.05	0.56
1:B:236:GLU:O	1:B:240:GLU:HG2	2.06	0.56
1:E:215:HIS:HB2	1:F:4:LEU:HD13	1.86	0.56
1:A:183:LEU:HD13	1:B:70:LEU:HD12	1.87	0.56
1:G:171:ARG:HD2	1:G:185:CYS:O	2.05	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:294:ILE:HD12	1:G:302:ASP:HB2	1.88	0.56
1:B:84:ASN:HD22	1:B:84:ASN:C	2.08	0.55
1:E:124:VAL:HG11	1:E:133:LEU:HD21	1.87	0.55
1:A:102:GLU:HG2	2:G:501:38K:H5	1.88	0.55
1:C:84:ASN:C	1:C:84:ASN:HD22	2.10	0.54
1:F:98:ALA:H	1:F:113:ASN:HD21	1.56	0.54
1:C:119:PHE:CD1	2:C:501:38K:H18	2.43	0.54
1:B:30:ALA:HB1	1:B:249:SER:HB3	1.90	0.54
1:H:206:VAL:O	1:H:209:VAL:HG13	2.08	0.54
1:B:55:GLU:HG3	1:B:81:LYS:HD2	1.89	0.54
1:F:281:TYR:CE2	1:F:308:LEU:HD12	2.43	0.54
2:G:501:38K:H5	2:G:501:38K:C15	2.38	0.54
1:B:96:ALA:HA	2:B:501:38K:H1	1.73	0.54
1:E:198:VAL:HG11	1:E:312:GLU:HG2	1.90	0.54
1:C:215:HIS:HB2	1:D:4:LEU:HD13	1.90	0.54
1:C:268:ARG:HA	1:C:295:LEU:O	2.07	0.53
1:F:241:VAL:HG11	1:F:248:THR:HG22	1.89	0.53
1:F:294[A]:ILE:HD13	1:H:180:VAL:HG22	1.90	0.53
1:H:105:SER:OG	1:H:108:ASN:HB2	2.09	0.53
1:H:131:CYS:O	1:H:157:ARG:HD2	2.08	0.53
2:H:501:38K:H5	2:H:501:38K:C15	2.07	0.53
1:B:24:THR:OG1	1:B:49:ALA:HB3	2.09	0.53
1:C:24:THR:HB	1:C:92:VAL:HG22	1.90	0.53
1:A:270:VAL:HA	1:A:293:CYS:O	2.09	0.52
1:G:183:LEU:HD13	1:H:70:LEU:HD12	1.91	0.52
1:E:325:GLY:HA2	1:E:328:LYS:HD2	1.90	0.52
1:E:98:ALA:HB1	1:E:112:ARG:NH1	2.24	0.52
1:F:154:PRO:HB2	1:F:156:ASN:OD1	2.09	0.52
1:B:277[A]:ILE:HD11	1:B:289:LEU:HD12	1.91	0.52
1:C:181:HIS:CE1	1:C:183:LEU:HD22	2.44	0.52
2:F:501:38K:H2	2:F:501:38K:H3	1.56	0.52
1:D:100:GLN:HE22	1:D:109:LEU:HD22	1.74	0.52
1:F:11:ASN:OD1	1:F:14:LYS:HG3	2.10	0.52
1:G:148:TRP:CZ2	1:G:276:MET:HE1	2.44	0.51
1:G:205:ASN:HA	1:G:211:LEU:HD13	1.90	0.51
1:H:294:ILE:HD12	1:H:302:ASP:HB2	1.92	0.51
1:B:40:LEU:HD11	1:B:65:LEU:HD13	1.93	0.51
1:C:70[B]:LEU:HD12	1:D:183:LEU:HD13	1.93	0.51
1:B:294:ILE:HD12	1:B:302:ASP:HB2	1.93	0.51
1:B:84:ASN:HD22	1:B:85:VAL:H	1.57	0.51
1:A:211:LEU:HG	1:B:4:LEU:HD21	1.93	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:327:GLN:HA	1:D:330:LEU:HD22	1.92	0.50
1:C:276:MET:HG2	1:C:288:PHE:CE2	2.47	0.50
1:C:327:GLN:HA	1:C:330:LEU:HD22	1.93	0.50
1:E:16:GLU:HG3	1:H:298:ASN:HD21	1.77	0.50
1:H:277:ILE:HD13	1:H:283:ILE:HG21	1.93	0.50
1:A:205:ASN:HD22	1:A:208:GLY:H	1.59	0.50
1:G:96:ALA:CA	2:G:501:38K:H1	2.19	0.50
1:F:13:LEU:HB2	1:F:15:GLU:CG	2.42	0.50
1:B:159:ILE:HG23	1:B:300:ILE:HD11	1.93	0.50
1:E:107[A]:LEU:O	1:E:107[A]:LEU:CD1	2.53	0.50
1:G:4:LEU:HD21	1:H:211:LEU:HG	1.93	0.50
1:G:160:GLY:HA3	1:G:274:SER:HB3	1.94	0.50
1:C:197:SER:OG	1:C:231:HIS:HE1	1.95	0.49
1:C:230:VAL:O	1:C:234:VAL:HG23	2.12	0.49
1:E:164:ASN:HA	1:E:272:PRO:HG2	1.94	0.49
1:A:186:HIS:O	1:A:204:MET:HA	2.13	0.49
1:E:190:LEU:HD22	1:E:200:VAL:HG21	1.94	0.49
1:F:186:HIS:O	1:F:204:MET:HA	2.13	0.49
1:B:18:THR:HG22	1:B:19:PRO:O	2.13	0.48
1:A:98:ALA:H	1:A:113:ASN:ND2	2.11	0.48
1:C:96:ALA:CB	2:C:501:38K:H2	2.26	0.48
2:E:501:38K:C15	2:E:501:38K:H5	2.42	0.48
1:E:206:VAL:O	1:E:209:VAL:HG13	2.13	0.48
1:A:180:VAL:HG22	1:C:294:ILE:HD13	1.96	0.48
1:D:45:ALA:O	1:D:74:THR:HG23	2.13	0.48
1:C:111:GLN:HE22	1:C:331[A]:GLN:H	1.62	0.47
1:C:273:VAL:O	1:C:290:SER:HA	2.13	0.47
1:A:23:ILE:HD12	1:A:45:ALA:HB2	1.97	0.47
1:B:181:HIS:HB2	1:D:267:LEU:O	2.14	0.47
1:D:13:LEU:HG	1:D:15:GLU:HG2	1.96	0.47
1:H:230:VAL:O	1:H:234:VAL:HG23	2.14	0.47
1:F:190:LEU:HD22	1:F:200:VAL:HG21	1.95	0.47
1:H:14:LYS:HG3	1:H:15:GLU:N	2.30	0.47
1:G:111:GLN:HE22	1:G:331:GLN:N	2.11	0.47
1:F:233:GLN:O	1:F:237:SER:OG	2.30	0.47
1:D:84:ASN:HD22	1:D:84:ASN:C	2.17	0.47
1:D:98:ALA:H	1:D:113:ASN:ND2	2.13	0.47
1:A:141:ASP:HB3	1:A:288:PHE:O	2.14	0.47
1:F:331:GLN:HE21	1:F:331:GLN:HB2	1.58	0.47
1:A:183:LEU:HD23	1:C:269:ARG:HD3	1.97	0.46
1:F:183:LEU:HD23	1:H:269:ARG:HD3	1.96	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:206:VAL:O	1:F:209:VAL:HG12	2.16	0.46
1:B:205:ASN:HD22	1:B:208:GLY:H	1.64	0.46
1:B:108:ASN:O	1:B:112:ARG:HG3	2.16	0.46
1:A:206:VAL:O	1:A:209:VAL:HG12	2.16	0.46
1:D:111:GLN:HE22	1:D:331:GLN:N	2.11	0.46
1:C:277:ILE:HD11	1:C:289:LEU:HD12	1.96	0.46
1:F:84:ASN:HD22	1:F:85:VAL:H	1.63	0.46
1:H:132:LYS:NZ	1:H:297:GLN:O	2.41	0.46
1:F:294[A]:ILE:CD1	1:H:180:VAL:HG22	2.46	0.46
1:H:271:HIS:CD2	1:H:295:LEU:HD22	2.51	0.46
1:F:241:VAL:CG1	1:F:248:THR:HG22	2.46	0.45
1:F:205:ASN:HD22	1:F:208:GLY:H	1.64	0.45
1:C:165:LEU:HD11	1:C:251:ALA:HB1	1.99	0.45
1:H:331:GLN:HE21	1:H:331:GLN:HA	1.81	0.45
1:F:159:ILE:HG23	1:F:300:ILE:HD11	1.99	0.45
1:C:70[B]:LEU:HD11	1:D:171:ARG:NH2	2.31	0.45
1:E:4:LEU:HD13	1:F:215:HIS:CB	2.46	0.45
1:H:14:LYS:O	1:H:16:GLU:N	2.49	0.45
1:B:180:VAL:HG22	1:D:294:ILE:HD13	1.99	0.45
1:H:170:PHE:HD2	1:H:234:VAL:HG21	1.82	0.45
1:E:303:LEU:C	1:E:303:LEU:HD12	2.38	0.45
1:G:273:VAL:O	1:G:290:SER:HA	2.17	0.45
1:E:27:GLY:O	1:E:32:GLY:HA3	2.17	0.45
1:E:331:GLN:HE21	1:E:331:GLN:CA	2.27	0.44
1:B:278:LYS:HE2	1:B:286:ASP:OD2	2.17	0.44
1:D:317:LYS:HE2	1:D:321:ASP:OD2	2.18	0.44
1:E:51:VAL:HG13	1:E:80:GLY:O	2.17	0.44
1:F:121:ILE:O	1:F:125:VAL:HG13	2.17	0.44
1:D:98:ALA:H	1:D:113:ASN:HD21	1.65	0.44
1:B:121:ILE:HB	1:B:122:PRO:HD3	2.00	0.44
1:B:273:VAL:O	1:B:290:SER:HA	2.18	0.44
1:C:233:GLN:O	1:C:237:SER:OG	2.32	0.44
1:B:276:MET:HG2	1:B:288:PHE:CE2	2.53	0.44
1:E:84:ASN:HD22	1:E:84:ASN:C	2.20	0.44
2:G:501:38K:H3	2:G:501:38K:H2	1.64	0.44
1:A:4:LEU:HD21	1:B:211:LEU:HG	1.99	0.44
1:A:215:HIS:HB2	1:B:4:LEU:HD13	2.00	0.44
1:E:98:ALA:HB1	1:E:112:ARG:HH12	1.83	0.44
1:F:3:THR:O	1:F:7:GLN:HG3	2.18	0.44
1:C:190:LEU:HD22	1:C:200:VAL:HG21	2.01	0.43
1:G:294:ILE:HD12	1:G:302:ASP:CB	2.48	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:167:SER:O	1:A:171:ARG:HG3	2.18	0.43
1:F:297:GLN:NE2	1:G:17:GLN:HB2	2.33	0.43
1:B:43:ASP:HB3	1:C:265:LYS:HE2	2.00	0.43
1:B:97:GLY:H	2:B:501:38K:H1	1.65	0.43
1:C:22:LYS:HB3	1:C:89:SER:HA	1.99	0.43
1:F:232[B]:LYS:HD2	1:F:232[B]:LYS:HA	1.85	0.43
1:E:11:ASN:HD21	1:E:14:LYS:HG3	1.84	0.43
1:A:84:ASN:HD22	1:A:84:ASN:C	2.22	0.43
1:E:267:LEU:O	1:G:181:HIS:HB2	2.19	0.43
1:C:142:ILE:HD13	1:C:326:ILE:HG21	2.00	0.42
1:C:183:LEU:HD21	1:D:73:ARG:NH2	2.34	0.42
1:E:14:LYS:O	1:E:15:GLU:HG3	2.19	0.42
1:A:124:VAL:HG11	1:A:133:LEU:HD21	2.00	0.42
1:C:101:GLN:O	1:C:102:GLU:O	2.37	0.42
1:D:190:LEU:HD22	1:D:200:VAL:HG21	2.02	0.42
1:H:84:ASN:HD22	1:H:85:VAL:H	1.67	0.42
1:E:113:ASN:HB3	1:E:143:LEU:HD21	2.02	0.42
1:F:100:GLN:HA	1:F:109:LEU:HD13	2.01	0.42
1:B:110:VAL:HG22	1:B:330:LEU:HD11	2.02	0.42
1:G:189:VAL:CG1	1:G:197:SER:HB2	2.50	0.42
1:E:22:LYS:HB3	1:E:89:SER:HA	2.02	0.42
1:A:273:VAL:O	1:A:290:SER:HA	2.20	0.42
2:E:501:38K:H12	2:E:501:38K:C4	2.48	0.42
1:B:12:LEU:O	1:B:13:LEU:C	2.58	0.42
1:B:98:ALA:H	1:B:113:ASN:ND2	2.18	0.42
1:F:277:ILE:HD11	1:F:289:LEU:HD12	2.00	0.42
1:A:159:ILE:HG12	1:A:300:ILE:CD1	2.50	0.42
1:B:171:ARG:HD2	1:B:185:CYS:O	2.20	0.42
1:C:311:GLU:O	1:C:315:ARG:HG2	2.19	0.42
1:E:16:GLU:HG3	1:H:298:ASN:ND2	2.34	0.42
1:B:197:SER:OG	1:B:231:HIS:HE1	2.03	0.41
1:B:98:ALA:H	1:B:113:ASN:HD21	1.67	0.41
1:B:206:VAL:O	1:B:209:VAL:HG12	2.20	0.41
2:C:501:38K:H15	2:C:501:38K:H11	2.01	0.41
1:C:84:ASN:C	1:C:84:ASN:ND2	2.73	0.41
1:A:98:ALA:H	1:A:113:ASN:HD21	1.68	0.41
1:C:70[A]:LEU:HD22	1:D:183:LEU:HD13	2.01	0.41
1:C:237:SER:O	1:C:241:VAL:HG23	2.20	0.41
1:E:8:LEU:HD11	1:F:209:VAL:HG13	2.01	0.41
1:G:12:LEU:O	1:G:14:LYS:NZ	2.47	0.41
1:F:17:GLN:HB2	1:G:297:GLN:HE21	1.84	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:F:146:VAL:HG12	1:F:150:ILE:HD12	2.03	0.41
1:C:149:LYS:HA	1:C:149:LYS:HD3	1.89	0.41
1:C:4:LEU:O	1:C:5:LYS:C	2.58	0.41
2:B:501:38K:C15	2:B:501:38K:C5	2.99	0.41
1:D:14:LYS:O	1:D:15:GLU:O	2.38	0.41
1:E:15:GLU:O	1:E:17:GLN:N	2.54	0.41
1:F:151:SER:OG	1:F:153:PHE:HB2	2.21	0.41
1:C:119:PHE:HD1	2:C:501:38K:H18	1.81	0.41
2:D:501:38K:H2	2:D:501:38K:H3	1.69	0.41
1:E:23:ILE:HD12	1:E:45:ALA:HB2	2.02	0.41
1:F:165:LEU:HD11	1:F:251:ALA:HB1	2.01	0.41
1:H:72:LEU:C	1:H:73:ARG:HD2	2.40	0.41
1:C:181:HIS:ND1	1:C:182:PRO:HD2	2.35	0.41
1:C:215:HIS:CB	1:D:4:LEU:HD13	2.50	0.41
1:D:278:LYS:HE2	1:D:286:ASP:OD2	2.21	0.40
1:F:84:ASN:HD22	1:F:84:ASN:C	2.25	0.40
1:F:98:ALA:H	1:F:113:ASN:ND2	2.17	0.40
1:F:242:ILE:HG12	1:F:247:TYR:HA	2.02	0.40
1:A:42:LYS:HD3	1:A:257:ALA:HB1	2.03	0.40
1:A:47:GLU:HA	1:A:76:LYS:O	2.21	0.40
1:E:110:VAL:O	1:E:114:VAL:HG23	2.21	0.40
1:C:183:LEU:HD13	1:D:70:LEU:HD12	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	333/337 (99%)	320 (96%)	11 (3%)	2 (1%)	25 64
1	B	331/337 (98%)	309 (93%)	22 (7%)	0	100 100
1	C	335/337 (99%)	316 (94%)	18 (5%)	1 (0%)	41 76

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	D	335/337 (99%)	318 (95%)	16 (5%)	1 (0%)	41 76
1	E	332/337 (98%)	300 (90%)	28 (8%)	4 (1%)	13 48
1	F	335/337 (99%)	319 (95%)	15 (4%)	1 (0%)	41 76
1	G	332/337 (98%)	314 (95%)	17 (5%)	1 (0%)	41 76
1	H	329/337 (98%)	318 (97%)	9 (3%)	2 (1%)	25 64
All	All	2662/2696 (99%)	2514 (94%)	136 (5%)	12 (0%)	29 68

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	102	GLU
1	D	15	GLU
1	H	15	GLU
1	A	17	GLN
1	E	100	GLN
1	E	278	LYS
1	E	16	GLU
1	F	137	SER
1	H	223	ASP
1	E	249	SER
1	A	18	THR
1	G	249	SER

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	291/293 (99%)	272 (94%)	19 (6%)	17 50
1	B	289/293 (99%)	270 (93%)	19 (7%)	16 49
1	C	293/293 (100%)	272 (93%)	21 (7%)	14 45
1	D	293/293 (100%)	266 (91%)	27 (9%)	9 34
1	E	290/293 (99%)	268 (92%)	22 (8%)	13 43

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	F	293/293 (100%)	270 (92%)	23 (8%)	12 42
1	G	290/293 (99%)	269 (93%)	21 (7%)	14 45
1	H	287/293 (98%)	266 (93%)	21 (7%)	14 44
All	All	2326/2344 (99%)	2153 (93%)	173 (7%)	14 44

All (173) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	13	LEU
1	A	18	THR
1	A	20	GLN
1	A	84	ASN
1	A	107	LEU
1	A	134	LEU
1	A	178	LEU
1	A	183	LEU
1	A	190	LEU
1	A	196	SER
1	A	211	LEU
1	A	237	SER
1	A	280	LEU
1	A	291	VAL
1	A	302	ASP
1	A	310	SER
1	A	328	LYS
1	A	330	LEU
1	A	332	PHE
1	B	5	LYS
1	B	20	GLN
1	B	54	ILE
1	B	84	ASN
1	B	110	VAL
1	B	128	SER
1	B	134	LEU
1	B	137	SER
1	B	178	LEU
1	B	183	LEU
1	B	211	LEU
1	B	248	THR
1	B	255	SER
1	B	280	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	291	VAL
1	B	295	LEU
1	B	310	SER
1	B	319	SER
1	B	330	LEU
1	C	13	LEU
1	C	54	ILE
1	C	69	SER
1	C	70[A]	LEU
1	C	70[B]	LEU
1	C	73	ARG
1	C	84	ASN
1	C	104	GLU
1	C	134	LEU
1	C	149	LYS
1	C	178	LEU
1	C	183	LEU
1	C	190	LEU
1	C	276	MET
1	C	280	LEU
1	C	291	VAL
1	C	295	LEU
1	C	303[A]	LEU
1	C	303[B]	LEU
1	C	319	SER
1	C	330	LEU
1	D	12	LEU
1	D	14	LYS
1	D	18	THR
1	D	20	GLN
1	D	81	LYS
1	D	84	ASN
1	D	101	GLN
1	D	107	LEU
1	D	134	LEU
1	D	149	LYS
1	D	166	ASP
1	D	174	MET
1	D	178	LEU
1	D	183	LEU
1	D	190	LEU
1	D	195	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	196[A]	SER
1	D	196[B]	SER
1	D	224	LYS
1	D	248	THR
1	D	255	SER
1	D	276	MET
1	D	295	LEU
1	D	319	SER
1	D	323	LEU
1	D	328	LYS
1	D	330	LEU
1	E	13	LEU
1	E	14	LYS
1	E	15	GLU
1	E	54	ILE
1	E	84	ASN
1	E	100	GLN
1	E	101	GLN
1	E	107[A]	LEU
1	E	107[B]	LEU
1	E	134	LEU
1	E	178	LEU
1	E	183	LEU
1	E	190	LEU
1	E	209	VAL
1	E	211	LEU
1	E	224	LYS
1	E	248	THR
1	E	310	SER
1	E	328	LYS
1	E	330	LEU
1	E	331	GLN
1	E	332	PHE
1	F	3	THR
1	F	13	LEU
1	F	17	GLN
1	F	20	GLN
1	F	41	MET
1	F	54	ILE
1	F	73	ARG
1	F	84	ASN
1	F	106	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	F	107	LEU
1	F	134	LEU
1	F	178	LEU
1	F	183	LEU
1	F	190	LEU
1	F	195	ASP
1	F	213	THR
1	F	217	ASP
1	F	255	SER
1	F	295	LEU
1	F	316	LEU
1	F	317	LYS
1	F	330	LEU
1	F	331	GLN
1	G	13	LEU
1	G	18	THR
1	G	20	GLN
1	G	54	ILE
1	G	84	ASN
1	G	107	LEU
1	G	134	LEU
1	G	149	LYS
1	G	178	LEU
1	G	183	LEU
1	G	190	LEU
1	G	196	SER
1	G	209	VAL
1	G	226	GLN
1	G	233	GLN
1	G	237[A]	SER
1	G	237[B]	SER
1	G	248	THR
1	G	255	SER
1	G	323	LEU
1	G	328	LYS
1	H	17	GLN
1	H	54	ILE
1	H	73	ARG
1	H	84	ASN
1	H	99	ARG
1	H	107	LEU
1	H	132	LYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	134	LEU
1	H	178	LEU
1	H	183	LEU
1	H	209	VAL
1	H	210	SER
1	H	222	LYS
1	H	224	LYS
1	H	248	THR
1	H	276	MET
1	H	285	ASP
1	H	291	VAL
1	H	323	LEU
1	H	330	LEU
1	H	331	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (58) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	20	GLN
1	A	84	ASN
1	A	108	ASN
1	A	111	GLN
1	A	113	ASN
1	A	164	ASN
1	A	205	ASN
1	A	298	ASN
1	B	11	ASN
1	B	84	ASN
1	B	108	ASN
1	B	113	ASN
1	B	205	ASN
1	B	231	HIS
1	C	84	ASN
1	C	111	GLN
1	C	113	ASN
1	C	205	ASN
1	C	231	HIS
1	C	298	ASN
1	D	20	GLN
1	D	84	ASN
1	D	100	GLN
1	D	108	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	111	GLN
1	D	113	ASN
1	D	123	ASN
1	D	205	ASN
1	D	231	HIS
1	E	11	ASN
1	E	84	ASN
1	E	113	ASN
1	E	205	ASN
1	E	231	HIS
1	E	298	ASN
1	E	331	GLN
1	F	7	GLN
1	F	84	ASN
1	F	100	GLN
1	F	111	GLN
1	F	113	ASN
1	F	205	ASN
1	F	331	GLN
1	G	20	GLN
1	G	84	ASN
1	G	100	GLN
1	G	111	GLN
1	G	113	ASN
1	G	205	ASN
1	G	231	HIS
1	H	84	ASN
1	H	100	GLN
1	H	111	GLN
1	H	113	ASN
1	H	205	ASN
1	H	231	HIS
1	H	298	ASN
1	H	331	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	38K	E	501	-	36,37,37	2.41	10 (27%)	51,54,54	3.24	19 (37%)
2	38K	H	501	-	36,37,37	2.24	7 (19%)	51,54,54	3.61	27 (52%)
2	38K	A	501	-	36,37,37	2.44	7 (19%)	51,54,54	2.77	19 (37%)
2	38K	G	501	-	36,37,37	2.46	6 (16%)	51,54,54	3.10	20 (39%)
2	38K	F	501	-	36,37,37	2.50	5 (13%)	51,54,54	3.12	20 (39%)
2	38K	C	501	-	36,37,37	2.20	8 (22%)	51,54,54	3.18	22 (43%)
2	38K	B	501	-	36,37,37	2.62	6 (16%)	51,54,54	2.95	13 (25%)
2	38K	D	501	-	36,37,37	2.71	8 (22%)	51,54,54	3.05	19 (37%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	38K	E	501	-	-	8/22/22/22	0/4/4/4
2	38K	H	501	-	-	10/22/22/22	0/4/4/4
2	38K	A	501	-	-	9/22/22/22	0/4/4/4
2	38K	G	501	-	-	3/22/22/22	0/4/4/4
2	38K	F	501	-	-	9/22/22/22	0/4/4/4
2	38K	C	501	-	-	7/22/22/22	0/4/4/4
2	38K	B	501	-	-	10/22/22/22	0/4/4/4
2	38K	D	501	-	-	13/22/22/22	0/4/4/4

All (57) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	501	38K	C10-S28	-13.17	1.61	1.77
2	D	501	38K	C10-S28	-13.03	1.61	1.77
2	F	501	38K	C10-S28	-12.44	1.62	1.77
2	G	501	38K	C10-S28	-11.67	1.63	1.77
2	A	501	38K	C10-S28	-11.34	1.63	1.77
2	E	501	38K	C10-S28	-11.07	1.63	1.77
2	H	501	38K	C10-S28	-10.07	1.65	1.77
2	C	501	38K	C10-S28	-9.22	1.66	1.77
2	G	501	38K	S28-N31	-4.78	1.51	1.60
2	A	501	38K	S28-N31	-4.58	1.51	1.60
2	F	501	38K	S28-N31	-4.41	1.51	1.60
2	D	501	38K	C20-N25	4.25	1.38	1.32
2	B	501	38K	S28-N31	-4.22	1.52	1.60
2	H	501	38K	S28-N31	-4.12	1.52	1.60
2	C	501	38K	S28-N31	-4.00	1.52	1.60
2	D	501	38K	S28-N31	-3.79	1.52	1.60
2	E	501	38K	S28-N31	-3.68	1.53	1.60
2	E	501	38K	C20-N25	3.57	1.37	1.32
2	A	501	38K	C21-N22	3.25	1.36	1.32
2	F	501	38K	C21-N22	3.18	1.36	1.32
2	C	501	38K	O29-S28	3.15	1.49	1.43
2	D	501	38K	C21-N22	3.14	1.36	1.32
2	H	501	38K	C21-N22	2.93	1.36	1.32
2	D	501	38K	C21-N25	2.85	1.38	1.33
2	H	501	38K	O30-S28	2.84	1.49	1.43
2	E	501	38K	O30-S28	2.82	1.49	1.43
2	C	501	38K	O30-S28	2.79	1.48	1.43
2	B	501	38K	O30-S28	2.74	1.48	1.43
2	A	501	38K	O30-S28	2.64	1.48	1.43
2	G	501	38K	C21-N22	2.64	1.36	1.32
2	B	501	38K	C20-N25	2.60	1.36	1.32
2	D	501	38K	C15-C16	2.57	1.42	1.36
2	C	501	38K	C21-N22	2.53	1.36	1.32
2	A	501	38K	O26-C21	2.49	1.39	1.33
2	A	501	38K	O29-S28	2.46	1.48	1.43
2	E	501	38K	O24-C20	2.45	1.38	1.35
2	E	501	38K	C21-N22	2.45	1.35	1.32
2	H	501	38K	C20-N25	2.45	1.35	1.32
2	E	501	38K	O29-S28	2.42	1.48	1.43
2	E	501	38K	O26-C21	2.41	1.39	1.33
2	D	501	38K	O30-S28	2.38	1.48	1.43
2	C	501	38K	C19-C20	-2.38	1.39	1.41

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	G	501	38K	C2-C1	2.37	1.54	1.49
2	G	501	38K	C19-C20	-2.32	1.39	1.41
2	D	501	38K	O24-C20	2.30	1.38	1.35
2	E	501	38K	C21-N25	2.28	1.37	1.33
2	H	501	38K	C11-C10	2.28	1.42	1.39
2	H	501	38K	O24-C20	2.26	1.38	1.35
2	F	501	38K	O26-C21	2.25	1.38	1.33
2	A	501	38K	O24-C20	2.25	1.38	1.35
2	F	501	38K	C19-C20	-2.19	1.39	1.41
2	C	501	38K	C9-C14	-2.17	1.39	1.43
2	G	501	38K	C4-N8	-2.13	1.36	1.40
2	B	501	38K	C14-C13	-2.12	1.39	1.42
2	C	501	38K	C15-C14	-2.12	1.37	1.42
2	E	501	38K	C15-C16	2.02	1.40	1.36
2	B	501	38K	O26-C21	2.01	1.38	1.33

All (159) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	501	38K	N22-C21-N25	-11.33	119.42	128.43
2	B	501	38K	N22-C21-N25	-11.27	119.47	128.43
2	H	501	38K	N22-C21-N25	-10.82	119.83	128.43
2	A	501	38K	N22-C21-N25	-10.80	119.85	128.43
2	D	501	38K	C25-O24-C20	10.67	127.78	117.21
2	F	501	38K	N22-C21-N25	-10.06	120.44	128.43
2	F	501	38K	O29-S28-O30	-10.02	102.28	118.76
2	G	501	38K	O29-S28-O30	-9.29	103.50	118.76
2	H	501	38K	O29-S28-O30	-9.25	103.56	118.76
2	D	501	38K	N22-C21-N25	-8.91	121.35	128.43
2	B	501	38K	O29-S28-O30	-8.87	104.17	118.76
2	C	501	38K	N22-C21-N25	-8.86	121.39	128.43
2	E	501	38K	C21-N25-C20	8.72	122.50	115.14
2	F	501	38K	C21-N25-C20	8.49	122.31	115.14
2	D	501	38K	O29-S28-O30	-8.43	104.90	118.76
2	G	501	38K	N22-C21-N25	-8.33	121.81	128.43
2	C	501	38K	C10-C9-N8	-8.23	113.78	121.46
2	H	501	38K	C21-N25-C20	7.80	121.72	115.14
2	C	501	38K	O29-S28-O30	-7.77	105.99	118.76
2	G	501	38K	C10-C9-N8	-7.76	114.22	121.46
2	C	501	38K	C21-N25-C20	7.70	121.64	115.14
2	A	501	38K	C21-N25-C20	7.54	121.50	115.14
2	B	501	38K	C21-N25-C20	7.38	121.38	115.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	E	501	38K	C19-C20-N25	-6.26	118.42	124.49
2	H	501	38K	C5-C4-C3	-5.86	112.71	119.65
2	H	501	38K	C19-C20-N25	-5.72	118.94	124.49
2	C	501	38K	O29-S28-C10	5.69	115.63	107.29
2	F	501	38K	C19-C20-N25	-5.64	119.03	124.49
2	C	501	38K	C19-C20-N25	-5.64	119.03	124.49
2	E	501	38K	O29-S28-O30	-5.55	109.63	118.76
2	H	501	38K	O29-S28-C10	5.50	115.36	107.29
2	E	501	38K	C27-O26-C21	5.33	126.10	117.58
2	G	501	38K	O29-S28-C10	5.28	115.02	107.29
2	F	501	38K	O24-C20-C19	5.19	123.73	117.58
2	E	501	38K	C10-C9-N8	-5.08	116.72	121.46
2	H	501	38K	C10-C9-N8	-5.03	116.77	121.46
2	G	501	38K	C21-N25-C20	4.97	119.34	115.14
2	H	501	38K	O24-C20-C19	4.92	123.42	117.58
2	E	501	38K	O30-S28-C10	4.88	114.44	107.29
2	E	501	38K	C25-O24-C20	4.88	122.04	117.21
2	A	501	38K	C25-O24-C20	4.87	122.04	117.21
2	F	501	38K	C10-C9-N8	-4.86	116.92	121.46
2	D	501	38K	C21-N25-C20	4.83	119.22	115.14
2	A	501	38K	C19-C20-N25	-4.78	119.86	124.49
2	C	501	38K	O24-C20-C19	4.75	123.21	117.58
2	H	501	38K	C23-N22-C21	4.73	120.71	114.97
2	H	501	38K	C10-C9-C14	-4.70	113.90	118.63
2	A	501	38K	C23-N22-C21	4.67	120.64	114.97
2	E	501	38K	C17-C19-C20	4.64	127.92	122.76
2	H	501	38K	C6-C5-C4	4.62	125.25	119.72
2	G	501	38K	C19-C20-N25	-4.61	120.02	124.49
2	H	501	38K	C25-O24-C20	4.59	121.76	117.21
2	D	501	38K	C19-C20-N25	-4.55	120.08	124.49
2	G	501	38K	C25-O24-C20	4.54	121.71	117.21
2	B	501	38K	O30-S28-C10	4.52	113.91	107.29
2	F	501	38K	C25-O24-C20	4.51	121.68	117.21
2	B	501	38K	C23-N22-C21	4.50	120.43	114.97
2	A	501	38K	O29-S28-N31	-4.40	100.83	107.36
2	B	501	38K	C19-C20-N25	-4.38	120.24	124.49
2	D	501	38K	C23-N22-C21	4.38	120.28	114.97
2	G	501	38K	C23-N22-C21	4.35	120.26	114.97
2	B	501	38K	C25-O24-C20	4.24	121.41	117.21
2	C	501	38K	C5-C4-N8	4.22	134.78	120.64
2	E	501	38K	C23-N22-C21	4.19	120.06	114.97
2	B	501	38K	C11-N12-C13	4.01	121.74	116.91

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	H	501	38K	C14-C9-N8	3.99	129.31	120.55
2	G	501	38K	C5-C4-N8	3.98	133.98	120.64
2	H	501	38K	C15-C14-C13	-3.97	113.89	118.33
2	H	501	38K	C9-N8-C4	3.95	137.77	125.53
2	C	501	38K	C14-C9-N8	3.90	129.10	120.55
2	E	501	38K	C15-C14-C13	-3.89	113.97	118.33
2	E	501	38K	O24-C20-C19	3.88	122.19	117.58
2	D	501	38K	C10-S28-N31	3.84	115.36	108.28
2	E	501	38K	C11-N12-C13	3.78	121.46	116.91
2	H	501	38K	C9-C14-C13	3.75	122.78	117.30
2	B	501	38K	O24-C20-C19	3.67	121.94	117.58
2	G	501	38K	O30-S28-C10	3.62	112.60	107.29
2	G	501	38K	C14-C9-N8	3.58	128.40	120.55
2	D	501	38K	O30-S28-C10	3.57	112.53	107.29
2	A	501	38K	C11-N12-C13	3.55	121.19	116.91
2	A	501	38K	C27-O26-C21	3.53	123.23	117.58
2	F	501	38K	C11-N12-C13	3.53	121.16	116.91
2	H	501	38K	C7-C2-C3	3.51	123.39	119.24
2	D	501	38K	O47-C1-C2	3.49	123.91	114.85
2	A	501	38K	C10-C9-N8	-3.47	118.22	121.46
2	F	501	38K	C23-N22-C21	3.44	119.15	114.97
2	C	501	38K	C3-C4-N8	-3.41	108.77	120.32
2	F	501	38K	O30-S28-N31	3.37	112.36	107.36
2	A	501	38K	O24-C20-C19	3.37	121.57	117.58
2	D	501	38K	C10-C9-N8	-3.35	118.34	121.46
2	G	501	38K	C3-C4-N8	-3.33	109.04	120.32
2	G	501	38K	C19-C23-N22	-3.33	119.26	124.49
2	G	501	38K	C11-N12-C13	3.31	120.90	116.91
2	H	501	38K	C6-C7-C2	-3.29	116.45	120.34
2	G	501	38K	C10-C11-N12	-3.15	120.88	123.60
2	C	501	38K	C5-C4-C3	-3.10	115.98	119.65
2	H	501	38K	C16-C15-C14	3.09	125.43	121.13
2	C	501	38K	O30-S28-N31	-3.06	102.83	107.36
2	E	501	38K	C23-C19-C17	-3.03	114.98	119.52
2	G	501	38K	C5-C4-C3	-3.02	116.07	119.65
2	C	501	38K	O29-S28-N31	2.99	111.80	107.36
2	C	501	38K	C27-O26-C21	2.99	122.37	117.58
2	G	501	38K	O30-S28-N31	2.94	111.72	107.36
2	C	501	38K	C23-N22-C21	2.92	118.51	114.97
2	C	501	38K	C9-N8-C4	2.91	134.56	125.53
2	F	501	38K	O29-S28-C10	2.88	111.51	107.29
2	H	501	38K	C18-C17-C19	2.88	125.15	120.72

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	38K	O30-S28-N31	2.83	111.56	107.36
2	G	501	38K	C7-C2-C1	2.81	125.92	120.39
2	D	501	38K	C11-N12-C13	2.81	120.29	116.91
2	G	501	38K	C2-C3-C4	2.77	124.17	120.44
2	B	501	38K	C10-C11-N12	-2.67	121.29	123.60
2	H	501	38K	C5-C4-N8	2.65	129.52	120.64
2	A	501	38K	C19-C23-N22	-2.61	120.39	124.49
2	E	501	38K	C14-C9-N8	2.60	126.26	120.55
2	H	501	38K	C17-C19-C20	2.60	125.66	122.76
2	E	501	38K	C18-C13-C14	2.59	122.64	119.65
2	H	501	38K	C19-C23-N22	-2.59	120.42	124.49
2	D	501	38K	C15-C14-C13	-2.58	115.44	118.33
2	F	501	38K	O30-S28-C10	2.56	111.04	107.29
2	B	501	38K	C14-C13-N12	-2.56	120.10	122.83
2	H	501	38K	C7-C2-C1	-2.51	115.46	120.39
2	D	501	38K	C5-C4-C3	-2.48	116.71	119.65
2	D	501	38K	C10-C9-C14	-2.47	116.14	118.63
2	F	501	38K	C5-C4-C3	-2.45	116.75	119.65
2	C	501	38K	C3-C2-C1	-2.43	115.58	119.98
2	H	501	38K	C23-C19-C17	-2.41	115.91	119.52
2	F	501	38K	C10-C11-N12	-2.34	121.58	123.60
2	B	501	38K	O29-S28-N31	2.31	110.79	107.36
2	A	501	38K	C10-S28-N31	2.30	112.51	108.28
2	A	501	38K	C15-C14-C13	-2.28	115.77	118.33
2	A	501	38K	C14-C13-N12	-2.28	120.40	122.83
2	C	501	38K	C6-C5-C4	2.28	122.45	119.72
2	H	501	38K	C14-C13-N12	-2.26	120.43	122.83
2	D	501	38K	C2-C3-C4	2.25	123.47	120.44
2	F	501	38K	C19-C23-N22	-2.23	120.99	124.49
2	C	501	38K	C7-C2-C1	2.23	124.77	120.39
2	E	501	38K	O29-S28-N31	2.22	110.65	107.36
2	F	501	38K	O26-C21-N22	2.19	123.40	116.26
2	A	501	38K	O47-C1-C2	2.18	120.50	114.85
2	A	501	38K	C9-C14-C13	2.17	120.47	117.30
2	F	501	38K	C5-C4-N8	2.17	127.90	120.64
2	F	501	38K	C2-C3-C4	2.16	123.36	120.44
2	D	501	38K	C27-O26-C21	2.15	121.03	117.58
2	D	501	38K	C19-C23-N22	-2.15	121.11	124.49
2	E	501	38K	C14-C13-N12	-2.15	120.54	122.83
2	A	501	38K	C10-C11-N12	-2.14	121.75	123.60
2	D	501	38K	O47-C1-O49	-2.13	118.62	123.35
2	B	501	38K	O47-C1-C2	2.10	120.29	114.85

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	501	38K	C19-C23-N22	-2.09	121.21	124.49
2	F	501	38K	C14-C13-N12	-2.07	120.63	122.83
2	H	501	38K	C11-N12-C13	2.05	119.38	116.91
2	E	501	38K	C10-C9-C14	-2.05	116.56	118.63
2	F	501	38K	C15-C14-C13	-2.02	116.07	118.33
2	G	501	38K	C6-C5-C4	2.01	122.14	119.72
2	C	501	38K	C9-C14-C13	2.01	120.24	117.30
2	C	501	38K	O47-C1-C2	2.01	120.06	114.85
2	A	501	38K	C10-C9-C14	-2.00	116.61	118.63
2	D	501	38K	O26-C21-N25	2.00	122.78	116.25

There are no chirality outliers.

All (69) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	501	38K	N25-C21-O26-C27
2	A	501	38K	N22-C21-O26-C27
2	B	501	38K	C11-C10-S28-O29
2	B	501	38K	C9-C10-S28-N31
2	B	501	38K	C11-C10-S28-N31
2	B	501	38K	C19-C20-O24-C25
2	C	501	38K	C11-C10-S28-O30
2	C	501	38K	C19-C20-O24-C25
2	C	501	38K	N25-C20-O24-C25
2	C	501	38K	N25-C21-O26-C27
2	C	501	38K	N22-C21-O26-C27
2	D	501	38K	C11-C10-S28-O29
2	D	501	38K	C19-C20-O24-C25
2	D	501	38K	N25-C20-O24-C25
2	D	501	38K	N25-C21-O26-C27
2	D	501	38K	N22-C21-O26-C27
2	E	501	38K	C19-C20-O24-C25
2	E	501	38K	N25-C20-O24-C25
2	E	501	38K	N25-C21-O26-C27
2	E	501	38K	N22-C21-O26-C27
2	H	501	38K	C19-C20-O24-C25
2	A	501	38K	O47-C1-C2-C3
2	D	501	38K	O47-C1-C2-C7
2	E	501	38K	O49-C1-C2-C3
2	F	501	38K	O47-C1-C2-C3
2	F	501	38K	O47-C1-C2-C7
2	A	501	38K	O49-C1-C2-C7

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	D	501	38K	O49-C1-C2-C7
2	E	501	38K	O47-C1-C2-C3
2	E	501	38K	O47-C1-C2-C7
2	E	501	38K	O49-C1-C2-C7
2	F	501	38K	O49-C1-C2-C3
2	F	501	38K	O49-C1-C2-C7
2	A	501	38K	O49-C1-C2-C3
2	A	501	38K	O47-C1-C2-C7
2	D	501	38K	O47-C1-C2-C3
2	D	501	38K	O49-C1-C2-C3
2	B	501	38K	O47-C1-C2-C3
2	B	501	38K	O49-C1-C2-C3
2	H	501	38K	O49-C1-C2-C3
2	H	501	38K	O49-C1-C2-C7
2	H	501	38K	O47-C1-C2-C3
2	B	501	38K	O47-C1-C2-C7
2	B	501	38K	N25-C20-O24-C25
2	H	501	38K	N25-C20-O24-C25
2	B	501	38K	O49-C1-C2-C7
2	H	501	38K	O47-C1-C2-C7
2	F	501	38K	N22-C21-O26-C27
2	H	501	38K	N22-C21-O26-C27
2	A	501	38K	N25-C20-O24-C25
2	B	501	38K	C9-C10-S28-O29
2	G	501	38K	N22-C21-O26-C27
2	H	501	38K	N25-C21-O26-C27
2	C	501	38K	C9-C10-S28-O30
2	D	501	38K	C9-C10-S28-O29
2	A	501	38K	C19-C20-O24-C25
2	D	501	38K	C11-C10-S28-N31
2	F	501	38K	N25-C21-O26-C27
2	F	501	38K	C9-C10-S28-O29
2	F	501	38K	C11-C10-S28-O29
2	G	501	38K	C9-C10-S28-O29
2	G	501	38K	N25-C21-O26-C27
2	F	501	38K	C10-C9-N8-C4
2	H	501	38K	C10-C9-N8-C4
2	H	501	38K	C9-C10-S28-O29
2	D	501	38K	C10-C9-N8-C4
2	A	501	38K	C10-C9-N8-C4
2	C	501	38K	C9-C10-S28-N31
2	D	501	38K	C9-C10-S28-N31


There are no ring outliers.


7 monomers are involved in 29 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	E	501	38K	4	0
2	H	501	38K	4	0
2	G	501	38K	7	0
2	F	501	38K	2	0
2	C	501	38K	7	0
2	B	501	38K	4	0
2	D	501	38K	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	332/337 (98%)	-0.61	0 [100] [100]	42, 57, 87, 124	0
1	B	331/337 (98%)	-0.59	1 (0%) [94] [84]	41, 58, 92, 111	0
1	C	332/337 (98%)	-0.66	0 [100] [100]	40, 55, 87, 124	0
1	D	332/337 (98%)	-0.63	0 [100] [100]	40, 56, 86, 127	0
1	E	331/337 (98%)	-0.37	6 (1%) [68] [40]	52, 76, 118, 143	0
1	F	331/337 (98%)	-0.62	2 (0%) [89] [72]	40, 59, 98, 124	0
1	G	331/337 (98%)	-0.73	1 (0%) [94] [84]	40, 57, 86, 106	0
1	H	331/337 (98%)	-0.52	1 (0%) [94] [84]	47, 70, 104, 147	0
All	All	2651/2696 (98%)	-0.59	11 (0%) [92] [79]	40, 61, 98, 147	0

All (11) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	H	15	GLU	3.3
1	E	15	GLU	2.8
1	E	100	GLN	2.6
1	B	102	GLU	2.5
1	G	102	GLU	2.5
1	E	328	LYS	2.4
1	E	16	GLU	2.2
1	E	284	LYS	2.1
1	F	15	GLU	2.1
1	F	331	GLN	2.1
1	E	102	GLU	2.1

6.2 Non-standard residues in protein, DNA, RNA chains i

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)


There are no monosaccharides in this entry.


6.4 Ligands [\(i\)](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	38K	C	501	34/34	0.92	0.21	43,50,109,114	0
2	38K	H	501	34/34	0.93	0.28	55,77,143,155	0
2	38K	G	501	34/34	0.94	0.20	43,50,97,105	0
2	38K	E	501	34/34	0.94	0.27	61,83,96,101	0
2	38K	D	501	34/34	0.96	0.20	43,52,64,80	0
2	38K	F	501	34/34	0.97	0.18	47,58,78,84	0
2	38K	B	501	34/34	0.97	0.19	46,57,76,79	0
2	38K	A	501	34/34	0.97	0.21	47,60,68,72	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.











6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.