

wwPDB EM Validation Summary Report (i)

Feb 22, 2024 – 06:07 PM EST

PDB ID : 4V48

Title : Real space refined coordinates of the 30S and 50S subunits fitted into the low

resolution cryo-EM map of the initiation-like state of E. coli 70S ribosome

Authors : Gao, H.; Sengupta, J.; Valle, M.; Korostelev, A.; Eswar, N.; Stagg, S.M.; Van

Roey, P.; Agrawal, R.K.; Harvey, S.T.; Sali, A.; Chapman, M.S.; Frank, J.

Deposited on : 2003-05-06

Resolution : 11.50 Å(reported)

Based on initial models : 1JJ2, 1LNR, 1FFK, 1GIY, 1FJG, 1IBL

This is a wwPDB EM Validation Summary Report for a publicly released PDB/EMDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/EMValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity : 4.02b-467

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $ELECTRON\ MICROSCOPY$

The reported resolution of this entry is 11.50 Å.


Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive $(\# \mathrm{Entries})$	${ m EM\ structures} \ (\#{ m Entries})$
Clashscore	158937	4297
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%

Mol	Chain	Length	Quality of chain	
1	A0	2904	87%	13%
2	A9	120	90%	10%
3	A6	76	100%	
4	AA	272	83%	17%
5	AB	209	75%	25%
6	AC	201	71%	29%
7	AD	178	99%	
8	AE	176	95%	5%
9	AF	149	100%	
10	AG	141	99%	





Continued from previous page...

Mol	Chain	$oxed{ egin{array}{c} { m length} \\ { m Length} \\ \end{array} }$	Quality of chain	
11	AH	142	99%	•
12	AI	123	99%	
13	AJ	144	49% 51%)
14	AK	136	96%	·
15	AL	127	75%	22%
16	AM	117	97%	
17	AN	114	100%	
18	AO	117	58%	42%
19	AQ	110	95%	
20	AR	100	74%	26%
21	AS	103	96%	
22	AT	94	100%	
23	AU	84	81%	19%
24	AW	63	95%	5%
25	AX	58	95%	
26	AZ	56	52% 48	
27	A1	54	93%	
28	A4	38	95%	5%
29	BA	1543	96%	
30	BB	240	98%	.
31	BC	232	89%	11%
32	BD	205	100%	2270
33	BE	166	89%	11%
34	BF	135	70%	30%
35	BG	178	77%	23%
- 55	DG	110		ed on nert nage

Continued on next page...



Continued from previous page...

Mol	Chain	Length	Quality of chain	
36	ВН	129	98%	·
37	BI	129	77%	23%
38	BJ	103	93%	7%
39	BK	128	79%	21%
40	BL	123	79%	21%
41	BM	117	98%	
42	BN	100	32% 68%	
43	ВО	88	98%	
44	BP	82	95%	5%
45	BQ	83	95%	5%
46	BR	74	69%	31%
47	BS	91	71%	29%
48	ВТ	86	97%	



2 Entry composition (i)

There are 48 unique types of molecules in this entry. The entry contains 9032 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms	AltConf	Trace
1	A0	2536	Total P 2536 2536	0	2536

• Molecule 2 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms	AltConf	Trace
2	A9	108	Total P 108 108	0	108

• Molecule 3 is a RNA chain called tRNA-PHE.

Mol	Chain	Residues	Atoms		AltConf	Trace
3	A6	76	Total 76	P 76	0	76

• Molecule 4 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms		AltConf	Trace
4	AA	227	Total 227	C 227	0	227

• Molecule 5 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms		AltConf	Trace
5	AB	156	Total 156	C 156	0	156

• Molecule 6 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms		AltConf	Trace
6	AC	142	Total 142	C 142	0	142



• Molecule 7 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms	AltConf	Trace
7	AD	177	Total C 177 177	0	177

• Molecule 8 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Ato	ms	AltConf	Trace
8	AE	167	Total 167	C 167	0	167

• Molecule 9 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	${f Atoms}$		AltConf	Trace
9	AF	149	Total 149	C 149	0	149

• Molecule 10 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms		AltConf	Trace
10	AG	139	Total 139	C 139	0	139

• Molecule 11 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms	AltConf	Trace
11	АН	142	Total C 142 142	0	142

• Molecule 12 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms	AltConf	Trace
12	AI	122	Total C 122 122	0	122

• Molecule 13 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Aton	ns	AltConf	Trace
13	AJ	70	Total 70	C 70	0	70

• Molecule 14 is a protein called 50S ribosomal protein L16.



Mol	Chain	Residues	Atoms	AltConf	Trace
14	AK	131	Total C 131 131	0	131

• Molecule 15 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Aton	ns	AltConf	Trace
15	AL	99	Total 99	C 99	0	99

• Molecule 16 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Aton	ns	AltConf	Trace
16	AM	113	Total 113	C 113	0	113

• Molecule 17 is a protein called 50S ribosomal protein L19.

\mathbf{Mol}	Chain	Residues	Atoms	AltConf	Trace
17	AN	114	Total C 114 114	0	114

• Molecule 18 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms		AltConf	Trace
18	AO	68	Total 68	C 68	0	68

• Molecule 19 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms		AltConf	Trace
19	AQ	106	Total 106	C 106	0	106

• Molecule 20 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms		AltConf	Trace
20	AR	74	Total 7	C 74	0	74

• Molecule 21 is a protein called 50S ribosomal protein L24.



Mol	Chain	Residues	Atoms	AltConf	Trace
21	AS	99	Total C 99 99	0	99

• Molecule 22 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms		AltConf	Trace
22	АТ	94	Total (94 9	C 4	0	94

• Molecule 23 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms	S	AltConf	Trace
23	AU	68	Total 68	C 68	0	68

• Molecule 24 is a protein called 50S ribosomal protein L29.

\mathbf{N}	Iol	Chain	Residues	Atoms	AltConf	Trace
4	24	AW	60	Total C	0	60

• Molecule 25 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms		AltConf	Trace
25	AX	56	Total 6	C 56	0	56

• Molecule 26 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms		AltConf	Trace
26	AZ	29	Total 29	C 29	0	29

• Molecule 27 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms		AltConf	Trace
27	A1	52	Total 52	C 52	0	52

• Molecule 28 is a protein called 50S ribosomal protein L36.



Mol	Chain	Residues	Atoms		AltConf	Trace
28	A4	36	Total 36	C 36	0	36

• Molecule 29 is a RNA chain called 16S RIBOSOMAL RNA.

Mol	Chain	Residues	Ato	ms	AltConf	Trace
29	ВА	1487	Total 1487	P 1487	0	1487

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BA	1246	С	-	insertion	EMBL V00348

• Molecule 30 is a protein called 30S RIBOSOMAL PROTEIN S2.

Mol	Chain	Residues	Atoms	AltConf	Trace
30	BB	236	Total C 236 236	0	236

• Molecule 31 is a protein called 30S RIBOSOMAL PROTEIN S3.

Mol	Chain	Residues	Atoms	AltConf	Trace
31	ВС	206	Total C 206 206	0	206

• Molecule 32 is a protein called 30S RIBOSOMAL PROTEIN S4.

Mol	Chain	Residues	Atoms		AltConf	Trace
32	BD	204	Total 204	C 204	0	204

• Molecule 33 is a protein called 30S RIBOSOMAL PROTEIN S5.

Mol	Chain	Residues	Atoms	AltConf	Trace
33	BE	148	Total C 148 148	0	148

• Molecule 34 is a protein called 30S RIBOSOMAL PROTEIN S6.



Mol	Chain	Residues	Atoms		AltConf	Trace
34	BF	95	Total 95	C 95	0	95

• Molecule 35 is a protein called 30S RIBOSOMAL PROTEIN S7.

Mol	Chain	Residues	Atoms		AltConf	Trace
35	BG	137	Total 137	C 137	0	137

• Molecule 36 is a protein called 30S RIBOSOMAL PROTEIN S8.

Mol	Chain	Residues	Atoms		AltConf	Trace
36	ВН	127	Total C 127 12	; 7	0	127

• Molecule 37 is a protein called 30S RIBOSOMAL PROTEIN S9.

Mol	Chain	Residues	Atoms		AltConf	Trace
37	BI	99	Total 99	C 99	0	99

• Molecule 38 is a protein called 30S RIBOSOMAL PROTEIN S10.

Mol	Chain	Residues	Atoms		AltConf	Trace
38	ВЈ	96	Total 96	C 96	0	96

• Molecule 39 is a protein called 30S RIBOSOMAL PROTEIN S11.

Mol	Chain	Residues	Atoms		AltConf	Trace
39	ВК	101	Total 101	C 101	0	101

• Molecule 40 is a protein called 30S RIBOSOMAL PROTEIN S12.

Mol	Chain	Residues	Atoms		AltConf	Trace
40	BL	97	Total 97	C 97	0	97

• Molecule 41 is a protein called 30S RIBOSOMAL PROTEIN S13.



Mol	Chain	Residues	Atoms	AltConf	Trace
41	BM	115	Total C 115 115	0	115

• Molecule 42 is a protein called 30S RIBOSOMAL PROTEIN S14.

Mol	Chain	Residues	Atoms		AltConf	Trace
42	BN	32	Total 32	C 32	0	32

• Molecule 43 is a protein called 30S RIBOSOMAL PROTEIN S15.

Mol	Chain	Residues	Atoms	AltConf	Trace
43	ВО	86	Total C 86 86	0	86

• Molecule 44 is a protein called 30S RIBOSOMAL PROTEIN S16.

Mol	Chain	Residues	Atoms	AltConf	Trace
44	BP	78	Total C 78 78	0	78

• Molecule 45 is a protein called 30S RIBOSOMAL PROTEIN S17.

Mol	Chain	Residues	Aton	ns	AltConf	Trace
45	BQ	79	Total 79	C 79	0	79

• Molecule 46 is a protein called 30S RIBOSOMAL PROTEIN S18.

Mol	Chain	Residues	Atoms		Atoms		Atoms		AltConf	Trace
46	BR	51	Total (51 5	C 51	0	51				

• Molecule 47 is a protein called 30S RIBOSOMAL PROTEIN S19.

Mol	Chain	Residues	Atoms		Atoms		AltConf	Trace
47	BS	65	Total 65	C 65	0	65		

• Molecule 48 is a protein called 30S RIBOSOMAL PROTEIN S20.




Mol	Chain	Residues	Atoms	AltConf	Trace
48	ВТ	83	Total C 83 83	0	83



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: 23S ribosomal RNA



• Molecule 3: tRNA-PHE



Chain A6:	100%	
There are no	outlier residues recorded for this chain.	
• Molecule 4:	50S ribosomal protein L2	
Chain AA:	83%	17%
ALA VAL VAL LYS CYS LYS PRO THR SER	617 ARG ARG ARG ARG VAL VAL VAL VAL VAL VAL VAL VA	
• Molecule 5:	50S ribosomal protein L3	
Chain AB:	75%	25%
M14 GLY IVS GLY PHE ALA GLY	VAL LYS ARG ARD ASN ASN ASN ARD GLY ARG CLY ARG CLY ARG CLY SER HIS BER HIS CLY ARG CLY AR ARG CLY AR CLY AR CLY AR ARC ARC AR	LYS MET ALA GLY GLN MET GLY GLY ASN E168
• Molecule 6:	50S ribosomal protein L4	
Chain AC:	71%	29%
M1 R40 GLN GLY THR ARG ALA GLN	THR AAG ALA AAG ALA AAG CLU VAL THR CLY SER SER CLY SER SER CLY SER	ALA ALA ARG ARG GLN GLN ASP HTS SER GLN UYS
E198 MET LEU ALA		
• Molecule 7:	50S ribosomal protein L5	
Chain AD:	99%	
ALA K2 K178		
• Molecule 8:	50S ribosomal protein L6	
Chain AE:	95%	5%
SER ARG VAL ALA K5 K171 GLU GLU ALA LYS	S.17 S.17	
• Molecule 9:	50S ribosomal protein L9	
Chain AF:	100%	
There are no	outlier residues recorded for this chain.	
• Molecule 10): 50S ribosomal protein L11	



Chain AG:	99%	
ALA K2 E140 ASP		
• Molecule 1	1: 50S ribosomal protein L13	
Chain AH:	99%	
M1 K7 P8 1142		
• Molecule 1	2: 50S ribosomal protein L14	
Chain AI:	99%	
MET 12 123 1.123		
• Molecule 1	3: 50S ribosomal protein L15	
Chain AJ:	49% 51%	
MET ARG LEU LEU THR LEU LEU SER PRO ALA	0 17 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	ARG
LEU PRO LYS PHE GLY PHE THR SER ARG	LYS ALA ALA ALA ALA ALA ALA ALA ALA ALA AL	
• Molecule 1	4: 50S ribosomal protein L16	
Chain AK:	96%	
MET LEU Q3 K133 THR VAL		
• Molecule 1	5: 50S ribosomal protein L17	
Chain AL:	75% • 22%	
MET ARG HIS ARG LYS SER GLY ARG GLY	ASN ARG ARG ARG ARG ARG ARG ARG ARA ARA ARA	
• Molecule 1	6: 50S ribosomal protein L18	
Chain AM:	97%	
MET ASP K3 L115 GLN PHE		



• Molecule 17: 50S ribosomal protein L19	
Chain AN: 100%	
There are no outlier residues recorded for this chair	n.
• Molecule 18: 50S ribosomal protein L20	
Chain AO: 58%	42%
ALA ALA ARG ARG ARG ARG ARG ALA ALA ALA ALA ALA ALA ARG ALA ALA ALA ALA ARG ALA ALA ARG ALA ARG ALA ALA ARG ARG ARG ALA ARG ALA ARG ARG ARG ARG ARG ARG ARG ARG ARG AR	11E 11S 11YS 11YS 11YB 11YB 11YB 11YB 11YB
• Molecule 19: 50S ribosomal protein L22	
Chain AQ: 95%	· ·
MET GLU	
• Molecule 20: 50S ribosomal protein L23	
Chain AR: 74%	26%
MET ILE ARG GLU GLU GLU ARG GLU INS GLY INS GLY GLY GLN GLY GLY GLN ARG GRY ARG SER ARG SER ARG ARG SER ARG GOS ARG GOS ARG GLY ARG GL	
• Molecule 21: 50S ribosomal protein L24	
Chain AS: 96%	
ALA ALA Kasa Kasa Kasa Kasa Kasa Kasa Kasa Kas	
• Molecule 22: 50S ribosomal protein L25	
Chain AT: 100%	
There are no outlier residues recorded for this chair	n.
• Molecule 23: 50S ribosomal protein L27	
Chain AU: 81%	19%
ALA HIS LIYS LIYS LIYS LIYS GIN GIN GIN ARG ASN GIN ARG	
• Molecule 24: 50S ribosomal protein L29	
Chain AW: 95%	5%





• Molecule 25: 50S ribosomal protein L30

Chain AX:



• Molecule 26: 50S ribosomal protein L32

Chain AZ: 52% 48%

• Molecule 27: 50S ribosomal protein L33

Chain A1:



• Molecule 28: 50S ribosomal protein L36

Chain A4: 95% 5%



• Molecule 29: 16S RIBOSOMAL RNA

Chain BA:





• Molecule 30: 30S RIBOSOMAL PROTEIN S2

Chain BB: 98%




• Molecule 31: 30S RIBOSOMAL PROTEIN S3



Chain BC:	89%	11%
G1 1206 1.EU G1.Y G1.Y G1.Y A1.A A1.A	VAL GUN GUN CGU CGU CGU CGN CGN CGN CGN CGN CGN CGN CGN CGN CGN	
• Molecule 3	32: 30S RIBOSOMAL PROTEIN S4	
Chain BD:	100%	
ALA R2 K205		
• Molecule 3	33: 30S RIBOSOMAL PROTEIN S5	
Chain BE:	89%	11%
ALA HIS ILE GLU LYS GLN ALA GLY	RIS COLUMBIA	
• Molecule 3	34: 30S RIBOSOMAL PROTEIN S6	
Chain BF:	70%	30%
M1 A95 VAL THR GLU ALA SER PRO	MET VALL LYS ASP ASP ARG ARG ARG ARG ARG ARG ARG ARG ARG ARG	
• Molecule 3	35: 30S RIBOSOMAL PROTEIN S7	
Chain BG:	77%	23%
PRO ARG ARG VAL ULE GLY GLN	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
• Molecule 3	36: 30S RIBOSOMAL PROTEIN S8	
Chain BH:	98%	
SER M2 V128 ALA		
• Molecule 3	37: 30S RIBOSOMAL PROTEIN S9	
Chain BI:	77%	23%
ALA GLU ASN Q4 F102 VAL THR ARG	ASP ARG GLN VAL GUN GUN CGLY CGLY GLY CGLY GLY CGLY CGLY CGLY C	
• Molecule 3	38: 30S RIBOSOMAL PROTEIN S10	
Chain BJ:	93%	7%









• Molecule 46: 30S RIBOSOMAL PROTEIN S18

Chain BR: 69% 31%

ALA
ALA
TYR
TYR
ARG
ARG
ARG
CYS
PHE
CYS
PHE
TYR
ARG
ALA
ALA
ALA
ALA
ALA
ALA
ATIR
THR
ASP
PSS
TRR
ASP
TRR
ASP

• Molecule 47: 30S RIBOSOMAL PROTEIN S19

Chain BS: 71% 29%

• Molecule 48: 30S RIBOSOMAL PROTEIN S20

Chain BT: 97% .

ALA ASN ILE K4 A86



4 Data and refinement statistics (i)

Xtriage (Phenix) and EDS failed to run properly - this section is therefore incomplete.

Property	Value	Source	
Space group	P 1	Depositor	
Cell constants	1.00Å 1.00Å 1.00Å	Depositor	
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor	
Resolution (Å)	(Not available) – 11.50	Depositor	
% Data completeness	(Not available) ((Not available)-11.50)	Depositor	
(in resolution range)	(1100 available) ((1100 available) 11.90)	Depositor	
R_{merge}	(Not available)	Depositor	
R_{sym}	(Not available)	Depositor	
Refinement program	unknown	Depositor	
R, R_{free}	(Not available) , (Not available)	Depositor	
Estimated twinning fraction	No twinning to report.	Xtriage	
Total number of atoms	9032	wwPDB-VP	
Average B, all atoms (Å ²)	15.0	wwPDB-VP	



5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

There are no protein, RNA or DNA chains available to summarize Z scores of covalent bonds and angles.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A0	2536	0	0	1	0
2	A9	108	0	0	0	0
3	A6	76	0	0	0	0
4	AA	227	0	0	0	0
5	AB	156	0	0	0	0
6	AC	142	0	0	0	0
7	AD	177	0	0	0	0
8	AE	167	0	0	0	0
9	AF	149	0	0	0	0
10	AG	139	0	0	0	0
11	AH	142	0	0	1	0
12	AI	122	0	0	0	0
13	AJ	70	0	0	0	0
14	AK	131	0	0	0	0
15	AL	99	0	0	2	0
16	AM	113	0	0	0	0
17	AN	114	0	0	0	0
18	AO	68	0	0	0	0

Continued on next page...



Continued from previous page...

Mol	Chain	Non-H		H(added)	Clashes	Symm-Clashes
19	AQ	106	0	0	1	0
20	AR	74	0	0	0	0
21	AS	99	0	0	0	0
22	AT	94	0	0	0	0
23	AU	68	0	0	0	0
24	AW	60	0	0	0	0
25	AX	56	0	0	1	0
26	AZ	29	0	0	0	0
27	A1	52	0	0	1	0
28	A4	36	0	0	0	0
29	BA	1487	0	0	0	0
30	BB	236	0	0	0	0
31	BC	206	0	0	0	0
32	BD	204	0	0	0	0
33	BE	148	0	0	0	0
34	BF	95	0	0	0	0
35	BG	137	0	0	0	0
36	ВН	127	0	0	0	0
37	BI	99	0	0	0	0
38	BJ	96	0	0	0	0
39	BK	101	0	0	0	0
40	BL	97	0	0	0	0
41	BM	115	0	0	0	0
42	BN	32	0	0	0	0
43	ВО	86	0	0	0	0
44	BP	78	0	0	0	0
45	BQ	79	0	0	0	0
46	BR	51	0	0	0	0
47	BS	65	0	0	0	0
48	BT	83	0	0	0	0
All	All	9032	0	0	6	0

The all-atom clash score is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clash score for this structure is 1.

The worst 5 of 6 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	$\begin{array}{c} {\rm Interatomic} \\ {\rm distance} \ ({\rm \AA}) \end{array}$	Clash overlap (Å)
1:A0:929:U:P	25:AX:25:GLY:CA	2.30	1.20
27:A1:29:LYS:CA	27:A1:30:PRO:CA	2.94	0.46
11:AH:7:LYS:CA	11:AH:8:PRO:CA	2.93	0.46

Continued on next page...



Continued from previous page...

Atom-1	Atom-2	$\begin{array}{c} {\rm Interatomic} \\ {\rm distance} \ ({\rm \AA}) \end{array}$	Clash overlap (Å)
15:AL:49:GLU:CA	15:AL:50:PRO:CA	2.96	0.44
19:AQ:79:GLY:CA	19:AQ:80:PRO:CA	2.97	0.43

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

There are no protein backbone outliers to report in this entry.

5.3.2 Protein sidechains (i)

There are no protein residues with a non-rotameric sidechain to report in this entry.

5.3.3 RNA (i)

\mathbf{Mol}	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A0	0/2904	-	-
2	A9	0/120	-	-
29	BA	0/1543	-	-
3	A6	0/76	-	-
All	All	0/4643	-	-

There are no RNA backbone outliers to report.

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.



5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.

