

Full wwPDB X-ray Structure Validation Report (i)

Sep 20, 2023 – 08:56 AM EDT

| PDB ID | : | 5ESZ |
|--------------|---|---|
| Title | : | Crystal Structure of Broadly Neutralizing Antibody CH04, Isolated from |
| | | Donor CH0219, in Complex with Scaffolded Trimeric HIV-1 Env V1V2 Domain |
| | | from the Clade AE Strain A244 |
| Authors | : | Gorman, J.; Yang, M.; Kwong, P.D. |
| Deposited on | : | 2015-11-17 |
| Resolution | : | 4.19 Å(reported) |

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

| MolProbity | : | 4.02b-467 |
|--------------------------------|---|--|
| Mogul | : | 1.8.5 (274361), CSD as541be (2020) |
| Xtriage (Phenix) | : | 1.13 |
| EDS | : | 2.35.1 |
| Percentile statistics | : | 20191225.v01 (using entries in the PDB archive December 25th 2019) |
| Refmac | : | 5.8.0158 |
| CCP4 | : | 7.0.044 (Gargrove) |
| Ideal geometry (proteins) | : | Engh & Huber (2001) |
| Ideal geometry (DNA, RNA) | : | Parkinson et al. (1996) |
| Validation Pipeline (wwPDB-VP) | : | 2.35.1 |

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $X\text{-}RAY\;DIFFRACTION$

The reported resolution of this entry is 4.19 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



| Metric | Whole archive | Similar resolution |
|-----------------------|---------------------|---|
| | $(\# { m Entries})$ | $(\# { m Entries}, { m resolution} { m range}({ m \AA}))$ |
| R_{free} | 130704 | $1005 \ (4.62-3.78)$ |
| Clashscore | 141614 | 1044 (4.60-3.80) |
| Ramachandran outliers | 138981 | $1000 \ (4.60-3.80)$ |
| Sidechain outliers | 138945 | 1007 (4.62-3.78) |
| RSRZ outliers | 127900 | 1063 (4.70-3.70) |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

| Mol | Chain | Length | Quality of chain | | | | | |
|-----|-------|--------|------------------|--|--|--|--|--|
| 1 | А | 244 | 77% 10% 13% | | | | | |
| 1 | Н | 244 | 80% 14% 6% | | | | | |
| 2 | В | 215 | 82% 15% •• | | | | | |
| 2 | L | 215 | 86% 13% • | | | | | |
| 3 | С | 222 | 55% 17% • 27% | | | | | |



| Mol | Chain | Length | Quality of chain | | | | | |
|-----|-------|--------|------------------|-----|-----|-----|--|--|
| 3 | G | 222 | 47% | 16% | · | 36% | | |
| 4 | D | 5 | 60% | | 20% | 20% | | |
| 5 | Е | 2 | 50% | | 50% | | | |
| 5 | Ι | 2 | 50% | | 50% | | | |
| 6 | F | 6 | 67% | | | 33% | | |
| 7 | J | 7 | 1 | 00% | | | | |
| 8 | K | 4 | 25% 25% | | 50% | | | |

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

| Mol | Type | Chain | Res | Chirality | Geometry | Clashes | Electron density |
|-----|------|-------|-----|-----------|----------|---------|------------------|
| 5 | NAG | Е | 2 | - | - | - | Х |
| 6 | NAG | F | 1 | - | - | - | Х |
| 6 | NAG | F | 2 | - | - | - | Х |



2 Entry composition (i)

There are 8 unique types of molecules in this entry. The entry contains 9244 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called CH04 Heavy Chain.

| Mol | Chain | Residues | Atoms | | | ZeroOcc | AltConf | Trace | | |
|-----|-------|----------|-------|------|-----|---------|--------------|-------|---|---|
| 1 | ц | 220 | Total | С | Ν | 0 | \mathbf{S} | 0 | 0 | 0 |
| 1 | 11 | 229 | 1735 | 1097 | 296 | 337 | 5 | 0 | 0 | 0 |
| 1 | Δ | 919 | Total | С | Ν | 0 | S | 0 | 0 | 0 |
| | А | 212 | 1620 | 1026 | 276 | 313 | 5 | 0 | U | 0 |

| Chain | Residue | Modelled | Actual Comment | | Reference |
|-------|---------|----------|----------------|----------------|----------------|
| Н | 219 | GLY | - | expression tag | UNP A0A087WYE1 |
| Н | 220 | LEU | - | expression tag | UNP A0A087WYE1 |
| Н | 221 | GLU | - | expression tag | UNP A0A087WYE1 |
| Н | 222 | VAL | - | expression tag | UNP A0A087WYE1 |
| Н | 223 | LEU | - | expression tag | UNP A0A087WYE1 |
| Н | 224 | PHE | - | expression tag | UNP A0A087WYE1 |
| А | 219 | GLY | - | expression tag | UNP A0A087WYE1 |
| А | 220 | LEU | - | expression tag | UNP A0A087WYE1 |
| А | 221 | GLU | - | expression tag | UNP A0A087WYE1 |
| А | 222 | VAL | - | expression tag | UNP A0A087WYE1 |
| А | 223 | LEU | - | expression tag | UNP A0A087WYE1 |
| A | 224 | PHE | - | expression tag | UNP A0A087WYE1 |

There are 12 discrepancies between the modelled and reference sequences:

• Molecule 2 is a protein called CH04 Light Chain.

| Mol | Chain | Residues | Atoms | | | | ZeroOcc | AltConf | Trace | |
|-----|-------|----------|---------------|-----------|----------|----------|---------------|---------|-------|---|
| 2 | L | 214 | Total 1660 | C 1039 | N 288 | O 329 | ${S \over 4}$ | 0 | 0 | 0 |
| 2 | В | 211 | Total 1636 | C 1023 | N 284 | O 325 | $\frac{S}{4}$ | 0 | 0 | 0 |

• Molecule 3 is a protein called 2-C-methyl-D-erythritol 2,4-cyclodiphosphate synthase,Envelope glycoprotein gp160.



| Mol | Chain | Residues | Atoms | | | ZeroOcc | AltConf | Trace | | |
|-----|-------|----------|-------|-----|-----|---------|---------|-------|---|---|
| 2 | C | 162 | Total | С | Ν | 0 | S | 0 | 0 | 0 |
| 0 | U | 105 | 1199 | 749 | 217 | 225 | 8 | 0 | 0 | 0 |
| 2 | C | 149 | Total | С | Ν | 0 | S | 0 | 0 | 0 |
| 0 | G | 142 | 1072 | 665 | 197 | 203 | 7 | 0 | 0 | 0 |

There are 38 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual Comment | | Reference |
|-------|---------|----------|----------------|----------------|------------|
| С | 111 | SER | - | expression tag | UNP P44815 |
| С | 112 | LEU | MET | conflict | UNP P44815 |
| С | 198 | GLY | _ | linker | UNP Q4QX31 |
| С | 199 | GLY | - | linker | UNP Q4QX31 |
| С | 200 | SER | _ | linker | UNP Q4QX31 |
| С | 201 | GLY | - | linker | UNP Q4QX31 |
| С | ? | - | ASP | deletion | UNP P44815 |
| С | ? | - | THR | deletion | UNP P44815 |
| С | ? | - | ASP | deletion | UNP P44815 |
| С | ? | - | MET | deletion | UNP P44815 |
| С | ? | - | GLN | deletion | UNP P44815 |
| С | ? | - | TYR | deletion | UNP P44815 |
| С | 317 | GLY | - | expression tag | UNP P44815 |
| С | 318 | LEU | - | expression tag | UNP P44815 |
| С | 319 | GLU | - | expression tag | UNP P44815 |
| С | 320 | VAL | - | expression tag | UNP P44815 |
| С | 321 | LEU | - | expression tag | UNP P44815 |
| С | 322 | PHE | - | expression tag | UNP P44815 |
| С | 323 | GLN | - | expression tag | UNP P44815 |
| G | 111 | SER | - | expression tag | UNP P44815 |
| G | 112 | LEU | MET | conflict | UNP P44815 |
| G | 198 | GLY | - | linker | UNP Q4QX31 |
| G | 199 | GLY | - | linker | UNP Q4QX31 |
| G | 200 | SER | - | linker | UNP Q4QX31 |
| G | 201 | GLY | - | linker | UNP Q4QX31 |
| G | ? | - | ASP | deletion | UNP P44815 |
| G | ? | - | THR | deletion | UNP P44815 |
| G | ? | - | ASP | deletion | UNP P44815 |
| G | ? | - | MET | deletion | UNP P44815 |
| G | ? | - | GLN | deletion | UNP P44815 |
| G | ? | - | TYR | deletion | UNP P44815 |
| G | 317 | GLY | - | expression tag | UNP P44815 |
| G | 318 | LEU | - | expression tag | UNP P44815 |
| G | 319 | GLU | - | expression tag | UNP P44815 |
| G | 320 | VAL | - | expression tag | UNP P44815 |



| α $\cdot \cdot$ \cdot | C | | |
|--------------------------------|------|----------|------|
| Continued | from | previous | page |
| | | 1 | 1 0 |

| Chain | Residue | Modelled | Actual | Comment | Reference | | | | |
|-------|---------|----------|--------|----------------|------------|--|--|--|--|
| G | 321 | LEU | - | expression tag | UNP P44815 | | | | |
| G | 322 | PHE | - | expression tag | UNP P44815 | | | | |
| G | 323 | GLN | - | expression tag | UNP P44815 | | | | |

• Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyran ose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a cetamido-2-deoxy-beta-D-glucopyranose.



| Mol | Chain | Residues | I | Aton | ns | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------------|---------|--------|---------|---------|---------|-------|
| 4 | D | 5 | Total 61 | С 34 | N 2 | O 25 | 0 | 0 | 0 |

• Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a cetamido-2-deoxy-beta-D-glucopyranose.



| Mol | Chain | Residues | Atoms | ZeroOcc | AltConf | Trace |
|-----|-------|----------|--|---------|---------|-------|
| 5 | Е | 2 | Total C N O 28 16 2 10 | 0 | 0 | 0 |
| 5 | Ι | 2 | Total C N O 28 16 2 10 | 0 | 0 | 0 |

• Molecule 6 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-alpha-D-mannopyran ose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



| Mol | Chain | Residues | l I | Aton | ns | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------------|---------|--------|---------|---------|---------|-------|
| 6 | F | 6 | Total 72 | C 40 | N 2 | O 30 | 0 | 0 | 0 |



• Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyran ose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyran ose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



| Mol | Chain | Residues | Atoms | ZeroOcc | AltConf | Trace |
|-----|-------|----------|--|---------|---------|-------|
| 7 | J | 7 | Total C N O 83 46 2 35 | 0 | 0 | 0 |

• Molecule 8 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranos e-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-gluco pyranose.



| Mol | Chain | Residues | Α | ton | ıs | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------------|---------|--------|---------|---------|---------|-------|
| 8 | K | 4 | Total 50 | C 28 | N 2 | O 20 | 0 | 0 | 0 |



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: CH04 Heavy Chain



 \bullet Molecule 3: 2-C-methyl-D-erythritol 2,4-cyclodiphosphate synthase, Envelope glycoprotein gp160

| Ch | ai | n | C | | | | | | | | | | 5 | 5% | 6 | | | | | | | | | | | | 17 | 7% | | | · | | | | 2 | 27 | % | | | | | | | | |
|---------------------------|------|------|-------|------|--------------|------|------|--------------|------|------|------|------|------|------|------|---------------------------------------|--------------|-----|--------------|------|-----|------|------|------|---------|------|------|------|-----|------|------|------|-----|------|----------------|-----|------|-------------|------|------|------|-----|-----|-----|--|
| S111 | R114 | H117 | | V121 | H122 AT A | PHE | GLY | C126 | H130 | C131 | T132 | V IV | ASN | LEU | THR | LYS | ALA | LEU | THR | VAL | ASN | ASN | ARG | VUIT | VAL | SER | ASN | ILE | GLY | ASN | TUE | ASP | GLU | VAL | ARG N156 | | N160 | L165 | R166 | D167 | I184 | GLU | ASP | ASN | |
| ASP N188 | B100 | L193 | I 194 | CYS | ASN | 0615 | G202 | D203 V204 | A205 | L206 | 1004 | 1770 | 7777 | P227 | K228 | c c c c c c c c c c c c c c c c c c c | 8233 R233 | | L236 B237 | E238 | | Q242 | 0101 | 0471 | O E Z V | D254 | I265 | P262 | | C281 | 282U | E284 | | K289 | A 290 T 291 | THR | THR | GLU U.YS | LEU | GLY | THR | GLY | ARG | GLU | |
| <mark>G304</mark> 1305 | F308 | | I314 | 0316 | LEIT GLY | GLU | VAL | LEU PHF | GLN | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

 \bullet Molecule 3: 2-C-methyl-D-erythritol 2,4-cyclodiphosphate synthase, Envelope glycoprotein gp160

| Chain G: | 47% | 16% • | 36% | |
|---|---|--|---|--------------------------------------|
| 8111 8114 8114 9121 9121 9121 712 817 817 817 817 817 817 817 817 817 817 | T132 T133 ALA ALA ASN LEU LEU ASN ASN ASN ASN ASN ASN | THR ASN VAL SER SER ASN CLY ASN THE THR | ASP E153 V155 V155 N155 M156 M160 M161 L165 L165 L165 | A1/4 E185 ASP ASN ASN |
| ASP N188 1194 ASN CASN CASN ASN GLY GLY SER SER COS | H207 A208 1210 1210 1210 421 4216 4216 4216 4216 422 428 1112 112 112 112 112 112 122 122 122 | D231 S233 R233 G234 R237 R241 E245 | C C C C C C C C C C C C C C C C C C C | F.NU H267 1268 D269 A276 |
| E277 D278 L279 (2280 (2281 D282 0285 V286 V286 V32 V32 VAL LVAL | THR THR THR THR THR CLU CLU CLU CLU CLU CLU CLU CLU CLU CLU | L312 0316 017 017 017 010 010 010 010 010 010 010 | | |

 \bullet Molecule 4: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)] beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

| Chain D: | 60% | 20% | 20% |
|----------|-----|-----|-----|
| | | | |

NAG1 NAG2 BMA3 MAN4 MAN5

• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

| Chain E: | 50% | 50% | |
|--------------|-----|-----|--|
| NAG2 MAG2 | | | |

• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

| $\alpha_1 \cdot \tau$ | | |
|-----------------------|-----|-----|
| Chain I: | 50% | 50% |



NAG1 NAG2

 $\label{eq:mannopyranose-(1-6)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]} beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy$

| Chain F. | | |
|----------|-----|-----|
| Опаш г. | 67% | 33% |
| | | |

NAG1 NAG2 BMA3 MAN4 MAN5 MAN6 MAN6

 $\label{eq:mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-b$

| Chain J: | 100% | |
|--|------|--|
| NAG1 NAG2 BMA3 MAN4 MAN5 MAN5 MAN6 MAN7 | | |

 $\bullet \ Molecule \ 8: \ alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose$

| Chain K: | 25% | 25% | 50% | |
|------------------------------|-----|-----|-----|--|
| NAG1 NAG2 BMA3 MAN4 | | | | |



4 Data and refinement statistics (i)

| Property | Value | Source |
|--|--|-----------|
| Space group | P 63 | Depositor |
| Cell constants | 116.72Å 116.72Å 249.56Å | Deperitor |
| a, b, c, α , β , γ | 90.00° 90.00° 120.00° | Depositor |
| $\mathbf{P}_{\text{assolution}}(\hat{\mathbf{A}})$ | 47.77 - 4.19 | Depositor |
| Resolution (A) | 47.77 - 4.19 | EDS |
| % Data completeness | 92.3 (47.77-4.19) | Depositor |
| (in resolution range) | 92.3 (47.77 - 4.19) | EDS |
| R _{merge} | 0.10 | Depositor |
| R_{sym} | (Not available) | Depositor |
| $< I/\sigma(I) > 1$ | $1.69 (at 4.14 \text{\AA})$ | Xtriage |
| Refinement program | PHENIX (dev_2243: ???) | Depositor |
| P. P. | 0.252 , 0.282 | Depositor |
| Λ, Λ_{free} | 0.262 , 0.285 | DCC |
| R_{free} test set | 667 reflections (5.11%) | wwPDB-VP |
| Wilson B-factor $(Å^2)$ | 14.1 | Xtriage |
| Anisotropy | 0.416 | Xtriage |
| Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$ | 0.13 , -62.9 | EDS |
| L-test for $twinning^2$ | $< L >=0.40, < L^2>=0.23$ | Xtriage |
| Estimated twinning fraction | 0.299 for h,-h-k,-l | Xtriage |
| F_o, F_c correlation | 0.73 | EDS |
| Total number of atoms | 9244 | wwPDB-VP |
| Average B, all atoms $(Å^2)$ | 74.0 | wwPDB-VP |

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.13% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, MAN, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mal | Chain | Bond lengths | | Bond | angles |
|-----|-------|--------------|----------|------|----------|
| | Unam | RMSZ | # Z > 5 | RMSZ | # Z > 5 |
| 1 | А | 0.28 | 0/1664 | 0.50 | 0/2264 |
| 1 | Н | 0.28 | 0/1780 | 0.51 | 0/2420 |
| 2 | В | 0.27 | 0/1672 | 0.52 | 0/2268 |
| 2 | L | 0.27 | 0/1699 | 0.50 | 0/2308 |
| 3 | С | 0.29 | 0/1208 | 0.50 | 0/1628 |
| 3 | G | 0.29 | 0/1076 | 0.47 | 0/1443 |
| All | All | 0.28 | 0/9099 | 0.50 | 0/12331 |

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 1 | А | 1620 | 0 | 1542 | 18 | 0 |
| 1 | Н | 1735 | 0 | 1665 | 20 | 0 |
| 2 | В | 1636 | 0 | 1575 | 19 | 0 |
| 2 | L | 1660 | 0 | 1601 | 16 | 0 |
| 3 | С | 1199 | 0 | 1179 | 23 | 1 |
| 3 | G | 1072 | 0 | 1050 | 22 | 0 |
| 4 | D | 61 | 0 | 52 | 1 | 0 |



| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes | |
|-----|-------|-------|----------|----------|---------|--------------|--|
| 5 | Е | 28 | 0 | 25 | 1 | 0 | |
| 5 | Ι | 28 | 0 | 25 | 5 | 0 | |
| 6 | F | 72 | 0 | 61 | 3 | 0 | |
| 7 | J | 83 | 0 | 70 | 2 | 0 | |
| 8 | Κ | 50 | 0 | 43 | 4 | 0 | |
| All | All | 9244 | 0 | 8888 | 116 | 1 | |

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (116) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

| Atom 1 | Atom 2 | Interatomic | Clash |
|--------------------|-----------------|--------------|-------------|
| Atom-1 | Atom-2 | distance (Å) | overlap (Å) |
| 5:I:1:NAG:O3 | 5:I:1:NAG:O7 | 1.99 | 0.79 |
| 3:G:117:HIS:NE2 | 3:G:308:GLU:OE1 | 2.18 | 0.77 |
| 3:C:281:CYS:SG | 3:C:282:ASP:N | 2.56 | 0.76 |
| 3:C:282:ASP:OD2 | 3:C:283:ILE:N | 2.22 | 0.72 |
| 1:A:143:LYS:NZ | 1:A:171:GLN:OE1 | 2.23 | 0.71 |
| 3:C:203:ASP:OD2 | 3:C:204:VAL:N | 2.24 | 0.70 |
| 1:A:100(N):TRP:HE1 | 8:K:4:MAN:HO6 | 1.40 | 0.67 |
| 1:A:71:ARG:NE | 1:A:73:ASN:OD1 | 2.28 | 0.67 |
| 3:G:233:ARG:NH2 | 3:G:277:GLU:OE2 | 2.27 | 0.67 |
| 3:C:160:ASN:OD1 | 6:F:1:NAG:H2 | 1.96 | 0.66 |
| 3:G:231:ASP:OD2 | 3:G:234:GLY:N | 2.26 | 0.66 |
| 1:A:100(N):TRP:NE1 | 8:K:4:MAN:O6 | 2.30 | 0.64 |
| 2:L:29:HIS:O | 2:L:31:ARG:N | 2.32 | 0.63 |
| 3:G:251:GLY:O | 3:G:285:GLN:NE2 | 2.32 | 0.62 |
| 3:C:238:GLU:OE2 | 3:C:242:GLN:NE2 | 2.25 | 0.62 |
| 3:G:156:ASN:OD1 | 5:I:1:NAG:N2 | 2.33 | 0.61 |
| 1:A:49:SER:OG | 1:A:50:GLY:N | 2.34 | 0.61 |
| 1:H:209:LYS:NZ | 1:A:203:SER:O | 2.34 | 0.60 |
| 3:C:254:ASP:OD2 | 3:C:289:LYS:NZ | 2.34 | 0.60 |
| 3:C:165:LEU:O | 3:C:167:ASP:N | 2.35 | 0.60 |
| 2:L:96:TYR:HH | 4:D:4:MAN:HO3 | 1.51 | 0.58 |
| 3:C:132:THR:OG1 | 3:C:133:ASN:N | 2.32 | 0.58 |
| 3:G:114:ARG:NH2 | 3:G:216:ALA:O | 2.36 | 0.58 |
| 5:I:1:NAG:HO3 | 5:I:1:NAG:C7 | 2.13 | 0.57 |
| 3:C:203:ASP:OD2 | 3:C:205:ALA:N | 2.34 | 0.57 |
| 2:L:189:HIS:O | 2:L:211:ARG:NE | 2.37 | 0.57 |
| 2:L:124:GLN:NE2 | 2:L:131:SER:OG | 2.37 | 0.57 |
| 3:G:132:THR:OG1 | 3:G:133:ASN:N | 2.34 | 0.55 |



| Atom 1 | Atom 2 | Interatomic | Clash |
|-------------------|---------------------|--------------|-------------|
| Atom-1 Atom-2 | | distance (Å) | overlap (Å) |
| 2:B:108:ARG:NE | 2:B:109:THR:O | 2.35 | 0.55 |
| 2:L:151:ASP:HA | 2:L:191:VAL:HB | 1.89 | 0.55 |
| 7:J:2:NAG:O7 | 7:J:2:NAG:O3 | 2.21 | 0.54 |
| 1:H:119:PRO:HB3 | 1:H:145:TYR:HB3 | 1.90 | 0.54 |
| 3:C:117:HIS:NE2 | 3:C:308:GLU:OE1 | 2.30 | 0.53 |
| 1:H:100(J):SER:OG | 7:J:1:NAG:O7 | 2.24 | 0.52 |
| 3:G:237:ARG:NE | 3:G:278:ASP:OD1 | 2.42 | 0.52 |
| 2:L:126:LYS:HB3 | 1:A:115:SER:HB3 | 1.92 | 0.52 |
| 3:C:282:ASP:OD2 | 3:C:283:ILE:HG22 | 2.11 | 0.50 |
| 2:B:131:SER:HA | 2:B:179:LEU:O | 2.12 | 0.50 |
| 3:G:206:LEU:O | 3:G:210:THR:OG1 | 2.25 | 0.50 |
| 1:A:119:PRO:HB3 | 1:A:145:TYR:HB3 | 1.94 | 0.50 |
| 2:L:108:ARG:NE | 2:L:109:THR:O | 2.33 | 0.50 |
| 2:B:140:TYR:CG | 2:B:141:PRO:HA | 2.48 | 0.49 |
| 8:K:2:NAG:O3 | 8:K:3:BMA:O5 | 2.13 | 0.49 |
| 1:H:143:LYS:HE2 | 2:L:131:SER:OG | 2.12 | 0.49 |
| 5:E:2:NAG:O7 | 5:E:2:NAG:O3 | 2.25 | 0.49 |
| 1:H:93:ALA:HB1 | 1:H:100(P):PHE:HB3 | 1.95 | 0.49 |
| 3:G:281:CYS:SG | 3:G:282:ASP:N | 2.85 | 0.49 |
| 3:G:154:VAL:HG22 | 3:G:155:ARG:H | 1.78 | 0.48 |
| 3:G:269:ASP:OD2 | 3:G:269:ASP:N | 2.45 | 0.48 |
| 2:B:108:ARG:NH2 | 2:B:109:THR:O | 2.46 | 0.48 |
| 3:C:167:ASP:HA | 1:A:100(E):ILE:HG23 | 1.96 | 0.47 |
| 2:B:145:LYS:HB3 | 2:B:197:THR:HB | 1.96 | 0.47 |
| 1:H:61:ASP:HB2 | 2:L:1:GLU:OE2 | 2.14 | 0.47 |
| 1:H:155:ASN:O | 1:H:156:SER:HB2 | 2.14 | 0.47 |
| 3:C:167:ASP:CA | 1:A:100(E):ILE:HG23 | 2.45 | 0.46 |
| 1:H:32:PHE:CE1 | 1:H:97:ASP:HB3 | 2.50 | 0.46 |
| 3:C:120:ASP:OD2 | 3:C:121:VAL:N | 2.49 | 0.46 |
| 1:H:51:THR:OG1 | 1:H:54:GLY:HA2 | 2.16 | 0.46 |
| 1:H:56:ASP:OD1 | 1:H:58:ARG:NH1 | 2.49 | 0.46 |
| 1:H:196:CYS:O | 1:H:208:ASP:HA | 2.16 | 0.46 |
| 2:B:13:LEU:HA | 2:B:107:ARG:HH11 | 1.81 | 0.46 |
| 2:B:148:TRP:HE1 | 2:B:177:SER:HG | 1.62 | 0.46 |
| 3:C:132:THR:O | 3:C:133:ASN:ND2 | 2.40 | 0.46 |
| 3:G:165:LEU:H | 3:G:165:LEU:HD23 | 1.80 | 0.45 |
| 3:C:130:HIS:NE2 | 6:F:1:NAG:O6 | 2.28 | 0.45 |
| 2:B:4:LEU:HA | 2:B:24:ARG:O | 2.16 | 0.45 |
| 2:B:105:GLU:OE2 | 2:B:173:TYR:OH | 2.26 | 0.45 |
| 2:B:186:TYR:O | 2:B:192:TYR:OH | 2.33 | 0.45 |
| 3:G:241:ARG:NH1 | 3:G:245:GLU:OE1 | 2.50 | 0.45 |



| Atom 1 | Atom 2 | Interatomic | Clash |
|------------------|------------------|-------------------------|-------------|
| Atom-1 | Atom-2 | distance (\AA) | overlap (Å) |
| 1:H:60:GLY:HA2 | 2:L:95:PRO:HB3 | 1.98 | 0.45 |
| 2:L:18:ARG:HD2 | 2:L:74:THR:HG23 | 1.98 | 0.44 |
| 1:H:2:VAL:HG11 | 1:H:102:VAL:HG21 | 1.99 | 0.44 |
| 3:G:156:ASN:OD1 | 5:I:1:NAG:C2 | 2.64 | 0.44 |
| 3:G:208:ALA:O | 3:G:211:ASP:N | 2.51 | 0.44 |
| 1:A:155:ASN:O | 1:A:156:SER:HB2 | 2.18 | 0.44 |
| 2:B:155:GLN:OE1 | 2:B:158:ASN:ND2 | 2.49 | 0.44 |
| 2:L:120:PRO:HD3 | 2:L:132:VAL:HG22 | 2.00 | 0.43 |
| 1:H:66:ARG:NH1 | 1:H:86:ASP:OD1 | 2.40 | 0.43 |
| 2:B:2:ILE:HD11 | 2:B:93:ARG:HB3 | 1.99 | 0.43 |
| 3:C:255:ILE:O | 3:C:289:LYS:HG2 | 2.19 | 0.43 |
| 3:G:120:ASP:OD1 | 3:G:121:VAL:N | 2.52 | 0.42 |
| 1:A:22:CYS:HB3 | 1:A:78:VAL:HG13 | 2.00 | 0.42 |
| 1:A:100:ILE:HA | 1:A:100(E):ILE:O | 2.18 | 0.42 |
| 3:G:276:ALA:O | 3:G:280:GLN:N | 2.52 | 0.42 |
| 2:B:10:THR:HA | 2:B:103:LYS:O | 2.19 | 0.42 |
| 1:H:100(P):PHE:O | 2:L:46:LEU:HB2 | 2.20 | 0.42 |
| 2:L:122:ASP:O | 2:L:126:LYS:HG3 | 2.20 | 0.42 |
| 3:C:249:LYS:N | 3:C:314:ILE:O | 2.50 | 0.42 |
| 3:G:251:GLY:N | 3:G:312:LEU:O | 2.46 | 0.42 |
| 1:H:87:THR:HG23 | 1:H:110:THR:HA | 2.02 | 0.42 |
| 1:H:197:ASN:HB3 | 1:H:206:LYS:NZ | 2.35 | 0.42 |
| 1:H:40:GLY:HA3 | 1:H:43:LYS:HE2 | 2.01 | 0.42 |
| 3:C:114:ARG:HG3 | 3:C:248:TYR:CZ | 2.55 | 0.41 |
| 1:A:52(A):TRP:O | 1:A:71:ARG:CZ | 2.68 | 0.41 |
| 2:B:14:SER:OG | 2:B:107:ARG:O | 2.39 | 0.41 |
| 2:L:39:LYS:HG2 | 2:L:84:ALA:HB2 | 2.02 | 0.41 |
| 1:A:35:GLY:HA2 | 1:A:50:GLY:HA2 | 2.02 | 0.41 |
| 2:B:108:ARG:NH2 | 2:B:111:ALA:HB2 | 2.36 | 0.41 |
| 2:B:163:VAL:HG23 | 2:B:174:SER:O | 2.21 | 0.41 |
| 3:C:206:LEU:HB2 | 3:C:232:SER:HB3 | 2.03 | 0.41 |
| 1:A:99:THR:HB | 1:A:100(J):SER:O | 2.20 | 0.41 |
| 6:F:2:NAG:H3 | 6:F:3:BMA:H2 | 2.03 | 0.41 |
| 2:L:140:TYR:CG | 2:L:141:PRO:HA | 2.56 | 0.41 |
| 1:A:57:SER:C | 1:A:58:ARG:HG3 | 2.41 | 0.41 |
| 2:B:120:PRO:HD3 | 2:B:132:VAL:HG22 | 2.02 | 0.41 |
| 1:H:6:GLU:HA | 1:H:21:SER:O | 2.21 | 0.41 |
| 2:B:24:ARG:HA | 2:B:69:THR:O | 2.21 | 0.41 |
| 2:B:170:ASP:C | 2:B:170:ASP:OD1 | 2.59 | 0.41 |
| 3:G:173:HIS:CE1 | 5:I:1:NAG:O6 | 2.74 | 0.41 |
| 1:H:22:CYS:HB3 | 1:H:78:VAL:HG13 | 2.02 | 0.40 |



| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|------------------|------------------|-----------------------------|----------------------|
| 3:C:122:HIS:O | 3:C:305:ILE:HG12 | 2.22 | 0.40 |
| 3:C:233:ARG:O | 3:C:236:LEU:N | 2.53 | 0.40 |
| 1:A:100(B):ASP:O | 8:K:2:NAG:H3 | 2.21 | 0.40 |
| 3:C:227:PRO:HA | 3:C:228:LYS:HA | 1.86 | 0.40 |
| 3:G:165:LEU:HG | 3:G:165:LEU:O | 2.22 | 0.40 |
| 3:G:161:MET:SD | 3:G:162:THR:N | 2.91 | 0.40 |

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|-----------------|----------------------|-----------------------------|----------------------|
| 3:C:114:ARG:NH2 | 3:C:284:GLU:O[3_475] | 2.17 | 0.03 |

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Perce | entiles |
|-----|-------|-----------------|------------|----------|----------|-------|---------|
| 1 | А | 208/244~(85%) | 201 (97%) | 7 (3%) | 0 | 100 | 100 |
| 1 | Н | 225/244~(92%) | 220 (98%) | 5 (2%) | 0 | 100 | 100 |
| 2 | В | 206/215~(96%) | 197~(96%) | 8 (4%) | 1 (0%) | 29 | 68 |
| 2 | L | 212/215~(99%) | 202 (95%) | 8 (4%) | 2(1%) | 17 | 56 |
| 3 | С | 151/222~(68%) | 117 (78%) | 29 (19%) | 5(3%) | 4 | 30 |
| 3 | G | 126/222~(57%) | 103 (82%) | 21 (17%) | 2(2%) | 9 | 45 |
| All | All | 1128/1362 (83%) | 1040 (92%) | 78 (7%) | 10 (1%) | 17 | 56 |

All (10) Ramachandran outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 2 | L | 30 | SER |
| 3 | С | 166 | ARG |



| COULL | nueu fron | i prevu | bus puye |
|-------|-----------|---------|----------|
| Mol | Chain | Res | Type |
| 3 | С | 221 | ASP |
| 3 | С | 222 | ILE |
| 3 | С | 262 | PRO |
| 3 | G | 174 | ALA |
| 2 | В | 156 | SER |
| 2 | L | 162 | SER |
| 3 | G | 281 | CYS |
| 3 | С | 202 | GLY |

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Rotameric | Outliers | Percent | tiles |
|-----|-------|----------------|------------|----------|---------|-------|
| 1 | А | 178/204~(87%) | 178 (100%) | 0 | 100 | 100 |
| 1 | Н | 190/204~(93%) | 188~(99%) | 2(1%) | 73 8 | 34 |
| 2 | В | 181/186~(97%) | 177~(98%) | 4 (2%) | 52 | 70 |
| 2 | L | 184/186~(99%) | 179~(97%) | 5(3%) | 44 (| 36 |
| 3 | С | 121/183~(66%) | 117~(97%) | 4 (3%) | 38 (| 31 |
| 3 | G | 111/183~(61%) | 107~(96%) | 4 (4%) | 35 (| 60 |
| All | All | 965/1146~(84%) | 946~(98%) | 19 (2%) | 55 | 73 |

All (19) residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 1 | Н | 49 | SER |
| 1 | Н | 209 | LYS |
| 2 | L | 29 | HIS |
| 2 | L | 33 | PHE |
| 2 | L | 105 | GLU |
| 2 | L | 156 | SER |
| 2 | L | 162 | SER |
| 3 | С | 133 | ASN |
| 3 | С | 192 | ARG |
| 3 | С | 281 | CYS |



| Contre | nucu jion | i previ | bus puye |
|--------|-----------|----------------|----------|
| Mol | Chain | \mathbf{Res} | Type |
| 3 | С | 314 | ILE |
| 3 | G | 156 | ASN |
| 3 | G | 160 | ASN |
| 3 | G | 188 | ASN |
| 3 | G | 269 | ASP |
| 2 | В | 14 | SER |
| 2 | В | 33 | PHE |
| 2 | В | 105 | GLU |
| 2 | В | 162 | SER |

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 2 | В | 70 | GLN |

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

26 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol Type Ch | Chain Bog | | Timle | Bond lengths | | | Bond angles | | | |
|-------------|-----------|------|-------|--------------|----------------|------|-------------|----------------|------|--------|
| | туре | Unam | nes | | Counts | RMSZ | # Z >2 | Counts | RMSZ | # Z >2 |
| 4 | NAG | D | 1 | 4 | $14,\!14,\!15$ | 0.22 | 0 | 17,19,21 | 0.47 | 0 |
| 4 | NAG | D | 2 | 4 | 14,14,15 | 0.20 | 0 | 17,19,21 | 0.44 | 0 |
| 4 | BMA | D | 3 | 4 | 11,11,12 | 0.63 | 0 | $15,\!15,\!17$ | 0.71 | 0 |



| N/L-1 | T | Clasic | Bog Link | | Bo | Bond lengths | | | Bond angles | | |
|-------|----------|--------|----------|-----|----------------|--------------|----------|----------------|-------------|----------|--|
| | туре | Chain | nes | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 | |
| 4 | MAN | D | 4 | 4 | $11,\!11,\!12$ | 1.10 | 1 (9%) | $15,\!15,\!17$ | 1.74 | 5 (33%) | |
| 4 | MAN | D | 5 | 4 | 11,11,12 | 0.52 | 0 | $15,\!15,\!17$ | 1.01 | 2 (13%) | |
| 5 | NAG | Е | 1 | 3,5 | 14,14,15 | 0.54 | 0 | 17,19,21 | 0.79 | 0 | |
| 5 | NAG | Е | 2 | 5 | 14,14,15 | 0.33 | 0 | 17,19,21 | 0.36 | 0 | |
| 6 | NAG | F | 1 | 3,6 | 14,14,15 | 0.88 | 1 (7%) | 17,19,21 | 0.68 | 0 | |
| 6 | NAG | F | 2 | 6 | 14,14,15 | 0.23 | 0 | 17,19,21 | 0.53 | 0 | |
| 6 | BMA | F | 3 | 6 | 11,11,12 | 0.96 | 0 | 15,15,17 | 1.44 | 1 (6%) | |
| 6 | MAN | F | 4 | 6 | 11,11,12 | 0.97 | 1 (9%) | 15,15,17 | 1.41 | 4 (26%) | |
| 6 | MAN | F | 5 | 6 | 11,11,12 | 0.67 | 0 | 15,15,17 | 1.08 | 2 (13%) | |
| 6 | MAN | F | 6 | 6 | 11,11,12 | 1.12 | 1 (9%) | 15,15,17 | 1.41 | 2 (13%) | |
| 5 | NAG | Ι | 1 | 3,5 | 14,14,15 | 1.01 | 1 (7%) | 17,19,21 | 1.36 | 1 (5%) | |
| 5 | NAG | Ι | 2 | 5 | 14,14,15 | 0.20 | 0 | 17,19,21 | 0.67 | 1 (5%) | |
| 7 | NAG | J | 1 | 3,7 | 14,14,15 | 0.47 | 0 | 17,19,21 | 0.75 | 0 | |
| 7 | NAG | J | 2 | 7 | 14,14,15 | 0.31 | 0 | 17,19,21 | 0.59 | 0 | |
| 7 | BMA | J | 3 | 7 | 11,11,12 | 1.04 | 1 (9%) | 15,15,17 | 1.48 | 3 (20%) | |
| 7 | MAN | J | 4 | 7 | 11,11,12 | 0.68 | 0 | 15,15,17 | 1.16 | 1 (6%) | |
| 7 | MAN | J | 5 | 7 | 11,11,12 | 0.94 | 1 (9%) | 15,15,17 | 1.47 | 3 (20%) | |
| 7 | MAN | J | 6 | 7 | 11,11,12 | 0.66 | 0 | 15,15,17 | 0.99 | 1 (6%) | |
| 7 | MAN | J | 7 | 7 | 11,11,12 | 1.18 | 1 (9%) | 15,15,17 | 1.00 | 1 (6%) | |
| 8 | NAG | K | 1 | 8 | 14,14,15 | 0.33 | 0 | 17,19,21 | 0.37 | 0 | |
| 8 | NAG | К | 2 | 8 | 14,14,15 | 0.33 | 0 | 17,19,21 | 0.52 | 0 | |
| 8 | BMA | K | 3 | 8 | 11,11,12 | 1.07 | 0 | 15,15,17 | 1.14 | 2(13%) | |
| 8 | MAN | К | 4 | 8 | 11,11,12 | 1.05 | 1 (9%) | 15,15,17 | 1.34 | 1 (6%) | |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|-----|------|---------|-----------|---------|
| 4 | NAG | D | 1 | 4 | - | 3/6/23/26 | 0/1/1/1 |
| 4 | NAG | D | 2 | 4 | - | 2/6/23/26 | 0/1/1/1 |
| 4 | BMA | D | 3 | 4 | - | 0/2/19/22 | 0/1/1/1 |
| 4 | MAN | D | 4 | 4 | - | 2/2/19/22 | 0/1/1/1 |
| 4 | MAN | D | 5 | 4 | - | 0/2/19/22 | 0/1/1/1 |
| 5 | NAG | Е | 1 | 3,5 | - | 4/6/23/26 | 0/1/1/1 |
| 5 | NAG | Е | 2 | 5 | - | 3/6/23/26 | 0/1/1/1 |
| 6 | NAG | F | 1 | 3,6 | - | 2/6/23/26 | 0/1/1/1 |



Mol 6

6

6

6

6

5

5

7

7

7

7

7

7

7

8

8

8

8

| Link | Chirals | Torsions | Rings |
|---------|---------|-----------|---------|
| 6 | - | 3/6/23/26 | 0/1/1/1 |
| 6 | - | 0/2/19/22 | 0/1/1/1 |
| 6 | - | 0/2/19/22 | 0/1/1/1 |
| 6 | - | 2/2/19/22 | 0/1/1/1 |
| 6 | - | 2/2/19/22 | 0/1/1/1 |
| $3,\!5$ | - | 4/6/23/26 | 0/1/1/1 |
| 5 | - | 2/6/23/26 | 0/1/1/1 |

2/6/23/26

4/6/23/26

2/2/19/22

0/2/19/22

1/2/19/22

1/2/19/22

1/2/19/22

2/6/23/26

4/6/23/26

0/2/19/22

0/2/19/22

0/1/1/1

0/1/1/1

0/1/1/1

0/1/1/1

0/1/1/1

0/1/1/1

1/1/1/1

0/1/1/1

0/1/1/1

0/1/1/1

0/1/1/1

Continued from previous page...

Type

NAG

BMA

MAN

MAN

MAN

NAG

NAG

NAG

NAG

BMA

MAN

MAN

MAN

MAN

NAG

NAG

BMA

MAN

Chain

F

F

F

F

F

Ι

Ι

J

J

J

J

J

J

J

Κ

Κ

Κ

Κ

 \mathbf{Res}

2

3

4

5

6

1

2

1

2

3

4

5

6

7

1

2

3

4

3,7

7

7

7

7

7

7

8

8

8

8

_

-

_

_

-

-

-

_

_

_

_

All (9) bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|-------|-------|-------------|----------|
| 7 | J | 7 | MAN | C1-C2 | 3.50 | 1.60 | 1.52 |
| 5 | Ι | 1 | NAG | C1-C2 | 3.44 | 1.57 | 1.52 |
| 4 | D | 4 | MAN | C1-C2 | 2.90 | 1.58 | 1.52 |
| 7 | J | 5 | MAN | C1-C2 | 2.82 | 1.58 | 1.52 |
| 6 | F | 4 | MAN | C1-C2 | 2.77 | 1.58 | 1.52 |
| 6 | F | 6 | MAN | C1-C2 | 2.65 | 1.58 | 1.52 |
| 6 | F | 1 | NAG | O5-C1 | -2.57 | 1.39 | 1.43 |
| 7 | J | 3 | BMA | C2-C3 | 2.51 | 1.56 | 1.52 |
| 8 | K | 4 | MAN | C1-C2 | 2.50 | 1.57 | 1.52 |

All (30) bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Ζ | $Observed(^{o})$ | $Ideal(^{o})$ |
|-----|-------|-----|------|----------|------|------------------|---------------|
| 5 | Ι | 1 | NAG | C1-O5-C5 | 5.12 | 119.13 | 112.19 |
| 7 | J | 5 | MAN | C1-O5-C5 | 3.99 | 117.59 | 112.19 |
| 8 | Κ | 4 | MAN | C1-O5-C5 | 3.90 | 117.47 | 112.19 |
| 7 | J | 3 | BMA | C1-C2-C3 | 3.84 | 114.38 | 109.67 |
| 4 | D | 4 | MAN | O5-C1-C2 | 3.49 | 116.16 | 110.77 |



| Mol | Chain | Res | Type | Atoms | Z | $Observed(^{o})$ | $Ideal(^{o})$ |
|-----|-------|-----|------|----------|-------|------------------|---------------|
| 6 | F | 6 | MAN | C1-C2-C3 | 3.28 | 113.70 | 109.67 |
| 4 | D | 4 | MAN | C1-O5-C5 | 3.26 | 116.61 | 112.19 |
| 6 | F | 3 | BMA | C1-O5-C5 | 3.09 | 116.38 | 112.19 |
| 6 | F | 4 | MAN | C1-O5-C5 | 2.81 | 115.99 | 112.19 |
| 7 | J | 3 | BMA | C2-C3-C4 | 2.80 | 115.74 | 110.89 |
| 7 | J | 4 | MAN | C1-O5-C5 | 2.76 | 115.93 | 112.19 |
| 8 | Κ | 3 | BMA | C1-C2-C3 | 2.71 | 113.00 | 109.67 |
| 4 | D | 5 | MAN | C1-O5-C5 | 2.67 | 115.81 | 112.19 |
| 6 | F | 5 | MAN | O2-C2-C3 | -2.60 | 104.93 | 110.14 |
| 4 | D | 4 | MAN | C1-C2-C3 | 2.40 | 112.61 | 109.67 |
| 7 | J | 6 | MAN | O2-C2-C3 | -2.38 | 105.36 | 110.14 |
| 7 | J | 5 | MAN | O2-C2-C3 | -2.26 | 105.61 | 110.14 |
| 6 | F | 4 | MAN | O5-C1-C2 | 2.25 | 114.24 | 110.77 |
| 6 | F | 4 | MAN | C1-C2-C3 | 2.22 | 112.39 | 109.67 |
| 6 | F | 6 | MAN | O2-C2-C3 | -2.22 | 105.70 | 110.14 |
| 6 | F | 4 | MAN | O2-C2-C3 | -2.20 | 105.73 | 110.14 |
| 7 | J | 5 | MAN | C1-C2-C3 | 2.19 | 112.36 | 109.67 |
| 5 | Ι | 2 | NAG | C1-O5-C5 | 2.17 | 115.14 | 112.19 |
| 6 | F | 5 | MAN | C1-O5-C5 | 2.17 | 115.13 | 112.19 |
| 4 | D | 5 | MAN | O2-C2-C3 | -2.13 | 105.86 | 110.14 |
| 4 | D | 4 | MAN | O2-C2-C3 | -2.13 | 105.87 | 110.14 |
| 7 | J | 3 | BMA | O2-C2-C3 | -2.11 | 105.90 | 110.14 |
| 4 | D | 4 | MAN | O5-C5-C4 | -2.08 | 105.78 | 110.83 |
| 8 | Κ | 3 | BMA | O2-C2-C3 | -2.02 | 106.09 | 110.14 |
| 7 | J | 7 | MAN | O2-C2-C3 | -2.02 | 106.09 | 110.14 |

There are no chirality outliers.

All (46) torsion outliers are listed below:

| Mol | Chain | Res | Type | Atoms |
|-----|-------|-----|------|-------------|
| 7 | J | 3 | BMA | C4-C5-C6-O6 |
| 7 | J | 3 | BMA | O5-C5-C6-O6 |
| 6 | F | 6 | MAN | C4-C5-C6-O6 |
| 5 | Ι | 1 | NAG | O5-C5-C6-O6 |
| 6 | F | 5 | MAN | O5-C5-C6-O6 |
| 5 | Ι | 2 | NAG | O5-C5-C6-O6 |
| 5 | Е | 1 | NAG | O5-C5-C6-O6 |
| 6 | F | 6 | MAN | O5-C5-C6-O6 |
| 8 | K | 1 | NAG | O5-C5-C6-O6 |
| 5 | Е | 2 | NAG | C1-C2-N2-C7 |
| 5 | Ι | 1 | NAG | C1-C2-N2-C7 |
| 7 | J | 2 | NAG | C1-C2-N2-C7 |



| Mol | Chain | Res | Type | Atoms |
|-----|-------|-----|------|-------------|
| 5 | Ι | 1 | NAG | C4-C5-C6-O6 |
| 5 | Е | 1 | NAG | C4-C5-C6-O6 |
| 8 | Κ | 1 | NAG | C4-C5-C6-O6 |
| 4 | D | 1 | NAG | C8-C7-N2-C2 |
| 4 | D | 1 | NAG | O7-C7-N2-C2 |
| 5 | Е | 1 | NAG | C8-C7-N2-C2 |
| 5 | Е | 1 | NAG | O7-C7-N2-C2 |
| 8 | Κ | 2 | NAG | C8-C7-N2-C2 |
| 8 | Κ | 2 | NAG | O7-C7-N2-C2 |
| 7 | J | 5 | MAN | O5-C5-C6-O6 |
| 4 | D | 2 | NAG | O5-C5-C6-O6 |
| 5 | Ι | 2 | NAG | C4-C5-C6-O6 |
| 6 | F | 5 | MAN | C4-C5-C6-O6 |
| 4 | D | 2 | NAG | C4-C5-C6-O6 |
| 6 | F | 2 | NAG | O5-C5-C6-O6 |
| 8 | K | 2 | NAG | O5-C5-C6-O6 |
| 6 | F | 2 | NAG | C4-C5-C6-O6 |
| 7 | J | 1 | NAG | C1-C2-N2-C7 |
| 7 | J | 2 | NAG | C4-C5-C6-O6 |
| 7 | J | 2 | NAG | O5-C5-C6-O6 |
| 7 | J | 1 | NAG | O5-C5-C6-O6 |
| 7 | J | 6 | MAN | O5-C5-C6-O6 |
| 4 | D | 1 | NAG | O5-C5-C6-O6 |
| 6 | F | 1 | NAG | C4-C5-C6-O6 |
| 5 | Е | 2 | NAG | O5-C5-C6-O6 |
| 7 | J | 7 | MAN | O5-C5-C6-O6 |
| 5 | Ι | 1 | NAG | C3-C2-N2-C7 |
| 4 | D | 4 | MAN | O5-C5-C6-O6 |
| 6 | F | 2 | NAG | C1-C2-N2-C7 |
| 6 | F | 1 | NAG | O5-C5-C6-O6 |
| 8 | Κ | 2 | NAG | C4-C5-C6-O6 |
| 4 | D | 4 | MAN | C4-C5-C6-O6 |
| 7 | J | 2 | NAG | C3-C2-N2-C7 |
| 5 | Е | 2 | NAG | C3-C2-N2-C7 |

Continued from previous page...

All (1) ring outliers are listed below:

| Mol | Chain | Res | Type | Atoms |
|-----|-------|-----|------|-------------------|
| 7 | J | 7 | MAN | C1-C2-C3-C4-C5-O5 |

11 monomers are involved in 16 short contacts:



| 5ESZ |
|------|
| |

| Mol | Chain | \mathbf{Res} | Type | Clashes | Symm-Clashes |
|-----|-------|----------------|------|---------|--------------|
| 4 | D | 4 | MAN | 1 | 0 |
| 7 | J | 2 | NAG | 1 | 0 |
| 7 | J | 1 | NAG | 1 | 0 |
| 6 | F | 3 | BMA | 1 | 0 |
| 8 | K | 2 | NAG | 2 | 0 |
| 5 | Ι | 1 | NAG | 5 | 0 |
| 8 | Κ | 4 | MAN | 2 | 0 |
| 6 | F | 2 | NAG | 1 | 0 |
| 6 | F | 1 | NAG | 2 | 0 |
| 8 | K | 3 | BMA | 1 | 0 |
| 5 | Е | 2 | NAG | 1 | 0 |

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.

























5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

| Mol | Chain | Analysed | < RSRZ > | #RSI | RZ>2 | $OWAB(Å^2)$ | Q<0.9 |
|-----|-------|-----------------|-----------------|-------|------|------------------|-------|
| 1 | А | 212/244~(86%) | -0.37 | 0 100 | 100 | 68, 86, 109, 122 | 0 |
| 1 | Н | 229/244~(93%) | -0.59 | 0 100 | 100 | 15, 57, 89, 124 | 0 |
| 2 | В | 211/215~(98%) | -0.37 | 0 100 | 100 | 67, 95, 122, 148 | 0 |
| 2 | L | 214/215~(99%) | -0.57 | 0 100 | 100 | 49, 65, 96, 120 | 0 |
| 3 | С | 163/222~(73%) | -0.41 | 0 100 | 100 | 7, 39, 114, 152 | 0 |
| 3 | G | 142/222~(63%) | -0.22 | 0 100 | 100 | 65, 93, 115, 130 | 0 |
| All | All | 1171/1362 (85%) | -0.44 | 0 100 | 100 | 7, 78, 113, 152 | 0 |

There are no RSRZ outliers to report.

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

| Mol | Type | Chain | Res | Atoms | RSCC | RSR | $\mathbf{B}	ext{-factors}(\mathbf{A}^2)$ | Q<0.9 |
|-----|------|-------|-----|-------|------|------|--|-------|
| 5 | NAG | Е | 2 | 14/15 | 0.67 | 0.45 | $66,\!68,\!72,\!72$ | 0 |
| 6 | NAG | F | 1 | 14/15 | 0.71 | 0.42 | $60,\!60,\!63,\!65$ | 0 |
| 4 | MAN | D | 5 | 11/12 | 0.75 | 0.38 | 60,60,60,61 | 0 |
| 6 | NAG | F | 2 | 14/15 | 0.76 | 0.51 | $63,\!71,\!77,\!80$ | 0 |
| 6 | BMA | F | 3 | 11/12 | 0.80 | 0.26 | 65,69,72,72 | 0 |
| 8 | NAG | K | 2 | 14/15 | 0.80 | 0.34 | 69,72,75,75 | 0 |



| 5ESZ | |
|------|--|
| | |

| Mol | Type | Chain | Res | Atoms | RSCC | RSR | B-factors(Å ²) | Q<0.9 |
|-----|------|-------|-----|-------|------|------|--------------------------------|-------|
| 6 | MAN | F | 4 | 11/12 | 0.83 | 0.25 | 62,63,64,64 | 0 |
| 5 | NAG | Ι | 2 | 14/15 | 0.84 | 0.30 | 63,66,70,70 | 0 |
| 8 | NAG | K | 1 | 14/15 | 0.85 | 0.38 | 66, 69, 76, 77 | 0 |
| 6 | MAN | F | 5 | 11/12 | 0.85 | 0.29 | 63,64,64,65 | 0 |
| 7 | MAN | J | 6 | 11/12 | 0.86 | 0.32 | 60,60,60,60 | 0 |
| 7 | MAN | J | 7 | 11/12 | 0.87 | 0.23 | $66,\!66,\!69,\!69$ | 0 |
| 5 | NAG | Е | 1 | 14/15 | 0.88 | 0.38 | 60,60,62,63 | 0 |
| 7 | MAN | J | 4 | 11/12 | 0.88 | 0.18 | $60,\!60,\!61,\!62$ | 0 |
| 6 | MAN | F | 6 | 11/12 | 0.90 | 0.22 | 72, 72, 73, 73 | 0 |
| 4 | NAG | D | 1 | 14/15 | 0.90 | 0.30 | $60,\!61,\!66,\!67$ | 0 |
| 4 | NAG | D | 2 | 14/15 | 0.90 | 0.27 | $60,\!61,\!62,\!62$ | 0 |
| 4 | BMA | D | 3 | 11/12 | 0.90 | 0.17 | $60,\!60,\!60,\!61$ | 0 |
| 5 | NAG | Ι | 1 | 14/15 | 0.90 | 0.17 | $60,\!60,\!65,\!70$ | 0 |
| 4 | MAN | D | 4 | 11/12 | 0.90 | 0.19 | $63,\!63,\!66,\!68$ | 0 |
| 8 | BMA | K | 3 | 11/12 | 0.90 | 0.18 | $65,\!69,\!71,\!72$ | 0 |
| 7 | MAN | J | 5 | 11/12 | 0.91 | 0.22 | $63,\!64,\!65,\!65$ | 0 |
| 7 | BMA | J | 3 | 11/12 | 0.91 | 0.19 | $6\overline{0,\!61,\!63,\!65}$ | 0 |
| 7 | NAG | J | 2 | 14/15 | 0.91 | 0.20 | 60,60,60,60 | 0 |
| 8 | MAN | K | 4 | 11/12 | 0.92 | 0.17 | $6\overline{0,\!60,\!61,\!62}$ | 0 |
| 7 | NAG | J | 1 | 14/15 | 0.96 | 0.19 | $6\overline{0,}64,\!74,\!75$ | 0 |

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.





















6.4 Ligands (i)

There are no ligands in this entry.

6.5 Other polymers (i)

There are no such residues in this entry.

