



# Full wwPDB X-ray Structure Validation Report ⓘ

Sep 20, 2023 – 05:00 PM EDT

PDB ID : 5IG5  
Title : Crystal structure of *N. vectensis* CaMKII-B hub at pH 4.2  
Authors : Bhattacharyya, M.; Gee, C.L.; Barros, T.; Kuriyan, J.  
Deposited on : 2016-02-26  
Resolution : 3.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.35.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*


The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.





Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2092 (3.00-3.00)
Clashscore	141614	2416 (3.00-3.00)
Ramachandran outliers	138981	2333 (3.00-3.00)
Sidechain outliers	138945	2336 (3.00-3.00)
RSRZ outliers	127900	1990 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	145	
1	B	145	
1	C	145	
1	D	145	
1	E	145	

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	F	145	
1	G	145	

## 2 Entry composition i

There are 2 unique types of molecules in this entry. The entry contains 8925 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called CaMKII-B hub.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	137	Total 1100	C 695	N 188	O 215	S 2	0	0	0
1	F	143	Total 1164	C 732	N 206	O 224	S 2	0	1	0
1	C	137	Total 1104	C 697	N 191	O 214	S 2	0	0	0
1	D	136	Total 1094	C 690	N 188	O 214	S 2	0	0	0
1	E	139	Total 1118	C 707	N 193	O 216	S 2	0	0	0
1	B	138	Total 1111	C 701	N 192	O 216	S 2	0	0	0
1	G	138	Total 2222	C 1402	N 384	O 432	S 4	0	138	0

There are 21 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	330	GLY	-	expression tag	UNP A7RF52
A	331	PRO	-	expression tag	UNP A7RF52
A	332	HIS	-	expression tag	UNP A7RF52
B	330	GLY	-	expression tag	UNP A7RF52
B	331	PRO	-	expression tag	UNP A7RF52
B	332	HIS	-	expression tag	UNP A7RF52
C	330	GLY	-	expression tag	UNP A7RF52
C	331	PRO	-	expression tag	UNP A7RF52
C	332	HIS	-	expression tag	UNP A7RF52
D	330	GLY	-	expression tag	UNP A7RF52
D	331	PRO	-	expression tag	UNP A7RF52
D	332	HIS	-	expression tag	UNP A7RF52
E	330	GLY	-	expression tag	UNP A7RF52
E	331	PRO	-	expression tag	UNP A7RF52
E	332	HIS	-	expression tag	UNP A7RF52

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
F	330	GLY	-	expression tag	UNP A7RF52
F	331	PRO	-	expression tag	UNP A7RF52
F	332	HIS	-	expression tag	UNP A7RF52
G	330	GLY	-	expression tag	UNP A7RF52
G	331	PRO	-	expression tag	UNP A7RF52
G	332	HIS	-	expression tag	UNP A7RF52


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total O 1 1	0	0
2	F	2	Total O 2 2	0	0
2	C	2	Total O 2 2	0	0
2	D	2	Total O 2 2	0	0
2	E	2	Total O 2 2	0	0
2	B	3	Total O 3 3	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: CaMKII-B hub




- Molecule 1: CaMKII-B hub





- Molecule 1: CaMKII-B hub





- Molecule 1: CaMKII-B hub




- Molecule 1: CaMKII-B hub



- Molecule 1: CaMKII-B hub



- Molecule 1: CaMKII-B hub



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	113.97Å 113.97Å 241.65Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	49.35 – 3.00 49.35 – 3.00	Depositor EDS
% Data completeness (in resolution range)	99.9 (49.35-3.00) 92.3 (49.35-3.00)	Depositor EDS
$R_{merge}$	0.13	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.22 (at 3.01Å)	Xtrriage
Refinement program	PHENIX (dev_2229: ???)	Depositor
R, $R_{free}$	0.232 , 0.270 0.232 , 0.270	Depositor DCC
$R_{free}$ test set	1816 reflections (4.89%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	71.2	Xtrriage
Anisotropy	0.332	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 70.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.48$ , $\langle L^2 \rangle = 0.31$	Xtrriage
Estimated twinning fraction	0.032 for -h,-k,l	Xtrriage
$F_o, F_c$ correlation	0.91	EDS
Total number of atoms	8925	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	102.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.89% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.27	0/1122	0.48	0/1521
1	B	0.27	0/1133	0.48	0/1535
1	C	0.25	0/1126	0.47	0/1525
1	D	0.25	0/1114	0.46	0/1508
1	E	0.27	0/1142	0.47	0/1548
1	F	0.26	0/1189	0.47	0/1611
1	G	0.25	0/2266	0.44	0/3070
All	All	0.26	0/9092	0.47	0/12318

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	338	ASP	Peptide

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1100	0	1083	16	0
1	B	1111	0	1096	24	0
1	C	1104	0	1089	12	0
1	D	1094	0	1082	12	0
1	E	1118	0	1104	14	0
1	F	1164	0	1149	17	0
1	G	2222	0	2192	37	0
2	A	1	0	0	0	0
2	B	3	0	0	0	0
2	C	2	0	0	0	0
2	D	2	0	0	0	0
2	E	2	0	0	0	0
2	F	2	0	0	0	0
All	All	8925	0	8795	124	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (124) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:343:LYS:HB3	1:A:347:GLU:HG3	1.66	0.78
1:F:341:SER:HB3	1:C:341:SER:HB2	1.66	0.77
1:E:441:ASP:OD1	1:E:442:GLY:N	2.19	0.75
1:G:426[B]:GLY:HA3	1:G:455[B]:TRP:O	1.87	0.75
1:G:453[B]:ARG:NH1	1:G:464[B]:ASN:OD1	2.21	0.74
1:B:433:ARG:NH1	1:B:469:ARG:HH12	1.86	0.72
1:G:346[A]:ARG:NH2	1:G:424[A]:GLU:OE2	2.23	0.71
1:G:458[A]:LYS:HD3	1:G:463[A]:LEU:HD12	1.73	0.70
1:E:441:ASP:HB3	1:E:443:LEU:HG	1.74	0.69
1:G:343[A]:LYS:HB3	1:G:347[A]:GLU:HG3	1.75	0.68
1:B:458:LYS:HD3	1:B:463:LEU:HD12	1.75	0.68
1:B:335:ILE:HD11	1:G:393[A]:GLU:HB3	1.75	0.67
1:G:377[B]:ILE:HG13	1:G:466[B]:HIS:H	1.60	0.66
1:C:343:LYS:HB3	1:C:347:GLU:HG3	1.77	0.66
1:F:458:LYS:HD3	1:F:463:LEU:HD12	1.78	0.65
1:D:458:LYS:HD3	1:D:463:LEU:HD12	1.79	0.65
1:D:343:LYS:HB3	1:D:347:GLU:HG3	1.79	0.65
1:G:450[B]:GLU:HB2	1:G:470[B]:SER:HB3	1.79	0.65
1:C:458:LYS:HD3	1:C:463:LEU:HD12	1.80	0.63
1:F:396:LYS:NZ	1:F:400:ASP:OD2	2.30	0.63
1:F:339:THR:HG22	1:F:340:GLU:H	1.63	0.63

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:415[B]:LEU:HB2	1:G:432[B]:VAL:HB	1.81	0.63
1:G:458[B]:LYS:HD3	1:G:463[B]:LEU:HD12	1.81	0.62
1:A:457:LYS:HE2	1:A:460:GLY:HA2	1.82	0.62
1:B:396:LYS:O	1:B:399:PHE:N	2.32	0.62
1:E:339:THR:OG1	1:E:340:GLU:N	2.34	0.60
1:B:414:ILE:HG22	1:B:417:PRO:HG3	1.83	0.60
1:F:336:GLU:OE2	1:F:355:GLN:HB2	2.02	0.60
1:A:340:GLU:HG3	1:D:341:SER:HB3	1.84	0.59
1:A:336:GLU:OE2	1:A:355:GLN:HB2	2.03	0.59
1:B:401:ASN:O	1:B:402:LEU:HB2	2.04	0.58
1:E:414:ILE:HG22	1:E:417:PRO:HG3	1.86	0.57
1:E:458:LYS:HD3	1:E:463:LEU:HD12	1.87	0.57
1:B:451:GLU:OE2	1:B:469:ARG:NH1	2.37	0.57
1:A:402:LEU:H	1:A:403:PRO:HA	1.70	0.57
1:D:436:GLN:NE2	1:B:398:TYR:HE1	2.03	0.57
1:A:358:ILE:HD12	1:A:414:ILE:HD11	1.87	0.57
1:A:338:ASP:OD1	1:A:338:ASP:N	2.38	0.56
1:G:426[B]:GLY:HA2	1:G:462[B]:TRP:HZ3	1.69	0.56
1:E:400:ASP:O	1:E:402:LEU:N	2.34	0.56
1:B:433:ARG:HH11	1:B:469:ARG:HH12	1.53	0.55
1:G:379[A]:ALA:O	1:G:388[A]:GLN:HA	2.06	0.55
1:G:378[B]:THR:HG23	1:G:466[B]:HIS:HB2	1.89	0.54
1:G:436[A]:GLN:HA	1:G:445[A]:ARG:O	2.08	0.54
1:C:355:GLN:O	1:C:359:THR:OG1	2.24	0.54
1:G:441[A]:ASP:OD1	1:G:441[A]:ASP:N	2.35	0.53
1:G:418[B]:HIS:O	1:G:429[B]:ILE:HA	2.09	0.53
1:E:343:LYS:HB3	1:E:347:GLU:HG3	1.90	0.52
1:C:336:GLU:OE1	1:C:336:GLU:N	2.44	0.51
1:G:346[A]:ARG:NH2	1:G:423[A]:GLY:O	2.38	0.51
1:F:336:GLU:HG2	1:F:414:ILE:HD12	1.92	0.51
1:B:422:LEU:HB2	1:B:426:GLY:HA3	1.93	0.50
1:A:377:ILE:HD11	1:A:467:PHE:HD2	1.76	0.50
1:C:335:ILE:HD11	1:E:393:GLU:HG2	1.94	0.50
1:D:341:SER:OG	1:D:342:THR:N	2.45	0.49
1:B:356:GLN:O	1:B:359:THR:OG1	2.28	0.49
1:G:336[B]:GLU:OE1	1:G:336[B]:GLU:N	2.45	0.49
1:A:343:LYS:HB2	1:A:348:GLN:HG3	1.93	0.49
1:C:444:PRO:HG3	1:E:402:LEU:HD11	1.95	0.49
1:F:407:ASN:OD1	1:F:407:ASN:N	2.45	0.49
1:G:414[A]:ILE:HG22	1:G:417[A]:PRO:HG3	1.95	0.49
1:G:336[B]:GLU:HG3	1:G:414[B]:ILE:HD12	1.95	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:411:ASN:HD21	1:B:393:GLU:HG3	1.77	0.49
1:G:416[B]:ALA:HB1	1:G:418[B]:HIS:HE1	1.78	0.48
1:F:441:ASP:OD1	1:F:442:GLY:N	2.36	0.48
1:F:334:ILE:HG13	1:F:412:THR:OG1	2.14	0.47
1:F:364:LYS:HD2	1:F:404:ASN:O	2.15	0.47
1:E:422:LEU:HB2	1:E:426:GLY:HA3	1.97	0.47
1:B:402:LEU:HD12	1:B:402:LEU:HA	1.79	0.47
1:E:336:GLU:N	1:E:336:GLU:OE1	2.48	0.47
1:E:336:GLU:OE2	1:E:355:GLN:HB2	2.16	0.47
1:B:402:LEU:HG	1:B:403:PRO:HD2	1.97	0.47
1:F:404:ASN:HD22	1:F:406:ARG:HE	1.61	0.46
1:B:346:ARG:HD3	1:B:421:MET:HG3	1.98	0.46
1:F:344:THR:HG22	1:F:346:ARG:H	1.79	0.46
1:E:347:GLU:HB2	1:E:419:VAL:HB	1.96	0.46
1:G:378[B]:THR:O	1:G:466[B]:HIS:HA	2.16	0.46
1:F:377:ILE:HD11	1:F:467:PHE:HD1	1.81	0.46
1:F:431:TYR:OH	1:F:451:GLU:OE1	2.23	0.46
1:B:441:ASP:OD1	1:B:441:ASP:N	2.47	0.46
1:G:339[A]:THR:OG1	1:G:340[A]:GLU:N	2.48	0.46
1:G:336[A]:GLU:N	1:G:336[A]:GLU:OE1	2.50	0.45
1:F:347:GLU:O	1:F:351:ILE:HG13	2.17	0.45
1:B:400:ASP:N	1:B:400:ASP:OD1	2.49	0.45
1:G:433[A]:ARG:NH1	1:G:469[A]:ARG:HH12	2.15	0.45
1:A:380:PHE:CE1	1:A:388:GLN:HB2	2.52	0.45
1:D:339:THR:OG1	1:D:340:GLU:N	2.48	0.44
1:D:377:ILE:HD11	1:D:467:PHE:HD1	1.82	0.44
1:C:338:ASP:O	1:C:339:THR:OG1	2.23	0.44
1:A:332:HIS:HB3	1:A:362:THR:HG21	1.99	0.44
1:F:414:ILE:HG22	1:F:417:PRO:HG3	1.98	0.44
1:B:383:GLU:HB3	1:B:398:TYR:OH	2.17	0.44
1:C:336:GLU:OE2	1:C:355:GLN:HB2	2.17	0.44
1:E:380:PHE:CE1	1:E:388:GLN:HB2	2.53	0.44
1:B:400:ASP:HB2	1:B:401:ASN:OD1	2.19	0.43
1:A:341:SER:CB	1:D:341:SER:HB2	2.49	0.43
1:B:364:LYS:HA	1:B:399:PHE:CE1	2.53	0.43
1:G:389[A]:VAL:HG11	1:G:394[A]:PHE:CE2	2.53	0.43
1:C:401:ASN:O	1:C:402:LEU:HB2	2.19	0.43
1:G:451[A]:GLU:OE2	1:G:469[A]:ARG:NH1	2.52	0.43
1:A:334:ILE:HG13	1:A:412:THR:OG1	2.20	0.42
1:B:379:ALA:HB3	1:B:389:VAL:HG23	2.01	0.42
1:G:380[A]:PHE:CZ	1:G:388[A]:GLN:HB2	2.54	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:G:435[A]:THR:O	1:G:446[A]:THR:HA	2.19	0.42
1:B:401:ASN:OD1	1:B:401:ASN:N	2.52	0.42
1:G:452[B]:THR:O	1:G:467[B]:PHE:HA	2.18	0.42
1:G:343[B]:LYS:HB3	1:G:347[B]:GLU:HG3	2.00	0.42
1:G:377[A]:ILE:O	1:G:390[A]:GLU:HA	2.19	0.42
1:D:414:ILE:HG22	1:D:417:PRO:HG3	2.01	0.42
1:D:336:GLU:N	1:D:336:GLU:OE1	2.52	0.42
1:A:431:TYR:OH	1:A:451:GLU:OE1	2.32	0.42
1:G:336[B]:GLU:OE2	1:G:355[B]:GLN:HB2	2.19	0.41
1:G:431[A]:TYR:OH	1:G:451[A]:GLU:OE1	2.22	0.41
1:C:336:GLU:HG3	1:C:414:ILE:HD12	2.03	0.41
1:D:383:GLU:HB3	1:D:398:TYR:OH	2.21	0.41
1:F:402:LEU:HD12	1:F:402:LEU:HA	1.94	0.41
1:G:378[A]:THR:HA	1:G:389[A]:VAL:O	2.20	0.41
1:A:378:THR:O	1:A:466:HIS:HA	2.21	0.41
1:C:383:GLU:HB3	1:C:398:TYR:OH	2.21	0.41
1:B:366:PHE:HD1	1:B:399:PHE:CD2	2.38	0.41
1:B:364:LYS:HA	1:B:399:PHE:HE1	1.86	0.40
1:G:383[B]:GLU:HB3	1:G:398[B]:TYR:OH	2.21	0.40
1:G:426[B]:GLY:HA2	1:G:462[B]:TRP:CZ3	2.52	0.40
1:A:451:GLU:HG2	1:A:469:ARG:HG3	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	133/145 (92%)	129 (97%)	2 (2%)	2 (2%)	10	42
1	B	134/145 (92%)	128 (96%)	5 (4%)	1 (1%)	22	60
1	C	133/145 (92%)	128 (96%)	4 (3%)	1 (1%)	19	57
1	D	132/145 (91%)	126 (96%)	5 (4%)	1 (1%)	19	57

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	E	135/145 (93%)	128 (95%)	6 (4%)	1 (1%)	22	60
1	F	142/145 (98%)	136 (96%)	3 (2%)	3 (2%)	7	33
1	G	268/145 (185%)	244 (91%)	22 (8%)	2 (1%)	22	60
All	All	1077/1015 (106%)	1019 (95%)	47 (4%)	11 (1%)	14	53

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	F	339	THR
1	F	405	LYS
1	B	402	LEU
1	A	402	LEU
1	F	404	ASN
1	D	339	THR
1	A	341	SER
1	E	339	THR
1	G	466[A]	HIS
1	G	466[B]	HIS
1	C	402	LEU

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	124/131 (95%)	120 (97%)	4 (3%)	39	74
1	B	125/131 (95%)	117 (94%)	8 (6%)	17	51
1	C	124/131 (95%)	122 (98%)	2 (2%)	62	86
1	D	123/131 (94%)	122 (99%)	1 (1%)	81	93
1	E	126/131 (96%)	125 (99%)	1 (1%)	81	93
1	F	131/131 (100%)	129 (98%)	2 (2%)	65	87
1	G	250/131 (191%)	248 (99%)	2 (1%)	81	93
All	All	1003/917 (109%)	983 (98%)	20 (2%)	52	83

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	332	HIS
1	A	338	ASP
1	A	412	THR
1	A	441	ASP
1	F	380	PHE
1	F	407	ASN
1	C	380	PHE
1	C	402	LEU
1	D	380	PHE
1	E	339	THR
1	B	332	HIS
1	B	333	THR
1	B	346	ARG
1	B	400	ASP
1	B	401	ASN
1	B	402	LEU
1	B	410	VAL
1	B	441	ASP
1	G	441[A]	ASP
1	G	441[B]	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	F	404	ASN
1	B	448	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	137/145 (94%)	-0.26	2 (1%) <span style="border: 1px solid blue; padding: 2px;">73</span> <span style="border: 1px solid gray; padding: 2px;">46</span>	57, 84, 167, 216	0
1	B	138/145 (95%)	0.09	7 (5%) <span style="border: 1px solid red; padding: 2px;">28</span> <span style="border: 1px solid red; padding: 2px;">10</span>	69, 112, 193, 227	0
1	C	137/145 (94%)	0.28	14 (10%) <span style="border: 1px solid red; padding: 2px;">6</span> <span style="border: 1px solid red; padding: 2px;">2</span>	58, 116, 171, 206	0
1	D	136/145 (93%)	0.54	18 (13%) <span style="border: 1px solid red; padding: 2px;">3</span> <span style="border: 1px solid red; padding: 2px;">1</span>	68, 130, 188, 231	0
1	E	139/145 (95%)	-0.31	2 (1%) <span style="border: 1px solid blue; padding: 2px;">75</span> <span style="border: 1px solid gray; padding: 2px;">49</span>	47, 72, 155, 179	0
1	F	143/145 (98%)	-0.19	7 (4%) <span style="border: 1px solid red; padding: 2px;">29</span> <span style="border: 1px solid red; padding: 2px;">11</span>	48, 73, 170, 201	0
1	G	138/145 (95%)	0.62	9 (6%) <span style="border: 1px solid red; padding: 2px;">18</span> <span style="border: 1px solid red; padding: 2px;">5</span>	57, 87, 150, 168	0
All	All	968/1015 (95%)	0.11	59 (6%) <span style="border: 1px solid red; padding: 2px;">21</span> <span style="border: 1px solid red; padding: 2px;">7</span>	47, 96, 172, 231	0

All (59) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	426	GLY	5.8
1	C	422	LEU	5.3
1	C	427	ALA	4.6
1	G	342[A]	THR	4.6
1	D	460	GLY	4.5
1	D	339	THR	4.5
1	D	342	THR	4.3
1	D	336	GLU	4.0
1	G	441[A]	ASP	4.0
1	C	442	GLY	3.9
1	B	440	PRO	3.8
1	B	438	ILE	3.6
1	C	423	GLY	3.6
1	B	338	ASP	3.5
1	C	460	GLY	3.5
1	B	342	THR	3.5
1	C	341	SER	3.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	C	338	ASP	3.4
1	A	339	THR	3.4
1	D	337	GLU	3.3
1	D	338	ASP	3.3
1	D	345	GLN	3.2
1	G	341[A]	SER	3.0
1	D	458	LYS	3.0
1	G	440[A]	PRO	3.0
1	D	459	LYS	2.8
1	D	343	LYS	2.8
1	D	440	PRO	2.7
1	D	335	ILE	2.7
1	F	338	ASP	2.5
1	A	341	SER	2.5
1	F	439	GLY	2.5
1	B	441	ASP	2.5
1	B	439	GLY	2.4
1	B	437	GLY	2.3
1	C	336	GLU	2.3
1	C	339	THR	2.3
1	E	439	GLY	2.3
1	C	425	GLU	2.2
1	D	423	GLY	2.2
1	G	387[A]	ASN	2.2
1	F	407	ASN	2.2
1	D	457	LYS	2.2
1	E	440	PRO	2.2
1	D	346	ARG	2.2
1	G	424[A]	GLU	2.1
1	C	441	ASP	2.1
1	D	425	GLU	2.1
1	D	422	LEU	2.1
1	F	339	THR	2.1
1	F	441	ASP	2.1
1	F	332	HIS	2.1
1	C	439	GLY	2.1
1	G	460[A]	GLY	2.1
1	G	401[A]	ASN	2.0
1	G	388[A]	GLN	2.0
1	C	443	LEU	2.0
1	D	427	ALA	2.0
1	F	404	ASN	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.