



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 7, 2023 – 02:01 PM JST

PDB ID : 5K2M
Title : Bifunctional LysX/ArgX from *Thermococcus kodakarensis* with LysW-gamma-AAA
Authors : Yoshida, A.; Tomita, T.; Nishiyama, M.
Deposited on : 2016-05-19
Resolution : 2.18 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.36
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.18 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	6864 (2.20-2.16)
Clashscore	141614	7689 (2.20-2.16)
Ramachandran outliers	138981	7564 (2.20-2.16)
Sidechain outliers	138945	7564 (2.20-2.16)
RSRZ outliers	127900	6738 (2.20-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	273	 2% 85% 13% .
1	B	273	 % 83% 15% .
1	C	273	 4% 86% 11% .
1	D	273	 2% 84% 12% .
1	G	273	 5% 83% 13% .
1	H	273	 3% 84% 14% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	I	273	
1	J	273	
2	E	53	
2	F	53	
2	K	53	
2	L	53	
2	M	53	
2	N	53	

2 Entry composition [i](#)

There are 9 unique types of molecules in this entry. The entry contains 19516 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called RimK-related lysine biosynthesis protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	273	Total 2153	C 1380	N 367	O 399	S 7	0	0	0
1	B	273	Total 2153	C 1380	N 367	O 399	S 7	0	0	0
1	C	273	Total 2141	C 1374	N 361	O 399	S 7	0	0	0
1	D	270	Total 2110	C 1354	N 354	O 395	S 7	0	0	0
1	G	273	Total 2153	C 1380	N 367	O 399	S 7	0	0	0
1	H	272	Total 2141	C 1373	N 365	O 396	S 7	0	0	0
1	I	273	Total 2143	C 1374	N 363	O 399	S 7	0	0	0
1	J	273	Total 2153	C 1380	N 367	O 399	S 7	0	0	0

- Molecule 2 is a protein called Probable lysine biosynthesis protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	E	52	Total 407	C 254	N 57	O 92	S 4	0	0	0
2	F	53	Total 411	C 257	N 58	O 91	S 5	0	0	0
2	K	11	Total 96	C 60	N 13	O 23		0	0	0
2	L	30	Total 228	C 143	N 35	O 50		0	0	0
2	M	9	Total 68	C 43	N 10	O 15		0	0	0
2	N	33	Total 258	C 166	N 37	O 55		0	0	0

- Molecule 3 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
3	A	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
3	B	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
3	C	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
3	D	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
3	G	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
3	H	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
3	I	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
3	J	1	Total	C	N	O	P	0	0
			27	10	5	10	2		

- Molecule 4 is PHOSPHATE ION (three-letter code: PO4) (formula: O_4P).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total O P 5 4 1	0	0
4	B	1	Total O P 5 4 1	0	0
4	G	1	Total O P 5 4 1	0	0
4	I	1	Total O P 5 4 1	0	0
4	J	1	Total O P 5 4 1	0	0

- Molecule 5 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	2	Total Mg 2 2	0	0
5	B	2	Total Mg 2 2	0	0
5	G	1	Total Mg 1 1	0	0
5	H	2	Total Mg 2 2	0	0
5	J	2	Total Mg 2 2	0	0

- Molecule 6 is SULFATE ION (three-letter code: SO4) (formula: O₄S).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	C	1	Total O S 5 4 1	0	0
6	H	1	Total O S 5 4 1	0	0

- Molecule 7 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	E	1	Total Zn 1 1	0	0
7	F	1	Total Zn 1 1	0	0

- Molecule 8 is 2-AMINOHEXANEDIOIC ACID (three-letter code: UN1) (formula: C₆H₁₁NO₄).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
8	I	1	11	6	1	4	0	0


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	98	Total	O	0	0
			98	98		
9	B	112	Total	O	0	0
			112	112		
9	C	59	Total	O	0	0
			59	59		
9	D	75	Total	O	0	0
			75	75		
9	E	12	Total	O	0	0
			12	12		
9	F	8	Total	O	0	0
			8	8		
9	G	52	Total	O	0	0
			52	52		
9	H	88	Total	O	0	0
			88	88		
9	I	38	Total	O	0	0
			38	38		
9	J	74	Total	O	0	0
			74	74		
9	K	1	Total	O	0	0
			1	1		



Continued on next page...

Continued from previous page...



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	L	5	Total O 5 5	0	0
9	N	6	Total O 6 6	0	0




- Molecule 1: RimK-related lysine biosynthesis protein





- Molecule 1: RimK-related lysine biosynthesis protein




- Molecule 1: RimK-related lysine biosynthesis protein




- Molecule 1: RimK-related lysine biosynthesis protein




● Molecule 2: Probable lysine biosynthesis protein




● Molecule 2: Probable lysine biosynthesis protein




● Molecule 2: Probable lysine biosynthesis protein




● Molecule 2: Probable lysine biosynthesis protein



● Molecule 2: Probable lysine biosynthesis protein



● Molecule 2: Probable lysine biosynthesis protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	76.15Å 135.10Å 136.98Å 90.00° 97.49° 90.00°	Depositor
Resolution (Å)	50.00 – 2.18 42.74 – 2.18	Depositor EDS
% Data completeness (in resolution range)	99.2 (50.00-2.18) 99.2 (42.74-2.18)	Depositor EDS
R_{merge}	0.09	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.84 (at 2.18Å)	Xtrriage
Refinement program	REFMAC 5.8.0049	Depositor
R, R_{free}	0.180 , 0.220 0.190 , 0.226	Depositor DCC
R_{free} test set	7130 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	39.3	Xtrriage
Anisotropy	0.082	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37 , 50.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	19516	wwPDB-VP
Average B, all atoms (Å ²)	53.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.27% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG, PO4, ADP, R0K, SO4, UN1, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.43	0/2202	0.67	2/2978 (0.1%)
1	B	0.42	0/2202	0.67	3/2978 (0.1%)
1	C	0.38	0/2190	0.61	1/2964 (0.0%)
1	D	0.41	0/2156	0.61	0/2916
1	G	0.43	0/2202	0.63	2/2978 (0.1%)
1	H	0.43	0/2190	0.66	1/2964 (0.0%)
1	I	0.36	0/2192	0.58	1/2967 (0.0%)
1	J	0.38	0/2202	0.63	1/2978 (0.0%)
2	E	0.37	0/393	0.52	0/538
2	F	0.35	0/397	0.53	0/543
2	K	0.44	0/78	0.54	0/107
2	L	0.39	0/211	0.50	0/289
2	M	0.51	0/70	0.59	0/96
2	N	0.37	0/241	0.51	0/331
All	All	0.40	0/18926	0.63	11/25627 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	N	0	1

There are no bond length outliers.

All (11) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	H	119	LEU	CA-CB-CG	7.00	131.41	115.30
1	A	173	ARG	NE-CZ-NH2	-5.87	117.36	120.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	119	LEU	CA-CB-CG	5.74	128.49	115.30
1	A	173	ARG	NE-CZ-NH1	5.47	123.04	120.30
1	J	119	LEU	CA-CB-CG	5.47	127.89	115.30
1	G	43	LEU	CA-CB-CG	5.42	127.77	115.30
1	I	119	LEU	CA-CB-CG	5.18	127.22	115.30
1	B	173	ARG	NE-CZ-NH2	-5.18	117.71	120.30
1	B	198	ARG	N-CA-C	5.11	124.79	111.00
1	B	119	LEU	CA-CB-CG	5.07	126.97	115.30
1	G	119	LEU	CA-CB-CG	5.02	126.84	115.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	N	37	GLU	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2153	0	2140	27	0
1	B	2153	0	2140	31	0
1	C	2141	0	2118	23	0
1	D	2110	0	2083	22	0
1	G	2153	0	2140	29	0
1	H	2141	0	2122	26	0
1	I	2143	0	2118	16	0
1	J	2153	0	2140	24	0
2	E	407	0	361	7	0
2	F	411	0	370	5	0
2	K	96	0	59	2	0
2	L	228	0	168	2	0
2	M	68	0	48	2	0
2	N	258	0	221	1	0
3	A	27	0	12	1	0
3	B	27	0	12	0	0
3	C	27	0	12	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	D	27	0	12	0	0
3	G	27	0	12	0	0
3	H	27	0	12	1	0
3	I	27	0	12	1	0
3	J	27	0	12	0	0
4	A	5	0	0	0	0
4	B	5	0	0	0	0
4	G	5	0	0	0	0
4	I	5	0	0	0	0
4	J	5	0	0	0	0
5	A	2	0	0	0	0
5	B	2	0	0	0	0
5	G	1	0	0	0	0
5	H	2	0	0	0	0
5	J	2	0	0	0	0
6	C	5	0	0	0	0
6	H	5	0	0	0	0
7	E	1	0	0	0	0
7	F	1	0	0	0	0
8	I	11	0	4	0	0
9	A	98	0	0	0	0
9	B	112	0	0	1	0
9	C	59	0	0	0	0
9	D	75	0	0	0	0
9	E	12	0	0	0	0
9	F	8	0	0	0	0
9	G	52	0	0	0	0
9	H	88	0	0	0	0
9	I	38	0	0	1	0
9	J	74	0	0	0	0
9	K	1	0	0	0	0
9	L	5	0	0	0	0
9	N	6	0	0	0	0
All	All	19516	0	18328	193	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (193) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:173:ARG:NH2	2:L:53:R0K:OE1	2.01	0.92
1:A:55:LYS:O	1:A:59:THR:HG23	1.70	0.90
1:B:55:LYS:O	1:B:59:THR:HG23	1.74	0.88
1:B:173:ARG:NH2	2:F:53:R0K:OE1	2.07	0.87
1:A:173:ARG:NH2	2:E:53:R0K:OE1	2.12	0.83
1:H:83:LYS:O	1:H:87:THR:HG23	1.79	0.81
1:G:173:ARG:NH2	2:K:53:R0K:OE1	2.17	0.78
1:H:87:THR:HG21	1:H:160:TYR:OH	1.85	0.76
1:H:70:THR:HG22	1:H:72:ASN:O	1.85	0.75
1:J:152:LYS:HD2	1:J:153:ASN:N	2.00	0.75
1:C:83:LYS:O	1:C:87:THR:HG23	1.87	0.75
1:D:60:ALA:HB1	1:D:70:THR:HG21	1.69	0.74
1:H:148:ARG:HE	1:J:147:HIS:HE1	1.36	0.74
1:G:83:LYS:O	1:G:87:THR:HG23	1.89	0.73
1:D:83:LYS:O	1:D:87:THR:HG23	1.89	0.72
1:H:226:LEU:HD22	1:H:242:VAL:CG1	2.21	0.70
1:G:55:LYS:O	1:G:59:THR:HG23	1.93	0.69
1:B:60:ALA:HB1	1:B:70:THR:HG21	1.75	0.69
1:A:60:ALA:HB1	1:A:70:THR:HG21	1.74	0.69
1:B:147:HIS:HE1	1:D:148:ARG:HE	1.41	0.69
1:G:6:THR:CG2	1:G:50:ASN:HD21	2.07	0.68
1:C:22:GLY:HA2	1:C:25:GLY:O	1.94	0.68
1:I:229:ASP:OD2	9:I:401:HOH:O	2.12	0.67
1:G:6:THR:CG2	1:G:50:ASN:ND2	2.59	0.66
2:E:13:ILE:HD11	2:E:41:LEU:HD11	1.78	0.66
1:B:70:THR:HG22	1:B:72:ASN:O	1.96	0.65
3:H:301:ADP:O3B	3:H:301:ADP:O2A	2.15	0.65
1:G:87:THR:HG21	1:G:160:TYR:OH	1.97	0.65
1:I:52:SER:OG	2:M:50:ASP:OD2	2.09	0.64
1:D:153:ASN:HD22	1:D:154:PRO:HD2	1.63	0.64
2:F:13:ILE:HD11	2:F:41:LEU:HD11	1.79	0.63
1:C:226:LEU:HD22	1:C:242:VAL:CG1	2.29	0.63
1:A:83:LYS:O	1:A:87:THR:HG23	1.98	0.62
1:H:55:LYS:O	1:H:59:THR:HG23	1.98	0.62
1:A:103:LEU:HG	1:B:59:THR:HG22	1.81	0.62
1:C:6:THR:HG22	1:C:48:ILE:HA	1.79	0.62
1:A:173:ARG:NE	1:A:227:ALA:HB1	2.14	0.62
1:C:87:THR:HG21	1:C:160:TYR:OH	2.00	0.62
2:E:13:ILE:HD12	2:E:39:LEU:HD11	1.82	0.62
1:B:6:THR:HG23	1:B:50:ASN:ND2	2.15	0.61
1:D:87:THR:HG21	1:D:160:TYR:OH	2.01	0.61
1:J:55:LYS:O	1:J:59:THR:HG23	2.00	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:60:ALA:HB1	1:H:70:THR:HG21	1.81	0.61
1:G:153:ASN:HD22	1:G:153:ASN:C	2.03	0.61
1:C:6:THR:HG23	1:C:50:ASN:ND2	2.17	0.60
1:A:50:ASN:H	1:A:50:ASN:HD22	1.50	0.60
1:G:226:LEU:HD22	1:G:242:VAL:HG13	1.84	0.60
1:B:147:HIS:CE1	1:D:148:ARG:HE	2.20	0.60
1:A:87:THR:HG21	1:A:160:TYR:OH	2.02	0.59
1:B:6:THR:CG2	1:B:50:ASN:HD21	2.16	0.59
1:B:147:HIS:HE1	1:D:148:ARG:NE	2.00	0.58
2:F:13:ILE:HG21	2:F:22:VAL:HG11	1.84	0.58
1:D:55:LYS:O	1:D:59:THR:HG23	2.04	0.57
1:G:55:LYS:O	1:G:59:THR:CG2	2.52	0.57
1:I:128:TRP:N	1:I:129:GLY:HA2	2.19	0.57
1:H:226:LEU:HD22	1:H:242:VAL:HG12	1.87	0.57
1:B:6:THR:HG23	1:B:50:ASN:HD21	1.69	0.56
1:J:60:ALA:HB1	1:J:70:THR:HG21	1.87	0.56
1:B:70:THR:CG2	1:B:72:ASN:O	2.52	0.56
1:C:60:ALA:HB1	1:C:70:THR:HG21	1.86	0.56
1:G:60:ALA:HB1	1:G:70:THR:HG21	1.88	0.56
1:H:55:LYS:O	1:H:59:THR:CG2	2.54	0.56
1:H:70:THR:CG2	1:H:72:ASN:O	2.54	0.56
1:H:148:ARG:HE	1:J:147:HIS:CE1	2.22	0.56
1:J:55:LYS:O	1:J:59:THR:CG2	2.54	0.56
1:A:147:HIS:HE1	1:C:148:ARG:HE	1.53	0.55
1:H:50:ASN:HD22	1:H:50:ASN:H	1.53	0.55
1:D:70:THR:CG2	1:D:72:ASN:O	2.55	0.55
1:D:55:LYS:O	1:D:59:THR:CG2	2.54	0.54
1:H:148:ARG:NE	1:J:147:HIS:HE1	2.04	0.54
1:G:70:THR:CG2	1:G:72:ASN:O	2.56	0.54
1:H:60:ALA:CB	1:H:70:THR:HG21	2.38	0.54
1:A:59:THR:HG22	1:B:103:LEU:HG	1.90	0.54
1:I:127:SER:C	1:I:129:GLY:HA2	2.29	0.53
1:D:60:ALA:CB	1:D:70:THR:HG21	2.36	0.53
1:G:173:ARG:NE	1:G:227:ALA:HB1	2.23	0.52
1:I:127:SER:O	1:I:128:TRP:HB2	2.09	0.52
1:A:70:THR:CG2	1:A:72:ASN:O	2.57	0.51
1:B:138:ARG:NH1	1:B:142:GLU:OE1	2.43	0.51
1:B:6:THR:CG2	1:B:50:ASN:ND2	2.73	0.51
1:C:70:THR:CG2	1:C:72:ASN:O	2.58	0.51
1:H:153:ASN:HB3	1:H:156:TYR:CD2	2.46	0.51
1:G:80:ALA:HB1	1:G:242:VAL:HG12	1.90	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:207:ASP:HB3	1:H:210:VAL:HG13	1.92	0.51
1:D:207:ASP:HB3	1:D:210:VAL:HG13	1.91	0.51
1:H:119:LEU:HD22	1:H:135:VAL:HB	1.92	0.51
1:G:119:LEU:CD2	1:G:135:VAL:HB	2.40	0.51
1:B:131:LEU:HA	1:D:146:GLU:OE1	2.11	0.50
1:A:60:ALA:CB	1:A:70:THR:HG21	2.40	0.50
1:B:60:ALA:CB	1:B:70:THR:HG21	2.41	0.50
1:C:153:ASN:HB3	1:C:156:TYR:CD2	2.47	0.50
1:J:70:THR:HG22	1:J:73:SER:HA	1.93	0.50
1:C:50:ASN:O	1:C:245:ASN:ND2	2.45	0.50
2:E:18:LEU:HG	2:E:19:HIS:CD2	2.47	0.50
1:I:226:LEU:HD22	1:I:242:VAL:CG1	2.42	0.50
1:I:119:LEU:HD22	1:I:135:VAL:HB	1.94	0.50
1:A:10:LEU:HB2	2:E:20:GLN:HA	1.94	0.49
1:A:264:VAL:O	1:A:268:VAL:HG13	2.12	0.49
1:B:173:ARG:NE	1:B:227:ALA:HB1	2.28	0.49
1:G:148:ARG:HE	1:I:147:HIS:HE1	1.59	0.49
1:C:195:ASN:HD21	3:C:301:ADP:C5'	2.26	0.49
1:D:50:ASN:HD22	1:D:50:ASN:H	1.59	0.49
1:H:248:PHE:HB2	1:H:259:MET:HG3	1.94	0.49
1:B:10:LEU:HB2	2:F:20:GLN:HA	1.95	0.48
1:H:129:GLY:O	1:H:198:ARG:NH1	2.46	0.48
1:J:70:THR:CG2	1:J:72:ASN:O	2.61	0.48
1:A:70:THR:HG22	1:A:73:SER:HA	1.95	0.48
1:C:109:LEU:HD12	1:C:141:LEU:HD13	1.94	0.48
1:D:70:THR:HG22	1:D:72:ASN:O	2.12	0.48
1:D:11:ARG:NH1	2:E:43:GLU:OE1	2.46	0.48
1:G:6:THR:HG21	1:G:50:ASN:HD21	1.78	0.48
1:G:6:THR:HG23	1:G:50:ASN:ND2	2.27	0.48
1:I:195:ASN:HD21	3:I:301:ADP:C5'	2.27	0.48
1:G:82:ASP:OD2	1:G:124:VAL:CG1	2.62	0.47
1:G:227:ALA:HB3	1:G:243:ASN:HB2	1.97	0.47
1:A:143:ALA:O	1:A:147:HIS:HD2	1.98	0.47
1:B:209:GLU:HG2	1:B:237:LEU:HD12	1.96	0.47
1:C:6:THR:CG2	1:C:50:ASN:ND2	2.77	0.47
1:D:70:THR:HG22	1:D:73:SER:HA	1.96	0.47
1:A:248:PHE:HB2	1:A:259:MET:HG3	1.96	0.47
1:G:70:THR:HG22	1:G:73:SER:HA	1.95	0.47
1:H:48:ILE:HG13	1:H:70:THR:HG23	1.96	0.47
1:J:80:ALA:HB1	1:J:242:VAL:HG13	1.97	0.47
1:C:195:ASN:HB2	1:C:198:ARG:HB2	1.97	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:153:ASN:ND2	1:A:155:LEU:HB2	2.31	0.46
1:A:153:ASN:C	1:A:153:ASN:HD22	2.19	0.46
1:B:6:THR:HG22	1:B:48:ILE:HA	1.98	0.46
1:A:175:TYR:HB2	1:A:182:VAL:HG22	1.98	0.46
1:C:119:LEU:HD22	1:C:135:VAL:HB	1.98	0.46
1:I:212:GLU:O	1:I:215:VAL:HG12	2.16	0.46
1:B:138:ARG:NE	9:B:405:HOH:O	2.48	0.46
1:B:146:GLU:HB3	1:D:130:ARG:O	2.17	0.45
1:D:135:VAL:HG13	1:D:140:SER:HB2	1.97	0.45
1:G:6:THR:HG23	1:G:50:ASN:HD21	1.81	0.45
1:I:153:ASN:HB3	1:I:156:TYR:CD2	2.51	0.45
1:J:143:ALA:O	1:J:147:HIS:HD2	1.99	0.45
1:A:207:ASP:HB3	1:A:210:VAL:HG13	1.99	0.45
1:C:37:PHE:HA	1:C:38:PRO:C	2.37	0.45
1:H:45:VAL:HB	1:H:271:ALA:HB2	1.99	0.45
1:B:37:PHE:HA	1:B:38:PRO:C	2.38	0.44
1:C:60:ALA:CB	1:C:70:THR:HG21	2.48	0.44
1:J:264:VAL:O	1:J:268:VAL:HG13	2.17	0.44
1:G:207:ASP:HB3	1:G:210:VAL:HG13	1.99	0.44
1:I:82:ASP:OD2	1:I:124:VAL:HG13	2.17	0.44
1:J:135:VAL:HG13	1:J:140:SER:HB2	1.99	0.44
1:G:243:ASN:HB3	2:K:53:R0K:OXT	2.18	0.44
1:A:195:ASN:HD21	3:A:301:ADP:C5'	2.30	0.43
1:G:80:ALA:HB1	1:G:242:VAL:CG1	2.48	0.43
1:C:226:LEU:HD22	1:C:242:VAL:HG12	1.98	0.43
1:J:37:PHE:HA	1:J:38:PRO:C	2.39	0.43
1:C:70:THR:HG22	1:C:73:SER:HA	2.00	0.43
1:A:70:THR:HG23	1:A:72:ASN:O	2.18	0.43
1:G:250:ASN:HD22	1:G:253:ARG:HH21	1.65	0.43
1:J:60:ALA:CB	1:J:70:THR:HG21	2.48	0.43
1:B:207:ASP:HB3	1:B:210:VAL:HG13	2.00	0.43
1:A:243:ASN:HB3	2:E:53:R0K:O	2.18	0.43
1:G:37:PHE:HA	1:G:38:PRO:C	2.39	0.43
1:B:143:ALA:O	1:B:147:HIS:HD2	2.01	0.42
1:B:153:ASN:HB3	1:B:156:TYR:CD2	2.55	0.42
1:B:198:ARG:N	1:B:199:GLY:HA2	2.34	0.42
1:C:6:THR:CG2	1:C:50:ASN:HD21	2.32	0.42
1:H:204:PRO:HD3	1:H:254:VAL:HG13	2.00	0.42
1:J:41:TYR:HB3	1:J:43:LEU:CD2	2.49	0.42
1:J:50:ASN:H	1:J:50:ASN:HD22	1.67	0.42
2:L:37:GLU:CB	2:L:38:PRO:HD3	2.49	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:80:ALA:HB1	1:B:242:VAL:HG23	2.02	0.42
1:A:76:LEU:HD22	1:A:223:GLU:HG3	2.02	0.41
1:I:226:LEU:HD13	1:I:242:VAL:HG11	2.01	0.41
1:B:48:ILE:HG13	1:B:70:THR:HG23	2.03	0.41
1:J:207:ASP:HB3	1:J:210:VAL:HG13	2.01	0.41
2:F:21:ILE:CD1	2:F:44:LEU:HD21	2.50	0.41
1:I:207:ASP:HB3	1:I:210:VAL:HG13	2.01	0.41
1:C:196:THR:HG21	1:C:250:ASN:ND2	2.35	0.41
1:B:195:ASN:HD22	1:B:195:ASN:H	1.67	0.41
1:H:111:VAL:N	1:H:112:PRO:CD	2.83	0.41
1:I:152:LYS:HB3	1:J:152:LYS:HE3	2.02	0.41
2:M:48:GLU:C	2:M:50:ASP:H	2.24	0.41
1:D:252:ALA:HB2	1:D:259:MET:HG3	2.03	0.41
1:A:50:ASN:H	1:A:50:ASN:ND2	2.17	0.41
1:J:153:ASN:HB3	1:J:156:TYR:CD2	2.55	0.41
1:J:250:ASN:HD22	1:J:253:ARG:HH21	1.69	0.41
1:A:135:VAL:HG13	1:A:140:SER:HB2	2.03	0.41
1:D:143:ALA:O	1:D:147:HIS:HD2	2.03	0.41
1:G:271:ALA:C	1:G:273:THR:H	2.24	0.41
1:H:226:LEU:HD13	1:H:242:VAL:HG11	2.03	0.41
1:J:148:ARG:CG	1:J:148:ARG:HH11	2.34	0.41
1:D:83:LYS:CE	1:D:241:GLU:OE1	2.70	0.40
1:J:128:TRP:CE2	2:N:52:GLY:HA2	2.56	0.40
1:G:119:LEU:HD23	1:G:119:LEU:C	2.41	0.40
1:G:190:ASN:C	1:G:190:ASN:HD22	2.25	0.40
1:J:111:VAL:N	1:J:112:PRO:CD	2.84	0.40
1:C:264:VAL:O	1:C:268:VAL:HG13	2.22	0.40
1:H:152:LYS:HG2	1:I:152:LYS:HG2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	271/273 (99%)	269 (99%)	2 (1%)	0	100	100
1	B	271/273 (99%)	266 (98%)	5 (2%)	0	100	100
1	C	271/273 (99%)	268 (99%)	3 (1%)	0	100	100
1	D	266/273 (97%)	262 (98%)	3 (1%)	1 (0%)	34	35
1	G	271/273 (99%)	265 (98%)	6 (2%)	0	100	100
1	H	270/273 (99%)	268 (99%)	2 (1%)	0	100	100
1	I	271/273 (99%)	265 (98%)	6 (2%)	0	100	100
1	J	271/273 (99%)	266 (98%)	5 (2%)	0	100	100
2	E	50/53 (94%)	46 (92%)	4 (8%)	0	100	100
2	F	51/53 (96%)	49 (96%)	1 (2%)	1 (2%)	7	4
2	K	9/53 (17%)	8 (89%)	1 (11%)	0	100	100
2	L	26/53 (49%)	22 (85%)	3 (12%)	1 (4%)	3	1
2	M	7/53 (13%)	6 (86%)	1 (14%)	0	100	100
2	N	29/53 (55%)	26 (90%)	2 (7%)	1 (3%)	3	1
All	All	2334/2502 (93%)	2286 (98%)	44 (2%)	4 (0%)	47	52

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	246	MET
2	L	38	PRO
2	N	38	PRO
2	F	38	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	224/224 (100%)	207 (92%)	17 (8%)	13	12
1	B	224/224 (100%)	203 (91%)	21 (9%)	8	7
1	C	222/224 (99%)	205 (92%)	17 (8%)	13	12

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	219/224 (98%)	198 (90%)	21 (10%)	8	7
1	G	224/224 (100%)	201 (90%)	23 (10%)	7	6
1	H	222/224 (99%)	202 (91%)	20 (9%)	9	8
1	I	222/224 (99%)	208 (94%)	14 (6%)	18	18
1	J	224/224 (100%)	203 (91%)	21 (9%)	8	7
2	E	46/47 (98%)	44 (96%)	2 (4%)	29	34
2	F	46/47 (98%)	46 (100%)	0	100	100
2	K	7/47 (15%)	7 (100%)	0	100	100
2	L	19/47 (40%)	18 (95%)	1 (5%)	22	25
2	M	6/47 (13%)	6 (100%)	0	100	100
2	N	25/47 (53%)	24 (96%)	1 (4%)	31	37
All	All	1930/2074 (93%)	1772 (92%)	158 (8%)	11	10

All (158) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	MET
1	A	43	LEU
1	A	50	ASN
1	A	59	THR
1	A	70	THR
1	A	87	THR
1	A	88	LEU
1	A	98	GLU
1	A	109	LEU
1	A	115	LEU
1	A	131	LEU
1	A	141	LEU
1	A	153	ASN
1	A	155	LEU
1	A	173	ARG
1	A	190	ASN
1	A	203	GLU
1	B	1	MET
1	B	6	THR
1	B	43	LEU
1	B	59	THR
1	B	70	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	75	ARG
1	B	88	LEU
1	B	109	LEU
1	B	115	LEU
1	B	119	LEU
1	B	132	LEU
1	B	141	LEU
1	B	152	LYS
1	B	153	ASN
1	B	155	LEU
1	B	173	ARG
1	B	216	LYS
1	B	259	MET
1	B	268	VAL
1	B	270	VAL
1	B	273	THR
1	C	6	THR
1	C	43	LEU
1	C	70	THR
1	C	87	THR
1	C	88	LEU
1	C	109	LEU
1	C	119	LEU
1	C	132	LEU
1	C	141	LEU
1	C	153	ASN
1	C	155	LEU
1	C	190	ASN
1	C	198	ARG
1	C	210	VAL
1	C	234	GLU
1	C	268	VAL
1	C	273	THR
1	D	43	LEU
1	D	59	THR
1	D	70	THR
1	D	75	ARG
1	D	87	THR
1	D	88	LEU
1	D	109	LEU
1	D	115	LEU
1	D	132	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	140	SER
1	D	141	LEU
1	D	146	GLU
1	D	153	ASN
1	D	155	LEU
1	D	190	ASN
1	D	195	ASN
1	D	210	VAL
1	D	247	GLU
1	D	249	LYS
1	D	250	ASN
1	D	268	VAL
2	E	12	GLU
2	E	27	CYS
1	G	1	MET
1	G	6	THR
1	G	23	GLU
1	G	43	LEU
1	G	59	THR
1	G	70	THR
1	G	75	ARG
1	G	87	THR
1	G	88	LEU
1	G	109	LEU
1	G	119	LEU
1	G	124	VAL
1	G	132	LEU
1	G	140	SER
1	G	141	LEU
1	G	146	GLU
1	G	153	ASN
1	G	155	LEU
1	G	173	ARG
1	G	174	SER
1	G	190	ASN
1	G	216	LYS
1	G	229	ASP
1	H	12	ARG
1	H	18	LYS
1	H	43	LEU
1	H	50	ASN
1	H	59	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	70	THR
1	H	87	THR
1	H	88	LEU
1	H	93	LYS
1	H	109	LEU
1	H	115	LEU
1	H	119	LEU
1	H	124	VAL
1	H	131	LEU
1	H	132	LEU
1	H	141	LEU
1	H	153	ASN
1	H	174	SER
1	H	209	GLU
1	H	210	VAL
1	I	26	GLU
1	I	40	ASN
1	I	88	LEU
1	I	109	LEU
1	I	119	LEU
1	I	132	LEU
1	I	141	LEU
1	I	148	ARG
1	I	153	ASN
1	I	155	LEU
1	I	198	ARG
1	I	210	VAL
1	I	241	GLU
1	I	272	LYS
1	J	1	MET
1	J	12	ARG
1	J	13	GLU
1	J	40	ASN
1	J	59	THR
1	J	70	THR
1	J	88	LEU
1	J	89	ARG
1	J	109	LEU
1	J	119	LEU
1	J	132	LEU
1	J	141	LEU
1	J	148	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	J	152	LYS
1	J	153	ASN
1	J	155	LEU
1	J	210	VAL
1	J	241	GLU
1	J	242	VAL
1	J	270	VAL
1	J	273	THR
2	L	18	LEU
2	N	44	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (42) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	50	ASN
1	A	147	HIS
1	A	153	ASN
1	A	190	ASN
1	A	195	ASN
1	B	40	ASN
1	B	50	ASN
1	B	147	HIS
1	B	153	ASN
1	B	195	ASN
1	C	50	ASN
1	C	147	HIS
1	C	153	ASN
1	C	195	ASN
1	C	250	ASN
1	D	50	ASN
1	D	147	HIS
1	D	153	ASN
2	F	19	HIS
1	G	50	ASN
1	G	53	HIS
1	G	147	HIS
1	G	153	ASN
1	G	190	ASN
1	G	195	ASN
1	G	243	ASN
1	G	250	ASN
1	H	50	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	H	53	HIS
1	H	147	HIS
1	H	153	ASN
1	I	50	ASN
1	I	147	HIS
1	I	153	ASN
1	I	195	ASN
1	J	50	ASN
1	J	53	HIS
1	J	147	HIS
1	J	153	ASN
1	J	195	ASN
1	J	245	ASN
1	J	250	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

5 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	R0K	L	53	2	18,19,19	1.09	1 (5%)	23,24,24	4.34	6 (26%)
2	R0K	F	53	2	18,19,19	1.11	0	23,24,24	2.73	6 (26%)
2	R0K	K	53	2	18,19,19	1.09	2 (11%)	23,24,24	4.08	6 (26%)
2	R0K	E	53	2	18,19,19	1.14	2 (11%)	23,24,24	3.61	6 (26%)
2	R0K	N	53	2	18,19,19	1.14	1 (5%)	23,24,24	1.68	5 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the

Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	R0K	L	53	2	-	2/23/23/23	-
2	R0K	F	53	2	-	1/23/23/23	-
2	R0K	K	53	2	-	7/23/23/23	-
2	R0K	E	53	2	-	4/23/23/23	-
2	R0K	N	53	2	-	2/23/23/23	-

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	N	53	R0K	CD-N1	-2.45	1.28	1.34
2	L	53	R0K	CD-N1	-2.12	1.29	1.34
2	K	53	R0K	CD-N1	-2.11	1.29	1.34
2	E	53	R0K	CD-N1	-2.03	1.29	1.34
2	E	53	R0K	OXT-C	-2.03	1.23	1.30
2	K	53	R0K	OXT-C	-2.02	1.23	1.30

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	L	53	R0K	CG-CD-N1	14.41	140.82	115.83
2	K	53	R0K	CG-CD-N1	13.00	138.38	115.83
2	E	53	R0K	CG-CD-N1	11.36	135.53	115.83
2	L	53	R0K	OE1-CD-N1	-11.01	104.36	122.95
2	K	53	R0K	OE1-CD-N1	-10.65	104.98	122.95
2	F	53	R0K	CG-CD-N1	8.55	130.66	115.83
2	E	53	R0K	OE1-CD-N1	-8.49	108.62	122.95
2	K	53	R0K	C5-N1-CD	7.97	142.15	121.65
2	L	53	R0K	C5-N1-CD	7.72	141.51	121.65
2	E	53	R0K	C5-N1-CD	7.48	140.88	121.65
2	F	53	R0K	C5-N1-CD	5.98	137.03	121.65
2	F	53	R0K	OE1-CD-N1	-5.07	114.39	122.95
2	N	53	R0K	CG-CD-N1	4.40	123.47	115.83
2	F	53	R0K	OE1-CD-CG	-4.15	114.43	122.02
2	L	53	R0K	OE1-CD-CG	-3.96	114.77	122.02
2	K	53	R0K	OXT-C-O	-3.56	116.00	124.09
2	E	53	R0K	OXT-C-O	-3.53	116.08	124.09
2	L	53	R0K	OXT-C-O	-3.51	116.12	124.09
2	N	53	R0K	C5-N1-CD	3.48	130.59	121.65
2	E	53	R0K	OE1-CD-CG	-3.38	115.83	122.02

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	K	53	R0K	OE1-CD-CG	-2.94	116.64	122.02
2	N	53	R0K	OXT-C-O	-2.90	117.52	124.09
2	F	53	R0K	OXT-C-O	-2.70	117.96	124.09
2	N	53	R0K	OE1-CD-CG	-2.62	117.22	122.02
2	L	53	R0K	OXT-C-CA	2.50	121.91	113.38
2	K	53	R0K	OXT-C-CA	2.47	121.80	113.38
2	E	53	R0K	OXT-C-CA	2.33	121.33	113.38
2	F	53	R0K	OXT-C-CA	2.30	121.23	113.38
2	N	53	R0K	OE1-CD-N1	-2.24	119.17	122.95

There are no chirality outliers.

All (16) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	K	53	R0K	C3-C4-C5-C6
2	K	53	R0K	C3-C4-C5-N1
2	K	53	R0K	C2-C3-C4-C5
2	K	53	R0K	N-CA-CB-CG
2	E	53	R0K	OXT-C-CA-CB
2	L	53	R0K	OXT-C-CA-CB
2	N	53	R0K	O-C-CA-CB
2	L	53	R0K	O-C-CA-CB
2	N	53	R0K	OXT-C-CA-CB
2	E	53	R0K	O-C-CA-CB
2	F	53	R0K	C6-C5-N1-CD
2	K	53	R0K	O1-C1-C2-C3
2	K	53	R0K	O2-C1-C2-C3
2	K	53	R0K	C1-C2-C3-C4
2	E	53	R0K	N-CA-CB-CG
2	E	53	R0K	O2-C1-C2-C3

There are no ring outliers.

4 monomers are involved in 6 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	L	53	R0K	1	0
2	F	53	R0K	1	0
2	K	53	R0K	2	0
2	E	53	R0K	2	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 27 ligands modelled in this entry, 11 are monoatomic - leaving 16 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	ADP	G	301	5	24,29,29	0.94	2 (8%)	29,45,45	1.31	3 (10%)
3	ADP	B	301	5	24,29,29	0.99	1 (4%)	29,45,45	1.28	4 (13%)
6	SO4	C	302	-	4,4,4	0.37	0	6,6,6	0.19	0
4	PO4	B	302	5	4,4,4	0.70	0	6,6,6	0.54	0
3	ADP	C	301	-	24,29,29	0.90	1 (4%)	29,45,45	1.32	3 (10%)
4	PO4	G	302	5	4,4,4	0.84	0	6,6,6	0.53	0
4	PO4	I	302	-	4,4,4	0.83	0	6,6,6	0.59	0
6	SO4	H	302	5	4,4,4	0.45	0	6,6,6	0.45	0
3	ADP	A	301	5	24,29,29	0.88	1 (4%)	29,45,45	1.17	3 (10%)
3	ADP	D	301	-	24,29,29	0.93	1 (4%)	29,45,45	1.34	4 (13%)
3	ADP	I	301	-	24,29,29	0.92	1 (4%)	29,45,45	1.29	4 (13%)
3	ADP	J	301	5	24,29,29	0.91	1 (4%)	29,45,45	1.26	3 (10%)
4	PO4	A	302	5	4,4,4	0.96	0	6,6,6	0.55	0
3	ADP	H	301	5	24,29,29	0.90	0	29,45,45	1.61	5 (17%)
4	PO4	J	302	5	4,4,4	0.79	0	6,6,6	0.85	0
8	UN1	I	303	-	9,10,10	0.94	0	11,12,12	0.88	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ADP	G	301	5	-	2/12/32/32	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ADP	B	301	5	-	4/12/32/32	0/3/3/3
3	ADP	C	301	-	-	2/12/32/32	0/3/3/3
3	ADP	A	301	5	-	1/12/32/32	0/3/3/3
3	ADP	D	301	-	-	2/12/32/32	0/3/3/3
3	ADP	I	301	-	-	3/12/32/32	0/3/3/3
3	ADP	J	301	5	-	3/12/32/32	0/3/3/3
3	ADP	H	301	5	-	5/12/32/32	0/3/3/3
8	UN1	I	303	-	-	0/10/10/10	-

All (8) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	301	ADP	C5-C4	2.72	1.48	1.40
3	A	301	ADP	C5-C4	2.47	1.47	1.40
3	I	301	ADP	C5-C4	2.43	1.47	1.40
3	C	301	ADP	C5-C4	2.22	1.46	1.40
3	G	301	ADP	C5-C4	2.19	1.46	1.40
3	D	301	ADP	C5-C4	2.16	1.46	1.40
3	J	301	ADP	C5-C4	2.13	1.46	1.40
3	G	301	ADP	C2-N3	2.09	1.35	1.32

All (29) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	H	301	ADP	PA-O3A-PB	-4.56	117.18	132.83
3	D	301	ADP	PA-O3A-PB	-3.89	119.46	132.83
3	I	301	ADP	N3-C2-N1	-3.56	123.12	128.68
3	H	301	ADP	N3-C2-N1	-3.50	123.21	128.68
3	D	301	ADP	N3-C2-N1	-3.40	123.37	128.68
3	B	301	ADP	N3-C2-N1	-3.39	123.38	128.68
3	A	301	ADP	N3-C2-N1	-3.35	123.44	128.68
3	C	301	ADP	PA-O3A-PB	-3.32	121.43	132.83
3	G	301	ADP	PA-O3A-PB	-3.18	121.91	132.83
3	J	301	ADP	N3-C2-N1	-3.17	123.73	128.68
3	G	301	ADP	N3-C2-N1	-3.06	123.89	128.68
3	C	301	ADP	N3-C2-N1	-3.04	123.93	128.68
3	H	301	ADP	O3A-PB-O1B	-2.95	94.80	111.19
3	H	301	ADP	O3B-PB-O3A	2.93	114.47	104.64
3	J	301	ADP	PA-O3A-PB	-2.82	123.15	132.83
3	J	301	ADP	C4-C5-N7	-2.42	106.87	109.40
3	A	301	ADP	C2-N1-C6	2.34	122.75	118.75

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	301	ADP	C2-N1-C6	2.32	122.72	118.75
3	G	301	ADP	C4-C5-N7	-2.20	107.11	109.40
3	C	301	ADP	C4-C5-N7	-2.17	107.14	109.40
3	D	301	ADP	C4-C5-N7	-2.14	107.17	109.40
3	I	301	ADP	C3'-C2'-C1'	2.13	104.19	100.98
3	B	301	ADP	N6-C6-N1	2.12	122.98	118.57
3	I	301	ADP	N6-C6-N1	2.12	122.97	118.57
3	I	301	ADP	C2-N1-C6	2.10	122.34	118.75
3	H	301	ADP	C4-C5-N7	-2.08	107.23	109.40
3	A	301	ADP	C3'-C2'-C1'	2.06	104.08	100.98
3	D	301	ADP	O3B-PB-O2B	2.01	115.33	107.64
3	B	301	ADP	PA-O3A-PB	-2.01	125.93	132.83

There are no chirality outliers.

All (22) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	301	ADP	PA-O3A-PB-O2B
3	B	301	ADP	PA-O3A-PB-O2B
3	B	301	ADP	PA-O3A-PB-O3B
3	H	301	ADP	PA-O3A-PB-O3B
3	H	301	ADP	C5'-O5'-PA-O3A
3	I	301	ADP	PA-O3A-PB-O2B
3	I	301	ADP	PA-O3A-PB-O3B
3	J	301	ADP	PA-O3A-PB-O3B
3	C	301	ADP	PB-O3A-PA-O1A
3	D	301	ADP	PB-O3A-PA-O1A
3	G	301	ADP	PB-O3A-PA-O1A
3	H	301	ADP	PB-O3A-PA-O2A
3	J	301	ADP	PB-O3A-PA-O1A
3	H	301	ADP	PB-O3A-PA-O1A
3	H	301	ADP	PA-O3A-PB-O1B
3	I	301	ADP	PA-O3A-PB-O1B
3	B	301	ADP	PB-O3A-PA-O2A
3	C	301	ADP	PB-O3A-PA-O2A
3	D	301	ADP	PB-O3A-PA-O2A
3	G	301	ADP	PB-O3A-PA-O2A
3	J	301	ADP	PB-O3A-PA-O2A
3	B	301	ADP	PA-O3A-PB-O1B



There are no ring outliers.



4 monomers are involved in 4 short contacts:



Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	301	ADP	1	0
3	A	301	ADP	1	0
3	I	301	ADP	1	0
3	H	301	ADP	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.











5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	273/273 (100%)	0.14	5 (1%) 68 69	34, 45, 62, 82	0
1	B	273/273 (100%)	0.21	4 (1%) 73 74	36, 45, 62, 88	0
1	C	273/273 (100%)	0.40	11 (4%) 38 39	39, 54, 78, 91	0
1	D	270/273 (98%)	0.08	6 (2%) 62 62	35, 47, 69, 87	0
1	G	273/273 (100%)	0.32	14 (5%) 28 29	36, 50, 70, 94	0
1	H	272/273 (99%)	0.20	8 (2%) 51 52	36, 44, 60, 74	0
1	I	273/273 (100%)	0.58	24 (8%) 10 10	41, 59, 82, 94	0
1	J	273/273 (100%)	0.25	9 (3%) 46 47	40, 50, 67, 89	0
2	E	51/53 (96%)	2.38	25 (49%) 0 0	45, 70, 95, 99	0
2	F	52/53 (98%)	2.27	27 (51%) 0 0	45, 76, 93, 98	0
2	K	10/53 (18%)	2.13	6 (60%) 0 0	71, 82, 98, 99	0
2	L	29/53 (54%)	3.87	22 (75%) 0 0	58, 99, 121, 133	0
2	M	9/53 (16%)	2.03	4 (44%) 0 0	68, 77, 91, 96	0
2	N	32/53 (60%)	1.99	14 (43%) 0 0	52, 80, 94, 100	0
All	All	2363/2502 (94%)	0.44	179 (7%) 13 14	34, 50, 80, 133	0

All (179) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	L	18	LEU	10.1
2	L	40	THR	9.7
2	L	31	LEU	8.5
2	L	39	LEU	8.4
2	L	37	GLU	7.6
2	N	37	GLU	7.4
2	F	7	CYS	7.3
2	L	38	PRO	6.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	F	24	CYS	6.4
2	F	13	ILE	6.4
2	E	13	ILE	6.2
2	F	10	GLU	6.1
2	E	28	GLY	5.9
2	E	27	CYS	5.8
2	F	37	GLU	5.7
2	E	11	ILE	5.6
1	J	273	THR	5.6
1	C	128	TRP	5.5
1	I	206	SER	5.5
2	L	36	LEU	5.4
2	M	44	LEU	5.3
2	N	29	ALA	5.3
2	L	35	SER	5.2
2	E	24	CYS	5.1
2	L	41	LEU	5.1
2	F	1	MET	5.0
2	E	26	VAL	5.0
2	E	10	GLU	4.9
1	B	273	THR	4.8
2	E	15	GLU	4.4
1	I	203	GLU	4.3
2	L	20	GLN	4.3
2	E	7	CYS	4.2
2	N	16	VAL	4.2
1	D	200	GLY	4.2
1	I	201	LYS	4.1
2	N	44	LEU	4.1
1	C	12	ARG	4.1
2	E	39	LEU	4.1
2	E	14	GLY	4.0
2	F	36	LEU	4.0
2	L	21	ILE	4.0
2	F	2	VAL	3.9
2	F	25	PRO	3.9
2	E	12	GLU	3.9
2	E	2	VAL	3.9
2	L	22	VAL	3.8
2	L	34	VAL	3.8
2	N	38	PRO	3.8
2	F	27	CYS	3.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	E	5	PRO	3.7
2	L	46	GLU	3.7
2	K	52	GLY	3.7
1	J	92	GLY	3.7
1	B	150	TRP	3.7
1	I	200	GLY	3.7
2	N	36	LEU	3.6
2	F	26	VAL	3.6
2	E	30	GLU	3.5
1	G	199	GLY	3.5
1	D	128	TRP	3.5
2	N	42	GLU	3.5
2	E	29	ALA	3.4
1	C	234	GLU	3.4
2	F	38	PRO	3.4
1	I	196	THR	3.4
1	I	186	TYR	3.4
2	E	25	PRO	3.4
1	A	234	GLU	3.3
2	N	40	THR	3.3
1	G	12	ARG	3.3
1	I	190	ASN	3.2
2	E	36	LEU	3.2
2	L	42	GLU	3.2
2	M	45	PRO	3.2
1	G	200	GLY	3.2
2	E	8	GLY	3.2
2	L	44	LEU	3.2
2	L	23	GLU	3.1
1	I	198	ARG	3.1
2	F	15	GLU	3.1
2	L	19	HIS	3.1
1	G	10	LEU	3.1
2	N	41	LEU	3.1
2	K	44	LEU	3.1
2	F	11	ILE	3.1
1	C	10	LEU	3.0
1	C	208	PRO	3.0
2	E	9	SER	3.0
1	I	273	THR	3.0
2	F	8	GLY	2.9
1	I	41	TYR	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	I	188	TYR	2.9
1	C	15	MET	2.9
2	E	3	GLU	2.9
1	G	155	LEU	2.9
1	I	202	ALA	2.8
1	G	196	THR	2.8
2	K	46	GLU	2.8
1	D	196	THR	2.8
2	F	3	GLU	2.8
1	I	40	ASN	2.7
2	K	51	TRP	2.7
2	L	32	GLU	2.7
2	F	9	SER	2.7
1	C	197	ALA	2.7
2	K	45	PRO	2.7
2	N	34	VAL	2.7
1	I	191	HIS	2.7
2	F	29	ALA	2.7
1	H	152	LYS	2.7
1	G	15	MET	2.7
1	J	124	VAL	2.7
2	F	4	CYS	2.7
1	C	254	VAL	2.6
1	A	124	VAL	2.6
2	L	33	VAL	2.6
1	I	128	TRP	2.6
1	J	234	GLU	2.6
1	H	156	TYR	2.5
1	J	151	MET	2.5
1	C	19	GLU	2.5
1	H	131	LEU	2.5
1	H	155	LEU	2.5
2	N	18	LEU	2.5
1	A	150	TRP	2.5
2	E	38	PRO	2.5
2	N	39	LEU	2.4
1	C	212	GLU	2.4
2	N	20	GLN	2.4
1	G	128	TRP	2.4
1	J	152	LYS	2.4
1	I	15	MET	2.4
2	L	45	PRO	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	E	4	CYS	2.3
2	F	39	LEU	2.3
2	L	17	GLU	2.3
1	I	151	MET	2.3
2	F	17	GLU	2.3
2	M	48	GLU	2.3
2	M	47	VAL	2.3
2	F	12	GLU	2.3
1	A	40	ASN	2.3
2	E	40	THR	2.3
1	I	42	ASP	2.3
1	B	151	MET	2.3
1	G	151	MET	2.3
1	H	151	MET	2.3
1	I	249	LYS	2.3
2	F	14	GLY	2.3
1	J	113	ASP	2.3
2	F	31	LEU	2.2
1	G	234	GLU	2.2
1	D	10	LEU	2.2
2	F	16	VAL	2.2
1	A	273	THR	2.2
1	I	210	VAL	2.2
1	H	197	ALA	2.2
1	I	199	GLY	2.2
1	I	10	LEU	2.1
1	D	234	GLU	2.1
2	E	34	VAL	2.1
1	J	1	MET	2.1
2	F	34	VAL	2.1
1	H	12	ARG	2.1
2	F	18	LEU	2.1
1	G	201	LYS	2.1
1	H	124	VAL	2.1
1	G	124	VAL	2.1
1	D	131	LEU	2.0
1	G	197	ALA	2.0
1	C	11	ARG	2.0
1	I	125	PHE	2.0
1	J	272	LYS	2.0
2	N	30	GLU	2.0
1	B	155	LEU	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	G	130	ARG	2.0
1	I	253	ARG	2.0
2	K	47	VAL	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	R0K	K	53	20/20	0.71	0.33	50,59,88,88	0
2	R0K	L	53	20/20	0.80	0.25	38,41,72,73	0
2	R0K	F	53	20/20	0.90	0.12	37,43,58,59	0
2	R0K	N	53	20/20	0.94	0.13	36,40,55,55	0
2	R0K	E	53	20/20	0.95	0.15	41,44,50,52	0

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
8	UN1	I	303	11/11	0.78	0.35	60,65,68,70	0
6	SO4	C	302	5/5	0.79	0.35	109,110,112,113	0
5	MG	G	303	1/1	0.86	0.20	58,58,58,58	0
5	MG	H	303	1/1	0.86	0.09	52,52,52,52	0
3	ADP	D	301	27/27	0.93	0.14	33,36,63,71	0
5	MG	H	304	1/1	0.94	0.21	64,64,64,64	0
4	PO4	I	302	5/5	0.95	0.22	59,61,63,64	0
5	MG	J	303	1/1	0.95	0.06	42,42,42,42	0
5	MG	J	304	1/1	0.95	0.05	45,45,45,45	0
3	ADP	C	301	27/27	0.95	0.12	29,38,69,72	0


Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	ADP	H	301	27/27	0.95	0.12	29,33,55,56	0
5	MG	B	304	1/1	0.96	0.04	45,45,45,45	0
4	PO4	G	302	5/5	0.96	0.24	59,62,62,64	0
3	ADP	G	301	27/27	0.96	0.10	33,36,57,62	0
5	MG	A	303	1/1	0.96	0.07	37,37,37,37	0
6	SO4	H	302	5/5	0.97	0.15	57,58,59,60	0
3	ADP	I	301	27/27	0.97	0.12	37,40,51,53	0
3	ADP	A	301	27/27	0.98	0.09	28,31,38,39	0
3	ADP	J	301	27/27	0.98	0.10	31,33,41,45	0
5	MG	B	303	1/1	0.98	0.06	42,42,42,42	0
7	ZN	E	101	1/1	0.98	0.14	57,57,57,57	0
7	ZN	F	101	1/1	0.98	0.15	54,54,54,54	0
3	ADP	B	301	27/27	0.98	0.10	29,33,39,43	0
4	PO4	B	302	5/5	0.99	0.07	36,37,39,41	0
4	PO4	J	302	5/5	0.99	0.09	41,41,42,43	0
4	PO4	A	302	5/5	0.99	0.09	39,40,43,44	0
5	MG	A	304	1/1	0.99	0.07	42,42,42,42	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.








Electron density around ADP G 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ADP I 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around ADP A 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ADP J 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.