



# Full wwPDB NMR Structure Validation Report ⓘ

May 29, 2020 – 07:47 am BST

PDB ID : 5MPG  
Title : Solution NMR structure of hnRNP A1 RRM1 in complex with 5'-UUAGGUC-3' RNA  
Authors : Barraud, P.; Allain, F.H.-T.  
Deposited on : 2016-12-16

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

Cyrange : Kirchner and Güntert (2011)  
NmrClust : Kelley et al. (1996)  
MolProbity : 4.02b-467  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
RCI : v\_1n\_11\_5\_13\_A (Berjanski et al., 2005)  
PANAV : Wang et al. (2010)  
ShiftChecker : 2.11  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.11


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*SOLUTION NMR*

The overall completeness of chemical shifts assignment is 73%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	158937	12864
Ramachandran outliers	154571	11451
Sidechain outliers	154315	11428
RNA backbone	4643	676

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	97	
2	B	7	

## 2 Ensemble composition and analysis

This entry contains 20 models. Model 15 is the overall representative, medoid model (most similar to other models).

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	A:11-A:46, A:55-A:90 (72)	0.19	15

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

The models can be grouped into 5 clusters. No single-model clusters were found.

Cluster number	Models
1	3, 5, 8, 10, 15, 16, 17, 18
2	4, 7, 9, 19
3	1, 12, 14
4	2, 13, 20
5	6, 11

### 3 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 1748 atoms, of which 831 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Heterogeneous nuclear ribonucleoprotein A1.

Mol	Chain	Residues	Atoms						Trace
			Total	C	H	N	O	S	
1	A	97	1527	474	755	143	152	3	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	ALA	-	expression tag	UNP P09651


- Molecule 2 is a RNA chain called RNA UUAGGUC.

Mol	Chain	Residues	Atoms						Trace
			Total	C	H	N	O	P	
2	B	7	221	66	76	24	49	6	0




### 4.2.2 Score per residue for model 2

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1




- Molecule 2: RNA UUAGGUC



### 4.2.3 Score per residue for model 3

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1




- Molecule 2: RNA UUAGGUC



### 4.2.4 Score per residue for model 4

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1




- Molecule 2: RNA UUAGGUC





#### 4.2.5 Score per residue for model 5

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1



- Molecule 2: RNA UUAGGUC



#### 4.2.6 Score per residue for model 6

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1




- Molecule 2: RNA UUAGGUC



#### 4.2.7 Score per residue for model 7

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1



- Molecule 2: RNA UUAGGUC


Chain B:  14% 86%

 U1 U2 A3 A4 A5 U6 C7

#### 4.2.8 Score per residue for model 8

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1

Chain A:  47% 26% • 26%

 A1 A2 A3 A4 A5 A6 A7 A8 A9 A10 L13 L14 L15 L16 G20 S22 F23 E24 T25 R31 E35 L40 M46 R47 D48 P49 M50 T51 K52 R53 S54 R55 G56 F57 V60 T61 T64 E67 V68 R75 P76 P86 K87 R88 A89 V90 S91 R92

 E93 D94 S95 Q96 R97

- Molecule 2: RNA UUAGGUC


Chain B:  14% 71% 14%

 U1 U2 A3 A4 A5 U6 C7

#### 4.2.9 Score per residue for model 9

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1

Chain A:  49% 24% • 26%

 A1 A2 A3 A4 A5 A6 A7 A8 A9 A10 A11 L16 F17 I18 G19 G20 L21 T25 S29 L30 R31 S32 H33 F34 E35 Q36 V37 L40 T41 D42 O43 V44 R47 D48 P49 M50 T51 K52 R53 S54 F57 V60 T61 R75 P76 H77 R82 R88 A89 V90

 S91 R92 E93 D94 S95 Q96 R97

- Molecule 2: RNA UUAGGUC


Chain B:  100%

 U1 U2 A3 A4 A5 U6 C7

#### 4.2.10 Score per residue for model 10

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1






- Molecule 2: RNA UUAGGUC




#### 4.2.11 Score per residue for model 11

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1




- Molecule 2: RNA UUAGGUC




#### 4.2.12 Score per residue for model 12

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1




- Molecule 2: RNA UUAGGUC



U1  
U2  
A3  
G4  
G5  
U6  
C7

#### 4.2.13 Score per residue for model 13

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1




- Molecule 2: RNA UUAGGUC



#### 4.2.14 Score per residue for model 14

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1




- Molecule 2: RNA UUAGGUC




#### 4.2.15 Score per residue for model 15 (medoid)

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1






- Molecule 2: RNA UUAGGUC



#### 4.2.16 Score per residue for model 16

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1




- Molecule 2: RNA UUAGGUC



#### 4.2.17 Score per residue for model 17

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1




- Molecule 2: RNA UUAGGUC



### 4.2.18 Score per residue for model 18

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1




- Molecule 2: RNA UUAGGUC




### 4.2.19 Score per residue for model 19

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1




- Molecule 2: RNA UUAGGUC



### 4.2.20 Score per residue for model 20

- Molecule 1: Heterogeneous nuclear ribonucleoprotein A1



- Molecule 2: RNA UUAGGUC

Chain B:  29% 71%

11 12 13 14 15 16 17

## 5 Refinement protocol and experimental data overview (i)

The models were refined using the following method: *simulated annealing*.

Of the 100 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CYANA	structure calculation	
CNS	refinement	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 6 of this report.

Chemical shift file(s)	input_cs.cif
Number of chemical shift lists	1
Total number of shifts	1023
Number of shifts mapped to atoms	1023
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	73%

No validations of the models with respect to experimental NMR restraints is performed at this time.

COVALENT-GEOMETRY INFOmissingINFO

### 5.1 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	571	559	559	21±3
2	B	145	76	76	28±5
All	All	14320	12700	12700	780

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 29.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:B:5:G:H5'	2:B:6:U:H5''	1.06	1.27	10	7
2:B:6:U:H3'	2:B:7:C:H5''	1.06	1.09	19	1
2:B:4:G:H4'	2:B:5:G:H5'	1.04	1.18	16	1
2:B:5:G:H3'	2:B:6:U:H5'	1.04	1.25	9	5
2:B:1:U:H3'	2:B:2:U:C5'	0.97	1.88	4	18
2:B:6:U:H3'	2:B:7:C:C5'	0.96	1.90	19	1
2:B:4:G:H4'	2:B:5:G:H5''	0.95	1.39	2	2
2:B:6:U:H1'	2:B:7:C:H3'	0.89	1.41	11	2
2:B:6:U:H4'	2:B:7:C:C6	0.89	2.03	13	3
2:B:6:U:C4'	2:B:7:C:H3'	0.88	1.98	20	1
2:B:6:U:C3'	2:B:7:C:H5''	0.87	1.97	19	1
2:B:5:G:C3'	2:B:6:U:H5'	0.85	2.01	8	3
2:B:4:G:H4'	2:B:5:G:C5'	0.84	2.02	16	3
2:B:5:G:O5'	2:B:6:U:H5''	0.83	1.73	6	1
2:B:1:U:H3'	2:B:2:U:H5'	0.81	1.52	4	10
2:B:5:G:H3'	2:B:6:U:C5'	0.81	2.03	9	6
1:A:20:GLY:HA2	2:B:1:U:H5'	0.81	1.51	8	2
2:B:3:A:H1'	2:B:4:G:N2	0.81	1.90	13	13
2:B:4:G:H4'	2:B:5:G:OP1	0.80	1.74	10	7
2:B:5:G:H5''	2:B:5:G:C8	0.79	2.13	18	2
2:B:6:U:OP2	2:B:7:C:H3'	0.79	1.77	19	2
2:B:5:G:C5'	2:B:6:U:H5''	0.79	2.08	4	4
2:B:5:G:H5'	2:B:6:U:C5'	0.78	2.08	13	6
2:B:6:U:H4'	2:B:7:C:H3'	0.78	1.56	20	1
2:B:6:U:O3'	2:B:7:C:H3'	0.77	1.79	9	3
2:B:5:G:H4'	2:B:7:C:C5	0.75	2.17	17	1
1:A:57:PHE:CZ	2:B:3:A:H5'	0.74	2.17	6	6
2:B:6:U:OP1	2:B:6:U:H4'	0.74	1.82	18	1
1:A:57:PHE:HD2	2:B:2:U:H5''	0.74	1.41	8	6
2:B:1:U:H5''	2:B:1:U:C6	0.73	2.18	6	2
2:B:6:U:C1'	2:B:7:C:H3'	0.73	2.13	11	3
2:B:5:G:H5'	2:B:7:C:C5	0.71	2.19	7	1
2:B:4:G:H8	2:B:5:G:N7	0.71	1.84	7	10
2:B:5:G:N3	2:B:5:G:H2'	0.71	2.01	1	3
2:B:1:U:H3'	2:B:2:U:H5''	0.71	1.63	18	9
2:B:3:A:H4'	2:B:4:G:H5'	0.70	1.63	1	5
1:A:20:GLY:HA2	2:B:1:U:H5''	0.70	1.62	11	4
2:B:5:G:H3'	2:B:6:U:C4'	0.70	2.17	18	1
2:B:5:G:H3'	2:B:6:U:O4'	0.70	1.87	18	1
2:B:6:U:H4'	2:B:7:C:C5	0.70	2.20	8	3
1:A:89:ALA:HA	2:B:3:A:N1	0.69	2.02	10	14
2:B:6:U:H4'	2:B:7:C:O5'	0.68	1.87	1	2

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:57:PHE:CE1	2:B:3:A:H5'	0.67	2.24	11	5
2:B:1:U:HO5'	2:B:2:U:H6	0.66	1.31	17	2
2:B:5:G:H5'	2:B:6:U:H6	0.66	1.48	8	4
1:A:57:PHE:CD2	2:B:2:U:H4'	0.66	2.26	18	9
2:B:6:U:H4'	2:B:7:C:H5'	0.66	1.66	11	1
2:B:4:G:OP2	2:B:4:G:H3'	0.66	1.91	1	2
2:B:3:A:H1'	2:B:4:G:C2	0.65	2.26	8	16
1:A:40:LEU:HG	1:A:60:VAL:HG23	0.65	1.67	19	4
2:B:5:G:C5'	2:B:6:U:H2'	0.65	2.21	4	4
1:A:57:PHE:CE1	2:B:3:A:H5''	0.65	2.26	13	2
2:B:6:U:H1'	2:B:7:C:OP2	0.65	1.90	1	1
1:A:44:VAL:HG11	2:B:5:G:C4	0.65	2.26	15	9
2:B:1:U:H5'	2:B:2:U:H5'	0.65	1.69	16	1
2:B:5:G:N7	2:B:6:U:H5	0.65	1.89	11	3
2:B:6:U:H1'	2:B:7:C:H2'	0.65	1.69	9	1
2:B:1:U:C3'	2:B:2:U:C5'	0.65	2.75	16	7
2:B:5:G:OP2	2:B:7:C:H4'	0.64	1.91	10	1
1:A:46:MET:HE1	2:B:4:G:H1'	0.64	1.70	19	7
2:B:4:G:C4'	2:B:5:G:H5'	0.64	2.12	16	1
2:B:6:U:H4'	2:B:7:C:C4	0.64	2.28	8	1
2:B:5:G:C8	2:B:6:U:H5	0.63	2.11	9	6
2:B:6:U:H4'	2:B:7:C:H5''	0.63	1.68	3	1
1:A:57:PHE:CD2	2:B:2:U:H5''	0.63	2.27	15	5
1:A:40:LEU:HD22	1:A:60:VAL:HB	0.63	1.68	10	10
2:B:3:A:OP2	2:B:3:A:H2'	0.63	1.94	18	2
1:A:57:PHE:CZ	2:B:3:A:H5''	0.63	2.28	16	6
1:A:55:ARG:HD3	1:A:57:PHE:HE2	0.63	1.53	6	1
2:B:3:A:H2'	2:B:3:A:OP2	0.63	1.93	2	4
2:B:5:G:N7	2:B:6:U:C5	0.62	2.67	11	9
2:B:6:U:H3'	2:B:7:C:C6	0.62	2.28	18	1
1:A:19:GLY:HA3	2:B:2:U:C2	0.62	2.29	12	5
2:B:4:G:C8	2:B:5:G:N7	0.62	2.66	18	7
1:A:20:GLY:HA2	2:B:1:U:C5'	0.62	2.25	8	4
2:B:2:U:H3'	2:B:2:U:OP2	0.62	1.95	7	1
2:B:4:G:H8	2:B:5:G:C8	0.61	2.13	19	4
1:A:72:MET:O	1:A:75:ARG:HD2	0.61	1.95	3	1
1:A:75:ARG:HA	1:A:76:PRO:C	0.61	2.16	19	11
1:A:20:GLY:HA2	2:B:1:U:O5'	0.61	1.95	14	3
2:B:6:U:H4'	2:B:7:C:OP1	0.61	1.96	2	2
2:B:4:G:P	2:B:4:G:H3'	0.60	2.36	18	2
2:B:5:G:O5'	2:B:7:C:H5	0.60	1.79	17	1

*Continued on next page...*



Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:17:PHE:CE1	2:B:2:U:H1'	0.60	2.30	5	10
2:B:5:G:H5'	2:B:6:U:C6	0.60	2.31	14	3
2:B:5:G:C4'	2:B:6:U:H5''	0.60	2.26	18	1
1:A:55:ARG:HE	1:A:57:PHE:HE2	0.60	1.39	14	1
2:B:5:G:OP2	2:B:6:U:H3'	0.60	1.97	13	2
2:B:6:U:H1'	2:B:7:C:C3'	0.60	2.26	12	2
2:B:1:U:O5'	2:B:2:U:H6	0.60	1.79	17	2
2:B:4:G:H1'	2:B:5:G:N7	0.60	2.12	17	2
1:A:56:GLY:HA3	2:B:1:U:H2'	0.59	1.73	3	12
1:A:35:GLU:HG2	1:A:40:LEU:HD13	0.59	1.75	19	3
2:B:5:G:C5'	2:B:5:G:C8	0.59	2.85	18	1
1:A:72:MET:O	1:A:75:ARG:HG2	0.58	1.99	19	4
2:B:5:G:H5'	2:B:6:U:H2'	0.58	1.76	4	4
1:A:21:LEU:HA	1:A:82:ARG:HG2	0.58	1.74	7	6
2:B:6:U:H5'	2:B:7:C:C5	0.58	2.33	14	2
2:B:4:G:H1'	2:B:5:G:C8	0.58	2.34	17	6
2:B:6:U:C4'	2:B:7:C:H5'	0.57	2.28	11	1
1:A:44:VAL:HG21	2:B:5:G:C4	0.57	2.34	16	2
1:A:46:MET:HG3	2:B:4:G:H5''	0.57	1.76	18	1
2:B:6:U:O3'	2:B:7:C:H6	0.57	1.82	12	1
2:B:5:G:H5''	2:B:6:U:C6	0.57	2.35	18	1
2:B:5:G:C8	2:B:6:U:C5	0.57	2.92	9	6
2:B:5:G:H2'	2:B:5:G:N3	0.57	2.14	14	2
1:A:17:PHE:CZ	2:B:2:U:H1'	0.56	2.35	13	8
1:A:56:GLY:HA3	2:B:1:U:C2'	0.56	2.29	18	10
1:A:57:PHE:CE2	2:B:3:A:H5''	0.56	2.35	16	2
1:A:65:VAL:HG23	1:A:88:ARG:HH21	0.56	1.61	11	1
2:B:6:U:H2'	2:B:7:C:C6	0.56	2.35	19	1
1:A:40:LEU:HG	1:A:60:VAL:CG2	0.55	2.32	20	5
1:A:89:ALA:HA	2:B:3:A:C2	0.55	2.37	10	12
1:A:77:HIS:O	1:A:83:VAL:HA	0.54	2.01	11	6
2:B:5:G:C3'	2:B:6:U:C5'	0.54	2.85	18	4
2:B:5:G:H4'	2:B:7:C:H5	0.54	1.58	17	1
2:B:6:U:H2'	2:B:7:C:H5	0.54	1.63	7	1
2:B:5:G:C3'	2:B:6:U:H5''	0.54	2.33	13	2
2:B:6:U:C3'	2:B:7:C:C5'	0.54	2.76	19	1
1:A:21:LEU:HD13	1:A:25:THR:HB	0.54	1.79	3	17
1:A:89:ALA:HB1	2:B:4:G:O6	0.54	2.02	6	8
2:B:5:G:O5'	2:B:6:U:H2'	0.54	2.02	17	1
2:B:6:U:H3'	2:B:7:C:C5	0.53	2.38	18	2
1:A:56:GLY:HA3	2:B:1:U:O2'	0.53	2.04	1	2

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:42:ASP:HB3	1:A:61:THR:HB	0.52	1.80	15	12
1:A:27:ASP:OD1	1:A:44:VAL:HA	0.52	2.04	20	1
1:A:11:GLU:O	1:A:15:LYS:HB2	0.52	2.04	18	3
1:A:35:GLU:HA	1:A:38:GLY:O	0.51	2.04	10	1
1:A:44:VAL:HG21	2:B:5:G:H1'	0.51	1.81	14	8
1:A:46:MET:HG2	2:B:4:G:H5''	0.51	1.81	5	1
2:B:4:G:N3	2:B:4:G:H2'	0.51	2.20	5	4
1:A:57:PHE:CD1	2:B:3:A:H5''	0.51	2.41	5	4
1:A:16:LEU:HD13	1:A:68:VAL:HG13	0.51	1.82	1	8
2:B:3:A:H8	2:B:3:A:OP2	0.51	1.89	20	3
2:B:5:G:H3'	2:B:6:U:C6	0.51	2.40	10	1
2:B:6:U:H5'	2:B:7:C:C6	0.50	2.42	20	1
1:A:31:ARG:HD2	1:A:43:CYS:SG	0.50	2.47	6	2
2:B:5:G:O5'	2:B:7:C:C5	0.50	2.63	17	1
1:A:65:VAL:HG23	1:A:88:ARG:NH2	0.50	2.21	11	1
2:B:4:G:H4'	2:B:5:G:O5'	0.50	2.07	18	2
2:B:1:U:HO5'	2:B:1:U:H6	0.50	1.50	10	1
1:A:57:PHE:CE1	2:B:3:A:H4'	0.50	2.42	14	4
2:B:5:G:H5'	2:B:6:U:O5'	0.50	2.07	3	1
2:B:6:U:H5'	2:B:7:C:C4	0.49	2.42	14	1
1:A:16:LEU:HG	1:A:68:VAL:HG13	0.49	1.84	4	2
1:A:75:ARG:HD3	1:A:86:PRO:HD2	0.49	1.84	8	1
1:A:18:ILE:HD12	1:A:34:PHE:CZ	0.49	2.41	13	2
1:A:57:PHE:CZ	2:B:3:A:C5'	0.49	2.95	10	3
2:B:4:G:H3'	2:B:4:G:OP2	0.49	2.07	2	1
2:B:5:G:OP2	2:B:6:U:H5''	0.49	2.08	16	1
2:B:6:U:H1'	2:B:7:C:O3'	0.49	2.07	12	2
1:A:40:LEU:HD22	1:A:60:VAL:HG23	0.49	1.83	15	3
1:A:46:MET:HE1	2:B:5:G:C8	0.49	2.43	11	4
1:A:16:LEU:HB2	1:A:60:VAL:HG13	0.48	1.85	19	3
1:A:17:PHE:CE2	2:B:3:A:H5'	0.48	2.43	14	1
1:A:75:ARG:HG3	1:A:76:PRO:HA	0.48	1.86	9	1
1:A:75:ARG:CG	1:A:76:PRO:HA	0.48	2.39	11	1
1:A:24:GLU:HB2	1:A:80:ASP:OD2	0.48	2.08	14	1
1:A:31:ARG:HA	1:A:40:LEU:CD2	0.48	2.39	14	3
1:A:31:ARG:O	1:A:35:GLU:HG3	0.48	2.09	16	6
1:A:75:ARG:HG2	1:A:76:PRO:HA	0.48	1.85	14	1
2:B:5:G:C5	2:B:6:U:C5	0.47	3.02	13	1
2:B:4:G:C8	2:B:5:G:C8	0.47	3.01	19	1
2:B:5:G:C5	2:B:6:U:H5	0.47	2.27	13	4
1:A:57:PHE:CE1	2:B:3:A:C5'	0.47	2.98	14	4

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
2:B:6:U:O4'	2:B:7:C:H6	0.47	1.93	15	2
1:A:75:ARG:HA	1:A:77:HIS:N	0.47	2.24	19	5
1:A:46:MET:HE1	2:B:4:G:C1'	0.47	2.38	19	3
1:A:31:ARG:HA	1:A:40:LEU:CD1	0.47	2.40	8	4
2:B:6:U:O2	2:B:7:C:H2'	0.47	2.09	9	1
1:A:42:ASP:HB3	1:A:61:THR:CB	0.46	2.39	16	3
1:A:40:LEU:HD13	1:A:60:VAL:CG1	0.46	2.40	18	5
1:A:46:MET:HE3	2:B:5:G:C8	0.46	2.45	18	1
1:A:16:LEU:HB3	1:A:60:VAL:HG13	0.46	1.86	1	4
1:A:21:LEU:O	2:B:1:U:C5	0.46	2.68	8	1
2:B:6:U:O5'	2:B:7:C:H3'	0.46	2.09	20	1
2:B:3:A:OP2	2:B:3:A:H8	0.46	1.94	3	2
2:B:7:C:H6	2:B:7:C:O5'	0.46	1.92	16	1
1:A:55:ARG:HD3	1:A:57:PHE:CE2	0.46	2.41	6	1
2:B:1:U:HO5'	2:B:2:U:H5	0.46	1.52	8	1
2:B:1:U:C3'	2:B:2:U:H5'	0.46	2.34	5	2
1:A:62:TYR:HB3	1:A:67:GLU:HB2	0.46	1.88	20	2
1:A:21:LEU:HA	1:A:82:ARG:CG	0.46	2.40	7	1
1:A:57:PHE:HD2	2:B:2:U:C5'	0.46	2.20	8	2
2:B:5:G:C4	2:B:6:U:C5	0.46	3.04	10	1
1:A:16:LEU:HB2	1:A:60:VAL:HG23	0.46	1.88	11	3
1:A:85:GLU:HB3	2:B:2:U:H3	0.46	1.71	12	1
1:A:55:ARG:NH2	2:B:4:G:H5''	0.45	2.25	15	1
1:A:22:SER:HA	2:B:1:U:C5	0.45	2.46	8	1
2:B:6:U:H2'	2:B:7:C:C5	0.45	2.45	7	1
1:A:33:HIS:O	1:A:37:TRP:HZ3	0.45	1.95	5	4
2:B:6:U:H1'	2:B:7:C:C2'	0.45	2.38	9	1
2:B:1:U:C5'	2:B:2:U:H5'	0.45	2.40	16	1
2:B:5:G:N3	2:B:5:G:C2'	0.45	2.78	1	1
1:A:39:THR:O	1:A:62:TYR:HA	0.45	2.11	10	3
2:B:3:A:C4'	2:B:4:G:H5'	0.45	2.38	19	1
1:A:17:PHE:CZ	2:B:3:A:H5'	0.45	2.47	14	2
1:A:16:LEU:HB3	1:A:60:VAL:HG23	0.45	1.89	13	6
2:B:6:U:H4'	2:B:7:C:C3'	0.45	2.36	20	1
1:A:64:THR:HG23	1:A:67:GLU:HG3	0.45	1.88	13	4
1:A:40:LEU:CG	1:A:60:VAL:HG23	0.44	2.40	19	3
1:A:57:PHE:CG	2:B:3:A:H5''	0.44	2.47	2	2
2:B:1:U:H5''	2:B:2:U:C6	0.44	2.47	3	1
1:A:44:VAL:HG11	2:B:5:G:N3	0.44	2.27	11	3
2:B:5:G:H5'	2:B:6:U:C3'	0.44	2.42	13	1
1:A:40:LEU:HD13	1:A:60:VAL:HG12	0.44	1.89	9	7

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:40:LEU:HD13	1:A:60:VAL:HG23	0.44	1.89	4	2
2:B:1:U:H4'	2:B:2:U:OP2	0.44	2.12	1	1
2:B:5:G:OP2	2:B:6:U:H5'	0.44	2.13	2	1
2:B:6:U:C4'	2:B:7:C:C5	0.44	2.96	8	2
1:A:35:GLU:HG2	1:A:40:LEU:HG	0.44	1.88	12	2
2:B:5:G:H5'	2:B:7:C:C4	0.44	2.46	7	1
1:A:15:LYS:NZ	1:A:15:LYS:HB2	0.44	2.27	6	1
2:B:1:U:O5'	2:B:2:U:H5''	0.44	2.12	3	1
2:B:2:U:P	2:B:2:U:H3'	0.44	2.52	7	1
1:A:73:ASN:HA	1:A:75:ARG:CZ	0.44	2.43	10	1
1:A:19:GLY:HA3	2:B:2:U:N1	0.43	2.28	12	2
2:B:5:G:H3'	2:B:6:U:H5''	0.43	1.89	11	1
2:B:5:G:H8	2:B:5:G:C5'	0.43	2.26	2	1
1:A:44:VAL:HG21	2:B:5:G:N3	0.43	2.29	3	1
2:B:6:U:H5'	2:B:6:U:C6	0.43	2.48	7	1
2:B:6:U:C1'	2:B:7:C:OP2	0.43	2.66	1	1
2:B:6:U:O5'	2:B:6:U:C6	0.43	2.72	10	1
2:B:5:G:H5'	2:B:6:U:C5	0.43	2.47	19	1
1:A:78:LYS:NZ	1:A:78:LYS:HB2	0.43	2.27	20	1
2:B:4:G:C4'	2:B:5:G:H5''	0.43	2.39	5	1
1:A:22:SER:HB2	1:A:80:ASP:OD2	0.43	2.13	7	1
1:A:57:PHE:CD2	2:B:2:U:C5'	0.43	3.00	8	1
1:A:35:GLU:CG	1:A:40:LEU:HD13	0.43	2.44	19	1
2:B:3:A:C1'	2:B:4:G:N2	0.42	2.77	7	1
1:A:57:PHE:CG	2:B:2:U:H4'	0.42	2.49	20	1
1:A:42:ASP:HB2	1:A:61:THR:HB	0.42	1.90	14	1
1:A:15:LYS:HA	1:A:61:THR:HA	0.42	1.91	3	2
1:A:15:LYS:HD3	1:A:59:PHE:CD1	0.42	2.49	6	1
1:A:33:HIS:CD2	1:A:79:VAL:HG23	0.42	2.49	17	1
2:B:1:U:C6	2:B:1:U:C5'	0.42	2.98	6	1
1:A:38:GLY:HA3	1:A:67:GLU:HB3	0.42	1.92	13	2
2:B:4:G:O2'	2:B:5:G:H5''	0.42	2.14	19	1
1:A:29:SER:O	1:A:33:HIS:HD2	0.42	1.98	9	2
2:B:3:A:N3	2:B:4:G:N1	0.42	2.67	1	1
1:A:55:ARG:HB3	1:A:57:PHE:CE2	0.42	2.49	11	1
2:B:4:G:O2'	2:B:6:U:C5	0.42	2.73	12	1
1:A:26:THR:HG23	1:A:28:GLU:HG2	0.42	1.92	6	1
2:B:5:G:C5'	2:B:6:U:C6	0.42	3.03	18	1
1:A:90:VAL:HG22	2:B:3:A:C2	0.42	2.50	20	1
2:B:4:G:C4'	2:B:5:G:OP1	0.42	2.68	13	1
2:B:4:G:C8	2:B:6:U:O4	0.42	2.72	19	1

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:16:LEU:CB	1:A:60:VAL:HG13	0.41	2.45	4	2
2:B:6:U:H1'	2:B:7:C:H5	0.41	1.74	5	1
2:B:6:U:H4'	2:B:7:C:H6	0.41	1.74	2	1
1:A:15:LYS:HB2	1:A:15:LYS:NZ	0.41	2.30	16	1
1:A:46:MET:HB3	1:A:55:ARG:HD3	0.41	1.92	20	2
1:A:16:LEU:HB3	1:A:60:VAL:CG1	0.41	2.45	20	1
2:B:4:G:O3'	2:B:6:U:H2'	0.41	2.15	3	1
1:A:12:GLN:HG3	1:A:89:ALA:O	0.41	2.16	16	1
2:B:1:U:C5'	2:B:1:U:C6	0.41	3.04	19	1
2:B:4:G:H1'	2:B:5:G:H5''	0.41	1.92	6	1
1:A:14:ARG:HH11	1:A:14:ARG:HG3	0.41	1.76	17	1
1:A:17:PHE:HB3	1:A:87:LYS:HG2	0.41	1.93	20	1
2:B:4:G:H3'	2:B:4:G:P	0.41	2.55	2	1
2:B:5:G:H5'	2:B:6:U:C2'	0.41	2.44	4	1
1:A:15:LYS:HE2	2:B:6:U:O4	0.41	2.15	6	1
1:A:57:PHE:CD2	2:B:2:U:C4'	0.41	3.00	8	1
1:A:40:LEU:CD2	1:A:60:VAL:HG23	0.41	2.46	14	1
2:B:1:U:O5'	2:B:2:U:C6	0.41	2.74	18	1
2:B:6:U:H4'	2:B:7:C:C5'	0.41	2.45	20	1
2:B:6:U:C5'	2:B:7:C:H3'	0.41	2.45	20	1
1:A:31:ARG:HB2	1:A:40:LEU:HD12	0.41	1.93	4	1
2:B:4:G:OP2	2:B:4:G:H2'	0.40	2.17	9	1
2:B:6:U:C2'	2:B:7:C:C5	0.40	3.05	7	1
2:B:5:G:H3'	2:B:6:U:H6	0.40	1.73	10	1
2:B:5:G:C5'	2:B:6:U:H6	0.40	2.29	18	1
2:B:6:U:O4'	2:B:7:C:C6	0.40	2.74	11	1
1:A:68:VAL:O	1:A:72:MET:HG3	0.40	2.15	15	1
1:A:57:PHE:CD1	2:B:3:A:H5'	0.40	2.52	15	1
1:A:46:MET:HE2	2:B:4:G:O4'	0.40	2.16	5	1
1:A:79:VAL:O	1:A:80:ASP:HB3	0.40	2.17	16	1

## 5.2 Torsion angles [i](#)

### 5.2.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	72/97 (74%)	68±1 (94±2%)	4±1 (6±2%)	0±0 (0±1%)	44 80
All	All	1440/1940 (74%)	1353 (94%)	83 (6%)	4 (0%)	44 80

All 1 unique Ramachandran outliers are listed below.

Mol	Chain	Res	Type	Models (Total)
1	A	81	GLY	4

### 5.2.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	61/85 (72%)	58±1 (95±2%)	3±1 (5±2%)	27 77
All	All	1220/1700 (72%)	1158 (95%)	62 (5%)	27 77

All 11 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	A	88	ARG	19
1	A	60	VAL	16
1	A	13	LEU	7
1	A	79	VAL	4
1	A	27	ASP	3
1	A	11	GLU	3
1	A	75	ARG	3
1	A	78	LYS	3
1	A	46	MET	2
1	A	87	LYS	1
1	A	55	ARG	1

### 5.2.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers	Suiteness
2	B	6/7 (86%)	6±1 (92±11%)	1±1 (22±12%)	0.04±0.07
All	All	126/140 (90%)	111 (88%)	27 (21%)	0.04

The overall RNA backbone suiteness is 0.02.

All unique RNA backbone outliers are listed below:

Mol	Chain	Res	Type	Models (Total)
2	B	5	G	20
2	B	4	G	20
2	B	2	U	19
2	B	7	C	19
2	B	6	U	18
2	B	3	A	15

All unique RNA pucker outliers are listed below:

Mol	Chain	Res	Type	Models (Total)
2	B	4	G	14
2	B	1	U	6
2	B	5	G	6
2	B	6	U	1

### 5.3 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.4 Carbohydrates [i](#)

There are no carbohydrates in this entry.

### 5.5 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.6 Other polymers [i](#)

There are no such molecules in this entry.

### 5.7 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Chemical shift validation [i](#)

The completeness of assignment taking into account all chemical shift lists is 73% for the well-defined parts and 68% for the entire structure.

### 6.1 Chemical shift list 1

File name: input\_cs.cif

Chemical shift list name: *RRM1-RNA.bmrb*

#### 6.1.1 Bookkeeping [i](#)

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	1023
Number of shifts mapped to atoms	1023
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	2

#### 6.1.2 Chemical shift referencing [i](#)

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction $\pm$ precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	90	$-0.18 \pm 0.21$	None needed ( $< 0.5$ ppm)
$^{13}\text{C}_\beta$	77	$0.21 \pm 0.25$	None needed ( $< 0.5$ ppm)
$^{13}\text{C}'$	0	—	None (insufficient data)
$^{15}\text{N}$	85	$0.05 \pm 0.24$	None needed ( $< 0.5$ ppm)

#### 6.1.3 Completeness of resonance assignments [i](#)

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 73%, i.e. 741 atoms were assigned a chemical shift out of a possible 1018. 14 out of 14 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	$^1\text{H}$	$^{13}\text{C}$	$^{15}\text{N}$
Backbone	282/356 (79%)	141/142 (99%)	72/144 (50%)	69/70 (99%)
Sidechain	343/454 (76%)	209/264 (79%)	129/166 (78%)	5/24 (21%)

*Continued on next page...*



Continued from previous page...

	<b>Total</b>	<b><sup>1</sup>H</b>	<b><sup>13</sup>C</b>	<b><sup>15</sup>N</b>
Aromatic	68/79 (86%)	36/43 (84%)	31/33 (94%)	1/3 (33%)
Overall	741/1018 (73%)	434/522 (83%)	232/390 (59%)	75/106 (71%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 68%, i.e. 910 atoms were assigned a chemical shift out of a possible 1345. 14 out of 14 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	<b>Total</b>	<b><sup>1</sup>H</b>	<b><sup>13</sup>C</b>	<b><sup>15</sup>N</b>
Backbone	350/475 (74%)	175/189 (93%)	90/194 (46%)	85/92 (92%)
Sidechain	444/662 (67%)	276/391 (71%)	161/230 (70%)	7/41 (17%)
Aromatic	68/79 (86%)	36/43 (84%)	31/33 (94%)	1/3 (33%)
Overall	910/1345 (68%)	535/696 (77%)	282/504 (56%)	93/145 (64%)

#### 6.1.4 Statistically unusual chemical shifts [i](#)

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

Mol	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	A	30	LEU	CG	36.46	32.55 – 21.05	8.4
1	A	36	GLN	HB2	0.50	3.30 – 0.80	-6.2

#### 6.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition.

Random coil index (RCI) for chain A:

