



Full wwPDB X-ray Structure Validation Report ⓘ

Sep 13, 2020 – 09:24 AM BST

PDB ID : 5QG1
Title : PanDDA analysis group deposition – Crystal structure of PTP1B in complex with compound_FMOPL000619a
Authors : Keedy, D.A.; Hill, Z.B.; Biel, J.T.; Kang, E.; Rettenmaier, T.J.; Brandao-Neto, J.; von Delft, F.; Wells, J.A.; Fraser, J.S.
Deposited on : 2018-08-30
Resolution : 2.21 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.14.3.dev2
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.14.3.dev2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.21 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	321	

2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 17667 atoms, of which 8767 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Tyrosine-protein phosphatase non-receptor type 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
			Total	C	H	N	O				S
1	A	283	17414	5510	8729	1503	1618	54	0	261	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	32	SER	CYS	engineered mutation	UNP P18031
A	92	VAL	CYS	engineered mutation	UNP P18031

- Molecule 2 is 4-(((thiophen-2-yl)methyl)amino)methylphenol (three-letter code: JKG) (formula: C₁₂H₁₃NOS).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	H	N	O			S
2	A	1	56	24	26	2	2	2	0	1

- Molecule 3 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (three-letter code:

TRS) (formula: C₄H₁₂NO₃).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	H	N	O		
3	A	1	20	4	12	1	3	0	0


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	177	Total	O	0	0
			177	177		

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Tyrosine-protein phosphatase non-receptor type 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, α , β , γ	90.08Å 90.08Å 106.92Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	63.02 – 2.21 63.02 – 2.21	Depositor EDS
% Data completeness (in resolution range)	99.9 (63.02-2.21) 99.9 (63.02-2.21)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.80 (at 2.20Å)	Xtrriage
Refinement program	PHENIX 1.10.1_2155	Depositor
R, R_{free}	0.193 , 0.230 0.193 , 0.231	Depositor DCC
R_{free} test set	1011 reflections (3.94%)	wwPDB-VP
Wilson B-factor (Å ²)	36.5	Xtrriage
Anisotropy	0.045	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 60.3	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	0.026 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	17667	wwPDB-VP
Average B, all atoms (Å ²)	42.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.25% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: TRS, JKG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.53	4/8864 (0.0%)	0.64	4/11931 (0.0%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	155[A]	VAL	CB-CG2	-6.34	1.39	1.52
1	A	155[B]	VAL	CB-CG2	-6.34	1.39	1.52
1	A	155[C]	VAL	CB-CG2	-6.34	1.39	1.52
1	A	155[D]	VAL	CB-CG2	-6.34	1.39	1.52

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	121[A]	CYS	CA-CB-SG	5.93	124.67	114.00
1	A	121[B]	CYS	CA-CB-SG	5.93	124.67	114.00
1	A	121[C]	CYS	CA-CB-SG	5.93	124.67	114.00
1	A	121[D]	CYS	CA-CB-SG	5.93	124.67	114.00

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	8685	8729	8673	200	0
2	A	30	26	0	2	0
3	A	8	12	12	2	0
4	A	177	0	0	30	0
All	All	8900	8767	8685	200	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (200) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:238[C]:ARG:HG2	1:A:238[C]:ARG:HH11	1.14	1.09
1:A:238[D]:ARG:HG2	1:A:238[D]:ARG:HH11	1.14	1.09
1:A:186[C]:GLU:HB3	4:A:529:HOH:O	1.71	0.89
1:A:186[D]:GLU:HB3	4:A:529:HOH:O	1.71	0.89
1:A:196[C]:PHE:O	1:A:200[C]:GLU:HG3	1.73	0.89
1:A:196[D]:PHE:O	1:A:200[D]:GLU:HG3	1.73	0.89
1:A:265[C]:ASP:OD1	4:A:505:HOH:O	1.92	0.86
1:A:265[D]:ASP:OD1	4:A:505:HOH:O	1.92	0.86
1:A:238[C]:ARG:HG2	1:A:238[C]:ARG:NH1	1.93	0.82
1:A:238[D]:ARG:HG2	1:A:238[D]:ARG:NH1	1.93	0.82
1:A:209[C]:GLY:O	4:A:506:HOH:O	1.99	0.80
1:A:209[D]:GLY:O	4:A:506:HOH:O	1.99	0.80
1:A:179[C]:TRP:CD2	1:A:221[C]:ARG:HD3	2.19	0.78
1:A:179[D]:TRP:CD2	1:A:221[D]:ARG:HD3	2.19	0.78
1:A:115[C]:GLU:HB2	1:A:120[C]:LYS:HD2	1.67	0.75
1:A:115[D]:GLU:HB2	1:A:120[D]:LYS:HD2	1.67	0.75
1:A:141[C]:LYS:HG2	4:A:570:HOH:O	1.91	0.70
1:A:141[D]:LYS:HG2	4:A:570:HOH:O	1.91	0.70
1:A:20[C]:TYR:OH	1:A:261[C]:ILE:O	2.08	0.70
1:A:20[D]:TYR:OH	1:A:261[D]:ILE:O	2.08	0.70
1:A:179[C]:TRP:CD1	1:A:180[C]:PRO:HD2	2.28	0.69
1:A:179[D]:TRP:CD1	1:A:180[D]:PRO:HD2	2.28	0.69
1:A:2[A]:GLU:HG2	1:A:3[A]:MET:N	2.09	0.68
1:A:2[B]:GLU:HG2	1:A:3[B]:MET:N	2.09	0.68
1:A:204[C]:LEU:HD21	1:A:211[C]:VAL:HG11	1.75	0.68
1:A:204[D]:LEU:HD21	1:A:211[D]:VAL:HG11	1.75	0.68
1:A:246[C]:ILE:CG2	1:A:271[C]:TYR:CZ	2.77	0.67
1:A:246[D]:ILE:CG2	1:A:271[D]:TYR:CZ	2.77	0.67
1:A:162[C]:ASN:C	1:A:164[C]:THR:H	1.97	0.67
1:A:162[D]:ASN:C	1:A:164[D]:THR:H	1.97	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:224[D]:THR:HG23	1:A:270[D]:SER:OG	1.94	0.67
1:A:224[C]:THR:HG23	1:A:270[C]:SER:OG	1.94	0.67
1:A:153[B]:TYR:HE1	1:A:155[B]:VAL:CG2	2.07	0.67
1:A:204[C]:LEU:CD2	1:A:211[C]:VAL:HG11	2.26	0.66
1:A:204[D]:LEU:CD2	1:A:211[D]:VAL:HG11	2.26	0.66
1:A:24[A]:ARG:NH1	4:A:511:HOH:O	2.29	0.65
1:A:24[B]:ARG:NH1	4:A:511:HOH:O	2.29	0.65
1:A:126[C]:PRO:HD3	1:A:142[C]:LEU:HD23	1.78	0.64
1:A:126[D]:PRO:HD3	1:A:142[D]:LEU:HD23	1.78	0.64
1:A:246[C]:ILE:CG2	1:A:271[C]:TYR:CE1	2.81	0.64
1:A:246[D]:ILE:CG2	1:A:271[D]:TYR:CE1	2.81	0.64
1:A:6[C]:GLU:O	1:A:10[C]:ILE:HG12	1.99	0.62
1:A:6[D]:GLU:O	1:A:10[D]:ILE:HG12	1.99	0.62
1:A:2[A]:GLU:HG2	1:A:3[A]:MET:H	1.65	0.62
1:A:2[B]:GLU:HG2	1:A:3[B]:MET:H	1.65	0.62
1:A:24[C]:ARG:HD2	4:A:650:HOH:O	1.99	0.61
1:A:24[D]:ARG:HD2	4:A:650:HOH:O	1.99	0.61
1:A:3[C]:MET:CE	1:A:274[C]:VAL:CG1	2.79	0.61
1:A:3[D]:MET:CE	1:A:274[D]:VAL:CG1	2.79	0.61
1:A:200[A]:GLU:OE2	4:A:507:HOH:O	2.04	0.61
1:A:200[B]:GLU:OE2	4:A:507:HOH:O	2.04	0.61
1:A:219[D]:ILE:O	1:A:260[D]:LEU:HA	2.01	0.61
1:A:219[C]:ILE:O	1:A:260[C]:LEU:HA	2.01	0.61
1:A:162[C]:ASN:C	1:A:164[C]:THR:N	2.55	0.59
1:A:162[D]:ASN:C	1:A:164[D]:THR:N	2.55	0.59
1:A:83[B]:LEU:HD11	1:A:226[B]:CYS:SG	2.43	0.59
1:A:50[C]:SER:OG	4:A:509:HOH:O	2.17	0.57
1:A:50[D]:SER:OG	4:A:509:HOH:O	2.17	0.57
1:A:83[D]:LEU:HD23	1:A:222[D]:SER:HB3	1.85	0.57
1:A:83[C]:LEU:HD23	1:A:222[C]:SER:HB3	1.85	0.57
1:A:3[C]:MET:CE	1:A:274[C]:VAL:HG12	2.35	0.57
1:A:3[D]:MET:CE	1:A:274[D]:VAL:HG12	2.35	0.57
1:A:200[C]:GLU:C	1:A:202[C]:GLY:N	2.54	0.57
1:A:200[D]:GLU:C	1:A:202[D]:GLY:N	2.54	0.57
1:A:246[D]:ILE:HG21	1:A:271[D]:TYR:CE1	2.40	0.56
1:A:246[C]:ILE:HG21	1:A:271[C]:TYR:CE1	2.40	0.56
1:A:153[B]:TYR:HE1	1:A:155[B]:VAL:HG23	1.70	0.56
1:A:71[C]:LEU:HD12	1:A:81[C]:TYR:O	2.06	0.56
1:A:71[D]:LEU:HD12	1:A:81[D]:TYR:O	2.06	0.56
1:A:76[C]:GLU:OE2	1:A:238[C]:ARG:NE	2.33	0.56
1:A:76[D]:GLU:OE2	1:A:238[D]:ARG:NE	2.33	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:162[D]:ASN:O	1:A:164[D]:THR:N	2.40	0.55
1:A:162[C]:ASN:O	1:A:164[C]:THR:N	2.40	0.55
1:A:104[C]:SER:HB3	1:A:210[C]:PRO:O	2.07	0.54
1:A:104[D]:SER:HB3	1:A:210[D]:PRO:O	2.07	0.54
1:A:115[C]:GLU:HB2	1:A:120[C]:LYS:CD	2.37	0.54
1:A:115[D]:GLU:HB2	1:A:120[D]:LYS:CD	2.37	0.54
1:A:85[C]:GLN:HG3	1:A:86[C]:GLY:O	2.08	0.54
1:A:85[D]:GLN:HG3	1:A:86[D]:GLY:O	2.08	0.54
1:A:114[D]:MET:HG3	1:A:119[D]:LEU:HD23	1.90	0.54
1:A:114[C]:MET:HG3	1:A:119[C]:LEU:HD23	1.90	0.54
1:A:139[D]:ASN:C	1:A:163[D]:LEU:HD12	2.28	0.53
1:A:139[C]:ASN:C	1:A:163[C]:LEU:HD12	2.28	0.53
1:A:90[C]:ASN:ND2	4:A:512:HOH:O	2.30	0.53
1:A:90[D]:ASN:ND2	4:A:512:HOH:O	2.30	0.53
1:A:193[C]:ASN:O	1:A:197[C]:LYS:HG2	2.09	0.53
1:A:193[D]:ASN:O	1:A:197[D]:LYS:HG2	2.09	0.53
1:A:268[D]:ARG:O	1:A:271[D]:TYR:HB2	2.10	0.52
1:A:268[C]:ARG:O	1:A:271[C]:TYR:HB2	2.10	0.52
1:A:3[C]:MET:HE2	1:A:235[C]:MET:HE3	1.92	0.51
1:A:3[D]:MET:HE2	1:A:235[D]:MET:HE3	1.92	0.51
1:A:7[C]:PHE:CD1	1:A:7[C]:PHE:C	2.85	0.51
1:A:7[D]:PHE:CD1	1:A:7[D]:PHE:C	2.85	0.51
1:A:105[C]:ARG:HG3	1:A:105[C]:ARG:O	2.11	0.50
1:A:105[D]:ARG:HG3	1:A:105[D]:ARG:O	2.11	0.50
1:A:3[C]:MET:HE1	1:A:274[C]:VAL:CG1	2.42	0.50
1:A:3[D]:MET:HE1	1:A:274[D]:VAL:CG1	2.42	0.50
1:A:153[B]:TYR:CE1	1:A:155[B]:VAL:HG23	2.45	0.50
1:A:79[C]:ARG:NH1	4:A:519:HOH:O	2.45	0.50
1:A:79[D]:ARG:NH1	4:A:519:HOH:O	2.45	0.50
1:A:30[D]:PHE:HB3	1:A:31:PRO:HD2	1.93	0.50
1:A:30[C]:PHE:HB3	1:A:31:PRO:HD2	1.93	0.49
1:A:6[A]:GLU:OE2	1:A:247[A]:LYS:HE3	2.13	0.49
1:A:6[B]:GLU:OE2	1:A:247[B]:LYS:HE3	2.13	0.49
1:A:200[C]:GLU:O	1:A:201[C]:SER:C	2.48	0.49
1:A:200[D]:GLU:O	1:A:201[D]:SER:C	2.48	0.49
1:A:3[D]:MET:HE2	1:A:235[D]:MET:CE	2.43	0.49
1:A:3[C]:MET:HE2	1:A:235[C]:MET:CE	2.43	0.49
1:A:71[D]:LEU:HD13	1:A:82[D]:ILE:HG12	1.93	0.49
1:A:71[C]:LEU:HD13	1:A:82[C]:ILE:HG12	1.93	0.49
1:A:245[D]:ASP:O	1:A:249[D]:VAL:HG23	2.13	0.48
1:A:245[C]:ASP:O	1:A:249[C]:VAL:HG23	2.13	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:162[D]:ASN:OD1	1:A:164[D]:THR:HB	2.13	0.48
1:A:162[C]:ASN:OD1	1:A:164[C]:THR:HB	2.13	0.48
1:A:41[D]:LYS:HE3	2:A:401[D]:JKG:C01	2.44	0.48
1:A:41[C]:LYS:HE3	2:A:401[C]:JKG:C01	2.44	0.48
1:A:118:SER:O	1:A:120[D]:LYS:HE2	2.14	0.47
1:A:100:TRP:O	1:A:169[D]:ARG:NH1	2.46	0.47
1:A:3[A]:MET:HE1	1:A:274[A]:VAL:HG12	1.96	0.47
1:A:3[B]:MET:HE1	1:A:274[B]:VAL:HG12	1.96	0.47
1:A:6[C]:GLU:O	1:A:10[C]:ILE:CG1	2.63	0.47
1:A:6[D]:GLU:O	1:A:10[D]:ILE:CG1	2.63	0.47
1:A:73[C]:LYS:HE3	4:A:636:HOH:O	2.15	0.46
1:A:73[D]:LYS:HE3	4:A:636:HOH:O	2.15	0.46
1:A:118:SER:O	1:A:120[C]:LYS:HE2	2.14	0.46
1:A:198[C]:VAL:O	1:A:201[C]:SER:HB3	2.14	0.46
1:A:198[D]:VAL:O	1:A:201[D]:SER:HB3	2.14	0.46
1:A:82[D]:ILE:HG13	1:A:210[D]:PRO:HB2	1.97	0.46
1:A:82[C]:ILE:HG13	1:A:210[C]:PRO:HB2	1.97	0.46
1:A:57[C]:ILE:HG13	1:A:82[C]:ILE:HD13	1.98	0.46
1:A:57[D]:ILE:HG13	1:A:82[D]:ILE:HD13	1.98	0.46
1:A:246[C]:ILE:HG23	1:A:271[C]:TYR:CE1	2.51	0.46
1:A:246[D]:ILE:HG23	1:A:271[D]:TYR:CE1	2.51	0.46
1:A:92:VAL:HG12	1:A:135[A]:PHE:CE1	2.52	0.45
1:A:92:VAL:HG12	1:A:135[B]:PHE:CE1	2.52	0.45
1:A:12[D]:LYS:NZ	1:A:13[D]:SER:HB3	2.31	0.45
1:A:12[C]:LYS:NZ	1:A:13[C]:SER:HB3	2.31	0.45
1:A:250[C]:LEU:O	1:A:250[C]:LEU:HD12	2.17	0.45
1:A:250[D]:LEU:HD12	1:A:250[D]:LEU:O	2.17	0.45
1:A:120[C]:LYS:HG2	4:A:585:HOH:O	2.16	0.45
1:A:120[D]:LYS:HG2	4:A:585:HOH:O	2.16	0.45
1:A:54[C]:HIS:O	3:A:402:TRS:O3	2.35	0.45
1:A:54[D]:HIS:O	3:A:402:TRS:O3	2.35	0.45
1:A:45[A]:ARG:NH2	1:A:121[A]:CYS:HA	2.32	0.44
1:A:45[B]:ARG:NH2	1:A:121[B]:CYS:HA	2.32	0.44
1:A:196[C]:PHE:HA	1:A:199[C]:ARG:HB2	2.00	0.44
1:A:196[D]:PHE:HA	1:A:199[D]:ARG:HB2	2.00	0.44
1:A:227[C]:LEU:O	1:A:231[C]:CYS:HB2	2.18	0.43
1:A:227[D]:LEU:O	1:A:231[D]:CYS:HB2	2.18	0.43
1:A:155[D]:VAL:HG13	1:A:174[D]:PHE:CE1	2.52	0.43
1:A:155[C]:VAL:HG13	1:A:174[C]:PHE:CE1	2.52	0.43
1:A:3[C]:MET:HE3	1:A:274[C]:VAL:HG12	2.01	0.43
1:A:3[D]:MET:HE3	1:A:274[D]:VAL:HG12	2.01	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:252[C]:GLU:OE1	1:A:255[C]:LYS:NZ	2.35	0.43
1:A:252[D]:GLU:OE1	1:A:255[D]:LYS:NZ	2.35	0.43
1:A:15[A]:SER:HA	4:A:648:HOH:O	2.19	0.42
1:A:15[B]:SER:HA	4:A:648:HOH:O	2.19	0.42
1:A:142[C]:LEU:HD12	1:A:142[C]:LEU:HA	1.69	0.42
1:A:142[D]:LEU:HD12	1:A:142[D]:LEU:HA	1.69	0.42
1:A:100:TRP:CZ3	1:A:169[D]:ARG:HG3	2.54	0.42
1:A:122[C]:ALA:HA	4:A:592:HOH:O	2.19	0.42
1:A:122[D]:ALA:HA	4:A:592:HOH:O	2.19	0.42
1:A:153[B]:TYR:CE1	1:A:155[B]:VAL:CG2	2.96	0.42
1:A:215[C]:CYS:SG	1:A:218[C]:GLY:HA2	2.60	0.42
1:A:215[D]:CYS:SG	1:A:218[D]:GLY:HA2	2.60	0.42
1:A:100:TRP:CZ3	1:A:169[C]:ARG:HG3	2.54	0.42
1:A:219[C]:ILE:HG13	1:A:220[C]:GLY:N	2.33	0.42
1:A:219[D]:ILE:HG13	1:A:220[D]:GLY:N	2.33	0.42
1:A:179[D]:TRP:CD1	1:A:221[D]:ARG:CZ	3.03	0.42
1:A:179[C]:TRP:CD1	1:A:221[C]:ARG:CZ	3.03	0.42
1:A:46[D]:TYR:HB2	1:A:49[D]:VAL:HG23	2.02	0.42
1:A:46[C]:TYR:HB2	1:A:49[C]:VAL:HG23	2.02	0.42
1:A:202[C]:GLY:O	1:A:205[C]:SER:HB2	2.20	0.42
1:A:202[D]:GLY:O	1:A:205[D]:SER:HB2	2.20	0.42
1:A:2[A]:GLU:CG	1:A:3[A]:MET:N	2.81	0.41
1:A:2[B]:GLU:CG	1:A:3[B]:MET:N	2.81	0.41
1:A:3[C]:MET:CE	1:A:235[C]:MET:CE	2.99	0.41
1:A:3[D]:MET:CE	1:A:235[D]:MET:CE	2.99	0.41
1:A:145[C]:ILE:HD12	1:A:145[C]:ILE:HG23	1.75	0.41
1:A:145[D]:ILE:HG23	1:A:145[D]:ILE:HD12	1.75	0.41
1:A:182[C]:PHE:O	4:A:508:HOH:O	2.12	0.41
1:A:182[D]:PHE:O	4:A:508:HOH:O	2.12	0.41
1:A:115[C]:GLU:CB	1:A:120[C]:LYS:HD2	2.45	0.41
1:A:115[D]:GLU:CB	1:A:120[D]:LYS:HD2	2.45	0.41
1:A:130[C]:GLU:OE1	1:A:130[C]:GLU:N	2.49	0.41
1:A:130[D]:GLU:OE1	1:A:130[D]:GLU:N	2.49	0.41
1:A:37[C]:LEU:HA	1:A:38[C]:PRO:HD3	1.88	0.41
1:A:37[D]:LEU:HA	1:A:38[D]:PRO:HD3	1.88	0.41
1:A:28[C]:SER:HB2	1:A:30[C]:PHE:CE2	2.56	0.41
1:A:28[D]:SER:HB2	1:A:30[D]:PHE:CE2	2.56	0.41
1:A:260[C]:LEU:C	1:A:261[C]:ILE:HG12	2.41	0.41
1:A:260[D]:LEU:C	1:A:261[D]:ILE:HG12	2.41	0.41
1:A:72[C]:ILE:HD13	1:A:83[C]:LEU:HD13	2.02	0.40
1:A:72[D]:ILE:HD13	1:A:83[D]:LEU:HD13	2.02	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:147[D]:GLU:HG3	1:A:156[D]:ARG:HG2	2.02	0.40
1:A:147[C]:GLU:HG3	1:A:156[C]:ARG:HG2	2.02	0.40
1:A:200[C]:GLU:C	1:A:202[C]:GLY:H	2.23	0.40
1:A:200[D]:GLU:C	1:A:202[D]:GLY:H	2.23	0.40
1:A:258[C]:MET:HG3	1:A:258[C]:MET:O	2.20	0.40
1:A:258[D]:MET:HG3	1:A:258[D]:MET:O	2.20	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1058/321 (330%)	962 (91%)	84 (8%)	12 (1%)	14 12

All (12) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	163[A]	LEU
1	A	163[B]	LEU
1	A	163[C]	LEU
1	A	163[D]	LEU
1	A	261[A]	ILE
1	A	261[B]	ILE
1	A	261[C]	ILE
1	A	261[D]	ILE
1	A	186[A]	GLU
1	A	186[B]	GLU
1	A	186[C]	GLU
1	A	186[D]	GLU

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	970/294 (330%)	950 (98%)	20 (2%)	53 67

All (20) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	61[A]	GLN
1	A	61[B]	GLN
1	A	61[C]	GLN
1	A	61[D]	GLN
1	A	72[A]	ILE
1	A	72[B]	ILE
1	A	72[C]	ILE
1	A	72[D]	ILE
1	A	79[A]	ARG
1	A	79[B]	ARG
1	A	79[C]	ARG
1	A	79[D]	ARG
1	A	265[A]	ASP
1	A	265[B]	ASP
1	A	265[C]	ASP
1	A	265[D]	ASP
1	A	281[A]	ILE
1	A	281[B]	ILE
1	A	281[C]	ILE
1	A	281[D]	ILE

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	68	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

3 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	TRS	A	402	-	7,7,7	0.86	0	9,9,9	0.93	1 (11%)
2	JKG	A	401[C]	-	16,16,16	2.39	8 (50%)	15,20,20	1.15	2 (13%)
2	JKG	A	401[D]	-	16,16,16	2.39	8 (50%)	15,20,20	1.15	2 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	TRS	A	402	-	-	3/9/9/9	-
2	JKG	A	401[C]	-	-	0/4/6/6	0/2/2/2
2	JKG	A	401[D]	-	-	0/4/6/6	0/2/2/2

All (16) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	401[C]	JKG	C03-S04	-5.76	1.61	1.73
2	A	401[D]	JKG	C03-S04	-5.76	1.61	1.73
2	A	401[C]	JKG	C14-C13	-3.89	1.31	1.38
2	A	401[D]	JKG	C14-C13	-3.89	1.31	1.38
2	A	401[C]	JKG	O15-C12	-2.65	1.30	1.37
2	A	401[D]	JKG	O15-C12	-2.65	1.30	1.37
2	A	401[C]	JKG	C11-C10	-2.56	1.34	1.38
2	A	401[D]	JKG	C11-C10	-2.56	1.34	1.38
2	A	401[C]	JKG	C06-C03	-2.39	1.49	1.51
2	A	401[D]	JKG	C06-C03	-2.39	1.49	1.51
2	A	401[C]	JKG	C14-C09	-2.32	1.33	1.38
2	A	401[D]	JKG	C14-C09	-2.32	1.33	1.38
2	A	401[C]	JKG	C06-N07	2.05	1.55	1.46
2	A	401[D]	JKG	C06-N07	2.05	1.55	1.46
2	A	401[C]	JKG	C08-C09	-2.02	1.47	1.51
2	A	401[D]	JKG	C08-C09	-2.02	1.47	1.51

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	401[C]	JKG	C01-C05-S04	-2.94	110.59	112.98
2	A	401[D]	JKG	C01-C05-S04	-2.94	110.59	112.98
3	A	402	TRS	O3-C3-C	-2.21	103.98	111.00
2	A	401[C]	JKG	C13-C14-C09	2.11	123.93	121.03
2	A	401[D]	JKG	C13-C14-C09	2.11	123.93	121.03

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	402	TRS	C2-C-C1-O1
3	A	402	TRS	C3-C-C1-O1
3	A	402	TRS	N-C-C1-O1

There are no ring outliers.

3 monomers are involved in 4 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	402	TRS	2	0
2	A	401[C]	JKG	1	0
2	A	401[D]	JKG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	6

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	188[C]:PRO	C	189:ALA	N	1.17
1	A	188[D]:PRO	C	189:ALA	N	1.17
1	A	230:THR	C	231[C]:CYS	N	1.12
1	A	230:THR	C	231[D]:CYS	N	1.12
1	A	172[C]:LEU	C	173:HIS	N	1.08
1	A	172[D]:LEU	C	173:HIS	N	1.08

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	283/321 (88%)	-0.01	12 (4%) 36 34	22, 35, 64, 81	1 (0%)

All (12) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	283[C]	GLY	6.9
1	A	1[A]	MET	6.8
1	A	282[A]	MET	4.3
1	A	280[A]	PHE	3.5
1	A	63[A]	ASP	3.2
1	A	281[A]	ILE	3.2
1	A	5[A]	LYS	2.8
1	A	3[A]	MET	2.6
1	A	12[A]	LYS	2.4
1	A	152[A]	TYR	2.2
1	A	47[A]	ARG	2.1
1	A	2[A]	GLU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	JKG	A	401[C]	15/15	0.73	0.34	29,48,67,81	28
2	JKG	A	401[D]	15/15	0.73	0.34	29,48,67,81	28
3	TRS	A	402	8/8	0.86	0.20	30,60,82,82	0

6.5 Other polymers [i](#)

There are no such residues in this entry.