



Full wwPDB X-ray Structure Validation Report

May 1, 2021 – 09:35 PM EDT

PDB ID : 5QJ2
Title : CRYSTAL STRUCTURE OF MYELOPEROXIDASE SUBFORM C (MPO) COMPLEX WITH COMPOUND-20 AKA 7-((3-(1-METHYL-1H-PYRAZOL-3-YL)BENZYL)OXY)-1H-[1,2,3]TRIAZOLO[4,5-B]PYRIDIN-5-AMINE
Authors : Khan, J.A.
Deposited on : 2018-09-26
Resolution : 2.82 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the  symbol.

The following versions of software and data (see [references](#) ) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.18
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.18


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.82 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	3617 (2.84-2.80)
Clashscore	141614	4060 (2.84-2.80)
Ramachandran outliers	138981	3978 (2.84-2.80)
Sidechain outliers	138945	3980 (2.84-2.80)
RSRZ outliers	127900	3552 (2.84-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	105	 78% 19% ..
1	D	105	 81% 17% .
1	F	105	 87% 10% ..
1	H	105	 80% 18% .
2	B	467	 78% 21%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	E	467	<p>%</p> <p>79% 20%</p>
2	G	467	<p>%</p> <p>81% 18%</p>
2	I	467	<p>%</p> <p>79% 19%</p>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
6	BMA	G	609	-	-	X	-

2 Entry composition [i](#)

There are 11 unique types of molecules in this entry. The entry contains 18513 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Myeloperoxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	103	812	515	144	148	5	3	0	0
1	D	103	825	522	145	153	5	4	0	0
1	F	103	813	516	144	148	5	0	0	0
1	H	103	821	520	144	152	5	3	0	0


- Molecule 2 is a protein called Myeloperoxidase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	465	3617	2289	648	653	27	24	0	0
2	E	465	3619	2296	645	651	27	19	0	0
2	G	465	3608	2290	642	650	26	12	0	0
2	I	465	3605	2283	645	650	27	28	0	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	112	ALA	GLY	conflict	UNP P05164
E	112	ALA	GLY	conflict	UNP P05164
G	112	ALA	GLY	conflict	UNP P05164
I	112	ALA	GLY	conflict	UNP P05164

- Molecule 3 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
			Total	C	N	O		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	B	1	Total	C	N	O	0	0
			14	8	1	5		
3	E	1	Total	C	N	O	0	0
			14	8	1	5		
3	E	1	Total	C	N	O	0	0
			14	8	1	5		
3	E	1	Total	C	N	O	0	0
			14	8	1	5		
3	E	1	Total	C	N	O	0	0
			14	8	1	5		
3	G	1	Total	C	N	O	0	0
			14	8	1	5		
3	G	1	Total	C	N	O	0	0
			14	8	1	5		
3	G	1	Total	C	N	O	0	0
			14	8	1	5		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	G	1	Total	C	N	O	0	0
			14	8	1	5		
3	G	1	Total	C	N	O	0	0
			14	8	1	5		
3	G	1	Total	C	N	O	0	0
			14	8	1	5		
3	I	1	Total	C	N	O	0	0
			14	8	1	5		
3	I	1	Total	C	N	O	0	0
			14	8	1	5		
3	I	1	Total	C	N	O	0	0
			14	8	1	5		
3	I	1	Total	C	N	O	0	0
			14	8	1	5		

- Molecule 4 is alpha-L-fucopyranose (three-letter code: FUC) (formula: C₆H₁₂O₅).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	C	O	0	0
			10	6	4		
4	E	1	Total	C	O	0	0
			10	6	4		
4	G	1	Total	C	O	0	0
			10	6	4		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	I	1	Total	C	O	0	0
			10	6	4		

- Molecule 5 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: $C_{34}H_{32}FeN_4O_4$).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
5	B	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
5	E	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
5	G	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		
5	I	1	Total	C	Fe	N	O	0	0
			43	34	1	4	4		

- Molecule 6 is beta-D-mannopyranose (three-letter code: BMA) (formula: $C_6H_{12}O_6$).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	B	1	Total C O 11 6 5	0	0
6	E	1	Total C O 11 6 5	0	0
6	G	1	Total C O 11 6 5	0	0
6	I	1	Total C O 11 6 5	0	0

- Molecule 7 is alpha-D-mannopyranose (three-letter code: MAN) (formula: C₆H₁₂O₆).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	B	1	Total	C	O	0	0
			11	6	5		
7	B	1	Total	C	O	0	0
			11	6	5		
7	E	1	Total	C	O	0	0
			11	6	5		
7	E	1	Total	C	O	0	0
			11	6	5		
7	G	1	Total	C	O	0	0
			11	6	5		
7	G	1	Total	C	O	0	0
			11	6	5		
7	I	1	Total	C	O	0	0
			11	6	5		
7	I	1	Total	C	O	0	0
			11	6	5		

- Molecule 8 is 7-{{3-(1-methyl-1H-pyrazol-3-yl)phenyl}methoxy}-1H-[1,2,3]triazolo[4,5-b]pyridin-5-amine (three-letter code: JXS) (formula: C₁₆H₁₅N₇O).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
8	B	1	Total	C	N	O	0	0
			24	16	7	1		
8	E	1	Total	C	N	O	0	0
			24	16	7	1		
8	G	1	Total	C	N	O	0	0
			24	16	7	1		

- Molecule 9 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	B	1	Total Ca 1 1	0	0
9	E	1	Total Ca 1 1	0	0
9	G	1	Total Ca 1 1	0	0
9	I	1	Total Ca 1 1	0	0

- Molecule 10 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
10	B	1	Total Cl 1 1	0	0
10	G	1	Total Cl 1 1	0	0


- Molecule 11 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
11	A	2	Total O 2 2	0	0
11	B	11	Total O 11 11	0	0
11	D	2	Total O 2 2	0	0
11	E	10	Total O 10 10	0	0
11	F	4	Total O 4 4	0	0
11	G	21	Total O 21 21	0	0
11	H	4	Total O 4 4	0	0
11	I	9	Total O 9 9	0	0

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Myeloperoxidase

Chain A:  78% 19% ..



- Molecule 1: Myeloperoxidase

Chain D:  81% 17% .




- Molecule 1: Myeloperoxidase

Chain F:  87% 10% ..





- Molecule 1: Myeloperoxidase


Chain H:  80% 18% .





- Molecule 2: Myeloperoxidase

Chain B:  78% 21%









• Molecule 2: Myeloperoxidase




• Molecule 2: Myeloperoxidase



• Molecule 2: Myeloperoxidase





4 Data and refinement statistics i

Property	Value	Source
Space group	C 2 2 21	Depositor
Cell constants a, b, c, α , β , γ	143.82Å 150.95Å 233.10Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	116.55 – 2.82 116.55 – 2.82	Depositor EDS
% Data completeness (in resolution range)	99.7 (116.55-2.82) 99.6 (116.55-2.82)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.14	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.22 (at 2.82Å)	Xtrriage
Refinement program	BUSTER 2.9.6	Depositor
R, R_{free}	0.206 , 0.272 0.218 , 0.288	Depositor DCC
R_{free} test set	3114 reflections (5.07%)	wwPDB-VP
Wilson B-factor (Å ²)	58.1	Xtrriage
Anisotropy	0.390	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 49.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.46$, $\langle L^2 \rangle = 0.29$	Xtrriage
Estimated twinning fraction	0.056 for -k,-h,-l	Xtrriage
F_o, F_c correlation	0.91	EDS
Total number of atoms	18513	wwPDB-VP
Average B, all atoms (Å ²)	58.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.46% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, MAN, JXS, BMA, CL, CA, FUC, HEM

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.47	0/837	0.75	0/1143
1	D	0.47	0/850	0.74	0/1159
1	F	0.49	0/838	0.75	0/1144
1	H	0.49	0/846	0.76	0/1154
2	B	0.50	0/3703	0.71	0/5043
2	E	0.49	0/3704	0.71	0/5043
2	G	0.52	0/3693	0.72	0/5030
2	I	0.50	0/3690	0.71	0/5026
All	All	0.50	0/18161	0.72	0/24742

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	812	0	764	20	0
1	D	825	0	780	13	0
1	F	813	0	766	11	0
1	H	821	0	774	13	0
2	B	3617	0	3529	69	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	E	3619	0	3555	69	0
2	G	3608	0	3526	56	0
2	I	3605	0	3513	61	0
3	B	98	0	91	18	0
3	E	56	0	52	8	0
3	G	84	0	78	17	0
3	I	70	0	65	10	0
4	B	10	0	10	1	0
4	E	10	0	10	0	0
4	G	10	0	10	0	0
4	I	10	0	10	1	0
5	B	43	0	30	10	0
5	E	43	0	30	8	0
5	G	43	0	30	11	0
5	I	43	0	30	9	0
6	B	11	0	10	3	0
6	E	11	0	10	5	0
6	G	11	0	10	8	0
6	I	11	0	10	2	0
7	B	22	0	20	0	0
7	E	22	0	20	4	0
7	G	22	0	20	5	0
7	I	22	0	20	1	0
8	B	24	0	0	0	0
8	E	24	0	0	0	0
8	G	24	0	0	0	0
9	B	1	0	0	0	0
9	E	1	0	0	0	0
9	G	1	0	0	0	0
9	I	1	0	0	0	0
10	B	1	0	0	0	0
10	G	1	0	0	0	0
11	A	2	0	0	0	0
11	B	11	0	0	0	0
11	D	2	0	0	1	0
11	E	10	0	0	0	0
11	F	4	0	0	0	0
11	G	21	0	0	2	0
11	H	4	0	0	0	0
11	I	9	0	0	0	0
All	All	18513	0	17773	309	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 9.

All (309) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:G:317:ASN:HD21	3:G:604:NAG:C1	1.35	1.37
2:E:115:CYS:SG	2:E:125:CYS:SG	1.35	1.28
2:E:115:CYS:CB	2:E:125:CYS:SG	2.25	1.23
1:A:94:ASP:OD2	5:B:608:HEM:HMD1	1.41	1.17
2:I:173:ALA:HA	2:I:175:MET:HE1	1.18	1.17
1:F:94:ASP:OD2	5:G:607:HEM:HMD1	1.46	1.15
2:E:335:GLY:HA3	5:E:609:HEM:HBC2	1.31	1.09
2:B:225:ASN:HD21	3:B:602:NAG:C1	1.66	1.07
2:G:317:ASN:ND2	3:G:604:NAG:C1	2.16	1.07
2:I:317:ASN:HD21	3:I:608:NAG:C1	1.69	1.05
2:I:173:ALA:HA	2:I:175:MET:CE	1.88	1.01
6:G:609:BMA:H62	7:G:611:MAN:H2	1.44	0.98
2:G:242:GLU:OE2	5:G:607:HEM:HMB1	1.65	0.96
2:G:119:CYS:HG	2:G:143:CYS:HG	1.14	0.95
2:G:440:CYS:HG	2:G:497:CYS:HG	1.09	0.94
2:G:221:CYS:HG	2:G:232:CYS:HG	1.19	0.91
2:G:243:MET:SD	5:G:607:HEM:HBB1	2.10	0.91
2:B:440:CYS:HG	2:B:497:CYS:HG	1.16	0.91
2:G:311:PRO:O	2:G:507:ARG:NH2	2.02	0.91
2:E:242:GLU:OE2	5:E:609:HEM:HMB1	1.72	0.90
1:F:94:ASP:OD2	5:G:607:HEM:CMD	2.20	0.88
2:B:243:MET:SD	5:B:608:HEM:HBB1	2.14	0.87
2:I:173:ALA:CA	2:I:175:MET:HE1	2.04	0.84
1:A:94:ASP:OD2	5:B:608:HEM:CMD	2.26	0.82
6:E:601:BMA:H3	7:E:602:MAN:H2	1.62	0.81
1:D:94:ASP:OD2	5:E:609:HEM:HMD1	1.82	0.80
2:B:153:CYS:HG	2:E:153:CYS:HG	1.29	0.80
2:E:333:ARG:HH21	5:E:609:HEM:HAD1	1.47	0.80
2:E:242:GLU:OE2	5:E:609:HEM:CMB	2.31	0.79
2:E:119:CYS:HG	2:E:143:CYS:HG	0.79	0.79
2:E:221:CYS:HG	2:E:232:CYS:HG	0.88	0.78
2:G:538:CYS:HG	2:G:564:CYS:HG	0.79	0.78
6:G:609:BMA:H62	7:G:611:MAN:C2	2.13	0.78
2:B:243:MET:CE	5:B:608:HEM:HBB1	2.15	0.77
2:E:317:ASN:HD21	3:E:607:NAG:C1	1.97	0.76
2:I:175:MET:CE	2:I:176:VAL:HG23	2.17	0.75
2:E:344:PHE:O	2:E:383:GLY:HA3	1.87	0.73
2:I:173:ALA:CA	2:I:175:MET:CE	2.62	0.73

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:G:225:ASN:HD21	3:G:602:NAG:C1	2.02	0.73
2:B:127:PRO:HB2	2:B:143:CYS:SG	2.28	0.73
6:E:601:BMA:H3	7:E:602:MAN:C1	2.19	0.72
2:I:242:GLU:OE2	5:I:610:HEM:HMB1	1.89	0.72
2:I:115:CYS:HG	2:I:125:CYS:HG	0.75	0.72
3:B:609:NAG:H4	6:B:610:BMA:C1	2.21	0.71
2:I:175:MET:HE2	2:I:176:VAL:HG23	1.73	0.70
1:A:91:GLN:HE22	5:B:608:HEM:HBB2	1.57	0.69
2:G:242:GLU:OE2	5:G:607:HEM:CMB	2.40	0.69
3:G:604:NAG:O4	3:I:601:NAG:C1	2.41	0.69
6:E:601:BMA:H3	7:E:602:MAN:C2	2.23	0.68
3:G:602:NAG:H4	3:G:603:NAG:C1	2.23	0.68
2:G:153:CYS:HG	2:I:153:CYS:HG	1.38	0.68
3:B:604:NAG:O4	3:B:605:NAG:C1	2.42	0.68
2:B:242:GLU:OE2	5:B:608:HEM:CMB	2.43	0.67
2:E:221:CYS:CB	2:E:232:CYS:HG	2.08	0.66
2:E:115:CYS:CB	2:E:125:CYS:HG	1.90	0.66
5:G:607:HEM:CBB	5:G:607:HEM:HMB2	2.26	0.66
2:I:209:ALA:HB3	2:I:255:ARG:HG2	1.78	0.66
2:E:225:ASN:HD21	3:E:605:NAG:C1	2.08	0.66
2:E:393:ARG:HB2	2:E:396:GLN:HB2	1.78	0.66
2:I:317:ASN:ND2	3:I:608:NAG:C1	2.52	0.65
2:G:137:ILE:HG12	2:G:413:ILE:HD11	1.79	0.65
2:B:313:TYR:HD1	2:B:507:ARG:HD3	1.62	0.65
3:G:604:NAG:C4	3:I:601:NAG:C1	2.74	0.65
2:E:333:ARG:NH2	5:E:609:HEM:HAD1	2.12	0.64
2:B:317:ASN:HD21	3:B:604:NAG:C1	2.10	0.64
2:E:336:HIS:HA	2:E:339:ILE:HD12	1.80	0.64
2:G:115:CYS:CB	2:G:125:CYS:HG	2.10	0.64
3:G:608:NAG:C1	3:I:608:NAG:O4	2.47	0.62
3:B:604:NAG:O6	4:B:606:FUC:C1	2.47	0.62
2:G:242:GLU:OE1	5:G:607:HEM:HBB2	2.00	0.62
1:A:33:LEU:HD21	3:B:609:NAG:H81	1.81	0.62
2:B:211:LEU:HD11	2:B:250:HIS:HB3	1.81	0.62
2:I:243:MET:SD	5:I:610:HEM:HAB	2.41	0.61
2:I:336:HIS:HA	2:I:339:ILE:HD12	1.82	0.61
2:B:313:TYR:CD1	2:B:507:ARG:HD3	2.36	0.61
2:G:252:LEU:HD11	2:G:537:ILE:HA	1.81	0.61
2:E:115:CYS:HB3	2:E:125:CYS:SG	2.36	0.60
2:G:243:MET:CG	5:G:607:HEM:HBB1	2.31	0.60
2:G:259:ARG:HD2	2:G:539:ASP:HB3	1.83	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:G:609:BMA:C6	7:G:611:MAN:H2	2.27	0.60
1:F:10:ILE:HG21	2:G:184:ALA:HB2	1.84	0.59
6:G:609:BMA:H2	7:G:610:MAN:H5	1.84	0.59
2:B:242:GLU:OE2	5:B:608:HEM:HMB1	2.03	0.58
2:G:477:TRP:O	2:G:481:VAL:HG22	2.03	0.58
2:I:119:CYS:SG	2:I:143:CYS:CB	2.90	0.58
3:G:608:NAG:H4	6:G:609:BMA:C1	2.34	0.58
1:H:69:VAL:HG11	2:I:418:PRO:HG2	1.85	0.58
3:E:605:NAG:H4	3:E:606:NAG:C1	2.33	0.58
2:I:233:PHE:CE2	2:I:368:SER:HB2	2.40	0.57
2:E:115:CYS:CA	2:E:125:CYS:SG	2.92	0.57
2:I:242:GLU:OE2	5:I:610:HEM:CMB	2.52	0.57
2:I:440:CYS:HG	2:I:497:CYS:CB	2.18	0.57
3:G:608:NAG:C1	3:I:608:NAG:C4	2.82	0.57
1:H:63:ALA:O	1:H:67:GLU:HG2	2.04	0.57
1:F:100:THR:HG21	2:G:428:HIS:CE1	2.40	0.56
1:F:16:ASN:O	1:F:20:PRO:HA	2.05	0.56
2:I:189:ASN:HD21	3:I:605:NAG:H2	1.69	0.56
2:E:533:LEU:HA	2:E:536:ILE:HD12	1.87	0.56
2:B:468:TYR:CD2	2:B:474:ILE:HG12	2.40	0.56
2:G:209:ALA:HB3	2:G:255:ARG:HG2	1.86	0.56
2:G:335:GLY:HA2	2:G:338:LEU:HD12	1.87	0.56
1:D:35:ALA:HB3	2:E:160:ILE:CG2	2.36	0.56
1:F:35:ALA:HB3	2:G:160:ILE:HG21	1.87	0.55
1:A:68:ILE:HD11	2:B:467:GLN:HG3	1.88	0.55
2:I:126:PHE:O	2:I:146:PHE:HB3	2.06	0.55
2:B:320:VAL:HG22	3:B:604:NAG:H62	1.88	0.55
2:G:265:LYS:HD3	2:G:276:LEU:HD11	1.88	0.55
3:B:602:NAG:O4	3:B:603:NAG:H2	2.07	0.55
2:E:335:GLY:CA	5:E:609:HEM:HBC2	2.20	0.55
2:G:189:ASN:HD21	3:G:601:NAG:H2	1.72	0.54
1:F:60:LEU:O	1:F:64:VAL:HG23	2.07	0.54
2:E:313:TYR:HD1	2:E:507:ARG:HD3	1.71	0.54
2:G:367:ALA:HB1	2:G:370:ARG:HG3	1.88	0.54
2:E:538:CYS:HG	2:E:564:CYS:HG	1.52	0.54
3:G:604:NAG:H4	3:I:601:NAG:C1	2.38	0.54
1:H:29:PHE:CE1	2:I:165:ASN:HB2	2.43	0.54
2:G:412:ARG:HG3	2:G:413:ILE:HG22	1.90	0.54
2:E:447:THR:HG23	2:E:450:GLN:H	1.72	0.54
2:G:333:ARG:HH21	5:G:607:HEM:HAD1	1.71	0.54
2:I:243:MET:SD	5:I:610:HEM:CAB	2.96	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:440:CYS:HG	2:B:497:CYS:CB	2.21	0.53
1:D:59:ALA:HB2	2:E:467:GLN:O	2.08	0.53
1:H:22:LEU:HB3	2:I:322:PRO:HD2	1.90	0.53
5:G:607:HEM:HBC2	5:G:607:HEM:HMC2	1.90	0.53
2:I:252:LEU:HD11	2:I:537:ILE:HA	1.90	0.53
1:A:86:PHE:HA	2:B:552:PHE:HD1	1.74	0.53
2:B:333:ARG:HG2	5:B:608:HEM:C2D	2.43	0.53
2:G:169:SER:HB2	2:G:324:ILE:HG12	1.91	0.53
2:I:241:SER:O	2:I:366:PHE:HA	2.09	0.53
2:B:128:LEU:HB2	2:B:144:ILE:HB	1.91	0.53
2:E:455:LEU:HD13	2:E:460:LEU:HD23	1.89	0.53
2:E:317:ASN:ND2	3:E:607:NAG:C1	2.71	0.52
2:B:341:PRO:HD3	2:B:399:VAL:HG11	1.91	0.52
2:I:175:MET:HE3	2:I:176:VAL:HG23	1.90	0.52
1:A:84:LEU:HD11	2:B:340:GLN:HB2	1.91	0.52
2:B:242:GLU:OE2	5:B:608:HEM:HMB2	2.08	0.52
1:D:16:ASN:O	1:D:20:PRO:HA	2.09	0.52
1:A:99:PHE:O	1:A:101:PRO:HD3	2.09	0.52
2:G:225:ASN:ND2	3:G:602:NAG:C1	2.70	0.52
2:B:177:TYR:OH	2:B:281:ARG:HA	2.09	0.52
2:B:189:ASN:HD21	3:B:601:NAG:C1	2.23	0.52
2:G:336:HIS:HA	2:G:339:ILE:HD12	1.91	0.52
6:E:601:BMA:C3	7:E:602:MAN:H2	2.39	0.51
5:I:610:HEM:HMC2	5:I:610:HEM:HBC2	1.91	0.51
2:E:220:PRO:HA	2:E:223:LEU:HD12	1.92	0.51
2:B:221:CYS:HG	2:B:232:CYS:HG	0.59	0.51
3:I:606:NAG:H4	3:I:607:NAG:C1	2.39	0.51
2:B:225:ASN:ND2	3:B:602:NAG:C1	2.52	0.51
2:B:433:TYR:CZ	2:B:437:ARG:HD3	2.45	0.51
1:D:94:ASP:OD2	2:E:332:PHE:HD2	1.94	0.51
2:G:313:TYR:CD1	2:G:507:ARG:HD3	2.45	0.51
2:I:169:SER:HB2	2:I:324:ILE:HG12	1.92	0.51
2:I:268:ASN:HD21	2:I:576:ARG:HA	1.74	0.51
1:D:25:SER:HB3	2:E:179:SER:HB3	1.92	0.51
2:G:189:ASN:HB3	11:G:702:HOH:O	2.10	0.51
2:G:283:ILE:HG23	2:G:528:LEU:HD21	1.91	0.51
1:A:29:PHE:CE1	2:B:165:ASN:HB2	2.46	0.51
2:B:337:THR:O	2:B:390:LYS:HD3	2.11	0.51
1:F:84:LEU:HD13	2:G:389:ALA:HA	1.93	0.51
6:I:602:BMA:H62	7:I:604:MAN:C1	2.42	0.50
2:B:532:SER:HB2	2:B:534:PRO:HD2	1.92	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:I:173:ALA:CA	2:I:175:MET:HE2	2.39	0.50
2:G:514:TRP:CE2	2:G:515:GLU:HG3	2.46	0.50
2:B:381:LEU:HD13	2:B:537:ILE:HG12	1.93	0.50
3:B:609:NAG:C4	6:B:610:BMA:C1	2.90	0.50
2:I:393:ARG:HB2	2:I:396:GLN:HB2	1.93	0.50
1:H:44:PRO:HD2	1:H:47:TRP:HB2	1.93	0.49
2:I:320:VAL:HG22	4:I:609:FUC:H61	1.92	0.49
2:G:134:ASP:HB3	2:G:137:ILE:O	2.12	0.49
2:G:440:CYS:HG	2:G:497:CYS:CB	2.23	0.49
2:B:544:THR:HA	2:B:564:CYS:SG	2.52	0.49
2:E:221:CYS:SG	2:E:366:PHE:O	2.70	0.49
2:B:344:PHE:CD1	2:B:387:THR:HG21	2.47	0.49
2:E:440:CYS:HG	2:E:497:CYS:HG	1.53	0.49
2:E:363:ARG:O	2:E:370:ARG:NH1	2.46	0.49
2:G:440:CYS:SG	2:G:497:CYS:HB3	2.53	0.49
2:G:398:ALA:HB1	2:G:402:ILE:HD11	1.94	0.49
1:A:18:ARG:HB3	1:D:36:GLU:OE2	2.13	0.49
2:I:175:MET:HB2	2:I:250:HIS:HE1	1.77	0.49
1:D:22:LEU:HB3	2:E:322:PRO:HD2	1.94	0.48
1:H:94:ASP:OD2	5:I:610:HEM:CMD	2.61	0.48
1:A:41:PHE:HA	2:B:160:ILE:HG23	1.93	0.48
2:B:119:CYS:SG	2:G:456:ARG:HD3	2.54	0.48
1:D:35:ALA:HB3	2:E:160:ILE:HG21	1.95	0.48
2:E:333:ARG:HH11	2:E:421:ASN:HD22	1.61	0.48
2:G:225:ASN:HD21	3:G:602:NAG:C2	2.27	0.48
3:G:608:NAG:H61	6:G:609:BMA:C1	2.43	0.48
1:D:81:GLU:O	2:E:553:MET:HA	2.15	0.47
2:E:317:ASN:ND2	3:E:607:NAG:O5	2.46	0.47
2:I:221:CYS:SG	2:I:366:PHE:O	2.65	0.47
6:G:609:BMA:H62	7:G:611:MAN:C1	2.45	0.47
2:E:126:PHE:O	2:E:146:PHE:HB3	2.14	0.47
2:G:563:ASN:HB3	11:G:709:HOH:O	2.13	0.47
2:E:330:ASN:HA	2:E:333:ARG:HD2	1.96	0.47
2:B:153:CYS:SG	2:B:156:SER:HB2	2.55	0.47
2:I:333:ARG:HH11	2:I:421:ASN:HD22	1.62	0.47
2:I:173:ALA:C	2:I:175:MET:HE2	2.36	0.46
2:B:335:GLY:HA2	2:B:338:LEU:HD12	1.97	0.46
2:E:448:VAL:HB	2:E:465:MET:HG3	1.96	0.46
2:I:280:ALA:HA	2:I:283:ILE:HD12	1.97	0.46
2:E:209:ALA:O	2:E:255:ARG:NE	2.46	0.46
1:A:98:ASP:HA	2:B:165:ASN:OD1	2.15	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:61:ALA:HB3	2:I:128:LEU:HD23	1.98	0.46
3:B:604:NAG:C4	3:B:605:NAG:C1	2.93	0.46
2:G:313:TYR:HD1	2:G:507:ARG:HD3	1.81	0.46
1:A:44:PRO:HD3	2:B:148:ARG:NH1	2.30	0.46
2:G:468:TYR:HE1	2:G:475:ASP:OD2	1.98	0.46
2:I:144:ILE:HG23	2:I:415:LEU:HD23	1.97	0.46
2:E:440:CYS:HG	2:E:497:CYS:CB	2.29	0.45
2:G:533:LEU:HA	2:G:536:ILE:HD12	1.98	0.45
2:I:292:THR:HA	2:I:296:TYR:HB3	1.98	0.45
3:B:605:NAG:H2	2:E:439:PHE:HA	1.98	0.45
2:E:335:GLY:HA3	5:E:609:HEM:CBC	2.23	0.45
2:I:137:ILE:HG12	2:I:413:ILE:HD11	1.98	0.45
2:E:440:CYS:HG	2:E:497:CYS:HB3	1.81	0.45
5:G:607:HEM:HMB2	5:G:607:HEM:HBB2	1.97	0.45
2:I:244:PRO:HD3	2:I:364:VAL:O	2.15	0.45
2:I:447:THR:HG22	2:I:450:GLN:HE21	1.81	0.45
2:E:211:LEU:HD23	2:E:254:LEU:HD13	1.99	0.45
2:B:440:CYS:SG	2:B:497:CYS:HB3	2.56	0.45
2:G:317:ASN:ND2	3:G:604:NAG:O5	2.48	0.45
1:D:84:LEU:HD11	2:E:340:GLN:HG3	1.99	0.45
2:E:365:PHE:HB3	2:E:407:PHE:HD1	1.81	0.45
2:I:564:CYS:HA	2:I:567:LEU:HD12	1.98	0.45
1:A:38:GLU:HG2	1:A:51:VAL:HG11	1.98	0.45
2:E:169:SER:HB2	2:E:324:ILE:HG12	1.99	0.45
2:E:440:CYS:SG	2:E:497:CYS:SG	3.05	0.45
2:I:303:PRO:HD3	2:I:488:LYS:HB2	1.98	0.45
2:E:210:LEU:HD23	2:E:251:THR:HG21	1.98	0.45
2:G:372:VAL:HG12	2:G:373:LEU:HG	1.97	0.44
2:B:137:ILE:HG12	2:B:413:ILE:HD11	1.98	0.44
3:B:602:NAG:H4	3:B:603:NAG:C1	2.47	0.44
1:D:91:GLN:HG2	2:E:246:LEU:HD13	1.98	0.44
2:I:406:LEU:HD21	5:I:610:HEM:HMA1	2.00	0.44
2:I:245:GLU:HB3	2:I:384:LEU:HD11	1.98	0.44
1:A:86:PHE:HA	2:B:552:PHE:CD1	2.52	0.44
2:B:363:ARG:O	2:B:370:ARG:NH1	2.51	0.44
2:B:406:LEU:HD23	2:B:415:LEU:HB2	1.99	0.44
2:E:225:ASN:HD21	3:E:605:NAG:H2	1.82	0.44
2:E:333:ARG:HH11	2:E:421:ASN:ND2	2.15	0.44
2:E:367:ALA:HB1	2:E:370:ARG:HG3	1.99	0.44
2:B:158:ILE:HG21	2:E:164:ILE:HG12	2.00	0.44
2:B:296:TYR:CE2	2:B:300:VAL:HG21	2.52	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:533:LEU:HB3	2:E:551:ILE:HG21	1.99	0.44
2:B:434:ASN:HB2	2:B:472:ASN:HA	1.99	0.44
2:B:362:SER:HB3	2:B:405:ARG:HB3	1.99	0.44
2:I:286:ALA:O	2:I:290:ILE:HG13	2.17	0.44
2:I:468:TYR:CD2	2:I:474:ILE:HG12	2.52	0.44
2:B:332:PHE:HD1	2:B:499:ILE:HG12	1.83	0.43
2:I:440:CYS:HG	2:I:497:CYS:HB3	1.81	0.43
2:E:125:CYS:C	2:E:127:PRO:HD3	2.39	0.43
1:F:100:THR:HG21	2:G:428:HIS:HE1	1.84	0.43
2:I:130:ILE:HG13	2:I:137:ILE:HG21	2.01	0.43
1:A:19:SER:HA	11:D:202:HOH:O	2.18	0.43
2:B:545:THR:HG23	3:B:607:NAG:H82	2.00	0.43
2:E:225:ASN:HD21	3:E:605:NAG:C2	2.31	0.43
2:E:302:GLY:O	2:E:306:MET:HB2	2.18	0.43
2:G:470:THR:HG23	2:G:472:ASN:HB2	2.00	0.43
2:B:332:PHE:O	5:B:608:HEM:HAC	2.18	0.43
2:G:490:ARG:HA	2:G:490:ARG:HD3	1.81	0.43
3:B:605:NAG:O4	6:E:601:BMA:C1	2.67	0.43
2:E:390:LYS:NZ	2:E:396:GLN:O	2.51	0.43
2:G:440:CYS:SG	2:G:497:CYS:CB	3.07	0.43
1:A:68:ILE:CD1	2:B:467:GLN:HG3	2.48	0.43
1:A:92:LEU:HD21	2:B:253:LEU:HD11	2.01	0.43
2:B:303:PRO:HD2	2:B:487:ARG:O	2.19	0.42
2:B:416:ASP:O	2:B:420:LEU:HG	2.19	0.42
3:B:602:NAG:C4	3:B:603:NAG:H2	2.49	0.42
2:I:366:PHE:O	2:I:368:SER:N	2.52	0.42
2:B:336:HIS:HA	2:B:339:ILE:HD12	2.01	0.42
2:B:317:ASN:ND2	3:B:604:NAG:C1	2.81	0.42
1:F:103:PRO:HD2	2:G:147:PHE:HB3	2.02	0.42
1:H:37:TYR:HB3	1:H:43:LEU:O	2.20	0.42
1:A:64:VAL:HG11	2:B:468:TYR:OH	2.20	0.42
2:B:538:CYS:HG	2:B:564:CYS:HG	1.64	0.42
1:H:31:ARG:CZ	1:H:35:ALA:HB2	2.49	0.42
2:I:119:CYS:SG	2:I:143:CYS:HB3	2.59	0.42
2:I:400:ASP:HA	2:I:403:ARG:HB3	2.01	0.42
2:I:563:ASN:O	2:I:566:THR:OG1	2.32	0.42
2:G:393:ARG:HB2	2:G:396:GLN:HB2	2.02	0.42
2:B:192:ASN:HD21	2:B:196:LEU:HD12	1.84	0.42
2:B:531:ILE:HG22	2:B:570:LEU:HB2	2.02	0.42
1:H:96:ASP:HB2	2:I:175:MET:SD	2.59	0.42
2:B:301:LEU:HB3	2:B:305:ALA:HB3	2.01	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:400:ASP:HA	2:B:403:ARG:HB3	2.02	0.42
2:E:136:ARG:HG2	2:E:137:ILE:HG13	2.02	0.42
2:E:514:TRP:CE2	2:E:515:GLU:HG3	2.55	0.42
1:H:67:GLU:HG3	2:I:467:GLN:NE2	2.35	0.42
2:E:317:ASN:HD21	3:E:607:NAG:C2	2.31	0.41
2:E:477:TRP:O	2:E:481:VAL:HG22	2.20	0.41
2:B:219:ASP:HB3	2:B:222:LEU:HD12	2.02	0.41
2:I:411:MET:SD	2:I:415:LEU:HD11	2.60	0.41
1:A:40:GLY:HA2	1:D:20:PRO:HD2	2.02	0.41
2:B:344:PHE:O	2:B:383:GLY:HA3	2.20	0.41
2:I:528:LEU:HG	2:I:575:TRP:HH2	1.85	0.41
2:I:333:ARG:HG2	5:I:610:HEM:C1D	2.55	0.41
2:B:350:TYR:HE2	2:B:545:THR:HB	1.86	0.41
1:F:22:LEU:HD11	1:H:34:PRO:HG3	2.02	0.41
2:G:433:TYR:CZ	2:G:437:ARG:HD3	2.55	0.41
3:G:602:NAG:H4	3:G:603:NAG:O5	2.20	0.41
1:H:94:ASP:OD1	5:I:610:HEM:HMD3	2.21	0.41
2:I:367:ALA:HB1	2:I:370:ARG:HG3	2.03	0.41
2:B:545:THR:HG21	2:B:557:TYR:HE1	1.85	0.40
3:I:601:NAG:O4	6:I:602:BMA:C1	2.69	0.40
2:B:192:ASN:HD22	2:B:194:LEU:H	1.69	0.40
2:E:290:ILE:HB	2:E:531:ILE:HD11	2.03	0.40
2:B:439:PHE:O	6:B:610:BMA:O5	2.39	0.40
2:E:241:SER:O	2:E:366:PHE:HA	2.22	0.40
3:G:608:NAG:H4	6:G:609:BMA:O5	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	101/105 (96%)	94 (93%)	7 (7%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	101/105 (96%)	93 (92%)	7 (7%)	1 (1%)	15	42
1	F	101/105 (96%)	94 (93%)	7 (7%)	0	100	100
1	H	101/105 (96%)	94 (93%)	7 (7%)	0	100	100
2	B	463/467 (99%)	428 (92%)	33 (7%)	2 (0%)	34	64
2	E	463/467 (99%)	433 (94%)	27 (6%)	3 (1%)	25	54
2	G	463/467 (99%)	426 (92%)	36 (8%)	1 (0%)	47	76
2	I	463/467 (99%)	428 (92%)	31 (7%)	4 (1%)	17	44
All	All	2256/2288 (99%)	2090 (93%)	155 (7%)	11 (0%)	29	59

All (11) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	I	367	ALA
1	D	74	ASP
2	I	155	GLY
2	I	572	LEU
2	B	352	PRO
2	B	367	ALA
2	E	397	ILE
2	I	394	GLN
2	E	357	PRO
2	G	476	ILE
2	E	303	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	85/90 (94%)	82 (96%)	3 (4%)	36	68
1	D	88/90 (98%)	82 (93%)	6 (7%)	16	40
1	F	85/90 (94%)	82 (96%)	3 (4%)	36	68
1	H	87/90 (97%)	83 (95%)	4 (5%)	27	58

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	386/411 (94%)	373 (97%)	13 (3%)	37	69
2	E	387/411 (94%)	370 (96%)	17 (4%)	28	60
2	G	382/411 (93%)	362 (95%)	20 (5%)	23	53
2	I	382/411 (93%)	360 (94%)	22 (6%)	20	48
All	All	1882/2004 (94%)	1794 (95%)	88 (5%)	26	57

All (88) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	CYS
1	A	73	THR
1	A	84	LEU
2	B	175	MET
2	B	196	LEU
2	B	217	HIS
2	B	254	LEU
2	B	295	ASP
2	B	304	THR
2	B	362	SER
2	B	364	VAL
2	B	374	GLU
2	B	523	GLN
2	B	539	ASP
2	B	547	SER
2	B	566	THR
1	D	1	CYS
1	D	42	SER
1	D	54	ASN
1	D	68	ILE
1	D	70	ARG
1	D	72	PRO
2	E	113	VAL
2	E	175	MET
2	E	196	LEU
2	E	206	ASN
2	E	222	LEU
2	E	243	MET
2	E	254	LEU
2	E	276	LEU
2	E	318	ASP
2	E	345	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	E	353	MET
2	E	361	LEU
2	E	362	SER
2	E	378	ASP
2	E	415	LEU
2	E	495	LEU
2	E	567	LEU
1	F	64	VAL
1	F	73	THR
1	F	84	LEU
2	G	115	CYS
2	G	174	SER
2	G	175	MET
2	G	194	LEU
2	G	243	MET
2	G	248	SER
2	G	254	LEU
2	G	299	LEU
2	G	330	ASN
2	G	356	ASN
2	G	359	VAL
2	G	361	LEU
2	G	362	SER
2	G	411	MET
2	G	447	THR
2	G	486	LYS
2	G	507	ARG
2	G	562	VAL
2	G	566	THR
2	G	574	SER
1	H	18	ARG
1	H	71	PHE
1	H	73	THR
1	H	74	ASP
2	I	114	ASN
2	I	118	SER
2	I	149	SER
2	I	159	THR
2	I	175	MET
2	I	196	LEU
2	I	226	ARG
2	I	234	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	I	239	ARG
2	I	240	SER
2	I	241	SER
2	I	276	LEU
2	I	312	THR
2	I	315	SER
2	I	356	ASN
2	I	361	LEU
2	I	399	VAL
2	I	411	MET
2	I	450	GLN
2	I	473	ASN
2	I	507	ARG
2	I	564	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	121	GLN
2	B	189	ASN
2	B	192	ASN
2	B	225	ASN
2	B	250	HIS
1	D	54	ASN
2	E	189	ASN
2	E	225	ASN
2	E	392	ASN
2	E	563	ASN
1	F	26	ASN
2	G	121	GLN
2	G	317	ASN
2	G	563	ASN
1	H	75	GLN
2	I	114	ASN
2	I	189	ASN
2	I	250	HIS
2	I	317	ASN
2	I	450	GLN
2	I	467	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 51 ligands modelled in this entry, 6 are monoatomic - leaving 45 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	FUC	I	609	-	10,10,11	1.65	3 (30%)	14,14,16	2.64	6 (42%)
5	HEM	E	609	2	27,50,50	1.57	3 (11%)	17,82,82	1.98	2 (11%)
7	MAN	I	604	-	11,11,12	1.47	2 (18%)	15,15,17	1.82	3 (20%)
6	BMA	G	609	-	11,11,12	1.23	1 (9%)	15,15,17	3.41	6 (40%)
3	NAG	E	605	-	14,14,15	1.12	1 (7%)	17,19,21	1.70	3 (17%)
4	FUC	E	608	-	10,10,11	1.96	3 (30%)	14,14,16	2.87	7 (50%)
6	BMA	E	601	-	11,11,12	1.38	2 (18%)	15,15,17	2.70	5 (33%)
3	NAG	B	609	-	14,14,15	1.02	1 (7%)	17,19,21	2.90	8 (47%)
4	FUC	G	605	-	10,10,11	1.49	1 (10%)	14,14,16	2.36	6 (42%)
7	MAN	G	610	-	11,11,12	1.10	1 (9%)	15,15,17	2.10	4 (26%)
7	MAN	I	603	-	11,11,12	1.35	0	15,15,17	1.87	2 (13%)
6	BMA	I	602	-	11,11,12	1.38	2 (18%)	15,15,17	2.58	8 (53%)
3	NAG	E	607	-	14,14,15	1.11	2 (14%)	17,19,21	2.61	6 (35%)
5	HEM	I	610	2	27,50,50	1.54	5 (18%)	17,82,82	2.62	8 (47%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	HEM	B	608	2	27,50,50	1.87	6 (22%)	17,82,82	2.15	6 (35%)
3	NAG	I	607	-	14,14,15	1.17	1 (7%)	17,19,21	2.13	5 (29%)
8	JXS	G	612	-	23,27,27	4.88	14 (60%)	29,38,38	2.30	10 (34%)
5	HEM	G	607	2	27,50,50	1.63	3 (11%)	17,82,82	2.06	4 (23%)
7	MAN	E	603	-	11,11,12	1.26	1 (9%)	15,15,17	3.42	6 (40%)
3	NAG	I	606	-	14,14,15	1.49	3 (21%)	17,19,21	2.08	6 (35%)
8	JXS	B	613	-	23,27,27	4.75	14 (60%)	29,38,38	2.20	9 (31%)
7	MAN	B	611	-	11,11,12	1.06	0	15,15,17	1.23	1 (6%)
3	NAG	B	605	-	14,14,15	0.88	0	17,19,21	2.31	6 (35%)
7	MAN	B	612	-	11,11,12	1.81	5 (45%)	15,15,17	2.17	6 (40%)
3	NAG	B	604	-	14,14,15	1.06	0	17,19,21	2.33	7 (41%)
3	NAG	I	601	-	14,14,15	1.44	2 (14%)	17,19,21	2.56	8 (47%)
7	MAN	E	602	-	11,11,12	1.33	2 (18%)	15,15,17	2.13	5 (33%)
3	NAG	B	601	-	14,14,15	1.88	4 (28%)	17,19,21	2.30	7 (41%)
3	NAG	B	603	-	14,14,15	1.76	5 (35%)	17,19,21	2.30	8 (47%)
3	NAG	B	607	-	14,14,15	1.46	2 (14%)	17,19,21	1.58	3 (17%)
3	NAG	E	604	-	14,14,15	1.62	3 (21%)	17,19,21	2.21	7 (41%)
3	NAG	G	604	-	14,14,15	1.42	2 (14%)	17,19,21	3.69	10 (58%)
3	NAG	I	608	-	14,14,15	1.50	2 (14%)	17,19,21	4.16	10 (58%)
3	NAG	G	606	-	14,14,15	1.53	3 (21%)	17,19,21	1.67	6 (35%)
8	JXS	E	610	-	23,27,27	4.72	15 (65%)	29,38,38	2.30	8 (27%)
3	NAG	I	605	-	14,14,15	1.38	2 (14%)	17,19,21	1.43	3 (17%)
3	NAG	E	606	-	14,14,15	1.39	3 (21%)	17,19,21	1.78	5 (29%)
4	FUC	B	606	-	10,10,11	2.01	4 (40%)	14,14,16	2.51	5 (35%)
3	NAG	G	601	-	14,14,15	2.01	5 (35%)	17,19,21	2.08	6 (35%)
3	NAG	B	602	-	14,14,15	1.35	2 (14%)	17,19,21	2.61	7 (41%)
6	BMA	B	610	-	11,11,12	1.18	1 (9%)	15,15,17	2.31	6 (40%)
7	MAN	G	611	-	11,11,12	1.28	2 (18%)	15,15,17	1.76	4 (26%)
3	NAG	G	603	-	14,14,15	1.13	1 (7%)	17,19,21	1.91	6 (35%)
3	NAG	G	602	-	14,14,15	1.69	3 (21%)	17,19,21	2.46	5 (29%)
3	NAG	G	608	-	14,14,15	1.06	1 (7%)	17,19,21	2.27	6 (35%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	FUC	I	609	-	-	-	0/1/1/1
5	HEM	E	609	2	-	0/6/54/54	-
7	MAN	I	604	-	-	2/2/19/22	1/1/1/1
6	BMA	G	609	-	-	1/2/19/22	0/1/1/1
3	NAG	E	605	-	-	2/6/23/26	0/1/1/1
4	FUC	E	608	-	-	-	0/1/1/1
6	BMA	E	601	-	-	2/2/19/22	0/1/1/1
3	NAG	B	609	-	-	2/6/23/26	0/1/1/1
7	MAN	G	610	-	-	2/2/19/22	1/1/1/1
7	MAN	I	603	-	-	2/2/19/22	0/1/1/1
4	FUC	G	605	-	-	-	0/1/1/1
6	BMA	I	602	-	-	2/2/19/22	0/1/1/1
3	NAG	E	607	-	-	0/6/23/26	0/1/1/1
5	HEM	I	610	2	-	0/6/54/54	-
5	HEM	B	608	2	-	0/6/54/54	-
3	NAG	I	607	-	-	1/6/23/26	0/1/1/1
8	JXS	G	612	-	-	0/9/9/9	0/4/4/4
5	HEM	G	607	2	-	0/6/54/54	-
7	MAN	E	603	-	-	2/2/19/22	0/1/1/1
3	NAG	I	606	-	-	2/6/23/26	0/1/1/1
8	JXS	B	613	-	-	0/9/9/9	0/4/4/4
7	MAN	B	611	-	-	2/2/19/22	0/1/1/1
3	NAG	B	605	-	-	1/6/23/26	0/1/1/1
7	MAN	B	612	-	-	2/2/19/22	0/1/1/1
3	NAG	B	604	-	-	2/6/23/26	0/1/1/1
3	NAG	I	601	-	-	2/6/23/26	0/1/1/1
7	MAN	E	602	-	-	1/2/19/22	0/1/1/1
3	NAG	B	601	-	-	1/6/23/26	0/1/1/1
3	NAG	B	603	-	-	0/6/23/26	0/1/1/1
3	NAG	B	607	-	-	2/6/23/26	0/1/1/1
3	NAG	E	604	-	-	0/6/23/26	0/1/1/1
3	NAG	G	604	-	-	0/6/23/26	0/1/1/1
3	NAG	I	608	-	-	0/6/23/26	0/1/1/1
3	NAG	G	606	-	-	0/6/23/26	0/1/1/1
8	JXS	E	610	-	-	0/9/9/9	0/4/4/4
3	NAG	I	605	-	-	2/6/23/26	0/1/1/1
3	NAG	E	606	-	-	2/6/23/26	0/1/1/1
4	FUC	B	606	-	-	-	0/1/1/1
3	NAG	G	601	-	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	B	602	-	-	3/6/23/26	0/1/1/1
6	BMA	B	610	-	-	2/2/19/22	0/1/1/1
7	MAN	G	611	-	-	2/2/19/22	0/1/1/1
3	NAG	G	603	-	-	1/6/23/26	0/1/1/1
3	NAG	G	602	-	-	0/6/23/26	0/1/1/1
3	NAG	G	608	-	-	2/6/23/26	0/1/1/1

All (138) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	G	612	JXS	C14-N19	11.60	1.47	1.33
8	E	610	JXS	C14-N19	11.56	1.47	1.33
8	B	613	JXS	C14-N19	11.32	1.46	1.33
8	G	612	JXS	C05-C09	8.60	1.54	1.39
8	E	610	JXS	C05-C09	8.32	1.53	1.39
8	G	612	JXS	C11-C10	8.30	1.54	1.42
8	B	613	JXS	C05-C09	8.23	1.53	1.39
8	E	610	JXS	C13-N19	8.09	1.52	1.36
8	B	613	JXS	C13-N19	8.06	1.52	1.36
8	G	612	JXS	C13-N19	8.03	1.52	1.36
8	B	613	JXS	C11-C10	6.97	1.52	1.42
8	B	613	JXS	C02-C08	6.67	1.53	1.39
8	G	612	JXS	C02-C08	6.56	1.53	1.39
8	E	610	JXS	C02-C08	6.55	1.53	1.39
5	B	608	HEM	C3B-C2B	-6.30	1.31	1.40
8	E	610	JXS	C11-C10	6.26	1.51	1.42
5	G	607	HEM	C3B-C2B	-6.11	1.31	1.40
8	G	612	JXS	C03-C09	6.09	1.52	1.38
8	B	613	JXS	C03-C09	6.06	1.51	1.38
8	E	610	JXS	C03-C09	6.06	1.51	1.38
8	E	610	JXS	C01-C02	5.77	1.51	1.38
5	E	609	HEM	C3B-C2B	-5.63	1.32	1.40
8	B	613	JXS	C01-C02	5.59	1.50	1.38
8	G	612	JXS	C01-C02	5.49	1.50	1.38
5	I	610	HEM	C3B-C2B	-5.26	1.33	1.40
8	B	613	JXS	C05-C08	4.90	1.48	1.39
8	B	613	JXS	C01-C03	4.89	1.49	1.38
8	E	610	JXS	C01-C03	4.88	1.49	1.38
8	G	612	JXS	C05-C08	4.87	1.48	1.39
8	G	612	JXS	C01-C03	4.78	1.49	1.38
3	B	601	NAG	C4-C5	4.49	1.62	1.53

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	E	608	FUC	O5-C5	4.48	1.53	1.43
8	E	610	JXS	C05-C08	4.41	1.47	1.39
3	G	604	NAG	O5-C1	-4.40	1.36	1.43
4	B	606	FUC	C2-C3	4.28	1.58	1.52
3	I	601	NAG	C4-C5	4.18	1.61	1.53
3	G	602	NAG	O5-C1	-3.62	1.37	1.43
3	G	601	NAG	C2-N2	3.35	1.52	1.46
3	G	601	NAG	C4-C5	3.23	1.59	1.53
5	B	608	HEM	CMD-C2D	-3.22	1.44	1.51
3	G	606	NAG	C1-C2	3.20	1.57	1.52
8	E	610	JXS	C06-C14	3.18	1.44	1.39
7	E	603	MAN	O2-C2	3.17	1.50	1.43
3	G	602	NAG	C4-C5	3.13	1.59	1.53
8	B	613	JXS	C06-C14	3.09	1.44	1.39
3	G	601	NAG	C4-C3	3.06	1.60	1.52
4	G	605	FUC	C1-C2	3.05	1.59	1.52
8	G	612	JXS	C06-C14	3.04	1.44	1.39
3	I	608	NAG	O5-C5	-3.01	1.37	1.43
8	B	613	JXS	C06-C11	2.95	1.46	1.37
6	B	610	BMA	C4-C5	2.92	1.59	1.53
3	E	607	NAG	C4-C5	2.91	1.59	1.53
3	E	604	NAG	C3-C2	2.89	1.58	1.52
3	E	605	NAG	C1-C2	2.89	1.56	1.52
6	E	601	BMA	C4-C3	2.86	1.59	1.52
8	E	610	JXS	C13-N21	2.86	1.39	1.34
8	E	610	JXS	C06-C11	2.85	1.46	1.37
3	B	602	NAG	C4-C3	2.84	1.59	1.52
8	G	612	JXS	C13-N21	2.82	1.39	1.34
6	I	602	BMA	C4-C5	2.81	1.58	1.53
3	B	603	NAG	C1-C2	2.80	1.56	1.52
3	E	606	NAG	C4-C3	2.76	1.59	1.52
8	B	613	JXS	C07-N22	2.76	1.38	1.35
3	I	606	NAG	C4-C5	2.75	1.58	1.53
3	E	604	NAG	O5-C5	2.74	1.49	1.43
6	G	609	BMA	O2-C2	2.73	1.49	1.43
8	G	612	JXS	C07-N22	2.72	1.38	1.35
4	B	606	FUC	O4-C4	2.71	1.49	1.43
5	G	607	HEM	C3B-CAB	-2.70	1.42	1.47
5	B	608	HEM	C3C-C2C	-2.69	1.36	1.40
3	G	601	NAG	C3-C2	2.68	1.58	1.52
5	G	607	HEM	C3D-C2D	-2.68	1.29	1.37
4	I	609	FUC	O4-C4	2.67	1.49	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
8	G	612	JXS	C06-C11	2.67	1.45	1.37
7	E	602	MAN	C1-C2	2.66	1.58	1.52
7	G	611	MAN	C4-C3	2.66	1.59	1.52
8	E	610	JXS	C14-N23	2.64	1.42	1.35
3	B	607	NAG	C1-C2	2.64	1.56	1.52
5	B	608	HEM	C4A-CHB	-2.63	1.33	1.41
3	I	605	NAG	C1-C2	2.62	1.56	1.52
4	B	606	FUC	O5-C5	2.61	1.49	1.43
7	B	612	MAN	C2-C3	2.61	1.56	1.52
8	B	613	JXS	C13-N21	2.61	1.38	1.34
3	B	603	NAG	C4-C3	2.58	1.58	1.52
7	I	604	MAN	O5-C1	2.57	1.47	1.43
3	B	602	NAG	C4-C5	2.55	1.58	1.53
6	I	602	BMA	C4-C3	2.54	1.58	1.52
3	I	608	NAG	O3-C3	2.54	1.49	1.43
3	I	606	NAG	C1-C2	2.53	1.56	1.52
4	E	608	FUC	C1-C2	2.52	1.57	1.52
4	E	608	FUC	C2-C3	2.51	1.56	1.52
8	G	612	JXS	C14-N23	2.49	1.42	1.35
5	I	610	HEM	C1A-CHA	-2.46	1.34	1.41
3	B	607	NAG	C4-C5	2.44	1.58	1.53
3	B	603	NAG	C2-N2	2.43	1.50	1.46
4	I	609	FUC	C1-C2	2.41	1.57	1.52
3	B	603	NAG	C3-C2	2.38	1.57	1.52
3	B	601	NAG	O5-C5	2.37	1.48	1.43
3	G	608	NAG	C3-C2	2.37	1.57	1.52
3	B	601	NAG	C1-C2	2.35	1.55	1.52
5	B	608	HEM	C1A-CHA	-2.35	1.34	1.41
3	B	601	NAG	O4-C4	2.34	1.48	1.43
3	E	607	NAG	C4-C3	2.29	1.58	1.52
8	E	610	JXS	C07-N22	2.29	1.38	1.35
7	B	612	MAN	O2-C2	2.29	1.48	1.43
3	E	604	NAG	C4-C5	2.29	1.57	1.53
5	I	610	HEM	C4A-CHB	-2.28	1.34	1.41
3	I	605	NAG	C4-C3	2.26	1.58	1.52
8	B	613	JXS	C14-N23	2.26	1.41	1.35
4	I	609	FUC	O5-C1	2.26	1.47	1.43
3	I	607	NAG	C4-C3	2.25	1.58	1.52
7	G	610	MAN	C2-C3	2.24	1.55	1.52
7	E	602	MAN	O5-C5	2.24	1.48	1.43
3	G	606	NAG	C3-C2	2.22	1.57	1.52
7	B	612	MAN	O5-C1	2.20	1.47	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
5	E	609	HEM	C4D-C3D	2.19	1.47	1.42
3	B	609	NAG	O6-C6	2.19	1.51	1.42
3	G	601	NAG	C1-C2	2.16	1.55	1.52
5	E	609	HEM	C3C-C2C	-2.15	1.37	1.40
7	I	604	MAN	C1-C2	2.13	1.57	1.52
7	B	612	MAN	O5-C5	2.13	1.47	1.43
5	I	610	HEM	CAA-C2A	-2.12	1.48	1.52
3	I	606	NAG	C4-C3	2.12	1.57	1.52
7	B	612	MAN	C4-C3	2.12	1.57	1.52
3	G	603	NAG	C4-C3	2.11	1.57	1.52
5	B	608	HEM	C3D-C2D	-2.10	1.31	1.37
3	I	601	NAG	C3-C2	2.09	1.57	1.52
3	E	606	NAG	C7-N2	2.08	1.41	1.34
4	B	606	FUC	C1-C2	2.07	1.56	1.52
3	B	603	NAG	C4-C5	2.07	1.57	1.53
7	G	611	MAN	O2-C2	2.07	1.47	1.43
3	E	606	NAG	C4-C5	2.06	1.57	1.53
8	E	610	JXS	C08-C12	2.05	1.52	1.48
3	G	602	NAG	C4-C3	2.04	1.57	1.52
5	I	610	HEM	C1A-NA	2.03	1.40	1.36
6	E	601	BMA	O3-C3	2.03	1.47	1.43
3	G	604	NAG	C4-C5	2.03	1.57	1.53
3	G	606	NAG	C4-C5	2.00	1.57	1.53

All (265) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	I	608	NAG	C1-O5-C5	-12.30	95.52	112.19
3	G	604	NAG	C1-C2-N2	-11.59	90.70	110.49
7	E	603	MAN	C1-O5-C5	9.14	124.58	112.19
6	G	609	BMA	C1-C2-C3	-7.94	99.91	109.67
6	G	609	BMA	O5-C5-C6	-7.87	94.87	107.20
3	B	609	NAG	C1-O5-C5	7.50	122.36	112.19
3	G	602	NAG	C1-O5-C5	-7.42	102.14	112.19
3	B	602	NAG	C1-O5-C5	-6.82	102.95	112.19
3	E	607	NAG	C1-O5-C5	-6.78	103.01	112.19
8	G	612	JXS	C07-N22-N18	-6.55	107.92	111.73
8	B	613	JXS	C07-N22-N18	-6.33	108.06	111.73
6	E	601	BMA	C1-O5-C5	-6.31	103.64	112.19
8	E	610	JXS	C07-N22-N18	-6.28	108.08	111.73
5	E	609	HEM	CBA-CAA-C2A	-6.24	100.97	112.49
3	I	608	NAG	O4-C4-C3	-6.24	95.92	110.35

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	I	610	HEM	CBA-CAA-C2A	-6.16	101.12	112.49
4	I	609	FUC	C1-C2-C3	6.09	117.15	109.67
3	E	604	NAG	C1-O5-C5	6.07	120.42	112.19
7	G	610	MAN	C1-O5-C5	6.00	120.32	112.19
3	I	607	NAG	O5-C1-C2	-5.79	102.14	111.29
4	E	608	FUC	C1-C2-C3	5.76	116.75	109.67
5	G	607	HEM	CBA-CAA-C2A	-5.55	102.25	112.49
3	B	605	NAG	O5-C5-C6	5.43	115.72	107.20
3	I	606	NAG	C4-C3-C2	5.42	118.96	111.02
3	B	601	NAG	C1-C2-N2	5.27	119.49	110.49
7	E	603	MAN	O2-C2-C3	5.23	120.61	110.14
3	E	607	NAG	C3-C4-C5	5.18	119.48	110.24
5	B	608	HEM	CBA-CAA-C2A	-5.04	103.20	112.49
3	I	601	NAG	C1-C2-N2	-4.99	101.96	110.49
4	E	608	FUC	O5-C5-C4	4.98	118.45	109.52
3	G	608	NAG	O5-C1-C2	-4.94	103.49	111.29
3	B	604	NAG	C3-C4-C5	4.89	118.96	110.24
7	E	602	MAN	O5-C1-C2	4.82	118.20	110.77
6	I	602	BMA	C1-C2-C3	-4.81	103.75	109.67
3	B	602	NAG	C4-C3-C2	4.77	118.00	111.02
4	E	608	FUC	O5-C1-C2	4.73	118.07	110.77
3	I	608	NAG	O4-C4-C5	-4.71	97.60	109.30
4	B	606	FUC	C1-O5-C5	4.70	123.43	112.78
6	E	601	BMA	O5-C1-C2	-4.62	103.64	110.77
6	B	610	BMA	O3-C3-C2	-4.59	101.20	109.99
3	I	608	NAG	C6-C5-C4	4.58	123.73	113.00
7	I	604	MAN	O5-C5-C6	4.56	114.36	107.20
8	G	612	JXS	C07-C04-C12	4.38	107.60	105.21
5	B	608	HEM	C4A-C3A-C2A	-4.38	103.95	107.00
3	I	607	NAG	C1-C2-N2	4.32	117.87	110.49
6	B	610	BMA	O4-C4-C3	-4.31	100.39	110.35
8	E	610	JXS	C15-N22-N18	4.29	125.55	120.50
4	B	606	FUC	O2-C2-C3	4.29	118.74	110.14
7	I	603	MAN	C1-O5-C5	4.27	117.98	112.19
3	I	608	NAG	C3-C4-C5	4.27	117.86	110.24
3	B	603	NAG	C4-C3-C2	4.27	117.28	111.02
4	I	609	FUC	C1-O5-C5	4.27	122.45	112.78
3	I	601	NAG	C8-C7-N2	-4.26	108.89	116.10
4	I	609	FUC	O3-C3-C2	-4.23	101.89	109.99
8	E	610	JXS	C07-C04-C12	4.21	107.50	105.21
8	B	613	JXS	C15-N22-N18	4.18	125.41	120.50
7	E	603	MAN	O5-C1-C2	4.16	117.20	110.77

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	605	NAG	C1-O5-C5	-4.14	106.58	112.19
7	E	603	MAN	O5-C5-C6	4.07	113.59	107.20
3	I	601	NAG	O3-C3-C2	4.07	117.89	109.47
3	G	603	NAG	C4-C3-C2	4.06	116.97	111.02
6	E	601	BMA	C2-C3-C4	4.06	117.92	110.89
5	I	610	HEM	CBD-CAD-C3D	-4.05	105.02	112.48
3	B	603	NAG	C1-C2-N2	4.04	117.39	110.49
6	I	602	BMA	O5-C1-C2	-4.03	104.55	110.77
4	G	605	FUC	O5-C5-C4	4.02	116.72	109.52
3	G	604	NAG	C8-C7-N2	-4.01	109.31	116.10
3	G	604	NAG	C3-C4-C5	4.00	117.37	110.24
3	I	601	NAG	C2-N2-C7	3.99	128.59	122.90
8	G	612	JXS	C16-O24-C11	3.99	123.16	117.56
8	E	610	JXS	N23-C14-N19	3.96	121.54	118.26
7	E	602	MAN	C1-C2-C3	3.95	114.53	109.67
8	G	612	JXS	C15-N22-N18	3.94	125.13	120.50
3	B	604	NAG	C2-N2-C7	3.93	128.50	122.90
3	B	609	NAG	C1-C2-N2	-3.93	103.78	110.49
6	G	609	BMA	O3-C3-C2	-3.91	102.50	109.99
3	B	605	NAG	O4-C4-C5	-3.91	99.58	109.30
4	B	606	FUC	O3-C3-C4	-3.87	101.40	110.35
3	G	603	NAG	O5-C1-C2	-3.87	105.18	111.29
7	B	612	MAN	C1-O5-C5	3.85	117.41	112.19
4	B	606	FUC	C1-C2-C3	3.83	114.37	109.67
3	B	607	NAG	C1-C2-N2	3.82	117.02	110.49
7	B	612	MAN	O5-C5-C6	3.82	113.19	107.20
7	G	611	MAN	O2-C2-C3	3.81	117.77	110.14
3	G	604	NAG	C1-O5-C5	-3.81	107.03	112.19
4	G	605	FUC	C1-C2-C3	3.76	114.28	109.67
5	E	609	HEM	CBD-CAD-C3D	-3.73	105.61	112.48
3	B	609	NAG	C8-C7-N2	-3.71	109.82	116.10
8	B	613	JXS	C07-C04-C12	3.69	107.22	105.21
5	G	607	HEM	CBD-CAD-C3D	-3.67	105.71	112.48
8	B	613	JXS	C16-O24-C11	3.63	122.65	117.56
7	I	603	MAN	O5-C1-C2	3.61	116.34	110.77
3	G	601	NAG	C2-N2-C7	3.60	128.03	122.90
3	E	607	NAG	O5-C1-C2	-3.59	105.61	111.29
7	B	612	MAN	O2-C2-C3	3.58	117.31	110.14
4	G	605	FUC	O4-C4-C5	3.57	117.58	109.67
3	E	605	NAG	O5-C1-C2	-3.57	105.66	111.29
5	I	610	HEM	CMD-C2D-C1D	3.55	133.92	128.46
6	I	602	BMA	C6-C5-C4	3.53	121.28	113.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	604	NAG	O4-C4-C5	-3.52	100.56	109.30
3	G	604	NAG	O5-C1-C2	3.51	116.83	111.29
3	B	603	NAG	O5-C5-C6	3.50	112.69	107.20
3	G	602	NAG	C3-C4-C5	3.48	116.44	110.24
3	G	608	NAG	O3-C3-C2	3.48	116.66	109.47
6	B	610	BMA	O5-C5-C6	-3.47	101.77	107.20
3	B	609	NAG	O4-C4-C5	-3.47	100.69	109.30
3	G	608	NAG	O5-C5-C6	3.41	112.56	107.20
3	G	606	NAG	C2-N2-C7	3.40	127.74	122.90
3	E	606	NAG	O3-C3-C4	3.40	118.20	110.35
3	G	601	NAG	O5-C1-C2	-3.39	105.94	111.29
3	B	601	NAG	O4-C4-C5	3.38	117.70	109.30
5	I	610	HEM	C1D-C2D-C3D	-3.37	104.65	107.00
8	E	610	JXS	C04-C12-C08	-3.37	125.62	128.77
3	G	601	NAG	C1-C2-N2	3.31	116.14	110.49
3	E	605	NAG	C3-C4-C5	3.26	116.06	110.24
4	E	608	FUC	C1-O5-C5	3.25	120.14	112.78
3	I	608	NAG	O6-C6-C5	-3.25	100.15	111.29
3	G	602	NAG	C6-C5-C4	3.24	120.60	113.00
5	B	608	HEM	CBD-CAD-C3D	-3.24	106.51	112.48
4	E	608	FUC	O4-C4-C3	-3.24	102.87	110.35
3	E	606	NAG	O5-C1-C2	-3.23	106.19	111.29
3	B	609	NAG	O3-C3-C4	3.22	117.79	110.35
7	G	611	MAN	C1-C2-C3	-3.21	105.72	109.67
8	E	610	JXS	C08-C12-N18	3.19	126.00	120.93
3	B	601	NAG	C1-O5-C5	3.18	116.50	112.19
3	B	605	NAG	O3-C3-C4	3.18	117.70	110.35
7	E	602	MAN	C1-O5-C5	3.17	116.48	112.19
3	G	608	NAG	C1-O5-C5	-3.17	107.90	112.19
6	I	602	BMA	C2-C3-C4	3.16	116.36	110.89
3	B	602	NAG	O3-C3-C4	3.14	117.60	110.35
3	B	609	NAG	O5-C5-C6	3.13	112.11	107.20
5	I	610	HEM	CMC-C2C-C3C	3.13	130.54	124.68
3	B	602	NAG	C6-C5-C4	3.12	120.32	113.00
4	G	605	FUC	O4-C4-C3	-3.10	103.17	110.35
8	E	610	JXS	C04-C07-N22	3.10	108.34	106.81
3	B	603	NAG	C1-O5-C5	3.09	116.38	112.19
3	G	604	NAG	O7-C7-C8	3.08	127.78	122.06
3	B	601	NAG	O5-C5-C4	3.07	118.30	110.83
3	B	604	NAG	C1-C2-N2	-3.05	105.27	110.49
4	G	605	FUC	O3-C3-C4	-3.05	103.30	110.35
3	B	601	NAG	C3-C4-C5	3.04	115.67	110.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	E	601	BMA	O5-C5-C6	3.04	111.97	107.20
3	G	601	NAG	C4-C3-C2	3.02	115.45	111.02
3	B	603	NAG	O5-C1-C2	-3.01	106.54	111.29
3	E	605	NAG	O5-C5-C6	2.95	111.83	107.20
6	I	602	BMA	O3-C3-C4	2.95	117.17	110.35
3	I	608	NAG	C1-C2-N2	-2.95	105.45	110.49
3	B	601	NAG	O5-C1-C2	-2.94	106.65	111.29
3	B	604	NAG	C8-C7-N2	-2.92	111.15	116.10
3	B	603	NAG	C2-N2-C7	2.92	127.06	122.90
4	B	606	FUC	C6-C5-C4	-2.92	107.69	113.07
3	B	609	NAG	C3-C4-C5	2.91	115.43	110.24
3	G	603	NAG	C3-C4-C5	2.91	115.42	110.24
4	I	609	FUC	C2-C3-C4	2.90	115.92	110.89
7	B	612	MAN	O5-C1-C2	2.89	115.23	110.77
8	B	613	JXS	C04-C07-N22	2.87	108.23	106.81
3	I	606	NAG	O5-C1-C2	2.87	115.82	111.29
6	G	609	BMA	O5-C1-C2	-2.87	106.34	110.77
6	G	609	BMA	C6-C5-C4	2.86	119.70	113.00
3	G	602	NAG	O4-C4-C3	-2.86	103.74	110.35
3	I	606	NAG	C3-C4-C5	2.85	115.32	110.24
7	G	610	MAN	O2-C2-C3	2.84	115.84	110.14
3	E	604	NAG	C2-N2-C7	2.83	126.94	122.90
3	G	608	NAG	C2-N2-C7	2.83	126.93	122.90
8	G	612	JXS	O24-C11-C10	2.82	118.62	115.16
6	E	601	BMA	C6-C5-C4	2.81	119.58	113.00
3	G	604	NAG	O4-C4-C3	-2.78	103.92	110.35
5	G	607	HEM	C1D-C2D-C3D	-2.76	105.07	107.00
3	G	601	NAG	C6-C5-C4	2.75	119.44	113.00
3	G	602	NAG	C4-C3-C2	2.73	115.02	111.02
6	B	610	BMA	C3-C4-C5	2.73	115.11	110.24
3	G	606	NAG	C1-O5-C5	2.72	115.88	112.19
8	B	613	JXS	C04-C12-C08	-2.71	126.24	128.77
7	B	611	MAN	O4-C4-C5	2.70	116.00	109.30
3	I	605	NAG	O5-C1-C2	-2.69	107.04	111.29
3	I	601	NAG	C1-O5-C5	-2.67	108.57	112.19
5	G	607	HEM	CMD-C2D-C1D	2.67	132.56	128.46
3	E	606	NAG	O3-C3-C2	2.66	114.96	109.47
3	G	604	NAG	O3-C3-C4	2.66	116.49	110.35
8	G	612	JXS	N23-C14-N19	2.65	120.45	118.26
3	E	606	NAG	C1-O5-C5	2.65	115.78	112.19
3	E	607	NAG	O4-C4-C3	-2.63	104.27	110.35
8	B	613	JXS	C08-C12-N18	2.62	125.10	120.93

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	I	608	NAG	O5-C1-C2	-2.60	107.18	111.29
5	B	608	HEM	CMA-C3A-C2A	2.58	129.81	124.94
5	I	610	HEM	C4A-C3A-C2A	-2.58	105.20	107.00
3	G	606	NAG	O5-C5-C4	2.58	117.09	110.83
3	E	607	NAG	O4-C4-C5	-2.57	102.90	109.30
6	B	610	BMA	O3-C3-C4	2.57	116.28	110.35
3	E	604	NAG	O5-C5-C4	2.57	117.07	110.83
3	B	605	NAG	O4-C4-C3	-2.55	104.44	110.35
7	G	610	MAN	O4-C4-C5	2.55	115.62	109.30
7	E	603	MAN	O4-C4-C3	-2.54	104.48	110.35
3	I	605	NAG	C1-C2-N2	2.51	114.78	110.49
3	I	608	NAG	O3-C3-C2	2.49	114.61	109.47
3	G	606	NAG	C3-C4-C5	2.48	114.67	110.24
3	I	608	NAG	O3-C3-C4	2.48	116.08	110.35
3	B	602	NAG	O5-C5-C6	2.44	111.03	107.20
7	B	612	MAN	C2-C3-C4	2.44	115.12	110.89
3	B	607	NAG	C1-O5-C5	2.43	115.49	112.19
8	G	612	JXS	C08-C05-C09	-2.43	117.88	121.19
3	G	603	NAG	O5-C5-C4	2.43	116.74	110.83
8	G	612	JXS	C04-C07-N22	2.43	108.01	106.81
6	I	602	BMA	O4-C4-C3	-2.43	104.74	110.35
7	E	602	MAN	O5-C5-C4	2.43	116.73	110.83
7	I	604	MAN	C1-C2-C3	-2.42	106.69	109.67
3	G	601	NAG	C1-O5-C5	-2.42	108.91	112.19
7	B	612	MAN	O3-C3-C2	2.42	114.62	109.99
3	I	606	NAG	O7-C7-N2	2.41	126.39	121.95
6	I	602	BMA	C1-O5-C5	-2.39	108.95	112.19
3	B	601	NAG	C8-C7-N2	-2.38	112.07	116.10
7	E	603	MAN	C2-C3-C4	2.37	114.99	110.89
4	I	609	FUC	O2-C2-C1	2.37	113.99	109.15
3	B	604	NAG	C1-O5-C5	-2.36	108.99	112.19
3	B	607	NAG	O5-C5-C4	2.36	116.56	110.83
3	B	602	NAG	C8-C7-N2	-2.35	112.12	116.10
3	G	606	NAG	C4-C3-C2	2.35	114.46	111.02
3	I	606	NAG	C8-C7-N2	-2.34	112.13	116.10
3	B	603	NAG	C3-C4-C5	2.34	114.41	110.24
3	E	604	NAG	O4-C4-C5	2.33	115.08	109.30
3	B	605	NAG	O3-C3-C2	2.32	114.27	109.47
3	I	601	NAG	O4-C4-C3	-2.31	105.01	110.35
3	I	601	NAG	O7-C7-C8	2.29	126.30	122.06
6	G	609	BMA	O2-C2-C3	2.28	114.70	110.14
3	E	604	NAG	C4-C3-C2	2.28	114.35	111.02

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	I	607	NAG	C2-N2-C7	-2.27	119.67	122.90
3	I	607	NAG	C4-C3-C2	2.27	114.34	111.02
8	B	613	JXS	N23-C14-N19	2.26	120.13	118.26
3	B	603	NAG	O5-C5-C4	2.25	116.31	110.83
4	E	608	FUC	C2-C3-C4	2.25	114.79	110.89
8	G	612	JXS	C02-C08-C12	-2.25	117.74	121.28
3	G	606	NAG	C8-C7-N2	-2.23	112.32	116.10
5	B	608	HEM	CAD-CBD-CGD	2.23	116.41	112.67
3	B	604	NAG	O7-C7-N2	2.23	126.05	121.95
3	G	603	NAG	C1-O5-C5	2.21	115.19	112.19
3	G	608	NAG	C8-C7-N2	-2.20	112.37	116.10
8	B	613	JXS	N21-N20-N17	-2.19	108.40	111.25
3	E	607	NAG	O3-C3-C2	-2.19	104.94	109.47
7	G	610	MAN	C1-C2-C3	2.18	112.35	109.67
3	B	602	NAG	C2-N2-C7	2.17	126.00	122.90
3	B	609	NAG	O7-C7-N2	2.17	125.94	121.95
3	I	601	NAG	O4-C4-C5	2.16	114.67	109.30
3	G	604	NAG	O6-C6-C5	-2.16	103.88	111.29
6	B	610	BMA	C6-C5-C4	2.15	118.05	113.00
3	G	603	NAG	O5-C5-C6	2.15	110.57	107.20
4	E	608	FUC	O5-C5-C6	2.15	111.95	107.33
5	I	610	HEM	CMA-C3A-C2A	2.14	128.98	124.94
7	G	611	MAN	O4-C4-C5	-2.14	103.99	109.30
3	E	606	NAG	C2-N2-C7	2.12	125.92	122.90
7	G	611	MAN	O3-C3-C4	2.11	115.24	110.35
4	I	609	FUC	O5-C1-C2	2.11	114.03	110.77
3	I	606	NAG	O5-C5-C6	-2.11	103.90	107.20
7	I	604	MAN	O6-C6-C5	2.10	118.50	111.29
3	E	604	NAG	C3-C4-C5	2.09	113.97	110.24
3	I	607	NAG	C3-C4-C5	2.08	113.96	110.24
7	E	602	MAN	O5-C5-C6	2.08	110.46	107.20
5	I	610	HEM	CMA-C3A-C4A	-2.07	125.28	128.46
6	I	602	BMA	O3-C3-C2	-2.07	106.03	109.99
3	E	604	NAG	C8-C7-N2	-2.07	112.60	116.10
3	G	604	NAG	O5-C5-C6	-2.06	103.97	107.20
5	B	608	HEM	CMC-C2C-C3C	2.05	128.52	124.68
8	E	610	JXS	N21-N20-N17	-2.05	108.59	111.25
4	G	605	FUC	C1-O5-C5	2.04	117.40	112.78
3	I	605	NAG	C3-C4-C5	2.04	113.87	110.24
8	G	612	JXS	C08-C12-N18	2.02	124.15	120.93

There are no chirality outliers.

All (49) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	I	602	BMA	C4-C5-C6-O6
6	B	610	BMA	C4-C5-C6-O6
3	G	608	NAG	O5-C5-C6-O6
6	B	610	BMA	O5-C5-C6-O6
3	B	604	NAG	C4-C5-C6-O6
3	I	601	NAG	C4-C5-C6-O6
7	B	611	MAN	C4-C5-C6-O6
3	B	604	NAG	O5-C5-C6-O6
6	E	601	BMA	O5-C5-C6-O6
3	I	606	NAG	C4-C5-C6-O6
3	B	602	NAG	C4-C5-C6-O6
3	G	608	NAG	C4-C5-C6-O6
3	E	605	NAG	O5-C5-C6-O6
3	I	606	NAG	O5-C5-C6-O6
3	I	605	NAG	O5-C5-C6-O6
6	I	602	BMA	O5-C5-C6-O6
7	G	610	MAN	O5-C5-C6-O6
6	E	601	BMA	C4-C5-C6-O6
7	B	612	MAN	O5-C5-C6-O6
7	I	604	MAN	O5-C5-C6-O6
3	E	606	NAG	C4-C5-C6-O6
7	I	603	MAN	C4-C5-C6-O6
7	I	603	MAN	O5-C5-C6-O6
3	B	609	NAG	C4-C5-C6-O6
7	I	604	MAN	C4-C5-C6-O6
3	E	605	NAG	C4-C5-C6-O6
3	I	601	NAG	O5-C5-C6-O6
7	B	611	MAN	O5-C5-C6-O6
3	B	609	NAG	O5-C5-C6-O6
7	E	603	MAN	O5-C5-C6-O6
3	E	606	NAG	O5-C5-C6-O6
3	I	605	NAG	C4-C5-C6-O6
7	B	612	MAN	C4-C5-C6-O6
7	G	610	MAN	C4-C5-C6-O6
3	G	601	NAG	C4-C5-C6-O6
3	B	607	NAG	O5-C5-C6-O6
3	B	605	NAG	C4-C5-C6-O6
7	G	611	MAN	C4-C5-C6-O6
3	G	603	NAG	C4-C5-C6-O6
3	B	601	NAG	O5-C5-C6-O6
3	I	607	NAG	C4-C5-C6-O6
3	B	602	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	G	611	MAN	O5-C5-C6-O6
6	G	609	BMA	O5-C5-C6-O6
3	B	607	NAG	C4-C5-C6-O6
3	G	601	NAG	O5-C5-C6-O6
7	E	603	MAN	C4-C5-C6-O6
3	B	602	NAG	C3-C2-N2-C7
7	E	602	MAN	O5-C5-C6-O6

All (2) ring outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	G	610	MAN	C1-C2-C3-C4-C5-O5
7	I	604	MAN	C1-C2-C3-C4-C5-O5

34 monomers are involved in 98 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	I	609	FUC	1	0
5	E	609	HEM	8	0
7	I	604	MAN	1	0
6	G	609	BMA	8	0
3	E	605	NAG	4	0
6	E	601	BMA	5	0
3	B	609	NAG	3	0
7	G	610	MAN	1	0
6	I	602	BMA	2	0
3	E	607	NAG	4	0
5	I	610	HEM	9	0
5	B	608	HEM	10	0
3	I	607	NAG	1	0
5	G	607	HEM	11	0
3	I	606	NAG	1	0
3	B	605	NAG	4	0
3	B	604	NAG	6	0
3	I	601	NAG	4	0
7	E	602	MAN	4	0
3	B	601	NAG	1	0
3	B	603	NAG	3	0
3	B	607	NAG	1	0
3	G	604	NAG	6	0
3	I	608	NAG	4	0
3	I	605	NAG	1	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	E	606	NAG	1	0
4	B	606	FUC	1	0
3	G	601	NAG	1	0
3	B	602	NAG	5	0
6	B	610	BMA	3	0
7	G	611	MAN	4	0
3	G	603	NAG	2	0
3	G	602	NAG	5	0
3	G	608	NAG	5	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.














5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	103/105 (98%)	-0.28	0 100 100	29, 51, 77, 85	1 (0%)
1	D	103/105 (98%)	-0.19	1 (0%) 82 77	38, 54, 74, 90	2 (1%)
1	F	103/105 (98%)	-0.15	0 100 100	35, 52, 70, 86	0
1	H	103/105 (98%)	-0.17	1 (0%) 82 77	29, 52, 80, 95	1 (0%)
2	B	465/467 (99%)	-0.15	5 (1%) 80 75	30, 58, 86, 112	7 (1%)
2	E	465/467 (99%)	-0.16	5 (1%) 80 75	37, 58, 79, 90	6 (1%)
2	G	465/467 (99%)	-0.27	0 100 100	26, 54, 75, 94	7 (1%)
2	I	465/467 (99%)	-0.12	5 (1%) 80 75	29, 63, 94, 111	10 (2%)
All	All	2272/2288 (99%)	-0.18	17 (0%) 87 84	26, 57, 84, 112	34 (1%)

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	B	482	SER	5.0
2	E	572	LEU	3.6
2	I	482	SER	3.2
1	D	89	TRP	2.6
2	E	253	LEU	2.3
2	I	455	LEU	2.3
2	B	248	SER	2.2
2	B	251	THR	2.2
2	I	544	THR	2.2
1	H	89	TRP	2.2
2	B	284	VAL	2.2
2	B	331	ALA	2.1
2	I	377	ILE	2.1
2	E	482	SER	2.1
2	I	468	TYR	2.1
2	E	534	PRO	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	E	365	PHE	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	NAG	B	603	14/15	0.47	0.29	120,124,126,126	0
3	NAG	B	607	14/15	0.71	0.36	114,117,120,120	0
3	NAG	G	606	14/15	0.72	0.23	117,121,123,123	0
3	NAG	I	607	14/15	0.77	0.22	91,95,97,97	0
3	NAG	B	602	14/15	0.81	0.24	96,100,102,103	0
3	NAG	E	606	14/15	0.81	0.19	81,85,88,88	0
3	NAG	I	606	14/15	0.83	0.20	80,84,86,86	0
3	NAG	G	603	14/15	0.83	0.24	112,115,118,118	0
3	NAG	E	604	14/15	0.84	0.16	77,81,83,83	0
3	NAG	B	601	14/15	0.85	0.18	73,77,79,79	0
7	MAN	I	603	11/12	0.85	0.21	85,88,90,90	0
3	NAG	G	602	14/15	0.88	0.20	74,78,80,80	0
3	NAG	I	605	14/15	0.89	0.16	90,94,96,96	0
6	BMA	I	602	11/12	0.89	0.21	62,65,66,67	0
3	NAG	E	605	14/15	0.89	0.20	87,90,93,93	0
3	NAG	G	601	14/15	0.90	0.15	61,64,67,67	0
7	MAN	B	612	11/12	0.90	0.17	51,54,56,56	0
6	BMA	G	609	11/12	0.90	0.20	45,47,49,49	0
8	JXS	B	613	24/24	0.90	0.20	70,76,84,85	0
6	BMA	E	601	11/12	0.91	0.22	63,65,67,68	0
6	BMA	B	610	11/12	0.91	0.15	52,54,55,57	0
3	NAG	B	604	14/15	0.92	0.18	48,52,54,55	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
7	MAN	E	602	11/12	0.92	0.16	70,72,74,76	0
7	MAN	G	610	11/12	0.92	0.16	76,78,80,82	0
4	FUC	B	606	10/11	0.92	0.18	47,48,49,49	0
7	MAN	I	604	11/12	0.92	0.19	46,48,51,51	0
3	NAG	E	607	14/15	0.92	0.16	58,62,64,64	0
8	JXS	E	610	24/24	0.92	0.28	66,70,72,74	0
3	NAG	I	608	14/15	0.93	0.17	46,49,52,52	0
3	NAG	G	604	14/15	0.94	0.13	40,44,46,47	0
4	FUC	E	608	10/11	0.94	0.16	49,49,51,51	0
3	NAG	B	609	14/15	0.94	0.17	40,44,47,47	0
7	MAN	G	611	11/12	0.94	0.15	37,39,41,41	0
4	FUC	I	609	10/11	0.95	0.13	53,53,54,55	0
5	HEM	B	608	43/43	0.95	0.19	49,50,54,56	0
3	NAG	G	608	14/15	0.95	0.15	51,54,57,57	0
7	MAN	B	611	11/12	0.95	0.15	54,57,59,60	0
8	JXS	G	612	24/24	0.95	0.23	46,54,64,68	0
5	HEM	G	607	43/43	0.96	0.18	44,45,49,50	0
5	HEM	I	610	43/43	0.96	0.19	45,46,49,55	0
3	NAG	B	605	14/15	0.96	0.14	35,38,41,42	0
4	FUC	G	605	10/11	0.96	0.18	41,41,42,42	0
7	MAN	E	603	11/12	0.96	0.14	36,39,41,41	0
5	HEM	E	609	43/43	0.96	0.24	59,60,64,67	0
9	CA	E	611	1/1	0.96	0.08	44,44,44,44	0
3	NAG	I	601	14/15	0.97	0.16	30,35,37,38	0
9	CA	G	613	1/1	0.97	0.10	40,40,40,40	0
10	CL	G	614	1/1	0.97	0.18	50,50,50,50	0
10	CL	B	615	1/1	0.98	0.32	62,62,62,62	0
9	CA	B	614	1/1	0.99	0.06	43,43,43,43	0
9	CA	I	611	1/1	0.99	0.03	51,51,51,51	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around JXS B 613:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around JXS E 610:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM B 608:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around JXS G 612:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around HEM G 607:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around HEM I 610:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.