



Full wwPDB EM Validation Report ⓘ

Nov 3, 2022 – 09:25 AM EDT

PDB ID : 5V8L
EMDB ID : EMD-8643
Title : BG505 SOSIP.664 trimer in complex with broadly neutralizing HIV antibodies
3BNC117 and PGT145
Authors : Lee, J.H.; Ward, A.B.
Deposited on : 2017-03-22
Resolution : 4.30 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 4.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	481	93% 6%
1	C	481	93% 6%
1	D	481	93% 6%
2	B	153	81% 18%
2	E	153	80% 19%
2	F	153	79% 20%
3	G	226	53% 46%
3	H	226	52% 46%
3	I	226	53% 46%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	J	267	 16% 52% 48%
5	K	206	 47% 52%
5	L	206	 47% 52%
5	M	206	 47% 52%
6	N	219	 17% 51% 49%
7	0	2	 50% 100%
7	1	2	 50% 100%
7	2	2	 50% 100%
7	3	2	 100%
7	4	2	 100%
7	O	2	 50% 100%
7	P	2	 100%
7	Q	2	 50% 50%
7	R	2	 50% 100%
7	V	2	 50% 100%
7	W	2	 50% 100%
7	Z	2	 50% 50%
7	a	2	 100%
7	b	2	 100%
7	c	2	 50% 100%
7	e	2	 100%
7	h	2	 100%
7	i	2	 100%
7	j	2	 50% 50%
7	m	2	 100%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
7	n	2	100%
7	o	2	50% 100%
7	p	2	50% 50%
7	r	2	100%
7	u	2	100%
7	v	2	100%
7	w	2	50% 50%
7	z	2	100%
8	S	3	33% 100%
8	X	3	33% 100%
8	d	3	67% 100%
8	l	3	33% 67%
8	y	3	33% 67%
9	T	6	100%
10	U	7	14% 86%
11	Y	5	20% 80%
11	k	5	20% 80%
11	x	5	20% 80%
12	f	7	14% 100%
12	s	7	29% 100%
13	g	8	12% 38% 88%
13	q	8	25% 100%
13	t	8	12% 25% 88%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
14	NAG	D	639	X	-	-	-
8	NAG	1	1	X	-	-	-

2 Entry composition i

There are 14 unique types of molecules in this entry. The entry contains 22934 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called gp120.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	450	3545	2227	625	665	28	0	0
1	C	451	3553	2231	627	667	28	0	0
1	D	452	3562	2236	628	670	28	0	0

There are 21 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	332	ASN	THR	conflict	UNP Q2N0S6
A	501	CYS	ALA	conflict	UNP Q2N0S6
A	509	ARG	-	expression tag	UNP Q2N0S6
A	510	ARG	-	expression tag	UNP Q2N0S6
A	511	ARG	-	expression tag	UNP Q2N0S6
A	512	ARG	-	expression tag	UNP Q2N0S6
A	513	ARG	-	expression tag	UNP Q2N0S6
C	332	ASN	THR	conflict	UNP Q2N0S6
C	501	CYS	ALA	conflict	UNP Q2N0S6
C	509	ARG	-	expression tag	UNP Q2N0S6
C	510	ARG	-	expression tag	UNP Q2N0S6
C	511	ARG	-	expression tag	UNP Q2N0S6
C	512	ARG	-	expression tag	UNP Q2N0S6
C	513	ARG	-	expression tag	UNP Q2N0S6
D	332	ASN	THR	conflict	UNP Q2N0S6
D	501	CYS	ALA	conflict	UNP Q2N0S6
D	509	ARG	-	expression tag	UNP Q2N0S6
D	510	ARG	-	expression tag	UNP Q2N0S6
D	511	ARG	-	expression tag	UNP Q2N0S6
D	512	ARG	-	expression tag	UNP Q2N0S6
D	513	ARG	-	expression tag	UNP Q2N0S6

- Molecule 2 is a protein called gp41.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	126	Total	C	N	O	S	0	0
			1004	635	173	190	6		
2	E	124	Total	C	N	O	S	0	0
			987	623	170	188	6		
2	F	123	Total	C	N	O	S	0	0
			981	620	169	186	6		

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	559	PRO	ILE	conflict	UNP Q2N0S6
B	605	CYS	THR	conflict	UNP Q2N0S6
E	559	PRO	ILE	conflict	UNP Q2N0S6
E	605	CYS	THR	conflict	UNP Q2N0S6
F	559	PRO	ILE	conflict	UNP Q2N0S6
F	605	CYS	THR	conflict	UNP Q2N0S6

- Molecule 3 is a protein called 3BNC117 antibody, heavy chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	G	121	Total	C	N	O	S	0	0
			985	626	177	179	3		
3	H	121	Total	C	N	O	S	0	0
			985	626	177	179	3		
3	I	121	Total	C	N	O	S	0	0
			985	626	177	179	3		

- Molecule 4 is a protein called PGT145 antibody, heavy chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	J	140	Total	C	N	O	S	0	0
			1094	685	191	213	5		

- Molecule 5 is a protein called 3BNC117 antibody, light chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	K	98	Total	C	N	O	S	0	0
			783	493	137	150	3		
5	L	98	Total	C	N	O	S	0	0
			783	493	137	150	3		
5	M	98	Total	C	N	O	S	0	0
			783	493	137	150	3		

- Molecule 6 is a protein called PGT145 antibody, light chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	N	112	859	542	153	160	4	0	0

- Molecule 7 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
7	O	2	28	16	2	10	0	0
7	P	2	28	16	2	10	0	0
7	Q	2	28	16	2	10	0	0
7	R	2	28	16	2	10	0	0
7	V	2	28	16	2	10	0	0
7	W	2	28	16	2	10	0	0
7	Z	2	28	16	2	10	0	0
7	a	2	28	16	2	10	0	0
7	b	2	28	16	2	10	0	0
7	c	2	28	16	2	10	0	0
7	e	2	28	16	2	10	0	0
7	h	2	28	16	2	10	0	0
7	i	2	28	16	2	10	0	0
7	j	2	28	16	2	10	0	0
7	m	2	28	16	2	10	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
7	n	2	28	16	2	10	0	0
7	o	2	28	16	2	10	0	0
7	p	2	28	16	2	10	0	0
7	r	2	28	16	2	10	0	0
7	u	2	28	16	2	10	0	0
7	v	2	28	16	2	10	0	0
7	w	2	28	16	2	10	0	0
7	z	2	28	16	2	10	0	0
7	0	2	28	16	2	10	0	0
7	1	2	28	16	2	10	0	0
7	2	2	28	16	2	10	0	0
7	3	2	28	16	2	10	0	0
7	4	2	28	16	2	10	0	0

- Molecule 8 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
8	S	3	39	22	2	15	0	0
8	X	3	39	22	2	15	0	0
8	d	3	39	22	2	15	0	0
8	l	3	39	22	2	15	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
8	y	3	39	22	2	15	0	0

- Molecule 9 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
9	T	6	72	40	2	30	0	0

- Molecule 10 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
10	U	7	83	46	2	35	0	0

- Molecule 11 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
11	Y	5	61	34	2	25	0	0
11	k	5	61	34	2	25	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
11	x	5	61	34	2	25	0	0

- Molecule 12 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
12	f	7	83	46	2	35	0	0
12	s	7	83	46	2	35	0	0

- Molecule 13 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
13	g	8	94	52	2	40	0	0
13	q	8	94	52	2	40	0	0
13	t	8	94	52	2	40	0	0

- Molecule 14 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
14	A	1	56	32	4	20	0
14	A	1	56	32	4	20	0
14	A	1	56	32	4	20	0
14	A	1	56	32	4	20	0
14	B	1	42	24	3	15	0
14	B	1	42	24	3	15	0
14	B	1	42	24	3	15	0
14	C	1	56	32	4	20	0
14	C	1	56	32	4	20	0
14	C	1	56	32	4	20	0
14	C	1	56	32	4	20	0
14	D	1	70	40	5	25	0
14	D	1	70	40	5	25	0
14	D	1	70	40	5	25	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
14	D	1	Total 70	40	5	25	0
14	D	1	Total 70	40	5	25	0
14	E	1	Total 28	16	2	10	0
14	E	1	Total 28	16	2	10	0
14	F	1	Total 28	16	2	10	0
14	F	1	Total 28	16	2	10	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: gp120




- Molecule 1: gp120




- Molecule 1: gp120




- Molecule 2: gp41




- Molecule 2: gp41




- Molecule 2: gp41

Chain F:  79% 20%




- Molecule 3: 3BNC117 antibody, heavy chain

Chain G:  53% 46%




- Molecule 3: 3BNC117 antibody, heavy chain

Chain H:  52% 46%




- Molecule 3: 3BNC117 antibody, heavy chain

Chain I:  53% 46%



- Molecule 4: PGT145 antibody, heavy chain

Chain J:  16% 52% 48%



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z:  50% 50%



NAG1
NAG2

- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain a:  100%


NAG1
NAG2

- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain b:  100%



NAG1
NAG2

- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain c:  50% 100%


NAG1
NAG2

- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain e:  100%


NAG1
NAG2

- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain h:  100%


NAG1
NAG2

- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain i:  100%

MAG1
MAG2

- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain j:  50% 50%

MAG1
MAG2

- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain m:  100%

MAG1
MAG2

- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain n:  100%

MAG1
MAG2

- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain o:  50% 100%


MAG1
MAG2

- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain p:  50% 50%

MAG1
MAG2

- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain r:  100%

MAG1
MAG2

- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain u:  100%MAG1
MAG2

- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain v:  100%MAG1
MAG2

- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain w:  50% 50%MAG1
MAG2

- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain z:  100%MAG1
MAG2

- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain 0:  50% 100%MAG1
MAG2

- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose


Chain 1:  50% 100%MAG1
MAG2

- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain 2: 




- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain 3: 




- Molecule 7: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain 4: 



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S: 



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain X: 




- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain d: 




- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain l:  33% 67%



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain y:  33% 67%




- Molecule 9: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T:  100%




- Molecule 10: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain U:  14% 86%




- Molecule 11: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y:  20% 20% 80%




- Molecule 11: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose


Chain k:  20% 20% 80%



- Molecule 11: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 12: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 12: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 13: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 13: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 13: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	65060	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	32	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.173	Depositor
Minimum map value	-0.078	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.005	Depositor
Recommended contour level	0.03	Depositor
Map size (Å)	377.27997, 377.27997, 377.27997	wwPDB
Map dimensions	288, 288, 288	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.31, 1.31, 1.31	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, BMA, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.80	0/3619	0.80	0/4914
1	C	0.81	0/3627	0.81	1/4925 (0.0%)
1	D	0.82	0/3636	0.81	1/4937 (0.0%)
2	B	0.85	0/1021	0.78	0/1384
2	E	0.84	0/1004	0.79	0/1362
2	F	0.86	0/998	0.77	1/1354 (0.1%)
3	G	0.82	0/1017	0.86	1/1386 (0.1%)
3	H	0.80	0/1017	0.88	2/1386 (0.1%)
3	I	0.83	0/1017	0.88	3/1386 (0.2%)
4	J	0.77	0/1121	0.84	0/1519
5	K	0.76	0/800	0.83	0/1086
5	L	0.77	0/800	0.89	0/1086
5	M	0.76	0/800	0.85	0/1086
6	N	0.68	0/882	0.78	0/1199
All	All	0.80	0/21359	0.82	9/29010 (0.0%)

There are no bond length outliers.

All (9) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	H	38	ARG	NE-CZ-NH2	-8.52	116.04	120.30
3	H	99	TYR	CB-CG-CD1	-6.19	117.29	121.00
1	C	469	ARG	NE-CZ-NH1	-6.17	117.21	120.30
2	F	542	ARG	NE-CZ-NH2	-6.13	117.24	120.30
3	G	38	ARG	NE-CZ-NH2	-6.08	117.26	120.30
3	I	66	ARG	NE-CZ-NH1	5.98	123.29	120.30
1	D	435	TYR	CB-CG-CD2	-5.78	117.53	121.00
3	I	66	ARG	NE-CZ-NH2	-5.36	117.62	120.30
3	I	30	ARG	NE-CZ-NH2	-5.04	117.78	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	444/481 (92%)	433 (98%)	11 (2%)	0	100	100
1	C	445/481 (92%)	434 (98%)	10 (2%)	1 (0%)	47	81
1	D	446/481 (93%)	439 (98%)	7 (2%)	0	100	100
2	B	122/153 (80%)	122 (100%)	0	0	100	100
2	E	120/153 (78%)	118 (98%)	2 (2%)	0	100	100
2	F	119/153 (78%)	117 (98%)	2 (2%)	0	100	100
3	G	119/226 (53%)	117 (98%)	2 (2%)	0	100	100
3	H	119/226 (53%)	117 (98%)	2 (2%)	0	100	100
3	I	119/226 (53%)	119 (100%)	0	0	100	100
4	J	138/267 (52%)	137 (99%)	1 (1%)	0	100	100
5	K	96/206 (47%)	93 (97%)	2 (2%)	1 (1%)	15	54
5	L	96/206 (47%)	92 (96%)	2 (2%)	2 (2%)	7	39
5	M	96/206 (47%)	93 (97%)	2 (2%)	1 (1%)	15	54
6	N	110/219 (50%)	108 (98%)	2 (2%)	0	100	100
All	All	2589/3684 (70%)	2539 (98%)	45 (2%)	5 (0%)	50	81

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
5	L	52	SER
1	C	80	ASN
5	M	52	SER
5	K	7	SER
5	L	7	SER

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	402/428 (94%)	399 (99%)	3 (1%)	84	90
1	C	403/428 (94%)	403 (100%)	0	100	100
1	D	404/428 (94%)	402 (100%)	2 (0%)	88	93
2	B	109/129 (84%)	107 (98%)	2 (2%)	59	77
2	E	107/129 (83%)	106 (99%)	1 (1%)	78	88
2	F	106/129 (82%)	105 (99%)	1 (1%)	78	88
3	G	102/193 (53%)	101 (99%)	1 (1%)	76	86
3	H	102/193 (53%)	101 (99%)	1 (1%)	76	86
3	I	102/193 (53%)	102 (100%)	0	100	100
4	J	115/223 (52%)	114 (99%)	1 (1%)	78	88
5	K	86/183 (47%)	86 (100%)	0	100	100
5	L	86/183 (47%)	86 (100%)	0	100	100
5	M	86/183 (47%)	86 (100%)	0	100	100
6	N	95/191 (50%)	95 (100%)	0	100	100
All	All	2305/3213 (72%)	2293 (100%)	12 (0%)	89	93

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	65	LYS
1	A	133	ASN
1	A	363	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	618	ASN
2	B	637	ASN
1	D	65	LYS
1	D	434	MET
2	E	618	ASN
2	F	618	ASN
3	G	71	ARG
3	H	71	ARG
4	J	100(A)	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	66	HIS
1	C	293	GLN
1	C	330	HIS
1	D	130	GLN
1	D	293	GLN
3	H	56	GLN
4	J	52(A)	HIS
4	J	98	HIS
6	N	53	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

137 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
7	NAG	0	1	7,2	14,14,15	0.51	0	17,19,21	2.23	3 (17%)
7	NAG	0	2	7	14,14,15	0.51	0	17,19,21	1.38	3 (17%)
7	NAG	1	1	7,2	14,14,15	0.51	0	17,19,21	2.24	3 (17%)
7	NAG	1	2	7	14,14,15	0.52	0	17,19,21	1.39	3 (17%)
7	NAG	2	1	7,5	14,14,15	0.51	0	17,19,21	2.23	3 (17%)
7	NAG	2	2	7	14,14,15	0.51	0	17,19,21	1.38	3 (17%)
7	NAG	3	1	7,5	14,14,15	0.51	0	17,19,21	2.23	3 (17%)
7	NAG	3	2	7	14,14,15	0.52	0	17,19,21	1.38	3 (17%)
7	NAG	4	1	7,5	14,14,15	0.50	0	17,19,21	2.24	3 (17%)
7	NAG	4	2	7	14,14,15	0.53	0	17,19,21	1.38	3 (17%)
7	NAG	O	1	1,7	14,14,15	0.79	1 (7%)	17,19,21	0.90	1 (5%)
7	NAG	O	2	7	14,14,15	0.45	0	17,19,21	1.47	3 (17%)
7	NAG	P	1	1,7	14,14,15	0.51	0	17,19,21	2.23	3 (17%)
7	NAG	P	2	7	14,14,15	0.51	0	17,19,21	1.38	3 (17%)
7	NAG	Q	1	1,7	14,14,15	0.26	0	17,19,21	0.55	0
7	NAG	Q	2	7	14,14,15	0.31	0	17,19,21	0.65	1 (5%)
7	NAG	R	1	1,7	14,14,15	0.48	0	17,19,21	2.23	3 (17%)
7	NAG	R	2	7	14,14,15	0.52	0	17,19,21	1.38	3 (17%)
8	NAG	S	1	8,1	14,14,15	0.51	0	17,19,21	2.23	3 (17%)
8	NAG	S	2	8	14,14,15	0.51	0	17,19,21	1.39	3 (17%)
8	BMA	S	3	8	11,11,12	0.65	0	15,15,17	1.47	3 (20%)
9	NAG	T	1	1,9	14,14,15	0.51	0	17,19,21	2.24	3 (17%)
9	NAG	T	2	9	14,14,15	0.50	0	17,19,21	1.38	3 (17%)
9	BMA	T	3	9	11,11,12	0.67	0	15,15,17	1.47	3 (20%)
9	MAN	T	4	9	11,11,12	0.56	0	15,15,17	1.71	4 (26%)
9	MAN	T	5	9	11,11,12	0.61	0	15,15,17	2.41	5 (33%)
9	MAN	T	6	9	11,11,12	0.61	0	15,15,17	2.54	4 (26%)
10	NAG	U	1	1,10	14,14,15	0.79	1 (7%)	17,19,21	0.69	0
10	NAG	U	2	10	14,14,15	0.41	0	17,19,21	0.46	0
10	BMA	U	3	10	11,11,12	1.66	4 (36%)	15,15,17	1.83	2 (13%)
10	MAN	U	4	10	11,11,12	0.62	0	15,15,17	2.53	4 (26%)
10	MAN	U	5	10	11,11,12	0.58	0	15,15,17	2.03	5 (33%)
10	MAN	U	6	10	11,11,12	0.61	0	15,15,17	2.42	7 (46%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
10	MAN	U	7	10	11,11,12	1.65	3 (27%)	15,15,17	1.32	2 (13%)
7	NAG	V	1	1,7	14,14,15	0.30	0	17,19,21	0.70	0
7	NAG	V	2	7	14,14,15	0.64	0	17,19,21	0.52	0
7	NAG	W	1	1,7	14,14,15	0.44	0	17,19,21	0.41	0
7	NAG	W	2	7	14,14,15	0.61	0	17,19,21	0.56	0
8	NAG	X	1	8,1	14,14,15	0.51	0	17,19,21	2.23	3 (17%)
8	NAG	X	2	8	14,14,15	0.50	0	17,19,21	1.38	3 (17%)
8	BMA	X	3	8	11,11,12	0.65	0	15,15,17	1.47	3 (20%)
11	NAG	Y	1	1,11	14,14,15	0.32	0	17,19,21	0.59	0
11	NAG	Y	2	11	14,14,15	0.35	0	17,19,21	0.82	1 (5%)
11	BMA	Y	3	11	11,11,12	0.65	0	15,15,17	1.47	3 (20%)
11	MAN	Y	4	11	11,11,12	0.54	0	15,15,17	1.69	3 (20%)
11	MAN	Y	5	11	11,11,12	0.64	0	15,15,17	2.50	3 (20%)
7	NAG	Z	1	1,7	14,14,15	1.02	1 (7%)	17,19,21	1.04	1 (5%)
7	NAG	Z	2	7	14,14,15	0.49	0	17,19,21	0.55	0
7	NAG	a	1	1,7	14,14,15	0.51	0	17,19,21	0.55	0
7	NAG	a	2	7	14,14,15	0.39	0	17,19,21	0.43	0
7	NAG	b	1	1,7	14,14,15	0.50	0	17,19,21	2.24	3 (17%)
7	NAG	b	2	7	14,14,15	0.51	0	17,19,21	1.37	3 (17%)
7	NAG	c	1	1,7	14,14,15	0.27	0	17,19,21	0.54	0
7	NAG	c	2	7	14,14,15	0.31	0	17,19,21	0.65	0
8	NAG	d	1	8,1	14,14,15	0.52	0	17,19,21	2.23	3 (17%)
8	NAG	d	2	8	14,14,15	0.52	0	17,19,21	1.38	3 (17%)
8	BMA	d	3	8	11,11,12	0.65	0	15,15,17	1.47	3 (20%)
7	NAG	e	1	1,7	14,14,15	0.50	0	17,19,21	2.24	3 (17%)
7	NAG	e	2	7	14,14,15	0.53	0	17,19,21	1.38	3 (17%)
12	NAG	f	1	1,12	14,14,15	0.51	0	17,19,21	2.23	3 (17%)
12	NAG	f	2	12	14,14,15	0.51	0	17,19,21	1.39	3 (17%)
12	BMA	f	3	12	11,11,12	0.68	0	15,15,17	1.47	3 (20%)
12	MAN	f	4	12	11,11,12	0.58	0	15,15,17	1.72	3 (20%)
12	MAN	f	5	12	11,11,12	0.61	0	15,15,17	2.41	5 (33%)
12	MAN	f	6	12	11,11,12	0.60	0	15,15,17	2.53	4 (26%)
12	MAN	f	7	12	11,11,12	0.56	0	15,15,17	2.02	5 (33%)
13	NAG	g	1	1,13	14,14,15	0.78	1 (7%)	17,19,21	0.69	0
13	NAG	g	2	13	14,14,15	0.41	0	17,19,21	0.44	0
13	BMA	g	3	13	11,11,12	1.68	3 (27%)	15,15,17	1.85	2 (13%)
13	MAN	g	4	13	11,11,12	1.66	3 (27%)	15,15,17	1.32	2 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
13	MAN	g	5	13	11,11,12	2.29	4 (36%)	15,15,17	1.85	5 (33%)
13	MAN	g	6	13	11,11,12	0.59	0	15,15,17	2.53	4 (26%)
13	MAN	g	7	13	11,11,12	0.59	0	15,15,17	2.03	6 (40%)
13	MAN	g	8	13	11,11,12	0.63	0	15,15,17	2.42	7 (46%)
7	NAG	h	1	1,7	14,14,15	0.32	0	17,19,21	0.70	0
7	NAG	h	2	7	14,14,15	0.64	0	17,19,21	0.52	0
7	NAG	i	1	1,7	14,14,15	0.42	0	17,19,21	0.41	0
7	NAG	i	2	7	14,14,15	0.60	0	17,19,21	0.56	0
7	NAG	j	1	1,7	14,14,15	0.41	0	17,19,21	0.75	1 (5%)
7	NAG	j	2	7	14,14,15	0.52	0	17,19,21	0.53	0
11	NAG	k	1	1,11	14,14,15	0.34	0	17,19,21	0.58	0
11	NAG	k	2	11	14,14,15	0.35	0	17,19,21	0.83	1 (5%)
11	BMA	k	3	11	11,11,12	0.67	0	15,15,17	1.49	3 (20%)
11	MAN	k	4	11	11,11,12	0.56	0	15,15,17	1.69	4 (26%)
11	MAN	k	5	11	11,11,12	0.65	0	15,15,17	2.51	3 (20%)
8	NAG	l	1	8,1	14,14,15	1.00	1 (7%)	17,19,21	1.04	1 (5%)
8	NAG	l	2	8	14,14,15	0.51	0	17,19,21	0.55	0
8	BMA	l	3	8	11,11,12	0.63	0	15,15,17	1.46	3 (20%)
7	NAG	m	1	1,7	14,14,15	0.50	0	17,19,21	2.24	3 (17%)
7	NAG	m	2	7	14,14,15	0.52	0	17,19,21	1.38	3 (17%)
7	NAG	n	1	1,7	14,14,15	0.51	0	17,19,21	0.56	0
7	NAG	n	2	7	14,14,15	0.38	0	17,19,21	0.42	0
7	NAG	o	1	1,7	14,14,15	0.80	1 (7%)	17,19,21	0.90	1 (5%)
7	NAG	o	2	7	14,14,15	0.45	0	17,19,21	1.47	3 (17%)
7	NAG	p	1	1,7	14,14,15	0.27	0	17,19,21	0.54	0
7	NAG	p	2	7	14,14,15	0.31	0	17,19,21	0.65	1 (5%)
13	NAG	q	1	1,13	14,14,15	1.49	4 (28%)	17,19,21	1.05	1 (5%)
13	NAG	q	2	13	14,14,15	1.35	1 (7%)	17,19,21	1.25	2 (11%)
13	BMA	q	3	13	11,11,12	1.42	2 (18%)	15,15,17	0.99	1 (6%)
13	MAN	q	4	13	11,11,12	1.51	3 (27%)	15,15,17	1.64	3 (20%)
13	MAN	q	5	13	11,11,12	1.56	3 (27%)	15,15,17	1.65	2 (13%)
13	MAN	q	6	13	11,11,12	1.67	3 (27%)	15,15,17	1.48	2 (13%)
13	MAN	q	7	13	11,11,12	1.56	3 (27%)	15,15,17	1.37	1 (6%)
13	MAN	q	8	13	11,11,12	1.46	2 (18%)	15,15,17	1.40	1 (6%)
7	NAG	r	1	1,7	14,14,15	0.49	0	17,19,21	2.23	3 (17%)
7	NAG	r	2	7	14,14,15	0.51	0	17,19,21	1.39	3 (17%)
12	NAG	s	1	1,12	14,14,15	0.51	0	17,19,21	2.23	3 (17%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
12	NAG	s	2	12	14,14,15	0.52	0	17,19,21	1.39	3 (17%)
12	BMA	s	3	12	11,11,12	0.67	0	15,15,17	1.48	3 (20%)
12	MAN	s	4	12	11,11,12	0.59	0	15,15,17	1.72	4 (26%)
12	MAN	s	5	12	11,11,12	0.60	0	15,15,17	2.40	5 (33%)
12	MAN	s	6	12	11,11,12	0.60	0	15,15,17	2.54	4 (26%)
12	MAN	s	7	12	11,11,12	0.57	0	15,15,17	2.03	5 (33%)
13	NAG	t	1	1,13	14,14,15	0.78	1 (7%)	17,19,21	0.69	0
13	NAG	t	2	13	14,14,15	0.41	0	17,19,21	0.46	0
13	BMA	t	3	13	11,11,12	1.67	4 (36%)	15,15,17	1.83	2 (13%)
13	MAN	t	4	13	11,11,12	1.66	3 (27%)	15,15,17	1.31	2 (13%)
13	MAN	t	5	13	11,11,12	2.31	4 (36%)	15,15,17	1.85	5 (33%)
13	MAN	t	6	13	11,11,12	0.60	0	15,15,17	2.54	4 (26%)
13	MAN	t	7	13	11,11,12	0.59	0	15,15,17	2.04	7 (46%)
13	MAN	t	8	13	11,11,12	0.61	0	15,15,17	2.42	7 (46%)
7	NAG	u	1	1,7	14,14,15	0.30	0	17,19,21	0.70	0
7	NAG	u	2	7	14,14,15	0.64	0	17,19,21	0.52	0
7	NAG	v	1	1,7	14,14,15	0.42	0	17,19,21	0.41	0
7	NAG	v	2	7	14,14,15	0.60	0	17,19,21	0.56	0
7	NAG	w	1	1,7	14,14,15	0.40	0	17,19,21	0.76	1 (5%)
7	NAG	w	2	7	14,14,15	0.53	0	17,19,21	0.53	0
11	NAG	x	1	1,11	14,14,15	0.33	0	17,19,21	0.59	0
11	NAG	x	2	11	14,14,15	0.36	0	17,19,21	0.82	1 (5%)
11	BMA	x	3	11	11,11,12	0.65	0	15,15,17	1.48	3 (20%)
11	MAN	x	4	11	11,11,12	0.55	0	15,15,17	1.69	3 (20%)
11	MAN	x	5	11	11,11,12	0.62	0	15,15,17	2.50	3 (20%)
8	NAG	y	1	8,1	14,14,15	1.00	1 (7%)	17,19,21	1.04	1 (5%)
8	NAG	y	2	8	14,14,15	0.50	0	17,19,21	0.55	0
8	BMA	y	3	8	11,11,12	0.64	0	15,15,17	1.46	3 (20%)
7	NAG	z	1	1,7	14,14,15	0.54	0	17,19,21	0.56	0
7	NAG	z	2	7	14,14,15	0.38	0	17,19,21	0.44	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	0	1	7,2	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	0	2	7	-	0/6/23/26	0/1/1/1
7	NAG	1	1	7,2	-	0/6/23/26	0/1/1/1
7	NAG	1	2	7	-	0/6/23/26	0/1/1/1
7	NAG	2	1	7,5	-	0/6/23/26	0/1/1/1
7	NAG	2	2	7	-	0/6/23/26	0/1/1/1
7	NAG	3	1	7,5	-	1/6/23/26	0/1/1/1
7	NAG	3	2	7	-	0/6/23/26	0/1/1/1
7	NAG	4	1	7,5	-	0/6/23/26	0/1/1/1
7	NAG	4	2	7	-	0/6/23/26	0/1/1/1
7	NAG	O	1	1,7	-	2/6/23/26	0/1/1/1
7	NAG	O	2	7	-	5/6/23/26	0/1/1/1
7	NAG	P	1	1,7	-	0/6/23/26	0/1/1/1
7	NAG	P	2	7	-	0/6/23/26	0/1/1/1
7	NAG	Q	1	1,7	-	2/6/23/26	0/1/1/1
7	NAG	Q	2	7	-	2/6/23/26	0/1/1/1
7	NAG	R	1	1,7	-	0/6/23/26	0/1/1/1
7	NAG	R	2	7	-	0/6/23/26	0/1/1/1
8	NAG	S	1	8,1	-	0/6/23/26	0/1/1/1
8	NAG	S	2	8	-	0/6/23/26	0/1/1/1
8	BMA	S	3	8	-	2/2/19/22	0/1/1/1
9	NAG	T	1	1,9	-	0/6/23/26	0/1/1/1
9	NAG	T	2	9	-	0/6/23/26	0/1/1/1
9	BMA	T	3	9	-	0/2/19/22	0/1/1/1
9	MAN	T	4	9	-	0/2/19/22	0/1/1/1
9	MAN	T	5	9	-	0/2/19/22	0/1/1/1
9	MAN	T	6	9	-	0/2/19/22	0/1/1/1
10	NAG	U	1	1,10	-	2/6/23/26	0/1/1/1
10	NAG	U	2	10	-	2/6/23/26	0/1/1/1
10	BMA	U	3	10	-	0/2/19/22	0/1/1/1
10	MAN	U	4	10	-	0/2/19/22	0/1/1/1
10	MAN	U	5	10	-	0/2/19/22	0/1/1/1
10	MAN	U	6	10	-	0/2/19/22	0/1/1/1
10	MAN	U	7	10	-	2/2/19/22	0/1/1/1
7	NAG	V	1	1,7	-	2/6/23/26	0/1/1/1
7	NAG	V	2	7	-	0/6/23/26	0/1/1/1
7	NAG	W	1	1,7	-	2/6/23/26	0/1/1/1
7	NAG	W	2	7	-	2/6/23/26	0/1/1/1
8	NAG	X	1	8,1	-	1/6/23/26	0/1/1/1
8	NAG	X	2	8	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	BMA	X	3	8	-	2/2/19/22	0/1/1/1
11	NAG	Y	1	1,11	-	4/6/23/26	0/1/1/1
11	NAG	Y	2	11	-	2/6/23/26	0/1/1/1
11	BMA	Y	3	11	-	2/2/19/22	0/1/1/1
11	MAN	Y	4	11	-	0/2/19/22	0/1/1/1
11	MAN	Y	5	11	-	0/2/19/22	0/1/1/1
7	NAG	Z	1	1,7	-	2/6/23/26	0/1/1/1
7	NAG	Z	2	7	-	2/6/23/26	0/1/1/1
7	NAG	a	1	1,7	-	0/6/23/26	0/1/1/1
7	NAG	a	2	7	-	2/6/23/26	0/1/1/1
7	NAG	b	1	1,7	-	1/6/23/26	0/1/1/1
7	NAG	b	2	7	-	0/6/23/26	0/1/1/1
7	NAG	c	1	1,7	-	2/6/23/26	0/1/1/1
7	NAG	c	2	7	-	2/6/23/26	0/1/1/1
8	NAG	d	1	8,1	-	1/6/23/26	0/1/1/1
8	NAG	d	2	8	-	0/6/23/26	0/1/1/1
8	BMA	d	3	8	-	2/2/19/22	0/1/1/1
7	NAG	e	1	1,7	-	1/6/23/26	0/1/1/1
7	NAG	e	2	7	-	0/6/23/26	0/1/1/1
12	NAG	f	1	1,12	-	1/6/23/26	0/1/1/1
12	NAG	f	2	12	-	0/6/23/26	0/1/1/1
12	BMA	f	3	12	-	0/2/19/22	0/1/1/1
12	MAN	f	4	12	-	0/2/19/22	0/1/1/1
12	MAN	f	5	12	-	0/2/19/22	0/1/1/1
12	MAN	f	6	12	-	0/2/19/22	0/1/1/1
12	MAN	f	7	12	-	0/2/19/22	0/1/1/1
13	NAG	g	1	1,13	-	2/6/23/26	0/1/1/1
13	NAG	g	2	13	-	4/6/23/26	0/1/1/1
13	BMA	g	3	13	-	0/2/19/22	0/1/1/1
13	MAN	g	4	13	-	2/2/19/22	0/1/1/1
13	MAN	g	5	13	-	0/2/19/22	0/1/1/1
13	MAN	g	6	13	-	0/2/19/22	0/1/1/1
13	MAN	g	7	13	-	0/2/19/22	0/1/1/1
13	MAN	g	8	13	-	0/2/19/22	0/1/1/1
7	NAG	h	1	1,7	-	2/6/23/26	0/1/1/1
7	NAG	h	2	7	-	0/6/23/26	0/1/1/1
7	NAG	i	1	1,7	-	2/6/23/26	0/1/1/1
7	NAG	i	2	7	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
7	NAG	j	1	1,7	-	2/6/23/26	0/1/1/1
7	NAG	j	2	7	-	2/6/23/26	0/1/1/1
11	NAG	k	1	1,11	-	4/6/23/26	0/1/1/1
11	NAG	k	2	11	-	2/6/23/26	0/1/1/1
11	BMA	k	3	11	-	2/2/19/22	0/1/1/1
11	MAN	k	4	11	-	0/2/19/22	0/1/1/1
11	MAN	k	5	11	-	0/2/19/22	0/1/1/1
8	NAG	l	1	8,1	1/1/5/7	2/6/23/26	0/1/1/1
8	NAG	l	2	8	-	2/6/23/26	0/1/1/1
8	BMA	l	3	8	-	2/2/19/22	0/1/1/1
7	NAG	m	1	1,7	-	1/6/23/26	0/1/1/1
7	NAG	m	2	7	-	0/6/23/26	0/1/1/1
7	NAG	n	1	1,7	-	0/6/23/26	0/1/1/1
7	NAG	n	2	7	-	2/6/23/26	0/1/1/1
7	NAG	o	1	1,7	-	2/6/23/26	0/1/1/1
7	NAG	o	2	7	-	5/6/23/26	0/1/1/1
7	NAG	p	1	1,7	-	2/6/23/26	0/1/1/1
7	NAG	p	2	7	-	2/6/23/26	0/1/1/1
13	NAG	q	1	1,13	-	0/6/23/26	0/1/1/1
13	NAG	q	2	13	-	0/6/23/26	0/1/1/1
13	BMA	q	3	13	-	0/2/19/22	0/1/1/1
13	MAN	q	4	13	-	0/2/19/22	0/1/1/1
13	MAN	q	5	13	-	0/2/19/22	0/1/1/1
13	MAN	q	6	13	-	0/2/19/22	0/1/1/1
13	MAN	q	7	13	-	0/2/19/22	0/1/1/1
13	MAN	q	8	13	-	0/2/19/22	0/1/1/1
7	NAG	r	1	1,7	-	0/6/23/26	0/1/1/1
7	NAG	r	2	7	-	0/6/23/26	0/1/1/1
12	NAG	s	1	1,12	-	1/6/23/26	0/1/1/1
12	NAG	s	2	12	-	0/6/23/26	0/1/1/1
12	BMA	s	3	12	-	0/2/19/22	0/1/1/1
12	MAN	s	4	12	-	0/2/19/22	0/1/1/1
12	MAN	s	5	12	-	0/2/19/22	0/1/1/1
12	MAN	s	6	12	-	0/2/19/22	0/1/1/1
12	MAN	s	7	12	-	0/2/19/22	0/1/1/1
13	NAG	t	1	1,13	-	2/6/23/26	0/1/1/1
13	NAG	t	2	13	-	4/6/23/26	0/1/1/1
13	BMA	t	3	13	-	0/2/19/22	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
13	MAN	t	4	13	-	2/2/19/22	0/1/1/1
13	MAN	t	5	13	-	0/2/19/22	0/1/1/1
13	MAN	t	6	13	-	0/2/19/22	0/1/1/1
13	MAN	t	7	13	-	0/2/19/22	0/1/1/1
13	MAN	t	8	13	-	0/2/19/22	0/1/1/1
7	NAG	u	1	1,7	-	2/6/23/26	0/1/1/1
7	NAG	u	2	7	-	0/6/23/26	0/1/1/1
7	NAG	v	1	1,7	-	2/6/23/26	0/1/1/1
7	NAG	v	2	7	-	2/6/23/26	0/1/1/1
7	NAG	w	1	1,7	-	2/6/23/26	0/1/1/1
7	NAG	w	2	7	-	2/6/23/26	0/1/1/1
11	NAG	x	1	1,11	-	4/6/23/26	0/1/1/1
11	NAG	x	2	11	-	2/6/23/26	0/1/1/1
11	BMA	x	3	11	-	2/2/19/22	0/1/1/1
11	MAN	x	4	11	-	0/2/19/22	0/1/1/1
11	MAN	x	5	11	-	0/2/19/22	0/1/1/1
8	NAG	y	1	8,1	-	2/6/23/26	0/1/1/1
8	NAG	y	2	8	-	2/6/23/26	0/1/1/1
8	BMA	y	3	8	-	2/2/19/22	0/1/1/1
7	NAG	z	1	1,7	-	0/6/23/26	0/1/1/1
7	NAG	z	2	7	-	2/6/23/26	0/1/1/1

All (57) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
13	g	5	MAN	C4-C5	4.38	1.62	1.53
13	t	5	MAN	C4-C5	4.37	1.62	1.53
13	t	5	MAN	C4-C3	3.77	1.61	1.52
13	g	5	MAN	C4-C3	3.75	1.61	1.52
7	Z	1	NAG	O5-C1	3.66	1.49	1.43
8	y	1	NAG	O5-C1	3.58	1.49	1.43
8	l	1	NAG	O5-C1	3.55	1.49	1.43
13	q	6	MAN	O5-C1	3.51	1.49	1.43
13	q	5	MAN	O5-C1	3.22	1.48	1.43
13	q	4	MAN	O5-C1	3.21	1.48	1.43
13	q	8	MAN	O5-C1	3.21	1.48	1.43
13	q	7	MAN	O5-C1	3.19	1.48	1.43
13	g	4	MAN	O5-C5	3.08	1.49	1.43
10	U	7	MAN	O5-C5	3.07	1.49	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
13	t	5	MAN	C2-C3	3.04	1.57	1.52
13	t	4	MAN	O5-C5	3.03	1.49	1.43
13	q	1	NAG	O5-C1	3.00	1.48	1.43
13	q	2	NAG	O5-C1	2.99	1.48	1.43
13	q	3	BMA	O5-C1	2.98	1.48	1.43
13	g	5	MAN	C2-C3	2.96	1.56	1.52
13	q	8	MAN	O5-C5	2.76	1.49	1.43
13	q	5	MAN	O5-C5	2.68	1.48	1.43
13	q	6	MAN	O5-C5	2.64	1.48	1.43
13	q	4	MAN	O5-C5	2.57	1.48	1.43
13	q	7	MAN	O5-C5	2.55	1.48	1.43
13	t	4	MAN	C4-C5	2.51	1.58	1.53
13	t	4	MAN	C4-C3	2.51	1.58	1.52
10	U	7	MAN	C4-C3	2.50	1.58	1.52
13	g	3	BMA	C2-C3	2.49	1.56	1.52
13	t	3	BMA	C2-C3	2.48	1.56	1.52
10	U	7	MAN	C4-C5	2.48	1.58	1.53
13	g	4	MAN	C4-C5	2.48	1.58	1.53
13	q	1	NAG	O5-C5	2.47	1.48	1.43
10	U	3	BMA	C2-C3	2.46	1.56	1.52
13	g	4	MAN	C4-C3	2.46	1.58	1.52
10	U	1	NAG	O5-C1	-2.42	1.39	1.43
13	q	1	NAG	O4-C4	2.41	1.48	1.43
13	t	1	NAG	O5-C1	-2.41	1.39	1.43
13	g	1	NAG	O5-C1	-2.38	1.39	1.43
13	q	3	BMA	O5-C5	2.34	1.48	1.43
13	g	3	BMA	O5-C5	2.33	1.48	1.43
13	q	7	MAN	O2-C2	2.33	1.48	1.43
13	t	3	BMA	O5-C5	2.33	1.48	1.43
13	q	6	MAN	O3-C3	2.32	1.48	1.43
7	o	1	NAG	O5-C1	-2.32	1.40	1.43
7	O	1	NAG	O5-C1	-2.29	1.40	1.43
10	U	3	BMA	O5-C5	2.28	1.48	1.43
13	g	3	BMA	C4-C5	2.24	1.57	1.53
13	t	5	MAN	O5-C5	2.23	1.48	1.43
13	t	3	BMA	C4-C5	2.21	1.57	1.53
13	g	5	MAN	O5-C5	2.19	1.47	1.43
10	U	3	BMA	C4-C5	2.16	1.57	1.53
13	q	5	MAN	O2-C2	2.16	1.47	1.43
13	q	4	MAN	O2-C2	2.08	1.47	1.43
13	t	3	BMA	O2-C2	2.02	1.47	1.43
10	U	3	BMA	O2-C2	2.02	1.47	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
13	q	1	NAG	C8-C7	2.00	1.54	1.50

All (306) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
9	T	1	NAG	O5-C1-C2	-7.39	99.63	111.29
7	4	1	NAG	O5-C1-C2	-7.39	99.63	111.29
7	b	1	NAG	O5-C1-C2	-7.38	99.63	111.29
7	m	1	NAG	O5-C1-C2	-7.38	99.63	111.29
12	s	1	NAG	O5-C1-C2	-7.38	99.64	111.29
7	1	1	NAG	O5-C1-C2	-7.37	99.64	111.29
7	2	1	NAG	O5-C1-C2	-7.36	99.66	111.29
12	f	1	NAG	O5-C1-C2	-7.36	99.67	111.29
8	S	1	NAG	O5-C1-C2	-7.36	99.67	111.29
7	0	1	NAG	O5-C1-C2	-7.35	99.67	111.29
8	d	1	NAG	O5-C1-C2	-7.35	99.68	111.29
7	e	1	NAG	O5-C1-C2	-7.35	99.68	111.29
7	3	1	NAG	O5-C1-C2	-7.35	99.68	111.29
7	R	1	NAG	O5-C1-C2	-7.35	99.69	111.29
8	X	1	NAG	O5-C1-C2	-7.34	99.70	111.29
7	r	1	NAG	O5-C1-C2	-7.33	99.71	111.29
7	P	1	NAG	O5-C1-C2	-7.33	99.71	111.29
13	t	6	MAN	C1-C2-C3	7.00	118.27	109.67
9	T	6	MAN	C1-C2-C3	6.98	118.25	109.67
13	g	6	MAN	C1-C2-C3	6.97	118.23	109.67
12	s	6	MAN	C1-C2-C3	6.96	118.22	109.67
10	U	4	MAN	C1-C2-C3	6.95	118.20	109.67
12	f	6	MAN	C1-C2-C3	6.94	118.19	109.67
11	k	5	MAN	C1-C2-C3	6.92	118.17	109.67
11	x	5	MAN	C1-C2-C3	6.90	118.14	109.67
11	Y	5	MAN	C1-C2-C3	6.88	118.12	109.67
13	g	3	BMA	C1-O5-C5	5.72	119.94	112.19
13	t	3	BMA	C1-O5-C5	5.64	119.83	112.19
10	U	3	BMA	C1-O5-C5	5.63	119.82	112.19
13	q	5	MAN	C1-O5-C5	5.07	119.06	112.19
13	g	8	MAN	C6-C5-C4	-5.06	101.16	113.00
10	U	6	MAN	C6-C5-C4	-5.06	101.16	113.00
12	s	5	MAN	O2-C2-C1	5.04	119.47	109.15
13	t	8	MAN	C6-C5-C4	-5.03	101.22	113.00
9	T	5	MAN	O2-C2-C1	5.03	119.44	109.15
12	f	5	MAN	O2-C2-C1	5.01	119.41	109.15
13	q	4	MAN	C1-O5-C5	4.88	118.80	112.19

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	f	5	MAN	C1-O5-C5	4.79	118.68	112.19
9	T	5	MAN	C1-O5-C5	4.79	118.68	112.19
12	s	5	MAN	C1-O5-C5	4.76	118.64	112.19
13	q	8	MAN	C1-O5-C5	4.61	118.44	112.19
7	o	2	NAG	C2-N2-C7	4.46	129.25	122.90
7	O	2	NAG	C2-N2-C7	4.44	129.22	122.90
12	s	6	MAN	C2-C3-C4	-4.16	103.69	110.89
9	T	6	MAN	C2-C3-C4	-4.16	103.70	110.89
13	g	6	MAN	C2-C3-C4	-4.13	103.75	110.89
13	t	6	MAN	C2-C3-C4	-4.12	103.76	110.89
13	q	6	MAN	C1-O5-C5	4.11	117.77	112.19
12	f	6	MAN	C2-C3-C4	-4.11	103.78	110.89
10	U	4	MAN	C2-C3-C4	-4.11	103.78	110.89
12	f	5	MAN	O2-C2-C3	-4.09	101.94	110.14
9	T	5	MAN	O2-C2-C3	-4.08	101.96	110.14
12	s	5	MAN	O2-C2-C3	-4.05	102.02	110.14
11	k	5	MAN	C2-C3-C4	-4.05	103.89	110.89
11	Y	5	MAN	C2-C3-C4	-4.04	103.90	110.89
11	x	5	MAN	C2-C3-C4	-4.04	103.91	110.89
12	s	7	MAN	O4-C4-C3	-3.96	101.19	110.35
12	f	7	MAN	O4-C4-C3	-3.93	101.26	110.35
13	g	7	MAN	O4-C4-C3	-3.92	101.28	110.35
13	t	7	MAN	O4-C4-C3	-3.92	101.28	110.35
10	U	5	MAN	O4-C4-C3	-3.91	101.31	110.35
13	g	5	MAN	C1-O5-C5	3.90	117.47	112.19
13	q	7	MAN	C1-O5-C5	3.89	117.46	112.19
13	q	2	NAG	C1-O5-C5	3.88	117.45	112.19
13	t	5	MAN	C1-O5-C5	3.86	117.42	112.19
10	U	7	MAN	C1-O5-C5	3.72	117.23	112.19
13	g	4	MAN	C1-O5-C5	3.69	117.20	112.19
13	t	4	MAN	C1-O5-C5	3.69	117.19	112.19
13	g	8	MAN	O4-C4-C3	-3.60	102.02	110.35
12	s	2	NAG	O5-C5-C6	-3.59	101.57	107.20
10	U	6	MAN	O4-C4-C3	-3.58	102.07	110.35
13	t	8	MAN	O4-C4-C3	-3.57	102.09	110.35
12	f	2	NAG	O5-C5-C6	-3.56	101.62	107.20
8	S	2	NAG	O5-C5-C6	-3.55	101.64	107.20
7	P	2	NAG	O5-C5-C6	-3.54	101.66	107.20
7	1	2	NAG	O5-C5-C6	-3.53	101.67	107.20
8	X	2	NAG	O5-C5-C6	-3.53	101.67	107.20
7	3	2	NAG	O5-C5-C6	-3.52	101.68	107.20
7	b	2	NAG	O5-C5-C6	-3.52	101.69	107.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	m	2	NAG	O5-C5-C6	-3.52	101.69	107.20
7	4	2	NAG	O5-C5-C6	-3.52	101.69	107.20
9	T	2	NAG	O5-C5-C6	-3.52	101.69	107.20
7	R	2	NAG	O5-C5-C6	-3.51	101.70	107.20
7	2	2	NAG	O5-C5-C6	-3.51	101.70	107.20
7	r	2	NAG	O5-C5-C6	-3.49	101.73	107.20
7	0	2	NAG	O5-C5-C6	-3.49	101.73	107.20
7	e	2	NAG	O5-C5-C6	-3.48	101.76	107.20
8	d	2	NAG	O5-C5-C6	-3.47	101.77	107.20
9	T	6	MAN	O5-C1-C2	-3.46	105.43	110.77
10	U	6	MAN	O5-C5-C6	3.45	112.61	107.20
12	s	6	MAN	O5-C1-C2	-3.44	105.46	110.77
12	s	4	MAN	O5-C5-C6	3.44	112.59	107.20
13	g	8	MAN	O5-C5-C6	3.43	112.57	107.20
12	f	6	MAN	O5-C1-C2	-3.42	105.50	110.77
12	f	4	MAN	O5-C5-C6	3.42	112.56	107.20
13	t	6	MAN	O5-C1-C2	-3.41	105.50	110.77
9	T	4	MAN	O5-C5-C6	3.39	112.53	107.20
11	k	5	MAN	O5-C1-C2	-3.39	105.55	110.77
10	U	4	MAN	O5-C1-C2	-3.38	105.55	110.77
13	g	6	MAN	O5-C1-C2	-3.37	105.56	110.77
13	t	8	MAN	O5-C5-C6	3.36	112.47	107.20
11	Y	5	MAN	O5-C1-C2	-3.34	105.61	110.77
11	x	5	MAN	O5-C1-C2	-3.33	105.63	110.77
11	k	4	MAN	O5-C5-C6	3.32	112.42	107.20
13	t	5	MAN	C1-C2-C3	-3.32	105.58	109.67
11	Y	4	MAN	O5-C5-C6	3.31	112.40	107.20
11	x	4	MAN	O5-C5-C6	3.29	112.36	107.20
13	g	5	MAN	C1-C2-C3	-3.28	105.64	109.67
12	s	7	MAN	O4-C4-C5	3.24	117.33	109.30
12	f	7	MAN	O4-C4-C5	3.21	117.26	109.30
13	g	7	MAN	O4-C4-C5	3.20	117.25	109.30
13	t	7	MAN	O4-C4-C5	3.20	117.23	109.30
10	U	5	MAN	O4-C4-C5	3.19	117.21	109.30
13	t	8	MAN	C3-C4-C5	-3.17	104.59	110.24
13	g	8	MAN	C3-C4-C5	-3.15	104.62	110.24
8	y	1	NAG	C1-O5-C5	3.13	116.43	112.19
10	U	6	MAN	C3-C4-C5	-3.12	104.67	110.24
8	l	1	NAG	C1-O5-C5	3.12	116.41	112.19
7	Z	1	NAG	C1-O5-C5	3.11	116.40	112.19
12	s	3	BMA	O2-C2-C3	3.04	116.23	110.14
11	k	3	BMA	O2-C2-C3	3.03	116.22	110.14

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	f	3	BMA	O2-C2-C3	3.03	116.20	110.14
9	T	3	BMA	O2-C2-C3	3.02	116.19	110.14
11	x	3	BMA	O2-C2-C3	3.02	116.19	110.14
11	Y	3	BMA	O2-C2-C3	3.01	116.17	110.14
8	X	3	BMA	O2-C2-C3	2.97	116.09	110.14
13	q	1	NAG	C1-O5-C5	2.96	116.20	112.19
8	d	3	BMA	O2-C2-C3	2.96	116.07	110.14
13	t	8	MAN	O2-C2-C3	-2.95	104.22	110.14
10	U	6	MAN	O2-C2-C3	-2.95	104.23	110.14
8	S	3	BMA	O2-C2-C3	2.95	116.04	110.14
8	l	3	BMA	O2-C2-C3	2.94	116.03	110.14
8	y	3	BMA	O2-C2-C3	2.94	116.02	110.14
13	g	8	MAN	O2-C2-C3	-2.91	104.30	110.14
10	U	5	MAN	O5-C5-C6	-2.91	102.64	107.20
13	g	7	MAN	O5-C5-C6	-2.86	102.72	107.20
13	t	7	MAN	O5-C5-C6	-2.84	102.75	107.20
12	f	7	MAN	O5-C5-C6	-2.82	102.78	107.20
12	s	7	MAN	O5-C5-C6	-2.82	102.79	107.20
7	b	1	NAG	O7-C7-C8	-2.80	116.86	122.06
7	2	1	NAG	O7-C7-C8	-2.79	116.88	122.06
7	P	1	NAG	O7-C7-C8	-2.78	116.89	122.06
7	4	1	NAG	O7-C7-C8	-2.77	116.90	122.06
8	d	1	NAG	O7-C7-C8	-2.77	116.91	122.06
7	3	1	NAG	O7-C7-C8	-2.77	116.92	122.06
8	X	1	NAG	O7-C7-C8	-2.76	116.92	122.06
7	1	1	NAG	O7-C7-C8	-2.76	116.93	122.06
8	S	1	NAG	O7-C7-C8	-2.76	116.93	122.06
9	T	1	NAG	O7-C7-C8	-2.76	116.94	122.06
7	0	1	NAG	O7-C7-C8	-2.75	116.94	122.06
7	m	1	NAG	O7-C7-C8	-2.75	116.95	122.06
7	R	1	NAG	O7-C7-C8	-2.75	116.95	122.06
12	f	5	MAN	O4-C4-C3	-2.73	104.03	110.35
9	T	5	MAN	O4-C4-C3	-2.73	104.03	110.35
12	f	1	NAG	O7-C7-C8	-2.73	116.99	122.06
12	s	1	NAG	O7-C7-C8	-2.72	117.00	122.06
8	S	1	NAG	C4-C3-C2	-2.72	107.03	111.02
7	r	1	NAG	O7-C7-C8	-2.72	117.01	122.06
7	e	1	NAG	O7-C7-C8	-2.71	117.02	122.06
7	e	1	NAG	C4-C3-C2	-2.71	107.05	111.02
12	s	5	MAN	O4-C4-C3	-2.70	104.10	110.35
7	4	1	NAG	C4-C3-C2	-2.69	107.08	111.02
8	X	1	NAG	C4-C3-C2	-2.69	107.08	111.02

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	f	1	NAG	C4-C3-C2	-2.69	107.08	111.02
7	m	1	NAG	C4-C3-C2	-2.68	107.08	111.02
7	0	1	NAG	C4-C3-C2	-2.68	107.09	111.02
7	r	1	NAG	C4-C3-C2	-2.68	107.09	111.02
7	2	1	NAG	C4-C3-C2	-2.67	107.11	111.02
7	1	1	NAG	C4-C3-C2	-2.67	107.11	111.02
7	P	1	NAG	C4-C3-C2	-2.67	107.11	111.02
9	T	1	NAG	C4-C3-C2	-2.67	107.11	111.02
7	b	1	NAG	C4-C3-C2	-2.67	107.11	111.02
12	s	1	NAG	C4-C3-C2	-2.66	107.12	111.02
13	t	5	MAN	O5-C1-C2	2.65	114.86	110.77
8	d	1	NAG	C4-C3-C2	-2.65	107.13	111.02
13	g	5	MAN	O5-C1-C2	2.65	114.86	110.77
8	S	3	BMA	O4-C4-C5	-2.65	102.72	109.30
11	k	3	BMA	O4-C4-C5	-2.65	102.73	109.30
8	d	3	BMA	O4-C4-C5	-2.64	102.74	109.30
8	l	3	BMA	O4-C4-C5	-2.63	102.76	109.30
11	x	3	BMA	O4-C4-C5	-2.63	102.77	109.30
7	3	1	NAG	C4-C3-C2	-2.63	107.17	111.02
8	X	3	BMA	O4-C4-C5	-2.63	102.78	109.30
11	Y	3	BMA	O4-C4-C5	-2.62	102.79	109.30
7	R	1	NAG	C4-C3-C2	-2.61	107.19	111.02
13	q	4	MAN	C1-C2-C3	2.61	112.87	109.67
8	y	3	BMA	O4-C4-C5	-2.61	102.83	109.30
9	T	3	BMA	O4-C4-C5	-2.60	102.85	109.30
12	s	3	BMA	O4-C4-C5	-2.59	102.86	109.30
12	f	3	BMA	O4-C4-C5	-2.58	102.88	109.30
13	q	5	MAN	C1-C2-C3	2.52	112.76	109.67
13	g	3	BMA	O2-C2-C1	2.51	114.30	109.15
13	t	3	BMA	O2-C2-C1	2.51	114.30	109.15
12	f	4	MAN	O5-C1-C2	2.51	114.64	110.77
10	U	3	BMA	O2-C2-C1	2.50	114.26	109.15
11	x	4	MAN	O5-C1-C2	2.48	114.60	110.77
12	f	3	BMA	C6-C5-C4	-2.48	107.19	113.00
9	T	3	BMA	C6-C5-C4	-2.47	107.22	113.00
12	s	4	MAN	O5-C1-C2	2.47	114.58	110.77
13	t	8	MAN	O2-C2-C1	2.46	114.18	109.15
11	Y	4	MAN	O5-C1-C2	2.45	114.56	110.77
10	U	6	MAN	O2-C2-C1	2.45	114.17	109.15
9	T	4	MAN	O5-C1-C2	2.45	114.56	110.77
12	s	3	BMA	C6-C5-C4	-2.45	107.27	113.00
13	g	8	MAN	O2-C2-C1	2.44	114.15	109.15

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
11	k	4	MAN	O5-C1-C2	2.43	114.53	110.77
8	S	3	BMA	C6-C5-C4	-2.43	107.31	113.00
8	X	3	BMA	C6-C5-C4	-2.42	107.34	113.00
11	k	3	BMA	C6-C5-C4	-2.42	107.34	113.00
8	y	3	BMA	C6-C5-C4	-2.42	107.34	113.00
8	d	3	BMA	C6-C5-C4	-2.40	107.37	113.00
8	l	3	BMA	C6-C5-C4	-2.40	107.38	113.00
11	x	3	BMA	C6-C5-C4	-2.40	107.39	113.00
7	o	2	NAG	C1-C2-N2	2.38	114.56	110.49
7	O	2	NAG	C1-C2-N2	2.38	114.56	110.49
13	q	3	BMA	C1-O5-C5	2.38	115.42	112.19
13	g	5	MAN	O3-C3-C4	2.38	115.84	110.35
13	t	5	MAN	O3-C3-C4	2.37	115.84	110.35
11	Y	3	BMA	C6-C5-C4	-2.37	107.46	113.00
13	q	6	MAN	C1-C2-C3	2.32	112.51	109.67
8	S	2	NAG	O5-C1-C2	-2.31	107.64	111.29
7	r	2	NAG	O5-C1-C2	-2.30	107.66	111.29
7	e	2	NAG	O5-C1-C2	-2.29	107.67	111.29
12	f	5	MAN	O6-C6-C5	2.29	119.14	111.29
10	U	7	MAN	O2-C2-C3	-2.29	105.56	110.14
7	o	1	NAG	C3-C4-C5	2.28	114.31	110.24
11	Y	2	NAG	C1-O5-C5	2.28	115.28	112.19
7	O	1	NAG	C3-C4-C5	2.28	114.31	110.24
13	g	4	MAN	O2-C2-C3	-2.28	105.57	110.14
9	T	5	MAN	O6-C6-C5	2.28	119.11	111.29
7	0	2	NAG	O5-C1-C2	-2.28	107.69	111.29
8	d	2	NAG	O5-C1-C2	-2.28	107.69	111.29
12	s	5	MAN	O6-C6-C5	2.27	119.09	111.29
7	m	2	NAG	O5-C1-C2	-2.27	107.71	111.29
11	k	2	NAG	C1-O5-C5	2.27	115.26	112.19
7	4	2	NAG	O5-C1-C2	-2.26	107.72	111.29
12	s	7	MAN	O3-C3-C2	-2.26	105.66	109.99
7	1	2	NAG	O5-C1-C2	-2.26	107.72	111.29
13	t	4	MAN	O2-C2-C3	-2.26	105.61	110.14
7	3	2	NAG	O5-C1-C2	-2.26	107.72	111.29
7	P	2	NAG	O5-C1-C2	-2.26	107.73	111.29
9	T	2	NAG	O5-C1-C2	-2.25	107.73	111.29
13	t	7	MAN	C1-O5-C5	2.25	115.24	112.19
13	t	7	MAN	O3-C3-C2	-2.25	105.69	109.99
8	X	2	NAG	O5-C1-C2	-2.25	107.74	111.29
12	f	7	MAN	O3-C3-C2	-2.25	105.69	109.99
12	f	2	NAG	O5-C1-C2	-2.25	107.74	111.29

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	2	2	NAG	O5-C1-C2	-2.24	107.75	111.29
7	b	2	NAG	O5-C1-C2	-2.24	107.75	111.29
13	g	7	MAN	O3-C3-C2	-2.24	105.71	109.99
13	t	5	MAN	O2-C2-C1	2.24	113.73	109.15
11	x	2	NAG	C1-O5-C5	2.23	115.22	112.19
7	2	2	NAG	C4-C3-C2	-2.23	107.75	111.02
12	s	2	NAG	O5-C1-C2	-2.23	107.77	111.29
7	R	2	NAG	O5-C1-C2	-2.23	107.77	111.29
8	S	2	NAG	C4-C3-C2	-2.23	107.75	111.02
10	U	5	MAN	O3-C3-C2	-2.22	105.74	109.99
7	1	2	NAG	C4-C3-C2	-2.22	107.77	111.02
7	r	2	NAG	C4-C3-C2	-2.22	107.77	111.02
13	g	5	MAN	O2-C2-C1	2.22	113.68	109.15
8	d	2	NAG	C4-C3-C2	-2.21	107.78	111.02
8	X	2	NAG	C4-C3-C2	-2.21	107.78	111.02
7	m	2	NAG	C4-C3-C2	-2.21	107.78	111.02
12	f	2	NAG	C4-C3-C2	-2.20	107.80	111.02
7	R	2	NAG	C4-C3-C2	-2.20	107.80	111.02
12	s	2	NAG	C4-C3-C2	-2.20	107.80	111.02
13	g	7	MAN	C1-O5-C5	2.20	115.17	112.19
7	e	2	NAG	C4-C3-C2	-2.20	107.80	111.02
9	T	2	NAG	C4-C3-C2	-2.19	107.80	111.02
12	f	7	MAN	C1-O5-C5	2.19	115.17	112.19
7	P	2	NAG	C4-C3-C2	-2.19	107.80	111.02
7	0	2	NAG	C4-C3-C2	-2.19	107.80	111.02
12	s	7	MAN	C1-O5-C5	2.19	115.16	112.19
12	s	4	MAN	O3-C3-C4	2.18	115.38	110.35
7	4	2	NAG	C4-C3-C2	-2.18	107.83	111.02
7	3	2	NAG	C4-C3-C2	-2.17	107.83	111.02
12	f	4	MAN	O3-C3-C4	2.17	115.36	110.35
7	b	2	NAG	C4-C3-C2	-2.17	107.84	111.02
7	O	2	NAG	O4-C4-C5	-2.17	103.92	109.30
7	o	2	NAG	O4-C4-C5	-2.16	103.92	109.30
11	x	4	MAN	O3-C3-C4	2.14	115.31	110.35
9	T	4	MAN	O3-C3-C4	2.14	115.30	110.35
7	w	1	NAG	O4-C4-C5	-2.14	103.99	109.30
10	U	5	MAN	C1-O5-C5	2.14	115.09	112.19
11	Y	4	MAN	O3-C3-C4	2.13	115.28	110.35
13	q	2	NAG	O5-C5-C4	-2.13	105.65	110.83
7	j	1	NAG	O4-C4-C5	-2.12	104.02	109.30
11	k	4	MAN	O3-C3-C4	2.12	115.25	110.35
13	g	6	MAN	O5-C5-C6	-2.09	103.93	107.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
13	t	6	MAN	O5-C5-C6	-2.08	103.95	107.20
13	q	4	MAN	O2-C2-C1	-2.06	104.94	109.15
10	U	4	MAN	O5-C5-C6	-2.04	104.01	107.20
12	s	4	MAN	O4-C4-C3	-2.04	105.64	110.35
13	t	8	MAN	C2-C3-C4	2.03	114.42	110.89
12	f	6	MAN	O5-C5-C6	-2.03	104.02	107.20
12	s	6	MAN	O5-C5-C6	-2.02	104.04	107.20
11	k	4	MAN	O4-C4-C3	-2.02	105.69	110.35
13	g	8	MAN	C2-C3-C4	2.01	114.38	110.89
9	T	6	MAN	O5-C5-C6	-2.01	104.05	107.20
13	g	7	MAN	O3-C3-C4	2.01	115.00	110.35
7	Q	2	NAG	C1-O5-C5	2.01	114.92	112.19
10	U	6	MAN	C2-C3-C4	2.01	114.38	110.89
13	t	7	MAN	O5-C1-C2	2.01	113.87	110.77
9	T	4	MAN	O4-C4-C3	-2.00	105.72	110.35
7	p	2	NAG	C1-O5-C5	2.00	114.91	112.19
13	t	7	MAN	O3-C3-C4	2.00	114.97	110.35

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
8	l	1	NAG	C1

All (134) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
7	V	1	NAG	O5-C5-C6-O6
7	h	1	NAG	O5-C5-C6-O6
7	u	1	NAG	O5-C5-C6-O6
7	v	1	NAG	O5-C5-C6-O6
7	W	1	NAG	O5-C5-C6-O6
7	i	1	NAG	O5-C5-C6-O6
10	U	1	NAG	C4-C5-C6-O6
10	U	1	NAG	O5-C5-C6-O6
7	O	1	NAG	O5-C5-C6-O6
7	j	2	NAG	O5-C5-C6-O6
7	o	1	NAG	O5-C5-C6-O6
7	w	2	NAG	O5-C5-C6-O6
7	j	1	NAG	O5-C5-C6-O6
7	w	1	NAG	O5-C5-C6-O6
10	U	2	NAG	O5-C5-C6-O6
13	g	1	NAG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
13	t	1	NAG	C4-C5-C6-O6
13	g	2	NAG	O5-C5-C6-O6
13	t	2	NAG	O5-C5-C6-O6
7	V	1	NAG	C4-C5-C6-O6
7	W	1	NAG	C4-C5-C6-O6
7	h	1	NAG	C4-C5-C6-O6
7	i	1	NAG	C4-C5-C6-O6
7	u	1	NAG	C4-C5-C6-O6
7	v	1	NAG	C4-C5-C6-O6
7	O	2	NAG	O5-C5-C6-O6
7	o	2	NAG	O5-C5-C6-O6
11	Y	1	NAG	O5-C5-C6-O6
11	k	1	NAG	O5-C5-C6-O6
11	x	1	NAG	O5-C5-C6-O6
13	g	2	NAG	C1-C2-N2-C7
7	Q	1	NAG	O5-C5-C6-O6
7	c	1	NAG	O5-C5-C6-O6
7	p	1	NAG	O5-C5-C6-O6
7	j	1	NAG	C4-C5-C6-O6
7	w	1	NAG	C4-C5-C6-O6
7	W	2	NAG	O5-C5-C6-O6
7	i	2	NAG	O5-C5-C6-O6
7	v	2	NAG	O5-C5-C6-O6
11	Y	1	NAG	C4-C5-C6-O6
11	k	1	NAG	C4-C5-C6-O6
11	x	1	NAG	C4-C5-C6-O6
7	O	2	NAG	C4-C5-C6-O6
7	j	2	NAG	C4-C5-C6-O6
7	o	2	NAG	C4-C5-C6-O6
7	w	2	NAG	C4-C5-C6-O6
10	U	2	NAG	C4-C5-C6-O6
13	g	2	NAG	C4-C5-C6-O6
13	t	2	NAG	C4-C5-C6-O6
7	O	2	NAG	C8-C7-N2-C2
7	O	2	NAG	O7-C7-N2-C2
7	o	2	NAG	C8-C7-N2-C2
7	o	2	NAG	O7-C7-N2-C2
10	U	7	MAN	O5-C5-C6-O6
13	g	4	MAN	O5-C5-C6-O6
13	t	4	MAN	O5-C5-C6-O6
7	O	1	NAG	C4-C5-C6-O6
7	W	2	NAG	C4-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
7	i	2	NAG	C4-C5-C6-O6
7	o	1	NAG	C4-C5-C6-O6
7	v	2	NAG	C4-C5-C6-O6
7	c	2	NAG	O5-C5-C6-O6
11	Y	2	NAG	O5-C5-C6-O6
11	k	2	NAG	O5-C5-C6-O6
11	x	2	NAG	O5-C5-C6-O6
7	Q	2	NAG	O5-C5-C6-O6
7	a	2	NAG	O5-C5-C6-O6
7	n	2	NAG	O5-C5-C6-O6
7	p	2	NAG	O5-C5-C6-O6
7	z	2	NAG	O5-C5-C6-O6
11	Y	3	BMA	O5-C5-C6-O6
11	k	3	BMA	O5-C5-C6-O6
11	x	3	BMA	O5-C5-C6-O6
11	Y	2	NAG	C4-C5-C6-O6
11	k	2	NAG	C4-C5-C6-O6
11	x	2	NAG	C4-C5-C6-O6
7	Q	2	NAG	C4-C5-C6-O6
7	c	2	NAG	C4-C5-C6-O6
7	p	2	NAG	C4-C5-C6-O6
11	Y	3	BMA	C4-C5-C6-O6
11	k	3	BMA	C4-C5-C6-O6
11	x	3	BMA	C4-C5-C6-O6
7	Z	1	NAG	O5-C5-C6-O6
8	l	1	NAG	O5-C5-C6-O6
8	y	1	NAG	O5-C5-C6-O6
7	a	2	NAG	C4-C5-C6-O6
7	n	2	NAG	C4-C5-C6-O6
7	z	2	NAG	C4-C5-C6-O6
13	g	1	NAG	O5-C5-C6-O6
13	t	1	NAG	O5-C5-C6-O6
7	Q	1	NAG	C4-C5-C6-O6
7	c	1	NAG	C4-C5-C6-O6
7	p	1	NAG	C4-C5-C6-O6
13	t	2	NAG	C1-C2-N2-C7
10	U	7	MAN	C4-C5-C6-O6
13	t	4	MAN	C4-C5-C6-O6
13	g	4	MAN	C4-C5-C6-O6
11	Y	1	NAG	C1-C2-N2-C7
11	k	1	NAG	C1-C2-N2-C7
11	x	1	NAG	C1-C2-N2-C7

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
8	l	2	NAG	C4-C5-C6-O6
8	y	2	NAG	C4-C5-C6-O6
7	Z	2	NAG	C4-C5-C6-O6
8	X	3	BMA	C4-C5-C6-O6
8	l	3	BMA	C4-C5-C6-O6
8	y	3	BMA	C4-C5-C6-O6
8	S	3	BMA	C4-C5-C6-O6
8	d	3	BMA	C4-C5-C6-O6
8	y	3	BMA	O5-C5-C6-O6
8	l	3	BMA	O5-C5-C6-O6
8	S	3	BMA	O5-C5-C6-O6
8	X	3	BMA	O5-C5-C6-O6
8	d	3	BMA	O5-C5-C6-O6
7	Z	1	NAG	C4-C5-C6-O6
8	l	1	NAG	C4-C5-C6-O6
8	y	1	NAG	C4-C5-C6-O6
8	l	2	NAG	O5-C5-C6-O6
7	Z	2	NAG	O5-C5-C6-O6
8	y	2	NAG	O5-C5-C6-O6
7	O	2	NAG	C3-C2-N2-C7
7	o	2	NAG	C3-C2-N2-C7
11	Y	1	NAG	C3-C2-N2-C7
11	k	1	NAG	C3-C2-N2-C7
11	x	1	NAG	C3-C2-N2-C7
13	g	2	NAG	C3-C2-N2-C7
13	t	2	NAG	C3-C2-N2-C7
7	b	1	NAG	O7-C7-N2-C2
7	e	1	NAG	O7-C7-N2-C2
7	m	1	NAG	O7-C7-N2-C2
7	3	1	NAG	O7-C7-N2-C2
8	X	1	NAG	O7-C7-N2-C2
8	d	1	NAG	O7-C7-N2-C2
12	f	1	NAG	O7-C7-N2-C2
12	s	1	NAG	O7-C7-N2-C2


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.

























































































































5.6 Ligand geometry [i](#)

20 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
14	NAG	C	611	1	14,14,15	0.49	0	17,19,21	0.50	0
14	NAG	D	638	1	14,14,15	0.33	0	17,19,21	0.39	0
14	NAG	B	701	2	14,14,15	0.51	0	17,19,21	2.23	3 (17%)
14	NAG	E	702	2	14,14,15	0.51	0	17,19,21	2.23	3 (17%)
14	NAG	E	701	2	14,14,15	0.50	0	17,19,21	2.23	3 (17%)
14	NAG	C	601	1	14,14,15	0.79	1 (7%)	17,19,21	0.90	1 (5%)
14	NAG	A	633	1	14,14,15	0.30	0	17,19,21	0.40	0
14	NAG	F	704	2	14,14,15	0.50	0	17,19,21	2.23	3 (17%)
14	NAG	C	634	1	14,14,15	0.50	0	17,19,21	0.40	0
14	NAG	A	612	1	14,14,15	0.50	0	17,19,21	0.50	0
14	NAG	B	702	2	14,14,15	0.50	0	17,19,21	2.24	3 (17%)
14	NAG	F	703	2	14,14,15	0.51	0	17,19,21	2.23	3 (17%)
14	NAG	D	616	1	14,14,15	0.51	0	17,19,21	0.50	0
14	NAG	C	633	1	14,14,15	0.33	0	17,19,21	0.40	0
14	NAG	A	642	1	14,14,15	0.46	0	17,19,21	0.55	0
14	NAG	D	603	1	14,14,15	0.41	0	17,19,21	0.64	1 (5%)
14	NAG	B	703	2	14,14,15	0.50	0	17,19,21	2.24	3 (17%)
14	NAG	D	648	1	14,14,15	0.47	0	17,19,21	0.54	0
14	NAG	A	634	1	14,14,15	0.50	0	17,19,21	0.39	0
14	NAG	D	639	1	14,14,15	0.50	0	17,19,21	0.40	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
14	NAG	C	611	1	-	2/6/23/26	0/1/1/1
14	NAG	D	638	1	-	2/6/23/26	0/1/1/1
14	NAG	B	701	2	-	0/6/23/26	0/1/1/1
14	NAG	E	702	2	-	1/6/23/26	0/1/1/1
14	NAG	E	701	2	-	0/6/23/26	0/1/1/1
14	NAG	C	601	1	-	2/6/23/26	0/1/1/1
14	NAG	A	633	1	-	2/6/23/26	0/1/1/1
14	NAG	F	704	2	-	0/6/23/26	0/1/1/1
14	NAG	C	634	1	-	2/6/23/26	0/1/1/1
14	NAG	A	612	1	-	2/6/23/26	0/1/1/1
14	NAG	B	702	2	-	0/6/23/26	0/1/1/1
14	NAG	F	703	2	-	1/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
14	NAG	D	616	1	-	2/6/23/26	0/1/1/1
14	NAG	C	633	1	-	2/6/23/26	0/1/1/1
14	NAG	A	642	1	-	0/6/23/26	0/1/1/1
14	NAG	D	603	1	-	2/6/23/26	0/1/1/1
14	NAG	B	703	2	-	0/6/23/26	0/1/1/1
14	NAG	D	648	1	-	0/6/23/26	0/1/1/1
14	NAG	A	634	1	-	2/6/23/26	0/1/1/1
14	NAG	D	639	1	1/1/5/7	2/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
14	C	601	NAG	O5-C1	-2.31	1.40	1.43

All (23) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
14	B	703	NAG	O5-C1-C2	-7.37	99.65	111.29
14	B	702	NAG	O5-C1-C2	-7.36	99.66	111.29
14	F	703	NAG	O5-C1-C2	-7.36	99.67	111.29
14	E	702	NAG	O5-C1-C2	-7.36	99.67	111.29
14	F	704	NAG	O5-C1-C2	-7.35	99.68	111.29
14	E	701	NAG	O5-C1-C2	-7.33	99.71	111.29
14	B	701	NAG	O5-C1-C2	-7.33	99.71	111.29
14	B	702	NAG	O7-C7-C8	-2.79	116.88	122.06
14	B	701	NAG	O7-C7-C8	-2.78	116.89	122.06
14	F	703	NAG	O7-C7-C8	-2.78	116.89	122.06
14	B	703	NAG	O7-C7-C8	-2.77	116.92	122.06
14	E	702	NAG	O7-C7-C8	-2.76	116.92	122.06
14	F	704	NAG	O7-C7-C8	-2.76	116.93	122.06
14	E	701	NAG	O7-C7-C8	-2.76	116.94	122.06
14	B	703	NAG	C4-C3-C2	-2.69	107.08	111.02
14	E	701	NAG	C4-C3-C2	-2.68	107.08	111.02
14	B	702	NAG	C4-C3-C2	-2.67	107.10	111.02
14	B	701	NAG	C4-C3-C2	-2.66	107.12	111.02
14	E	702	NAG	C4-C3-C2	-2.66	107.12	111.02
14	F	703	NAG	C4-C3-C2	-2.66	107.12	111.02
14	F	704	NAG	C4-C3-C2	-2.64	107.15	111.02
14	C	601	NAG	C3-C4-C5	2.29	114.32	110.24
14	D	603	NAG	C1-O5-C5	2.05	114.97	112.19

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
14	D	639	NAG	C1

All (24) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
14	A	634	NAG	O5-C5-C6-O6
14	C	634	NAG	O5-C5-C6-O6
14	D	639	NAG	O5-C5-C6-O6
14	A	633	NAG	O5-C5-C6-O6
14	C	601	NAG	O5-C5-C6-O6
14	C	633	NAG	O5-C5-C6-O6
14	D	638	NAG	O5-C5-C6-O6
14	A	634	NAG	C4-C5-C6-O6
14	C	634	NAG	C4-C5-C6-O6
14	D	639	NAG	C4-C5-C6-O6
14	D	603	NAG	O5-C5-C6-O6
14	A	633	NAG	C4-C5-C6-O6
14	C	633	NAG	C4-C5-C6-O6
14	D	638	NAG	C4-C5-C6-O6
14	A	612	NAG	O5-C5-C6-O6
14	C	611	NAG	O5-C5-C6-O6
14	D	616	NAG	O5-C5-C6-O6
14	C	601	NAG	C4-C5-C6-O6
14	D	603	NAG	C4-C5-C6-O6
14	A	612	NAG	C4-C5-C6-O6
14	C	611	NAG	C4-C5-C6-O6
14	D	616	NAG	C4-C5-C6-O6
14	E	702	NAG	O7-C7-N2-C2
14	F	703	NAG	O7-C7-N2-C2

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-8643. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)

6.1.1 Primary map




6.1.2 Raw map




The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 144




Y Index: 144




Z Index: 144


6.2.2 Raw map



X Index: 144



Y Index: 144




Z Index: 144


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 152




Y Index: 140




Z Index: 143


6.3.2 Raw map



X Index: 152



Y Index: 140



Z Index: 143

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.03. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.5 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 252 nm³; this corresponds to an approximate mass of 228 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)




*Reported resolution corresponds to spatial frequency of 0.233 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.233 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	4.30	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	4.94	7.81	5.73

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.94 differs from the reported value 4.3 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-8643 and PDB model 5V8L. Per-residue inclusion information can be found in section 3 on page 14.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.03 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.03).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 93% of all backbone atoms, 76% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.03) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7636	 0.3460
0	 0.2857	 0.2220
1	 0.4286	 0.3450
2	 0.5000	 0.2110
3	 0.5714	 0.2220
4	 0.6071	 0.2580
A	 0.8038	 0.3640
B	 0.7758	 0.3180
C	 0.8026	 0.3750
D	 0.8078	 0.3780
E	 0.7920	 0.3380
F	 0.7735	 0.3250
G	 0.8365	 0.3810
H	 0.8260	 0.3880
I	 0.8386	 0.3930
J	 0.5454	 0.2580
K	 0.7845	 0.3320
L	 0.7740	 0.3170
M	 0.7871	 0.3500
N	 0.5232	 0.2360
O	 0.4286	 0.2690
P	 0.7143	 0.3160
Q	 0.7143	 0.3470
R	 0.3929	 0.2490
S	 0.4615	 0.2450
T	 0.7639	 0.3690
U	 0.7349	 0.2970
V	 0.5357	 0.2690
W	 0.3929	 0.2590
X	 0.6410	 0.3410
Y	 0.6066	 0.2530
Z	 0.6786	 0.2220
a	 0.6429	 0.3340
b	 0.7857	 0.3430
c	 0.5714	 0.2820



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
d	█ 0.4872	█ 0.1400
e	█ 0.5357	█ 0.3290
f	█ 0.5904	█ 0.3040
g	█ 0.5957	█ 0.2670
h	█ 0.5714	█ 0.3390
i	█ 0.5714	█ 0.3070
j	█ 0.6429	█ 0.3270
k	█ 0.5410	█ 0.1720
l	█ 0.7692	█ 0.2240
m	█ 0.5357	█ 0.2690
n	█ 0.6071	█ 0.2970
o	█ 0.3929	█ 0.3060
p	█ 0.6786	█ 0.3370
q	█ 0.5319	█ 0.2030
r	█ 0.5714	█ 0.2350
s	█ 0.5904	█ 0.2890
t	█ 0.6915	█ 0.2980
u	█ 0.6071	█ 0.2960
v	█ 0.5714	█ 0.2530
w	█ 0.6071	█ 0.2310
x	█ 0.6557	█ 0.2690
y	█ 0.6667	█ 0.1470
z	█ 0.5357	█ 0.3120