



wwPDB X-ray Structure Validation Summary Report

Oct 12, 2020 – 11:16 AM EDT

PDB ID : 6CAP
Title : Crystal Structure of 30S ribosomal subunit from *Thermus thermophilus* in complex with Sisomicin
Authors : DeMirci, H.
Deposited on : 2018-01-31
Resolution : 3.40 Å (reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the  symbol.

The following versions of software and data (see [references](#) ) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.14.6
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.14.6


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION





The reported resolution of this entry is 3.40 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.






















| Metric | Whole archive (#Entries) | Similar resolution (#Entries, resolution range(Å)) |
|-----------------------|--------------------------|--|
| R_{free} | 130704 | 1026 (3.48-3.32) |
| Clashscore | 141614 | 1055 (3.48-3.32) |
| Ramachandran outliers | 138981 | 1038 (3.48-3.32) |
| Sidechain outliers | 138945 | 1038 (3.48-3.32) |
| RSRZ outliers | 127900 | 2173 (3.50-3.30) |
| RNA backbone | 3102 | 1006 (3.84-2.96) |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|--|
| 1 | A | 1522 |  |
| 2 | B | 234 |  |
| 3 | C | 206 |  |
| 4 | D | 208 |  |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|--|
| 5 | E | 150 |  |
| 6 | F | 101 |  |
| 7 | G | 155 |  |
| 8 | H | 138 |  |
| 9 | I | 127 |  |
| 10 | J | 98 |  |
| 11 | K | 116 |  |
| 12 | L | 124 |  |
| 13 | M | 118 |  |
| 14 | N | 60 |  |
| 15 | O | 87 |  |
| 16 | P | 83 |  |
| 17 | Q | 99 |  |
| 18 | R | 70 |  |
| 19 | S | 80 |  |
| 20 | T | 99 |  |
| 21 | U | 24 |  |
| 22 | Y | 6 |  |
| 23 | W | 15 |  |

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

| Mol | Type | Chain | Res | Chirality | Geometry | Clashes | Electron density |
|-----|------|-------|------|-----------|----------|---------|------------------|
| 24 | MG | A | 1631 | - | - | - | X |
| 24 | MG | A | 1639 | - | - | - | X |
| 24 | MG | A | 1663 | - | - | - | X |
| 24 | MG | A | 1665 | - | - | - | X |
| 24 | MG | A | 1674 | - | - | - | X |

Continued on next page...

Continued from previous page...

| Mol | Type | Chain | Res | Chirality | Geometry | Clashes | Electron density |
|-----|------|-------|------|-----------|----------|---------|------------------|
| 24 | MG | A | 1682 | - | - | - | X |
| 24 | MG | A | 1706 | - | - | - | X |
| 24 | MG | A | 1709 | - | - | - | X |
| 24 | MG | A | 1721 | - | - | - | X |
| 24 | MG | A | 1723 | - | - | - | X |
| 24 | MG | A | 1729 | - | - | - | X |
| 24 | MG | A | 1733 | - | - | - | X |
| 24 | MG | A | 1752 | - | - | - | X |
| 24 | MG | A | 1753 | - | - | - | X |
| 24 | MG | A | 1754 | - | - | - | X |
| 24 | MG | A | 1759 | - | - | - | X |
| 24 | MG | A | 1761 | - | - | - | X |
| 24 | MG | A | 1762 | - | - | - | X |
| 24 | MG | A | 1769 | - | - | - | X |
| 24 | MG | A | 1772 | - | - | - | X |
| 24 | MG | A | 1780 | - | - | - | X |
| 24 | MG | A | 1791 | - | - | - | X |
| 24 | MG | A | 1793 | - | - | - | X |
| 24 | MG | A | 1794 | - | - | - | X |
| 24 | MG | A | 1797 | - | - | - | X |
| 24 | MG | A | 1802 | - | - | - | X |
| 24 | MG | A | 1804 | - | - | - | X |
| 24 | MG | A | 1805 | - | - | - | X |
| 24 | MG | A | 1808 | - | - | - | X |
| 24 | MG | A | 1811 | - | - | - | X |
| 24 | MG | A | 1815 | - | - | - | X |
| 24 | MG | A | 1817 | - | - | - | X |
| 24 | MG | K | 201 | - | - | - | X |
| 24 | MG | L | 201 | - | - | - | X |
| 24 | MG | L | 202 | - | - | - | X |
| 24 | MG | L | 203 | - | - | - | X |

2 Entry composition

There are 27 unique types of molecules in this entry. The entry contains 52675 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S Ribosomal RNA rRNA.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|-------|------|-------|------|---------|---------|-------|
| | | | Total | C | N | O | P | | | |
| 1 | A | 1512 | 32644 | 14540 | 6040 | 10546 | 1518 | 0 | 6 | 0 |

There is a discrepancy between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------|-------------|
| A | 13 | C | U | conflict | GB 55771382 |

- Molecule 2 is a protein called 30S ribosomal protein S2.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|---------|-------|
| | | | Total | C | N | O | S | | | |
| 2 | B | 234 | 1900 | 1213 | 341 | 341 | 5 | 0 | 0 | 0 |

- Molecule 3 is a protein called 30S ribosomal protein S3.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|---------|-------|
| | | | Total | C | N | O | S | | | |
| 3 | C | 206 | 1612 | 1016 | 314 | 281 | 1 | 0 | 0 | 0 |

- Molecule 4 is a protein called 30S ribosomal protein S4.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|---|---------|---------|-------|
| | | | Total | C | N | O | S | | | |
| 4 | D | 208 | 1703 | 1066 | 339 | 291 | 7 | 0 | 0 | 0 |

- Molecule 5 is a protein called RIBOSOMAL PROTEIN S5.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|---------|-------|
| | | | Total | C | N | O | S | | | |
| 5 | E | 150 | 1146 | 724 | 217 | 201 | 4 | 0 | 0 | 0 |

- Molecule 6 is a protein called 30S ribosomal protein S6.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|---------|-------|
| | | | Total | C | N | O | S | | | |
| 6 | F | 101 | 843 | 531 | 155 | 154 | 3 | 0 | 0 | 0 |

- Molecule 7 is a protein called 30S ribosomal protein S7.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|---------|-------|
| | | | Total | C | N | O | S | | | |
| 7 | G | 155 | 1257 | 781 | 252 | 218 | 6 | 0 | 0 | 0 |

- Molecule 8 is a protein called 30S ribosomal protein S8.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|---------|-------|
| | | | Total | C | N | O | S | | | |
| 8 | H | 138 | 1116 | 705 | 215 | 193 | 3 | 0 | 0 | 0 |

- Molecule 9 is a protein called 30S ribosomal protein S9.

| Mol | Chain | Residues | Atoms | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---------|---------|-------|
| | | | Total | C | N | O | | | |
| 9 | I | 127 | 1010 | 639 | 197 | 174 | 0 | 0 | 0 |

- Molecule 10 is a protein called 30S ribosomal protein S10.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|---------|-------|
| | | | Total | C | N | O | S | | | |
| 10 | J | 98 | 792 | 498 | 156 | 137 | 1 | 0 | 0 | 0 |

- Molecule 11 is a protein called 30S ribosomal protein S11.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|---------|-------|
| | | | Total | C | N | O | S | | | |
| 11 | K | 116 | 864 | 537 | 164 | 160 | 3 | 0 | 0 | 0 |

- Molecule 12 is a protein called 30S ribosomal protein S12.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|---------|-------|
| | | | Total | C | N | O | S | | | |
| 12 | L | 124 | 972 | 612 | 195 | 163 | 2 | 0 | 0 | 0 |

- Molecule 13 is a protein called 30S ribosomal protein S13.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|---------|-------|
| | | | Total | C | N | O | S | | | |
| 13 | M | 118 | 937 | 579 | 193 | 163 | 2 | 0 | 0 | 0 |

- Molecule 14 is a protein called 30S ribosomal protein S14 type Z.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|---|---------|---------|-------|
| | | | Total | C | N | O | S | | | |
| 14 | N | 60 | 492 | 312 | 104 | 72 | 4 | 0 | 0 | 0 |

- Molecule 15 is a protein called 30S ribosomal protein S15.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|---------|-------|
| | | | Total | C | N | O | S | | | |
| 15 | O | 87 | 729 | 457 | 146 | 124 | 2 | 0 | 0 | 0 |

- Molecule 16 is a protein called 30S ribosomal protein S16.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|---------|-------|
| | | | Total | C | N | O | S | | | |
| 16 | P | 83 | 700 | 443 | 139 | 117 | 1 | 0 | 0 | 0 |

- Molecule 17 is a protein called 30S ribosomal protein S17.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|---------|-------|
| | | | Total | C | N | O | S | | | |
| 17 | Q | 99 | 823 | 528 | 152 | 141 | 2 | 0 | 0 | 0 |

There is a discrepancy between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|----------|------------|
| Q | 96 | GLN | GLU | conflict | UNP P0DOY7 |

- Molecule 18 is a protein called 30S ribosomal protein S18.

| Mol | Chain | Residues | Atoms | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|----|---------|---------|-------|
| | | | Total | C | N | O | | | |
| 18 | R | 70 | 574 | 367 | 112 | 95 | 0 | 0 | 0 |

- Molecule 19 is a protein called 30S ribosomal protein S19.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|---------|-------|
| 19 | S | 80 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 647 | 414 | 119 | 112 | 2 | | | |

- Molecule 20 is a protein called 30S ribosomal protein S20.

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|---------|-------|
| 20 | T | 99 | Total | C | N | O | S | 0 | 0 | 0 |
| | | | 763 | 470 | 162 | 129 | 2 | | | |

- Molecule 21 is a protein called 30S ribosomal protein Thx.

| Mol | Chain | Residues | Atoms | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|-----|----|----|---------|---------|-------|
| 21 | U | 24 | Total | C | N | O | 0 | 0 | 0 |
| | | | 208 | 128 | 50 | 30 | | | |

- Molecule 22 is a RNA chain called RNA (5'-R(*UP*UP*UP*UP*UP*U)-3').

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|----|----|----|---|---------|---------|-------|
| 22 | Y | 6 | Total | C | N | O | P | 0 | 0 | 0 |
| | | | 117 | 54 | 12 | 46 | 5 | | | |

- Molecule 23 is a RNA chain called RNA (5'-R(*GP*GP*GP*AP*UP*UP*GP*AP*AP*AP*AP*UP*CP*CP*C)-3').

| Mol | Chain | Residues | Atoms | | | | | ZeroOcc | AltConf | Trace |
|-----|-------|----------|-------|-----|----|-----|----|---------|---------|-------|
| 23 | W | 15 | Total | C | N | O | P | 0 | 0 | 0 |
| | | | 319 | 144 | 60 | 101 | 14 | | | |

- Molecule 24 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


| Mol | Chain | Residues | Atoms | | ZeroOcc | AltConf |
|-----|-------|----------|-------|----|---------|---------|
| 24 | P | 3 | Total | Mg | 0 | 0 |
| | | | 3 | 3 | | |
| 24 | Q | 3 | Total | Mg | 0 | 0 |
| | | | 3 | 3 | | |
| 24 | D | 3 | Total | Mg | 0 | 0 |
| | | | 3 | 3 | | |
| 24 | K | 4 | Total | Mg | 0 | 0 |
| | | | 4 | 4 | | |
| 24 | E | 1 | Total | Mg | 0 | 0 |
| | | | 1 | 1 | | |
| 24 | H | 2 | Total | Mg | 0 | 0 |
| | | | 2 | 2 | | |

Continued on next page...

Continued from previous page...

| Mol | Chain | Residues | Atoms | | ZeroOcc | AltConf |
|-----|-------|----------|-------|-----|---------|---------|
| 24 | B | 3 | Total | Mg | 0 | 0 |
| | | | 3 | 3 | | |
| 24 | C | 5 | Total | Mg | 0 | 0 |
| | | | 5 | 5 | | |
| 24 | W | 1 | Total | Mg | 0 | 0 |
| | | | 1 | 1 | | |
| 24 | A | 216 | Total | Mg | 0 | 0 |
| | | | 216 | 216 | | |
| 24 | T | 1 | Total | Mg | 0 | 0 |
| | | | 1 | 1 | | |
| 24 | L | 3 | Total | Mg | 0 | 0 |
| | | | 3 | 3 | | |
| 24 | S | 1 | Total | Mg | 0 | 0 |
| | | | 1 | 1 | | |
| 24 | F | 1 | Total | Mg | 0 | 0 |
| | | | 1 | 1 | | |
| 24 | M | 5 | Total | Mg | 0 | 0 |
| | | | 5 | 5 | | |

- Molecule 25 is (1S,2S,3R,4S,6R)-4,6-diamino-3-[[[(2S,3R)-3-amino-6-(aminomethyl)-3,4-dihydro-2H-pyran-2-yl]oxy}-2-hydroxycyclohexyl 3-deoxy-4-C-methyl-3-(methylamino)-beta-L-a rabinopyranoside (three-letter code: SIS) (formula: C₁₉H₃₇N₅O₇).




| Mol | Chain | Residues | Atoms | | | ZeroOcc | AltConf | |
|-----|-------|----------|-------|----|---|---------|---------|---|
| 25 | A | 1 | Total | C | N | O | 0 | 0 |
| | | | 31 | 19 | 5 | 7 | | |

- Molecule 26 is ZINC ION (three-letter code: ZN) (formula: Zn).


| Mol | Chain | Residues | Atoms | | ZeroOcc | AltConf |
|-----|-------|----------|------------|---------|---------|---------|
| 26 | D | 1 | Total 1 | Zn 1 | 0 | 0 |
| 26 | N | 1 | Total 1 | Zn 1 | 0 | 0 |

- Molecule 27 is water.


| Mol | Chain | Residues | Atoms | | ZeroOcc | AltConf |
|-----|-------|----------|--------------|----------|---------|---------|
| 27 | A | 192 | Total 192 | O 192 | 0 | 0 |
| 27 | C | 1 | Total 1 | O 1 | 0 | 0 |
| 27 | D | 1 | Total 1 | O 1 | 0 | 0 |
| 27 | E | 6 | Total 6 | O 6 | 0 | 0 |
| 27 | K | 11 | Total 11 | O 11 | 0 | 0 |
| 27 | L | 3 | Total 3 | O 3 | 0 | 0 |
| 27 | N | 1 | Total 1 | O 1 | 0 | 0 |
| 27 | O | 1 | Total 1 | O 1 | 0 | 0 |
| 27 | Q | 2 | Total 2 | O 2 | 0 | 0 |
| 27 | T | 4 | Total 4 | O 4 | 0 | 0 |



• Molecule 2: 30S ribosomal protein S2




• Molecule 3: 30S ribosomal protein S3





• Molecule 4: 30S ribosomal protein S4







- Molecule 5: RIBOSOMAL PROTEIN S5




- Molecule 6: 30S ribosomal protein S6




- Molecule 7: 30S ribosomal protein S7




- Molecule 8: 30S ribosomal protein S8




- Molecule 9: 30S ribosomal protein S9




- Molecule 10: 30S ribosomal protein S10




- Molecule 11: 30S ribosomal protein S11



- Molecule 12: 30S ribosomal protein S12



- Molecule 13: 30S ribosomal protein S13




- Molecule 14: 30S ribosomal protein S14 type Z

Chain N:  67% 32%




- Molecule 15: 30S ribosomal protein S15

Chain O:  66% 29% 6%



- Molecule 16: 30S ribosomal protein S16

Chain P:  63% 36%




- Molecule 17: 30S ribosomal protein S17

Chain Q:  70% 26% 6%




- Molecule 18: 30S ribosomal protein S18

Chain R:  67% 30% 9%




- Molecule 19: 30S ribosomal protein S19

Chain S:  65% 30% 9%



- Molecule 20: 30S ribosomal protein S20

Chain T:  65% 30% 5%







- Molecule 21: 30S ribosomal protein Thx



- Molecule 22: RNA (5'-R(*UP*UP*UP*UP*UP*U)-3')



- Molecule 23: RNA (5'-R(*GP*GP*GP*AP*UP*UP*GP*AP*AP*AP*AP*UP*CP*CP*C)-3')



4 Data and refinement statistics

| Property | Value | Source |
|---|---|------------------|
| Space group | P 41 21 2 | Depositor |
| Cell constants a, b, c, α , β , γ | 400.97Å 400.97Å 175.05Å 90.00° 90.00° 90.00° | Depositor |
| Resolution (Å) | 39.91 – 3.40 39.91 – 3.12 | Depositor EDS |
| % Data completeness (in resolution range) | 99.8 (39.91-3.40) 82.1 (39.91-3.12) | Depositor EDS |
| R_{merge} | 1.01 | Depositor |
| R_{sym} | (Not available) | Depositor |
| $\langle I/\sigma(I) \rangle$ ¹ | -0.05 (at 3.12Å) | Xtrriage |
| Refinement program | PHENIX | Depositor |
| R, R_{free} | 0.183 , 0.230 0.183 , 0.230 | Depositor DCC |
| R_{free} test set | 2000 reflections (0.82%) | wwPDB-VP |
| Wilson B-factor (Å ²) | 86.1 | Xtrriage |
| Anisotropy | 0.204 | Xtrriage |
| Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²) | 0.23 , 72.8 | EDS |
| L-test for twinning ² | $\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$ | Xtrriage |
| Estimated twinning fraction | No twinning to report. | Xtrriage |
| F_o, F_c correlation | 0.91 | EDS |
| Total number of atoms | 52675 | wwPDB-VP |
| Average B, all atoms (Å ²) | 142.0 | wwPDB-VP |

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.50% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: SIS, ZN, MA6, G7M, 0TD, MG, 2MG, 5MC, UR3, 4OC, M2G, PSU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|---------|-------------|-----------------|
| | | RMSZ | # Z >5 | RMSZ | # Z >5 |
| 1 | A | 0.37 | 0/36139 | 0.93 | 40/56396 (0.1%) |
| 2 | B | 0.30 | 0/1935 | 0.48 | 0/2609 |
| 3 | C | 0.29 | 0/1636 | 0.49 | 0/2205 |
| 4 | D | 0.31 | 0/1733 | 0.46 | 0/2318 |
| 5 | E | 0.33 | 0/1162 | 0.52 | 0/1564 |
| 6 | F | 0.27 | 0/856 | 0.47 | 0/1154 |
| 7 | G | 0.29 | 0/1276 | 0.43 | 0/1709 |
| 8 | H | 0.33 | 0/1136 | 0.52 | 0/1527 |
| 9 | I | 0.29 | 0/1029 | 0.52 | 1/1379 (0.1%) |
| 10 | J | 0.28 | 0/805 | 0.56 | 0/1082 |
| 11 | K | 0.32 | 0/879 | 0.49 | 0/1187 |
| 12 | L | 0.32 | 0/977 | 0.54 | 0/1306 |
| 13 | M | 0.29 | 0/947 | 0.49 | 0/1270 |
| 14 | N | 0.31 | 0/501 | 0.50 | 0/664 |
| 15 | O | 0.28 | 0/740 | 0.46 | 0/987 |
| 16 | P | 0.31 | 0/716 | 0.51 | 0/963 |
| 17 | Q | 0.31 | 0/836 | 0.52 | 1/1117 (0.1%) |
| 18 | R | 0.29 | 0/579 | 0.48 | 0/768 |
| 19 | S | 0.28 | 0/661 | 0.51 | 0/890 |
| 20 | T | 0.29 | 0/765 | 0.47 | 0/1007 |
| 21 | U | 0.29 | 0/212 | 0.44 | 0/277 |
| 22 | Y | 0.33 | 0/128 | 0.99 | 0/196 |
| 23 | W | 0.33 | 0/357 | 0.86 | 0/555 |
| All | All | 0.35 | 0/56005 | 0.82 | 42/83130 (0.1%) |

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

| Mol | Chain | #Chirality outliers | #Planarity outliers |
|-----|-------|---------------------|---------------------|
| 3 | C | 0 | 2 |
| 8 | H | 0 | 1 |
| 10 | J | 0 | 2 |
| 13 | M | 0 | 2 |
| 20 | T | 0 | 1 |
| All | All | 0 | 8 |

There are no bond length outliers.

The worst 5 of 42 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|-----------|-------|-------------|----------|
| 1 | A | 328 | C | C2-N1-C1' | 8.92 | 128.61 | 118.80 |
| 1 | A | 839 | U | C2-N1-C1' | 7.61 | 126.83 | 117.70 |
| 1 | A | 254 | G | O5'-P-OP1 | -7.59 | 98.86 | 105.70 |
| 1 | A | 839 | U | N1-C2-O2 | 7.57 | 128.10 | 122.80 |
| 1 | A | 299 | G | C5-C6-N1 | -7.18 | 107.91 | 111.50 |

There are no chirality outliers.

5 of 8 planarity outliers are listed below:

| Mol | Chain | Res | Type | Group |
|-----|-------|-----|------|---------|
| 3 | C | 166 | GLU | Peptide |
| 3 | C | 179 | ARG | Peptide |
| 8 | H | 71 | GLY | Peptide |
| 10 | J | 54 | PHE | Peptide |
| 10 | J | 55 | LYS | Peptide |

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 1 | A | 32644 | 0 | 16507 | 372 | 0 |
| 2 | B | 1900 | 0 | 1951 | 46 | 0 |
| 3 | C | 1612 | 0 | 1676 | 40 | 0 |
| 4 | D | 1703 | 0 | 1763 | 43 | 0 |
| 5 | E | 1146 | 0 | 1207 | 25 | 0 |
| 6 | F | 843 | 0 | 857 | 16 | 0 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 7 | G | 1257 | 0 | 1296 | 33 | 0 |
| 8 | H | 1116 | 0 | 1177 | 29 | 0 |
| 9 | I | 1010 | 0 | 1037 | 29 | 0 |
| 10 | J | 792 | 0 | 835 | 25 | 0 |
| 11 | K | 864 | 0 | 881 | 29 | 0 |
| 12 | L | 972 | 0 | 1058 | 24 | 0 |
| 13 | M | 937 | 0 | 995 | 30 | 0 |
| 14 | N | 492 | 0 | 529 | 19 | 0 |
| 15 | O | 729 | 0 | 768 | 16 | 0 |
| 16 | P | 700 | 0 | 720 | 16 | 0 |
| 17 | Q | 823 | 0 | 893 | 20 | 0 |
| 18 | R | 574 | 0 | 644 | 17 | 0 |
| 19 | S | 647 | 0 | 673 | 20 | 0 |
| 20 | T | 763 | 0 | 861 | 22 | 0 |
| 21 | U | 208 | 0 | 221 | 5 | 0 |
| 22 | Y | 117 | 0 | 62 | 1 | 0 |
| 23 | W | 319 | 0 | 164 | 0 | 0 |
| 24 | A | 216 | 0 | 0 | 0 | 0 |
| 24 | B | 3 | 0 | 0 | 0 | 0 |
| 24 | C | 5 | 0 | 0 | 0 | 0 |
| 24 | D | 3 | 0 | 0 | 0 | 0 |
| 24 | E | 1 | 0 | 0 | 0 | 0 |
| 24 | F | 1 | 0 | 0 | 0 | 0 |
| 24 | H | 2 | 0 | 0 | 0 | 0 |
| 24 | K | 4 | 0 | 0 | 0 | 0 |
| 24 | L | 3 | 0 | 0 | 0 | 0 |
| 24 | M | 5 | 0 | 0 | 0 | 0 |
| 24 | P | 3 | 0 | 0 | 0 | 0 |
| 24 | Q | 3 | 0 | 0 | 0 | 0 |
| 24 | S | 1 | 0 | 0 | 0 | 0 |
| 24 | T | 1 | 0 | 0 | 0 | 0 |
| 24 | W | 1 | 0 | 0 | 0 | 0 |
| 25 | A | 31 | 0 | 37 | 2 | 0 |
| 26 | D | 1 | 0 | 0 | 0 | 0 |
| 26 | N | 1 | 0 | 0 | 0 | 0 |
| 27 | A | 192 | 0 | 0 | 2 | 0 |
| 27 | C | 1 | 0 | 0 | 0 | 0 |
| 27 | D | 1 | 0 | 0 | 0 | 0 |
| 27 | E | 6 | 0 | 0 | 0 | 0 |
| 27 | K | 11 | 0 | 0 | 1 | 0 |
| 27 | L | 3 | 0 | 0 | 0 | 0 |
| 27 | N | 1 | 0 | 0 | 0 | 0 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 27 | O | 1 | 0 | 0 | 0 | 0 |
| 27 | Q | 2 | 0 | 0 | 0 | 0 |
| 27 | T | 4 | 0 | 0 | 0 | 0 |
| All | All | 52675 | 0 | 36812 | 774 | 0 |

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

The worst 5 of 774 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

| Atom-1 | Atom-2 | Interatomic distance (Å) | Clash overlap (Å) |
|-------------------|------------------|--------------------------|-------------------|
| 13:M:10:PRO:HB2 | 13:M:18:ALA:HB1 | 1.50 | 0.91 |
| 20:T:100:ILE:HG22 | 20:T:102:GLY:H | 1.41 | 0.86 |
| 14:N:8:GLU:HB2 | 14:N:11:LYS:HE3 | 1.58 | 0.84 |
| 1:A:456:C:H42 | 1:A:476:G:H1 | 1.30 | 0.80 |
| 3:C:33:LEU:HD21 | 14:N:53:LEU:HD22 | 1.65 | 0.78 |

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|---------------|-----------|----------|----------|-------------|-----|
| 2 | B | 232/234 (99%) | 216 (93%) | 16 (7%) | 0 | 100 | 100 |
| 3 | C | 204/206 (99%) | 182 (89%) | 22 (11%) | 0 | 100 | 100 |
| 4 | D | 206/208 (99%) | 197 (96%) | 9 (4%) | 0 | 100 | 100 |
| 5 | E | 148/150 (99%) | 140 (95%) | 8 (5%) | 0 | 100 | 100 |
| 6 | F | 99/101 (98%) | 95 (96%) | 4 (4%) | 0 | 100 | 100 |
| 7 | G | 153/155 (99%) | 144 (94%) | 9 (6%) | 0 | 100 | 100 |
| 8 | H | 136/138 (99%) | 129 (95%) | 5 (4%) | 2 (2%) | 10 | 36 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|-----------------|------------|----------|----------|-------------|-----|
| 9 | I | 125/127 (98%) | 113 (90%) | 12 (10%) | 0 | 100 | 100 |
| 10 | J | 96/98 (98%) | 80 (83%) | 13 (14%) | 3 (3%) | 4 | 23 |
| 11 | K | 114/116 (98%) | 109 (96%) | 5 (4%) | 0 | 100 | 100 |
| 12 | L | 121/124 (98%) | 114 (94%) | 7 (6%) | 0 | 100 | 100 |
| 13 | M | 116/118 (98%) | 99 (85%) | 16 (14%) | 1 (1%) | 17 | 49 |
| 14 | N | 58/60 (97%) | 49 (84%) | 9 (16%) | 0 | 100 | 100 |
| 15 | O | 85/87 (98%) | 84 (99%) | 1 (1%) | 0 | 100 | 100 |
| 16 | P | 81/83 (98%) | 76 (94%) | 5 (6%) | 0 | 100 | 100 |
| 17 | Q | 97/99 (98%) | 92 (95%) | 5 (5%) | 0 | 100 | 100 |
| 18 | R | 68/70 (97%) | 64 (94%) | 4 (6%) | 0 | 100 | 100 |
| 19 | S | 78/80 (98%) | 71 (91%) | 7 (9%) | 0 | 100 | 100 |
| 20 | T | 97/99 (98%) | 88 (91%) | 8 (8%) | 1 (1%) | 15 | 46 |
| 21 | U | 22/24 (92%) | 20 (91%) | 2 (9%) | 0 | 100 | 100 |
| All | All | 2336/2377 (98%) | 2162 (93%) | 167 (7%) | 7 (0%) | 41 | 72 |

5 of 7 Ramachandran outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 10 | J | 55 | LYS |
| 10 | J | 56 | HIS |
| 10 | J | 54 | PHE |
| 8 | H | 72 | PRO |
| 8 | H | 71 | GLY |

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|----------------|-----------|----------|-------------|----|
| 2 | B | 202/202 (100%) | 174 (86%) | 28 (14%) | 3 | 13 |
| 3 | C | 160/160 (100%) | 135 (84%) | 25 (16%) | 2 | 11 |
| 4 | D | 180/180 (100%) | 159 (88%) | 21 (12%) | 5 | 20 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|------------------|------------|-----------|-------------|----|
| 5 | E | 115/115 (100%) | 100 (87%) | 15 (13%) | 4 | 16 |
| 6 | F | 90/90 (100%) | 85 (94%) | 5 (6%) | 21 | 51 |
| 7 | G | 126/126 (100%) | 114 (90%) | 12 (10%) | 8 | 29 |
| 8 | H | 119/119 (100%) | 110 (92%) | 9 (8%) | 13 | 41 |
| 9 | I | 98/98 (100%) | 85 (87%) | 13 (13%) | 4 | 15 |
| 10 | J | 87/88 (99%) | 74 (85%) | 13 (15%) | 3 | 12 |
| 11 | K | 88/88 (100%) | 78 (89%) | 10 (11%) | 5 | 21 |
| 12 | L | 103/103 (100%) | 93 (90%) | 10 (10%) | 8 | 28 |
| 13 | M | 94/94 (100%) | 82 (87%) | 12 (13%) | 4 | 16 |
| 14 | N | 49/49 (100%) | 46 (94%) | 3 (6%) | 18 | 48 |
| 15 | O | 79/79 (100%) | 68 (86%) | 11 (14%) | 3 | 13 |
| 16 | P | 72/72 (100%) | 63 (88%) | 9 (12%) | 4 | 17 |
| 17 | Q | 94/94 (100%) | 86 (92%) | 8 (8%) | 10 | 35 |
| 18 | R | 61/61 (100%) | 58 (95%) | 3 (5%) | 25 | 55 |
| 19 | S | 71/71 (100%) | 61 (86%) | 10 (14%) | 3 | 13 |
| 20 | T | 76/76 (100%) | 66 (87%) | 10 (13%) | 4 | 15 |
| 21 | U | 19/19 (100%) | 18 (95%) | 1 (5%) | 22 | 52 |
| All | All | 1983/1984 (100%) | 1755 (88%) | 228 (12%) | 5 | 20 |

5 of 228 residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 7 | G | 124 | LEU |
| 9 | I | 124 | GLN |
| 19 | S | 29 | ARG |
| 8 | H | 2 | LEU |
| 9 | I | 12 | GLU |

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 2 | B | 204 | ASN |
| 3 | C | 37 | GLN |

5.3.3 RNA [i](#)

| Mol | Chain | Analysed | Backbone Outliers | Pucker Outliers |
|-----|-------|-----------------|-------------------|-----------------|
| 1 | A | 1504/1522 (98%) | 246 (16%) | 46 (3%) |
| 22 | Y | 5/6 (83%) | 2 (40%) | 0 |
| 23 | W | 14/15 (93%) | 4 (28%) | 0 |
| All | All | 1523/1543 (98%) | 252 (16%) | 46 (3%) |

5 of 252 RNA backbone outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 1 | A | 6 | G |
| 1 | A | 7 | G |
| 1 | A | 9 | G |
| 1 | A | 32 | A |
| 1 | A | 39 | G |

5 of 46 RNA pucker outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|------|------|
| 1 | A | 701 | C |
| 1 | A | 960 | U |
| 1 | A | 1346 | A |
| 1 | A | 748 | C |
| 1 | A | 812 | C |

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

17 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|---------|------|--------------|------|-------------|-------------|------|-------------|
| | | | | | Counts | RMSZ | $\# Z > 2$ | Counts | RMSZ | $\# Z > 2$ |
| 1 | 5MC | A | 1404 | 1 | 15,22,23 | 0.87 | 0 | 19,32,35 | 1.15 | 2 (10%) |
| 12 | 0TD | L | 92 | 12 | 4,9,10 | 0.85 | 0 | 3,11,13 | 1.67 | 1 (33%) |
| 1 | MA6 | A | 1519[A] | 1 | 19,26,27 | 0.81 | 0 | 18,38,41 | 0.69 | 0 |
| 1 | 5MC | A | 1400 | 1 | 15,22,23 | 0.87 | 0 | 19,32,35 | 1.06 | 1 (5%) |

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|---------|------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 1 | MA6 | A | 1519[B] | 1 | 19,26,27 | 1.27 | 3 (15%) | 18,38,41 | 0.59 | 0 |
| 1 | PSU | A | 1541 | 1 | 17,21,22 | 1.04 | 2 (11%) | 20,30,33 | 3.18 | 5 (25%) |
| 1 | 5MC | A | 967 | 1 | 15,22,23 | 0.88 | 0 | 19,32,35 | 1.12 | 2 (10%) |
| 1 | M2G | A | 966 | 1 | 20,27,28 | 1.83 | 4 (20%) | 22,40,43 | 2.47 | 5 (22%) |
| 1 | 4OC | A | 1402 | 1 | 16,23,24 | 0.93 | 1 (6%) | 17,32,35 | 0.76 | 0 |
| 1 | UR3 | A | 1498 | 1 | 14,22,23 | 1.02 | 2 (14%) | 15,32,35 | 1.18 | 1 (6%) |
| 1 | MA6 | A | 1518[B] | 1 | 19,26,27 | 1.26 | 2 (10%) | 18,38,41 | 0.75 | 0 |
| 1 | 5MC | A | 1407 | 1 | 15,22,23 | 0.95 | 0 | 19,32,35 | 1.09 | 2 (10%) |
| 1 | 2MG | A | 1207 | 1 | 19,26,27 | 2.21 | 4 (21%) | 21,38,41 | 2.11 | 3 (14%) |
| 1 | MA6 | A | 1518[A] | 1 | 19,26,27 | 0.84 | 1 (5%) | 18,38,41 | 0.68 | 0 |
| 1 | PSU | A | 516 | 1,24 | 17,21,22 | 1.04 | 2 (11%) | 20,30,33 | 3.22 | 6 (30%) |
| 1 | PSU | A | 1540 | 1 | 17,21,22 | 1.01 | 1 (5%) | 20,30,33 | 3.24 | 5 (25%) |
| 1 | G7M | A | 527 | 1 | 20,26,27 | 1.66 | 3 (15%) | 20,39,42 | 1.85 | 5 (25%) |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|---------|------|---------|-----------|---------|
| 1 | 5MC | A | 1404 | 1 | - | 0/5/25/26 | 0/2/2/2 |
| 12 | 0TD | L | 92 | 12 | - | 1/3/12/14 | - |
| 1 | MA6 | A | 1519[A] | 1 | - | 4/7/29/30 | 0/3/3/3 |
| 1 | 5MC | A | 1400 | 1 | - | 2/5/25/26 | 0/2/2/2 |
| 1 | MA6 | A | 1519[B] | 1 | - | 4/7/29/30 | 0/3/3/3 |
| 1 | PSU | A | 1541 | 1 | - | 1/7/25/26 | 0/2/2/2 |
| 1 | 5MC | A | 967 | 1 | - | 2/5/25/26 | 0/2/2/2 |
| 1 | M2G | A | 966 | 1 | - | 3/7/29/30 | 0/3/3/3 |
| 1 | 4OC | A | 1402 | 1 | - | 2/9/29/30 | 0/2/2/2 |
| 1 | UR3 | A | 1498 | 1 | - | 2/5/25/26 | 0/2/2/2 |
| 1 | MA6 | A | 1518[B] | 1 | - | 1/7/29/30 | 0/3/3/3 |
| 1 | 5MC | A | 1407 | 1 | - | 0/5/25/26 | 0/2/2/2 |
| 1 | 2MG | A | 1207 | 1 | - | 0/5/27/28 | 0/3/3/3 |
| 1 | MA6 | A | 1518[A] | 1 | - | 2/7/29/30 | 0/3/3/3 |
| 1 | PSU | A | 516 | 1,24 | - | 0/7/25/26 | 0/2/2/2 |
| 1 | PSU | A | 1540 | 1 | - | 0/7/25/26 | 0/2/2/2 |
| 1 | G7M | A | 527 | 1 | - | 2/3/25/26 | 0/3/3/3 |

The worst 5 of 25 bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|---------|------|-------|------|-------------|----------|
| 1 | A | 1207 | 2MG | C2-N2 | 6.64 | 1.39 | 1.34 |
| 1 | A | 1207 | 2MG | C6-N1 | 5.90 | 1.43 | 1.33 |
| 1 | A | 966 | M2G | C6-N1 | 5.60 | 1.42 | 1.33 |
| 1 | A | 527 | G7M | C2-N2 | 4.98 | 1.43 | 1.33 |
| 1 | A | 1518[B] | MA6 | C6-N1 | 3.56 | 1.38 | 1.33 |

The worst 5 of 38 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|------|------|----------|--------|-------------|----------|
| 1 | A | 1540 | PSU | N1-C2-N3 | -11.21 | 119.52 | 128.43 |
| 1 | A | 516 | PSU | N1-C2-N3 | -11.17 | 119.55 | 128.43 |
| 1 | A | 1541 | PSU | N1-C2-N3 | -11.08 | 119.62 | 128.43 |
| 1 | A | 966 | M2G | C5-C6-N1 | -8.45 | 111.87 | 123.43 |
| 1 | A | 1207 | 2MG | C5-C6-N1 | -7.91 | 112.62 | 123.43 |

There are no chirality outliers.

5 of 26 torsion outliers are listed below:

| Mol | Chain | Res | Type | Atoms |
|-----|-------|---------|------|-----------------|
| 12 | L | 92 | 0TD | CG-CB-SB-CSB |
| 1 | A | 1519[A] | MA6 | C3'-C4'-C5'-O5' |
| 1 | A | 1519[A] | MA6 | C5-C6-N6-C9 |
| 1 | A | 1519[B] | MA6 | C5-C6-N6-C9 |
| 1 | A | 1519[B] | MA6 | N1-C6-N6-C9 |

There are no ring outliers.

10 monomers are involved in 12 short contacts:

| Mol | Chain | Res | Type | Clashes | Symm-Clashes |
|-----|-------|---------|------|---------|--------------|
| 1 | A | 1404 | 5MC | 1 | 0 |
| 12 | L | 92 | 0TD | 1 | 0 |
| 1 | A | 1519[A] | MA6 | 1 | 0 |
| 1 | A | 1400 | 5MC | 1 | 0 |
| 1 | A | 1519[B] | MA6 | 3 | 0 |
| 1 | A | 967 | 5MC | 1 | 0 |
| 1 | A | 966 | M2G | 1 | 0 |
| 1 | A | 1518[B] | MA6 | 3 | 0 |
| 1 | A | 1518[A] | MA6 | 1 | 0 |
| 1 | A | 527 | G7M | 1 | 0 |

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 255 ligands modelled in this entry, 254 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|------|------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 25 | SIS | A | 1792 | - | 28,33,33 | 1.24 | 2 (7%) | 28,49,49 | 1.03 | 1 (3%) |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|------|------|---------|-----------|---------|
| 25 | SIS | A | 1792 | - | - | 2/9/65/65 | 0/3/3/3 |

All (2) bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|------|------|---------|-------|-------------|----------|
| 25 | A | 1792 | SIS | C31-C41 | -4.71 | 1.40 | 1.50 |
| 25 | A | 1792 | SIS | C61-C51 | -3.77 | 1.39 | 1.48 |

All (1) bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|------|------|-------------|-------|-------------|----------|
| 25 | A | 1792 | SIS | C93-N33-C33 | -3.12 | 109.84 | 114.38 |

There are no chirality outliers.

All (2) torsion outliers are listed below:


| Mol | Chain | Res | Type | Atoms |
|-----|-------|------|------|-----------------|
| 25 | A | 1792 | SIS | C23-C33-N33-C93 |
| 25 | A | 1792 | SIS | C52-C42-O11-C11 |

There are no ring outliers.

1 monomer is involved in 2 short contacts:

| Mol | Chain | Res | Type | Clashes | Symm-Clashes |
|-----|-------|------|------|---------|--------------|
| 25 | A | 1792 | SIS | 2 | 0 |

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

| Mol | Chain | Analysed | <RSRZ> | #RSRZ>2 | OWAB(Å ²) | Q<0.9 |
|-----|-------|-----------------|--------|----------------|-----------------------|-------|
| 1 | A | 1498/1522 (98%) | -0.09 | 36 (2%) 59 57 | 90, 129, 208, 321 | 0 |
| 2 | B | 234/234 (100%) | -0.14 | 5 (2%) 63 62 | 110, 156, 242, 273 | 0 |
| 3 | C | 206/206 (100%) | 0.15 | 17 (8%) 11 13 | 127, 161, 211, 242 | 0 |
| 4 | D | 208/208 (100%) | 0.06 | 10 (4%) 30 31 | 98, 140, 186, 241 | 0 |
| 5 | E | 150/150 (100%) | 0.01 | 5 (3%) 46 45 | 92, 118, 155, 215 | 0 |
| 6 | F | 101/101 (100%) | -0.11 | 3 (2%) 50 49 | 113, 155, 188, 220 | 0 |
| 7 | G | 155/155 (100%) | 0.09 | 6 (3%) 39 38 | 111, 143, 198, 255 | 0 |
| 8 | H | 138/138 (100%) | -0.34 | 0 100 100 | 87, 114, 150, 162 | 0 |
| 9 | I | 127/127 (100%) | 0.08 | 4 (3%) 49 48 | 123, 154, 204, 230 | 0 |
| 10 | J | 98/98 (100%) | 0.17 | 5 (5%) 28 28 | 125, 185, 259, 314 | 0 |
| 11 | K | 116/116 (100%) | -0.07 | 1 (0%) 84 83 | 90, 126, 172, 188 | 0 |
| 12 | L | 123/124 (99%) | -0.04 | 2 (1%) 72 70 | 83, 129, 183, 252 | 0 |
| 13 | M | 118/118 (100%) | 0.20 | 10 (8%) 10 12 | 116, 150, 198, 288 | 0 |
| 14 | N | 60/60 (100%) | 0.04 | 0 100 100 | 117, 150, 207, 269 | 0 |
| 15 | O | 87/87 (100%) | -0.21 | 0 100 100 | 100, 132, 175, 210 | 0 |
| 16 | P | 83/83 (100%) | 0.05 | 1 (1%) 79 77 | 97, 129, 169, 222 | 0 |
| 17 | Q | 99/99 (100%) | 0.05 | 6 (6%) 21 22 | 88, 116, 156, 172 | 0 |
| 18 | R | 70/70 (100%) | 0.34 | 6 (8%) 10 12 | 97, 138, 204, 227 | 0 |
| 19 | S | 80/80 (100%) | 0.41 | 7 (8%) 10 11 | 136, 171, 226, 273 | 0 |
| 20 | T | 99/99 (100%) | 0.08 | 2 (2%) 65 64 | 101, 128, 175, 216 | 0 |
| 21 | U | 24/24 (100%) | 0.16 | 1 (4%) 36 35 | 113, 146, 189, 199 | 0 |
| 22 | Y | 6/6 (100%) | 0.64 | 1 (16%) 1 2 | 161, 167, 236, 265 | 0 |
| 23 | W | 15/15 (100%) | -0.11 | 0 100 100 | 146, 159, 244, 247 | 0 |
| All | All | 3895/3920 (99%) | -0.02 | 128 (3%) 46 45 | 83, 138, 208, 321 | 0 |

The worst 5 of 128 RSRZ outliers are listed below:

| Mol | Chain | Res | Type | RSRZ |
|-----|-------|---------|------|------|
| 1 | A | 1129 | C | 8.3 |
| 7 | G | 156 | TRP | 7.4 |
| 1 | A | 1003(A) | G | 6.9 |
| 20 | T | 106 | ALA | 6.1 |
| 4 | D | 42 | GLN | 5.9 |

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

| Mol | Type | Chain | Res | Atoms | RSCC | RSR | B-factors(Å ²) | Q<0.9 |
|-----|------|-------|---------|-------|------|------|----------------------------|-------|
| 1 | PSU | A | 1540 | 20/21 | 0.86 | 0.39 | 208,219,231,237 | 0 |
| 1 | PSU | A | 1541 | 20/21 | 0.88 | 0.33 | 210,228,262,308 | 0 |
| 1 | PSU | A | 516 | 20/21 | 0.92 | 0.15 | 146,154,162,165 | 0 |
| 1 | MA6 | A | 1518[B] | 24/25 | 0.93 | 0.26 | 100,108,119,121 | 24 |
| 1 | MA6 | A | 1518[A] | 24/25 | 0.93 | 0.26 | 100,102,108,109 | 24 |
| 1 | G7M | A | 527 | 24/25 | 0.93 | 0.20 | 105,113,126,128 | 0 |
| 1 | MA6 | A | 1519[A] | 24/25 | 0.94 | 0.27 | 98,100,109,125 | 24 |
| 1 | MA6 | A | 1519[B] | 24/25 | 0.94 | 0.27 | 99,105,109,112 | 24 |
| 1 | 4OC | A | 1402 | 22/23 | 0.95 | 0.22 | 103,107,119,123 | 0 |
| 12 | 0TD | L | 92 | 10/11 | 0.95 | 0.19 | 132,154,192,194 | 0 |
| 1 | 5MC | A | 1404 | 21/22 | 0.96 | 0.18 | 99,108,113,115 | 0 |
| 1 | 2MG | A | 1207 | 24/25 | 0.96 | 0.13 | 127,142,156,160 | 0 |
| 1 | 5MC | A | 1400 | 21/22 | 0.97 | 0.16 | 101,126,143,146 | 0 |
| 1 | 5MC | A | 967 | 21/22 | 0.97 | 0.17 | 111,125,130,136 | 0 |
| 1 | 5MC | A | 1407 | 21/22 | 0.97 | 0.17 | 103,117,127,135 | 0 |
| 1 | M2G | A | 966 | 25/26 | 0.97 | 0.17 | 129,134,151,152 | 0 |
| 1 | UR3 | A | 1498 | 21/22 | 0.98 | 0.18 | 101,107,122,134 | 0 |

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

| Mol | Type | Chain | Res | Atoms | RSCC | RSR | B-factors(Å ²) | Q<0.9 |
|-----|------|-------|------|-------|------|------|----------------------------|-------|
| 24 | MG | A | 1639 | 1/1 | 0.10 | 0.48 | 193,193,193,193 | 0 |
| 24 | MG | A | 1811 | 1/1 | 0.16 | 0.60 | 137,137,137,137 | 0 |
| 24 | MG | A | 1717 | 1/1 | 0.30 | 0.24 | 127,127,127,127 | 0 |
| 24 | MG | M | 202 | 1/1 | 0.33 | 0.30 | 125,125,125,125 | 0 |
| 24 | MG | D | 304 | 1/1 | 0.41 | 0.19 | 130,130,130,130 | 0 |
| 24 | MG | A | 1803 | 1/1 | 0.41 | 0.21 | 160,160,160,160 | 0 |
| 24 | MG | L | 203 | 1/1 | 0.45 | 0.54 | 118,118,118,118 | 0 |
| 24 | MG | A | 1804 | 1/1 | 0.50 | 0.45 | 150,150,150,150 | 0 |
| 24 | MG | A | 1759 | 1/1 | 0.51 | 0.56 | 113,113,113,113 | 0 |
| 24 | MG | A | 1813 | 1/1 | 0.51 | 0.18 | 112,112,112,112 | 0 |
| 24 | MG | A | 1733 | 1/1 | 0.53 | 0.64 | 120,120,120,120 | 0 |
| 24 | MG | A | 1762 | 1/1 | 0.55 | 0.66 | 101,101,101,101 | 0 |
| 24 | MG | M | 201 | 1/1 | 0.56 | 0.26 | 123,123,123,123 | 0 |
| 24 | MG | T | 201 | 1/1 | 0.57 | 0.24 | 387,387,387,387 | 0 |
| 24 | MG | A | 1808 | 1/1 | 0.58 | 0.54 | 132,132,132,132 | 0 |
| 24 | MG | Q | 202 | 1/1 | 0.58 | 0.12 | 133,133,133,133 | 0 |
| 24 | MG | A | 1791 | 1/1 | 0.60 | 0.40 | 131,131,131,131 | 0 |
| 24 | MG | A | 1793 | 1/1 | 0.60 | 1.33 | 372,372,372,372 | 0 |
| 24 | MG | A | 1684 | 1/1 | 0.62 | 0.38 | 109,109,109,109 | 0 |
| 24 | MG | A | 1682 | 1/1 | 0.62 | 0.42 | 131,131,131,131 | 0 |
| 24 | MG | M | 203 | 1/1 | 0.62 | 0.10 | 129,129,129,129 | 0 |
| 24 | MG | B | 303 | 1/1 | 0.63 | 0.28 | 126,126,126,126 | 0 |
| 24 | MG | A | 1795 | 1/1 | 0.63 | 0.34 | 395,395,395,395 | 0 |
| 24 | MG | A | 1763 | 1/1 | 0.66 | 0.24 | 110,110,110,110 | 0 |
| 24 | MG | A | 1802 | 1/1 | 0.68 | 1.61 | 126,126,126,126 | 0 |
| 24 | MG | A | 1805 | 1/1 | 0.68 | 0.67 | 151,151,151,151 | 0 |
| 24 | MG | A | 1771 | 1/1 | 0.68 | 0.34 | 116,116,116,116 | 0 |
| 24 | MG | A | 1754 | 1/1 | 0.69 | 0.55 | 87,87,87,87 | 0 |
| 24 | MG | A | 1631 | 1/1 | 0.69 | 0.55 | 108,108,108,108 | 0 |
| 24 | MG | A | 1709 | 1/1 | 0.69 | 0.77 | 142,142,142,142 | 0 |
| 24 | MG | A | 1799 | 1/1 | 0.69 | 0.17 | 147,147,147,147 | 0 |
| 24 | MG | A | 1817 | 1/1 | 0.69 | 0.44 | 146,146,146,146 | 0 |
| 24 | MG | A | 1761 | 1/1 | 0.70 | 0.86 | 94,94,94,94 | 0 |
| 24 | MG | A | 1672 | 1/1 | 0.70 | 0.13 | 120,120,120,120 | 0 |
| 24 | MG | A | 1729 | 1/1 | 0.72 | 0.47 | 107,107,107,107 | 0 |
| 24 | MG | A | 1663 | 1/1 | 0.72 | 0.54 | 112,112,112,112 | 0 |
| 24 | MG | A | 1744 | 1/1 | 0.72 | 0.34 | 121,121,121,121 | 0 |
| 24 | MG | K | 201 | 1/1 | 0.73 | 1.16 | 343,343,343,343 | 0 |
| 24 | MG | E | 201 | 1/1 | 0.73 | 0.13 | 166,166,166,166 | 0 |
| 24 | MG | C | 305 | 1/1 | 0.73 | 0.13 | 124,124,124,124 | 0 |

Continued on next page...

Continued from previous page...

| Mol | Type | Chain | Res | Atoms | RSCC | RSR | B-factors(Å ²) | Q<0.9 |
|-----|------|-------|------|-------|------|------|----------------------------|-------|
| 24 | MG | A | 1741 | 1/1 | 0.73 | 0.39 | 101,101,101,101 | 0 |
| 24 | MG | A | 1615 | 1/1 | 0.73 | 0.12 | 134,134,134,134 | 0 |
| 24 | MG | A | 1794 | 1/1 | 0.74 | 0.50 | 215,215,215,215 | 0 |
| 24 | MG | A | 1797 | 1/1 | 0.74 | 0.43 | 111,111,111,111 | 0 |
| 24 | MG | C | 302 | 1/1 | 0.75 | 0.15 | 120,120,120,120 | 0 |
| 24 | MG | A | 1707 | 1/1 | 0.75 | 0.16 | 121,121,121,121 | 0 |
| 24 | MG | M | 205 | 1/1 | 0.75 | 0.12 | 118,118,118,118 | 0 |
| 24 | MG | A | 1667 | 1/1 | 0.75 | 0.37 | 87,87,87,87 | 0 |
| 24 | MG | A | 1674 | 1/1 | 0.76 | 0.52 | 117,117,117,117 | 0 |
| 24 | MG | A | 1772 | 1/1 | 0.76 | 0.46 | 97,97,97,97 | 0 |
| 24 | MG | A | 1740 | 1/1 | 0.76 | 0.32 | 86,86,86,86 | 0 |
| 24 | MG | A | 1780 | 1/1 | 0.76 | 0.49 | 84,84,84,84 | 0 |
| 24 | MG | A | 1624 | 1/1 | 0.76 | 0.33 | 106,106,106,106 | 0 |
| 24 | MG | A | 1720 | 1/1 | 0.76 | 0.14 | 77,77,77,77 | 0 |
| 24 | MG | L | 201 | 1/1 | 0.76 | 0.47 | 113,113,113,113 | 0 |
| 24 | MG | M | 204 | 1/1 | 0.76 | 0.10 | 111,111,111,111 | 0 |
| 24 | MG | C | 301 | 1/1 | 0.77 | 0.30 | 104,104,104,104 | 0 |
| 24 | MG | A | 1787 | 1/1 | 0.77 | 0.15 | 102,102,102,102 | 0 |
| 24 | MG | A | 1721 | 1/1 | 0.77 | 0.43 | 97,97,97,97 | 0 |
| 24 | MG | A | 1669 | 1/1 | 0.78 | 0.20 | 125,125,125,125 | 0 |
| 24 | MG | A | 1706 | 1/1 | 0.78 | 0.65 | 172,172,172,172 | 0 |
| 24 | MG | L | 202 | 1/1 | 0.78 | 0.45 | 118,118,118,118 | 0 |
| 24 | MG | A | 1815 | 1/1 | 0.78 | 0.92 | 120,120,120,120 | 0 |
| 24 | MG | A | 1752 | 1/1 | 0.79 | 0.58 | 98,98,98,98 | 0 |
| 24 | MG | A | 1769 | 1/1 | 0.79 | 0.70 | 122,122,122,122 | 0 |
| 24 | MG | A | 1781 | 1/1 | 0.79 | 0.35 | 117,117,117,117 | 0 |
| 24 | MG | A | 1697 | 1/1 | 0.79 | 0.14 | 154,154,154,154 | 0 |
| 24 | MG | A | 1665 | 1/1 | 0.79 | 0.59 | 75,75,75,75 | 0 |
| 24 | MG | A | 1790 | 1/1 | 0.79 | 0.31 | 98,98,98,98 | 0 |
| 24 | MG | A | 1753 | 1/1 | 0.79 | 0.60 | 110,110,110,110 | 0 |
| 24 | MG | A | 1722 | 1/1 | 0.80 | 0.17 | 94,94,94,94 | 0 |
| 24 | MG | A | 1719 | 1/1 | 0.80 | 0.23 | 126,126,126,126 | 0 |
| 24 | MG | A | 1734 | 1/1 | 0.80 | 0.19 | 94,94,94,94 | 0 |
| 24 | MG | A | 1739 | 1/1 | 0.80 | 0.47 | 111,111,111,111 | 0 |
| 24 | MG | D | 302 | 1/1 | 0.80 | 0.12 | 97,97,97,97 | 0 |
| 24 | MG | A | 1723 | 1/1 | 0.80 | 0.45 | 105,105,105,105 | 0 |
| 24 | MG | A | 1809 | 1/1 | 0.80 | 0.78 | 120,120,120,120 | 0 |
| 24 | MG | A | 1626 | 1/1 | 0.81 | 0.51 | 128,128,128,128 | 0 |
| 24 | MG | P | 101 | 1/1 | 0.81 | 0.24 | 112,112,112,112 | 0 |
| 24 | MG | K | 203 | 1/1 | 0.81 | 0.56 | 103,103,103,103 | 0 |
| 24 | MG | A | 1750 | 1/1 | 0.81 | 0.18 | 88,88,88,88 | 0 |
| 24 | MG | A | 1601 | 1/1 | 0.81 | 0.48 | 98,98,98,98 | 0 |

Continued on next page...

Continued from previous page...

| Mol | Type | Chain | Res | Atoms | RSCC | RSR | B-factors(\AA^2) | Q<0.9 |
|-----|------|-------|------|-------|------|------|-----------------------------|-------|
| 24 | MG | A | 1687 | 1/1 | 0.81 | 0.29 | 121,121,121,121 | 0 |
| 24 | MG | C | 304 | 1/1 | 0.81 | 0.53 | 146,146,146,146 | 0 |
| 24 | MG | A | 1786 | 1/1 | 0.81 | 0.74 | 98,98,98,98 | 0 |
| 24 | MG | A | 1608 | 1/1 | 0.82 | 0.16 | 120,120,120,120 | 0 |
| 24 | MG | A | 1810 | 1/1 | 0.82 | 0.61 | 153,153,153,153 | 0 |
| 24 | MG | A | 1725 | 1/1 | 0.82 | 0.37 | 95,95,95,95 | 0 |
| 24 | MG | A | 1801 | 1/1 | 0.82 | 0.37 | 124,124,124,124 | 0 |
| 24 | MG | A | 1760 | 1/1 | 0.82 | 0.28 | 80,80,80,80 | 0 |
| 24 | MG | A | 1683 | 1/1 | 0.82 | 0.10 | 129,129,129,129 | 0 |
| 24 | MG | A | 1698 | 1/1 | 0.83 | 0.22 | 138,138,138,138 | 0 |
| 24 | MG | A | 1796 | 1/1 | 0.83 | 0.29 | 115,115,115,115 | 0 |
| 24 | MG | W | 101 | 1/1 | 0.83 | 0.18 | 123,123,123,123 | 0 |
| 24 | MG | A | 1730 | 1/1 | 0.83 | 0.60 | 101,101,101,101 | 0 |
| 24 | MG | A | 1690 | 1/1 | 0.83 | 0.32 | 150,150,150,150 | 0 |
| 24 | MG | A | 1645 | 1/1 | 0.84 | 0.56 | 184,184,184,184 | 0 |
| 24 | MG | A | 1806 | 1/1 | 0.84 | 0.81 | 139,139,139,139 | 0 |
| 24 | MG | A | 1617 | 1/1 | 0.84 | 0.32 | 80,80,80,80 | 0 |
| 24 | MG | K | 204 | 1/1 | 0.84 | 0.37 | 110,110,110,110 | 0 |
| 24 | MG | A | 1700 | 1/1 | 0.84 | 0.09 | 118,118,118,118 | 0 |
| 24 | MG | A | 1696 | 1/1 | 0.84 | 0.34 | 99,99,99,99 | 0 |
| 24 | MG | A | 1633 | 1/1 | 0.85 | 0.47 | 105,105,105,105 | 0 |
| 24 | MG | H | 201 | 1/1 | 0.86 | 0.48 | 76,76,76,76 | 0 |
| 24 | MG | A | 1774 | 1/1 | 0.86 | 0.24 | 111,111,111,111 | 0 |
| 24 | MG | A | 1647 | 1/1 | 0.86 | 0.26 | 157,157,157,157 | 0 |
| 24 | MG | A | 1623 | 1/1 | 0.86 | 0.26 | 116,116,116,116 | 0 |
| 24 | MG | A | 1716 | 1/1 | 0.86 | 0.30 | 101,101,101,101 | 0 |
| 24 | MG | A | 1680 | 1/1 | 0.86 | 0.57 | 104,104,104,104 | 0 |
| 24 | MG | A | 1757 | 1/1 | 0.86 | 0.14 | 101,101,101,101 | 0 |
| 24 | MG | A | 1648 | 1/1 | 0.86 | 0.20 | 107,107,107,107 | 0 |
| 24 | MG | A | 1638 | 1/1 | 0.87 | 0.81 | 94,94,94,94 | 0 |
| 24 | MG | A | 1724 | 1/1 | 0.87 | 0.28 | 111,111,111,111 | 0 |
| 24 | MG | A | 1728 | 1/1 | 0.87 | 0.36 | 93,93,93,93 | 0 |
| 24 | MG | A | 1816 | 1/1 | 0.87 | 0.43 | 181,181,181,181 | 0 |
| 24 | MG | A | 1710 | 1/1 | 0.87 | 0.32 | 79,79,79,79 | 0 |
| 24 | MG | A | 1666 | 1/1 | 0.87 | 0.78 | 93,93,93,93 | 0 |
| 24 | MG | A | 1686 | 1/1 | 0.87 | 0.39 | 106,106,106,106 | 0 |
| 24 | MG | A | 1735 | 1/1 | 0.87 | 0.14 | 105,105,105,105 | 0 |
| 24 | MG | A | 1605 | 1/1 | 0.87 | 0.64 | 89,89,89,89 | 0 |
| 24 | MG | A | 1679 | 1/1 | 0.87 | 0.30 | 101,101,101,101 | 0 |
| 24 | MG | A | 1602 | 1/1 | 0.87 | 1.74 | 244,244,244,244 | 0 |
| 24 | MG | A | 1691 | 1/1 | 0.87 | 0.31 | 83,83,83,83 | 0 |
| 24 | MG | A | 1634 | 1/1 | 0.87 | 0.20 | 149,149,149,149 | 0 |

Continued on next page...

Continued from previous page...

| Mol | Type | Chain | Res | Atoms | RSCC | RSR | B-factors(\AA^2) | Q<0.9 |
|-----|------|-------|------|-------|------|------|-----------------------------|-------|
| 24 | MG | A | 1737 | 1/1 | 0.88 | 0.12 | 112,112,112,112 | 0 |
| 24 | MG | A | 1642 | 1/1 | 0.88 | 0.49 | 101,101,101,101 | 0 |
| 24 | MG | A | 1607 | 1/1 | 0.88 | 0.29 | 90,90,90,90 | 0 |
| 24 | MG | A | 1783 | 1/1 | 0.88 | 0.27 | 114,114,114,114 | 0 |
| 24 | MG | A | 1646 | 1/1 | 0.88 | 0.08 | 99,99,99,99 | 0 |
| 24 | MG | A | 1610 | 1/1 | 0.88 | 0.17 | 106,106,106,106 | 0 |
| 24 | MG | A | 1712 | 1/1 | 0.88 | 0.29 | 116,116,116,116 | 0 |
| 24 | MG | A | 1699 | 1/1 | 0.89 | 0.15 | 88,88,88,88 | 0 |
| 24 | MG | A | 1789 | 1/1 | 0.89 | 0.42 | 84,84,84,84 | 0 |
| 24 | MG | H | 202 | 1/1 | 0.89 | 0.20 | 106,106,106,106 | 0 |
| 24 | MG | A | 1662 | 1/1 | 0.89 | 0.44 | 102,102,102,102 | 0 |
| 24 | MG | P | 103 | 1/1 | 0.89 | 0.21 | 111,111,111,111 | 0 |
| 24 | MG | A | 1630 | 1/1 | 0.89 | 1.02 | 93,93,93,93 | 0 |
| 24 | MG | A | 1658 | 1/1 | 0.89 | 0.90 | 108,108,108,108 | 0 |
| 24 | MG | A | 1777 | 1/1 | 0.89 | 0.14 | 144,144,144,144 | 0 |
| 24 | MG | A | 1685 | 1/1 | 0.89 | 0.10 | 106,106,106,106 | 0 |
| 24 | MG | A | 1798 | 1/1 | 0.89 | 0.74 | 107,107,107,107 | 0 |
| 24 | MG | A | 1627 | 1/1 | 0.90 | 0.48 | 88,88,88,88 | 0 |
| 24 | MG | A | 1652 | 1/1 | 0.90 | 0.50 | 96,96,96,96 | 0 |
| 24 | MG | A | 1661 | 1/1 | 0.90 | 0.24 | 109,109,109,109 | 0 |
| 24 | MG | Q | 201 | 1/1 | 0.90 | 0.26 | 119,119,119,119 | 0 |
| 24 | MG | A | 1807 | 1/1 | 0.90 | 0.25 | 110,110,110,110 | 0 |
| 24 | MG | A | 1622 | 1/1 | 0.90 | 0.25 | 129,129,129,129 | 0 |
| 24 | MG | A | 1812 | 1/1 | 0.90 | 0.24 | 124,124,124,124 | 0 |
| 24 | MG | A | 1668 | 1/1 | 0.90 | 0.37 | 142,142,142,142 | 0 |
| 24 | MG | A | 1715 | 1/1 | 0.90 | 0.19 | 71,71,71,71 | 0 |
| 24 | MG | A | 1619 | 1/1 | 0.91 | 0.25 | 89,89,89,89 | 0 |
| 24 | MG | A | 1681 | 1/1 | 0.91 | 0.24 | 80,80,80,80 | 0 |
| 24 | MG | A | 1727 | 1/1 | 0.91 | 0.19 | 109,109,109,109 | 0 |
| 24 | MG | A | 1758 | 1/1 | 0.91 | 0.14 | 129,129,129,129 | 0 |
| 24 | MG | A | 1660 | 1/1 | 0.91 | 0.17 | 149,149,149,149 | 0 |
| 24 | MG | A | 1675 | 1/1 | 0.91 | 0.22 | 142,142,142,142 | 0 |
| 24 | MG | A | 1702 | 1/1 | 0.91 | 0.17 | 110,110,110,110 | 0 |
| 24 | MG | A | 1779 | 1/1 | 0.91 | 0.30 | 114,114,114,114 | 0 |
| 24 | MG | A | 1676 | 1/1 | 0.91 | 0.10 | 113,113,113,113 | 0 |
| 24 | MG | A | 1603 | 1/1 | 0.91 | 0.21 | 116,116,116,116 | 0 |
| 24 | MG | A | 1732 | 1/1 | 0.91 | 0.33 | 104,104,104,104 | 0 |
| 24 | MG | A | 1800 | 1/1 | 0.91 | 0.45 | 109,109,109,109 | 0 |
| 24 | MG | A | 1678 | 1/1 | 0.92 | 0.07 | 107,107,107,107 | 0 |
| 24 | MG | A | 1655 | 1/1 | 0.92 | 0.42 | 177,177,177,177 | 0 |
| 24 | MG | K | 202 | 1/1 | 0.92 | 0.83 | 353,353,353,353 | 0 |
| 24 | MG | A | 1688 | 1/1 | 0.92 | 0.15 | 138,138,138,138 | 0 |

Continued on next page...

Continued from previous page...

| Mol | Type | Chain | Res | Atoms | RSCC | RSR | B-factors(\AA^2) | Q<0.9 |
|-----|------|-------|------|-------|------|------|-----------------------------|-------|
| 24 | MG | A | 1764 | 1/1 | 0.92 | 0.61 | 93,93,93,93 | 0 |
| 24 | MG | A | 1640 | 1/1 | 0.92 | 0.19 | 138,138,138,138 | 0 |
| 24 | MG | A | 1756 | 1/1 | 0.92 | 0.21 | 120,120,120,120 | 0 |
| 24 | MG | A | 1677 | 1/1 | 0.92 | 0.19 | 104,104,104,104 | 0 |
| 24 | MG | D | 303 | 1/1 | 0.92 | 0.11 | 157,157,157,157 | 0 |
| 24 | MG | A | 1651 | 1/1 | 0.92 | 0.23 | 81,81,81,81 | 0 |
| 24 | MG | A | 1726 | 1/1 | 0.92 | 0.35 | 114,114,114,114 | 0 |
| 24 | MG | A | 1657 | 1/1 | 0.92 | 0.20 | 85,85,85,85 | 0 |
| 24 | MG | A | 1671 | 1/1 | 0.92 | 0.26 | 87,87,87,87 | 0 |
| 24 | MG | A | 1693 | 1/1 | 0.93 | 0.63 | 116,116,116,116 | 0 |
| 24 | MG | A | 1767 | 1/1 | 0.93 | 0.19 | 93,93,93,93 | 0 |
| 24 | MG | A | 1775 | 1/1 | 0.93 | 0.10 | 94,94,94,94 | 0 |
| 24 | MG | A | 1773 | 1/1 | 0.93 | 0.42 | 78,78,78,78 | 0 |
| 24 | MG | A | 1629 | 1/1 | 0.93 | 0.13 | 139,139,139,139 | 0 |
| 24 | MG | A | 1613 | 1/1 | 0.93 | 0.10 | 147,147,147,147 | 0 |
| 24 | MG | A | 1656 | 1/1 | 0.93 | 0.18 | 140,140,140,140 | 0 |
| 24 | MG | A | 1616 | 1/1 | 0.93 | 0.57 | 85,85,85,85 | 0 |
| 24 | MG | S | 101 | 1/1 | 0.93 | 0.12 | 99,99,99,99 | 0 |
| 24 | MG | A | 1649 | 1/1 | 0.93 | 0.27 | 103,103,103,103 | 0 |
| 24 | MG | A | 1713 | 1/1 | 0.93 | 0.44 | 120,120,120,120 | 0 |
| 24 | MG | A | 1782 | 1/1 | 0.93 | 0.11 | 118,118,118,118 | 0 |
| 24 | MG | A | 1628 | 1/1 | 0.93 | 0.17 | 92,92,92,92 | 0 |
| 24 | MG | A | 1705 | 1/1 | 0.93 | 0.28 | 108,108,108,108 | 0 |
| 24 | MG | C | 303 | 1/1 | 0.94 | 0.09 | 118,118,118,118 | 0 |
| 24 | MG | A | 1635 | 1/1 | 0.94 | 0.20 | 122,122,122,122 | 0 |
| 24 | MG | A | 1612 | 1/1 | 0.94 | 0.09 | 124,124,124,124 | 0 |
| 24 | MG | A | 1749 | 1/1 | 0.94 | 0.23 | 88,88,88,88 | 0 |
| 24 | MG | A | 1695 | 1/1 | 0.94 | 0.15 | 124,124,124,124 | 0 |
| 24 | MG | B | 302 | 1/1 | 0.94 | 0.64 | 139,139,139,139 | 0 |
| 24 | MG | A | 1632 | 1/1 | 0.94 | 0.07 | 112,112,112,112 | 0 |
| 24 | MG | A | 1701 | 1/1 | 0.94 | 0.45 | 196,196,196,196 | 0 |
| 24 | MG | A | 1776 | 1/1 | 0.94 | 0.09 | 144,144,144,144 | 0 |
| 24 | MG | A | 1644 | 1/1 | 0.94 | 0.30 | 82,82,82,82 | 0 |
| 24 | MG | A | 1637 | 1/1 | 0.94 | 0.35 | 115,115,115,115 | 0 |
| 24 | MG | A | 1641 | 1/1 | 0.94 | 0.31 | 104,104,104,104 | 0 |
| 24 | MG | A | 1692 | 1/1 | 0.95 | 0.21 | 108,108,108,108 | 0 |
| 24 | MG | A | 1770 | 1/1 | 0.95 | 0.20 | 78,78,78,78 | 0 |
| 24 | MG | A | 1748 | 1/1 | 0.95 | 0.17 | 98,98,98,98 | 0 |
| 24 | MG | A | 1703 | 1/1 | 0.95 | 0.25 | 163,163,163,163 | 0 |
| 24 | MG | A | 1704 | 1/1 | 0.95 | 0.23 | 118,118,118,118 | 0 |
| 24 | MG | A | 1746 | 1/1 | 0.95 | 0.14 | 95,95,95,95 | 0 |
| 24 | MG | A | 1784 | 1/1 | 0.95 | 0.18 | 109,109,109,109 | 0 |

Continued on next page...

Continued from previous page...


| Mol | Type | Chain | Res | Atoms | RSCC | RSR | B-factors(Å ²) | Q<0.9 |
|-----|------|-------|------|-------|------|------|----------------------------|-------|
| 24 | MG | A | 1659 | 1/1 | 0.95 | 0.21 | 104,104,104,104 | 0 |
| 24 | MG | A | 1742 | 1/1 | 0.95 | 0.26 | 100,100,100,100 | 0 |
| 24 | MG | A | 1708 | 1/1 | 0.95 | 0.27 | 150,150,150,150 | 0 |
| 24 | MG | A | 1751 | 1/1 | 0.95 | 0.19 | 91,91,91,91 | 0 |
| 24 | MG | A | 1673 | 1/1 | 0.95 | 0.15 | 106,106,106,106 | 0 |
| 24 | MG | A | 1778 | 1/1 | 0.95 | 0.38 | 104,104,104,104 | 0 |
| 24 | MG | Q | 203 | 1/1 | 0.95 | 0.18 | 110,110,110,110 | 0 |
| 24 | MG | P | 102 | 1/1 | 0.96 | 0.44 | 75,75,75,75 | 0 |
| 25 | SIS | A | 1792 | 31/31 | 0.96 | 0.24 | 85,103,118,122 | 0 |
| 24 | MG | A | 1765 | 1/1 | 0.96 | 0.10 | 79,79,79,79 | 0 |
| 24 | MG | A | 1718 | 1/1 | 0.96 | 0.61 | 105,105,105,105 | 0 |
| 24 | MG | A | 1621 | 1/1 | 0.96 | 0.28 | 109,109,109,109 | 0 |
| 24 | MG | A | 1768 | 1/1 | 0.96 | 0.43 | 107,107,107,107 | 0 |
| 24 | MG | A | 1745 | 1/1 | 0.96 | 0.24 | 83,83,83,83 | 0 |
| 24 | MG | A | 1785 | 1/1 | 0.96 | 0.34 | 131,131,131,131 | 0 |
| 24 | MG | A | 1670 | 1/1 | 0.96 | 0.09 | 112,112,112,112 | 0 |
| 24 | MG | A | 1814 | 1/1 | 0.96 | 0.17 | 116,116,116,116 | 0 |
| 24 | MG | A | 1747 | 1/1 | 0.97 | 0.26 | 92,92,92,92 | 0 |
| 24 | MG | A | 1643 | 1/1 | 0.97 | 0.10 | 87,87,87,87 | 0 |
| 24 | MG | A | 1604 | 1/1 | 0.97 | 0.10 | 116,116,116,116 | 0 |
| 24 | MG | A | 1731 | 1/1 | 0.97 | 0.09 | 62,62,62,62 | 0 |
| 26 | ZN | N | 101 | 1/1 | 0.97 | 0.21 | 130,130,130,130 | 0 |
| 24 | MG | A | 1650 | 1/1 | 0.97 | 0.36 | 107,107,107,107 | 0 |
| 24 | MG | A | 1766 | 1/1 | 0.97 | 0.09 | 79,79,79,79 | 0 |
| 24 | MG | A | 1689 | 1/1 | 0.97 | 0.14 | 130,130,130,130 | 0 |
| 24 | MG | B | 301 | 1/1 | 0.97 | 0.11 | 82,82,82,82 | 0 |
| 24 | MG | A | 1788 | 1/1 | 0.97 | 0.23 | 114,114,114,114 | 0 |
| 24 | MG | A | 1606 | 1/1 | 0.97 | 0.15 | 122,122,122,122 | 0 |
| 24 | MG | A | 1694 | 1/1 | 0.97 | 0.26 | 112,112,112,112 | 0 |
| 24 | MG | A | 1738 | 1/1 | 0.97 | 0.09 | 120,120,120,120 | 0 |
| 24 | MG | A | 1611 | 1/1 | 0.97 | 0.20 | 92,92,92,92 | 0 |
| 24 | MG | A | 1755 | 1/1 | 0.97 | 0.20 | 99,99,99,99 | 0 |
| 24 | MG | A | 1743 | 1/1 | 0.97 | 0.22 | 99,99,99,99 | 0 |
| 24 | MG | A | 1653 | 1/1 | 0.97 | 0.40 | 130,130,130,130 | 0 |
| 24 | MG | A | 1664 | 1/1 | 0.97 | 0.09 | 95,95,95,95 | 0 |
| 24 | MG | A | 1620 | 1/1 | 0.97 | 0.20 | 102,102,102,102 | 0 |
| 24 | MG | A | 1636 | 1/1 | 0.97 | 0.14 | 95,95,95,95 | 0 |
| 24 | MG | A | 1609 | 1/1 | 0.98 | 0.06 | 84,84,84,84 | 0 |
| 26 | ZN | D | 301 | 1/1 | 0.98 | 0.34 | 113,113,113,113 | 0 |
| 24 | MG | A | 1711 | 1/1 | 0.98 | 0.12 | 90,90,90,90 | 0 |
| 24 | MG | A | 1618 | 1/1 | 0.98 | 0.26 | 135,135,135,135 | 0 |
| 24 | MG | F | 201 | 1/1 | 0.98 | 0.06 | 108,108,108,108 | 0 |

Continued on next page...

Continued from previous page...

| Mol | Type | Chain | Res | Atoms | RSCC | RSR | B-factors(\AA^2) | Q<0.9 |
|-----|------|-------|------|-------|------|------|-----------------------------|-------|
| 24 | MG | A | 1736 | 1/1 | 0.98 | 0.09 | 112,112,112,112 | 0 |
| 24 | MG | A | 1625 | 1/1 | 0.98 | 0.10 | 57,57,57,57 | 0 |
| 24 | MG | A | 1654 | 1/1 | 0.98 | 0.20 | 88,88,88,88 | 0 |
| 24 | MG | A | 1714 | 1/1 | 0.98 | 0.21 | 86,86,86,86 | 0 |
| 24 | MG | A | 1614 | 1/1 | 0.98 | 0.07 | 110,110,110,110 | 0 |

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.



6.5 Other polymers [i](#)

There are no such residues in this entry.