



Full wwPDB EM Validation Report ⓘ

Nov 8, 2022 – 02:42 AM EST

PDB ID : 6D05
EMDB ID : EMD-7785
Title : Cryo-EM structure of a Plasmodium vivax invasion complex essential for entry into human reticulocytes; two molecules of parasite ligand, subclass 2.
Authors : Gruszczyk, J.; Huang, R.K.; Hong, C.; Yu, Z.; Tham, W.H.
Deposited on : 2018-04-10
Resolution : 3.80 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2


1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.







Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	659	
1	B	659	
2	C	698	
2	D	698	
3	E	820	
3	F	820	
4	G	2	
4	H	2	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	I	2	 50% 50%
4	J	2	 50% 50%
4	K	2	 50% 100% 50%
4	L	2	 100% 100%

2 Entry composition i

There are 8 unique types of molecules in this entry. The entry contains 28748 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Transferrin receptor protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	641	5081	3260	855	952	14	0	0
1	B	641	5081	3260	855	952	14	0	0

There are 40 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	102	ALA	-	expression tag	UNP P02786
A	103	ASP	-	expression tag	UNP P02786
A	104	PRO	-	expression tag	UNP P02786
A	105	HIS	-	expression tag	UNP P02786
A	106	HIS	-	expression tag	UNP P02786
A	107	HIS	-	expression tag	UNP P02786
A	108	HIS	-	expression tag	UNP P02786
A	109	HIS	-	expression tag	UNP P02786
A	110	HIS	-	expression tag	UNP P02786
A	111	SER	-	expression tag	UNP P02786
A	112	SER	-	expression tag	UNP P02786
A	113	GLY	-	expression tag	UNP P02786
A	114	ILE	-	expression tag	UNP P02786
A	115	GLU	-	expression tag	UNP P02786
A	116	GLY	-	expression tag	UNP P02786
A	117	ARG	-	expression tag	UNP P02786
A	118	GLY	-	expression tag	UNP P02786
A	119	GLU	-	expression tag	UNP P02786
A	120	PHE	-	expression tag	UNP P02786
A	142	SER	GLY	variant	UNP P02786
B	102	ALA	-	expression tag	UNP P02786
B	103	ASP	-	expression tag	UNP P02786
B	104	PRO	-	expression tag	UNP P02786
B	105	HIS	-	expression tag	UNP P02786
B	106	HIS	-	expression tag	UNP P02786
B	107	HIS	-	expression tag	UNP P02786

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	108	HIS	-	expression tag	UNP P02786
B	109	HIS	-	expression tag	UNP P02786
B	110	HIS	-	expression tag	UNP P02786
B	111	SER	-	expression tag	UNP P02786
B	112	SER	-	expression tag	UNP P02786
B	113	GLY	-	expression tag	UNP P02786
B	114	ILE	-	expression tag	UNP P02786
B	115	GLU	-	expression tag	UNP P02786
B	116	GLY	-	expression tag	UNP P02786
B	117	ARG	-	expression tag	UNP P02786
B	118	GLY	-	expression tag	UNP P02786
B	119	GLU	-	expression tag	UNP P02786
B	120	PHE	-	expression tag	UNP P02786
B	142	SER	GLY	variant	UNP P02786

- Molecule 2 is a protein called Serotransferrin.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	C	679	Total	C	N	O	S	0	0
			5266	3305	912	1002	47		
2	D	679	Total	C	N	O	S	0	0
			5266	3305	912	1002	47		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	429	VAL	ILE	variant	UNP P02787
D	429	VAL	ILE	variant	UNP P02787

- Molecule 3 is a protein called Reticulocyte binding protein 2, putative.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	E	466	Total	C	N	O	S	0	0
			3904	2495	650	749	10		
3	F	466	Total	C	N	O	S	0	0
			3904	2495	650	749	10		

There are 12 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
E	150	GLY	-	expression tag	UNP A5K736
E	151	ALA	-	expression tag	UNP A5K736

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
E	152	MET	-	expression tag	UNP A5K736
E	153	GLY	-	expression tag	UNP A5K736
E	154	SER	-	expression tag	UNP A5K736
E	168	SER	ILE	variant	UNP A5K736
F	150	GLY	-	expression tag	UNP A5K736
F	151	ALA	-	expression tag	UNP A5K736
F	152	MET	-	expression tag	UNP A5K736
F	153	GLY	-	expression tag	UNP A5K736
F	154	SER	-	expression tag	UNP A5K736
F	168	SER	ILE	variant	UNP A5K736

- Molecule 4 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
4	G	2	28	16	2	10	0	0
4	H	2	28	16	2	10	0	0
4	I	2	28	16	2	10	0	0
4	J	2	28	16	2	10	0	0
4	K	2	28	16	2	10	0	0
4	L	2	28	16	2	10	0	0

- Molecule 5 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		AltConf
			Total	Ca	
5	A	1	1	1	0
5	B	1	1	1	0

- Molecule 6 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).




Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
6	A	1	14	8	1	5	0
6	B	1	14	8	1	5	0
6	C	1	14	8	1	5	0
6	D	1	14	8	1	5	0

- Molecule 7 is FE (III) ION (three-letter code: FE) (formula: Fe).

Mol	Chain	Residues	Atoms		AltConf
			Total	Fe	
7	C	2	2	2	0
7	D	2	2	2	0

- Molecule 8 is CARBONATE ION (three-letter code: CO3) (formula: CO₃).




Mol	Chain	Residues	Atoms			AltConf
8	C	1	Total	C	O	0
			8	2	6	
8	C	1	Total	C	O	0
			8	2	6	
8	D	1	Total	C	O	0
			8	2	6	
8	D	1	Total	C	O	0
			8	2	6	


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Transferrin receptor protein 1




- Molecule 1: Transferrin receptor protein 1



- Molecule 2: Serotransferrin



• Molecule 2: Serotransferrin



• Molecule 3: Reticulocyte binding protein 2, putative




GLY	ALA	MET	GLY	SER	MET	HIS	PRO	PRO	ILE	ILE	GLN	PRO	SER	PRO	GLU	SER	THR	GLN	S168	T169	M170	T171	T172	D173	M174	I175	D176	Y177	F178	D179	I180	S181	D182	E183	S184	N185	Y186	Y187	L188	I189	S190	Q191	H195	F196	S197	N198	I199	Y200	F201	F202	D203	E204	F205	K206	R207	Y208	S210	Y211
H212	T213	E214	I215	K216	R217	Y218	E219	D220	I221	H222	K223	T224	K225	S228	N231	E232	A233	S234	R235	A236	I237	G238	I239	C240	N241	R242	A243	K244	R245	T246	V247	K248	K309	L310	K311	C312	S313	Q314	D315	C316	Q317	T318	N319	V320	T262	Q263	R264	E265	S266	Y267	D268	V269	K270	L271	R272	Q273	Y274	
E275	E276	K277	K278	E279	A280	F281	R282	G283	C284	L285	L286	K287	K288	N289	R290	K291	N292	L293	D294	Q295	I296	K297	K298	I299	N300	N301	E302	I303	R304	D305	L306	L307	E308	K309	L310	K311	C312	S313	Q314	D315	C316	Q317	T318	N319	V320	T262	Q263	R264	E265	S266	Y267	D268	V269	K270	L271	R272	Q273	K334
M335	P336	Y337	E338	N339	Y340	D356	M357	I358	R359	K360	K445	E362	K363	Q364	I365	R366	N367	I371	I384	R385	D386	Q393	K394	V395	K396	D400	T403	A404	L405	L307	D407	G408	V409	K410	P411	K412	Q413	V414	T415	K416	N417	R418	L419	K420	E421	Y422	Y423	F424	N425	I426	G427	N428	Y429					
Y430	S431	I432	F433	K434	D438	S439	L440	L443	M444	K445	A446	I448	H449	K450	M456	G459	F462	A466	E467	R468	L472	L493	K494	L495	A496	E497	D498	V499	Y500	D501	K502	N503	T504	K505	L506	E507	E508	D509	L510	T511	L512	Y513	P514	H515	L516	E517	I518	N519	E520	F521								
K522	K523	D524	Y525	D526	N527	E530	D531	L532	M533	Q540	R551	D558	S562	K563	Q564	P568	A569	N570	E571	S572	V573	A574	V577	I584	N591	F592	Y604	L611	K614	I615	I619	E620	A621	I622	K623	K624	Y625	Q626	Q627	H628	V629	E630	E631	L632	I633	ASN												
LYS	GLU	LYS	ALA	VAL	ALA	LEU	LYS	GLU	ASP	ILE	ASP	ASN	LYS	ILE	ILE	TVR	ILE	GLY	ILE	ILE	GLU	LYS	LEU	ASN	GLN	ASP	ASN	GLN	PHE	ASP	LYS	PHE	LYS	ASN	GLN	ALA	GLN	LEU	LEU	ASN	ASN	VAL	LYS	ASN	VAL	LYS	ASP	GLU	HIS	ASN								
LYS	ASN	LEU	ASN	THR	HIS	LYS	LYS	GLU	ILE	ASP	HIS	THR	PHE	HIS	GLU	ARG	ASP	LEU	GLN	ILE	ASP	ASN	MET	LYS	SER	GLN	VAL	ALA	GLN	ALA	TYR	ASN	GLN	LYS	THR	ASN	GLN	VAL	LYS	LEU	THR	VAL	LYS	THR	ASN	GLU	GLU											
LEU	LYS	GLU	MET	LYS	CYS	ASP	ASP	ILE	PRO	ASP	ILE	ASP	ASN	LEU	LYS	GLU	SER	GLN	ASN	VAL	LEU	ASN	LEU	LYS	ASP	GLN	PHE	GLU	PRO	GLU	GLY	LYS	THR	VAL	ASN	THR	GLN	MET	THR	LYS	THR	LYS	LEU	THR	THR	LEU	ILE											
GLU	GLU	TYR	ALA	GLU	LYS	LYS	LYS	ILE	GLU	ASN	HIS	LYS	GLN	ASN	ILE	ILE	ARG	SER	VAL	ALA	GLU	ALA	GLU	ASP	VAL	ASP	VAL	PRO	GLU	GLY	GLU	GLY	LYS	ASN	THR	ASN	VAL	THR	THR	LYS	THR	THR	LEU	ILE	ASN	SER												
ASN	GLN	MET	GLY	THR	LEU	GLU	GLU	LYS	LYS	THR	THR	THR	GLN	THR	TYR	GLY	THR	ALA	ILE	GLN	LYS	LEU	LEU	GLU	ASP	GLN	VAL	ASN	GLU	THR	THR	THR	THR	VAL	VAL	ASN	GLN	ASN	PHE	LYS	THR	PHE	LEU	GLU	GLU	LYS	SER											
PHE	ASN	ASP	ALA	LYS	SER	ILE	VAL	SER	ASN	THR	THR	VAL	GLU	GLU	ASN	ASN	ASN	ASP	ILE	ILE	LYS	VAL	LEU	VAL	VAL	VAL	VAL	ASN	GLU	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	THR	SER									

• Molecule 3: Reticulocyte binding protein 2, putative




GLY	ALA	MET	GLY	SER	MET	HIS	PRO	PRO	ILE	ILE	GLN	PRO	SER	PRO	GLU	SER	THR	GLN	S168	T169	M170	T171	T172	D173	M174	I175	D176	Y177	F178	D179	I180	S181	D182	E183	S184	N185	Y186	Y187	L188	I189	S190	Q191	L192	R193	P194	H195	F196	S197	N198	I199	Y200	F201	F202	D203	E204	F205	K206	R207	Y208	A209
S210	Y211	H212	T213	E214	I215	K216	R217	Y218	E219	D220	I221	H222	K223	T224	K225	V226	N227	S228	N231	E232	A233	S234	R235	A236	I237	G238	I239	C240	N241	R242	A243	K244	N245	G249	N252	I253	L254	E255	N256	P257	Q258	K259	F260	K261	T262	Q263	R264	K265	E266	S266	Y267	D268	V269	K270	L271	R272	Q273			



● Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



● Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



● Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 4: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C2	Depositor
Number of particles used	302858	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	80	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.316	Depositor
Minimum map value	-0.196	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.014	Depositor
Recommended contour level	0.073	Depositor
Map size (Å)	243.0, 243.0, 243.0	wwPDB
Map dimensions	180, 180, 180	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.35, 1.35, 1.35	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, FE, NAG, CO3

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.52	0/5203	0.59	1/7053 (0.0%)
1	B	0.52	0/5203	0.59	1/7053 (0.0%)
2	C	0.43	0/5386	0.60	4/7280 (0.1%)
2	D	0.43	0/5386	0.60	4/7280 (0.1%)
3	E	0.38	0/3973	0.56	1/5337 (0.0%)
3	F	0.38	0/3973	0.56	1/5337 (0.0%)
All	All	0.45	0/29124	0.59	12/39340 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	1
2	C	0	2
2	D	0	2
3	E	0	1
3	F	0	1
All	All	0	8

There are no bond length outliers.

All (12) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	476	LEU	CA-CB-CG	6.02	129.14	115.30
1	A	476	LEU	CA-CB-CG	6.00	129.11	115.30
2	D	503	LEU	CA-CB-CG	5.78	128.60	115.30
2	C	503	LEU	CA-CB-CG	5.77	128.57	115.30

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	447	LEU	CA-CB-CG	5.22	127.31	115.30
3	E	447	LEU	CA-CB-CG	5.19	127.23	115.30
2	D	294	LEU	CA-CB-CG	5.18	127.22	115.30
2	C	294	LEU	CA-CB-CG	5.18	127.21	115.30
2	C	353	LEU	CA-CB-CG	5.15	127.14	115.30
2	D	353	LEU	CA-CB-CG	5.14	127.12	115.30
2	D	347	LEU	CA-CB-CG	5.08	126.98	115.30
2	C	347	LEU	CA-CB-CG	5.07	126.97	115.30

There are no chirality outliers.

All (8) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	235	ALA	Peptide
1	B	235	ALA	Peptide
2	C	1	VAL	Peptide
2	C	335	PRO	Peptide
2	D	1	VAL	Peptide
2	D	335	PRO	Peptide
3	E	407	ASP	Peptide
3	F	407	ASP	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5081	0	5010	47	0
1	B	5081	0	5010	41	0
2	C	5266	0	5084	52	0
2	D	5266	0	5084	47	0
3	E	3904	0	3918	37	0
3	F	3904	0	3918	36	0
4	G	28	0	25	1	0
4	H	28	0	25	0	0
4	I	28	0	25	0	0
4	J	28	0	25	0	0
4	K	28	0	25	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	L	28	0	25	0	0
5	A	1	0	0	0	0
5	B	1	0	0	0	0
6	A	14	0	13	0	0
6	B	14	0	13	0	0
6	C	14	0	13	0	0
6	D	14	0	13	0	0
7	C	2	0	0	0	0
7	D	2	0	0	0	0
8	C	8	0	0	1	0
8	D	8	0	0	1	0
All	All	28748	0	28226	248	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (248) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:153:VAL:HG22	3:F:592:PHE:HE1	1.45	0.79
1:A:425:LEU:O	1:A:429:LEU:HB2	1.86	0.76
1:B:425:LEU:O	1:B:429:LEU:HB2	1.86	0.76
3:F:269:VAL:HG12	3:F:273:GLN:HE22	1.58	0.67
3:E:269:VAL:HG12	3:E:273:GLN:HE22	1.58	0.67
2:C:132:ILE:O	2:C:136:TYR:HB2	1.95	0.67
2:D:132:ILE:O	2:D:136:TYR:HB2	1.95	0.64
1:B:409:ARG:NH2	1:B:454:SER:OG	2.31	0.63
1:A:409:ARG:NH2	1:A:454:SER:OG	2.31	0.63
3:E:179:ASP:O	3:E:282:ARG:NH1	2.32	0.63
1:A:564:PRO:HG2	1:A:579:ARG:HH22	1.64	0.62
1:B:564:PRO:HG2	1:B:579:ARG:HH22	1.64	0.62
3:F:179:ASP:O	3:F:282:ARG:NH1	2.32	0.62
2:D:563:CYS:SG	2:D:564:LEU:N	2.72	0.62
1:A:634:GLU:OE2	1:A:719:ARG:NH2	2.33	0.62
2:C:563:CYS:SG	2:C:564:LEU:N	2.72	0.62
1:B:634:GLU:OE2	1:B:719:ARG:NH2	2.33	0.61
2:C:517:TYR:OH	2:C:632:ARG:NH1	2.34	0.61
1:B:543:PRO:O	1:B:547:TYR:HB3	2.01	0.61
1:A:543:PRO:O	1:A:547:TYR:HB3	2.01	0.60
2:D:517:TYR:OH	2:D:632:ARG:NH1	2.34	0.60
2:D:411:ASN:ND2	2:D:418:CYS:O	2.33	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:493:ASN:ND2	1:B:560:ASP:OD1	2.34	0.60
1:A:493:ASN:ND2	1:A:560:ASP:OD1	2.34	0.60
2:C:411:ASN:ND2	2:C:418:CYS:O	2.34	0.60
2:D:464:MET:O	2:D:468:TYR:HB2	2.03	0.59
2:D:108:GLN:NE2	2:D:230:ASN:O	2.35	0.59
2:C:126:ALA:N	8:C:704:CO3:O1	2.35	0.59
2:C:108:GLN:NE2	2:C:230:ASN:O	2.35	0.58
2:C:464:MET:O	2:C:468:TYR:HB2	2.03	0.58
2:C:188:TYR:HB3	2:C:209:THR:HG21	1.86	0.58
1:A:584:ASN:O	1:A:588:ARG:HB2	2.04	0.58
1:B:584:ASN:O	1:B:588:ARG:HB2	2.04	0.57
1:A:153:VAL:HG22	3:E:592:PHE:CE1	2.40	0.57
2:C:345:CYS:HA	2:C:369:VAL:O	2.05	0.56
3:E:472:LEU:HD13	3:E:584:ILE:HD11	1.87	0.56
3:F:472:LEU:HD13	3:F:584:ILE:HD11	1.87	0.56
2:D:108:GLN:H	2:D:111:GLN:HE21	1.53	0.56
2:D:188:TYR:HB3	2:D:209:THR:HG21	1.86	0.56
2:D:345:CYS:HA	2:D:369:VAL:O	2.05	0.56
2:C:37:VAL:HG22	2:C:266:LEU:HD21	1.88	0.56
1:A:760:PHE:HA	2:C:511:LYS:HE3	1.86	0.55
2:C:437:SER:HA	2:C:568:ARG:HH22	1.72	0.55
2:D:437:SER:HA	2:D:568:ARG:HH22	1.72	0.55
2:C:108:GLN:H	2:C:111:GLN:HE21	1.53	0.55
1:A:691:SER:HB2	1:B:691:SER:HB2	1.88	0.55
1:A:297:PHE:HB3	1:A:568:THR:HG22	1.89	0.54
1:B:574:LYS:O	1:B:578:GLU:HG2	2.07	0.54
1:B:153:VAL:HG22	3:F:592:PHE:CE1	2.34	0.54
2:D:37:VAL:HG22	2:D:266:LEU:HD21	1.88	0.54
3:E:197:SER:O	3:E:431:SER:OG	2.25	0.54
1:B:297:PHE:HB3	1:B:568:THR:HG22	1.90	0.54
2:C:347:LEU:H	2:C:351:GLU:HB2	1.73	0.54
2:C:524:LEU:HB2	2:C:531:ALA:HB2	1.90	0.54
3:F:197:SER:O	3:F:431:SER:OG	2.25	0.54
3:F:310:LEU:HB3	3:F:416:LYS:HE3	1.90	0.53
1:B:282:TYR:HE2	1:B:284:ASP:HB3	1.73	0.53
2:C:62:LEU:HD23	2:C:66:LEU:HB3	1.89	0.53
2:D:462:ILE:HD12	2:D:580:ALA:HB3	1.91	0.53
3:E:322:PHE:HZ	3:E:411:PRO:HD2	1.73	0.53
1:A:456:GLY:HA2	1:A:460:SER:HA	1.90	0.53
3:F:168:SER:OG	3:F:169:THR:N	2.40	0.53
1:A:574:LYS:O	1:A:578:GLU:HG2	2.08	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:62:LEU:HD23	2:D:66:LEU:HB3	1.89	0.53
3:E:310:LEU:HB3	3:E:416:LYS:HE3	1.89	0.53
1:B:456:GLY:HA2	1:B:460:SER:HA	1.90	0.53
1:A:282:TYR:HE2	1:A:284:ASP:HB3	1.73	0.52
2:D:347:LEU:H	2:D:351:GLU:HB2	1.73	0.52
2:D:524:LEU:HB2	2:D:531:ALA:HB2	1.90	0.52
2:C:120:THR:HG22	2:C:127:GLY:HA3	1.91	0.52
2:C:462:ILE:HD12	2:C:580:ALA:HB3	1.91	0.52
2:C:261:ASP:OD1	2:C:261:ASP:N	2.41	0.52
3:F:322:PHE:HZ	3:F:411:PRO:HD2	1.73	0.52
3:E:293:LEU:HD23	3:E:296:ILE:HD12	1.92	0.51
2:D:120:THR:HG22	2:D:127:GLY:HA3	1.91	0.51
2:D:233:LYS:HD2	2:D:241:CYS:HB2	1.92	0.51
3:F:293:LEU:HD23	3:F:296:ILE:HD12	1.92	0.51
3:E:358:ILE:HA	3:E:361:ILE:HG22	1.93	0.51
2:D:132:ILE:HG21	2:D:146:LEU:HD21	1.92	0.51
3:F:358:ILE:HA	3:F:361:ILE:HG22	1.93	0.51
3:E:168:SER:OG	3:E:169:THR:N	2.41	0.50
3:E:364:GLN:OE1	3:E:468:ARG:NH2	2.44	0.50
2:C:132:ILE:HG21	2:C:146:LEU:HD21	1.92	0.50
3:F:462:PHE:HB3	3:F:577:VAL:HG22	1.93	0.50
2:C:233:LYS:HD2	2:C:241:CYS:HB2	1.92	0.50
2:D:624:SER:OG	2:D:625:GLU:N	2.45	0.50
3:E:424:PHE:O	3:E:428:ASN:HB2	2.12	0.50
3:F:424:PHE:O	3:F:428:ASN:HB2	2.12	0.50
3:E:462:PHE:HB3	3:E:577:VAL:HG22	1.93	0.49
3:F:364:GLN:OE1	3:F:468:ARG:NH2	2.44	0.49
2:D:261:ASP:N	2:D:261:ASP:OD1	2.41	0.49
3:F:240:CYS:O	3:F:244:LYS:HB2	2.13	0.49
1:A:132:SER:O	1:A:136:ASP:HB2	2.13	0.49
3:E:356:ASP:OD1	3:E:359:ARG:NH2	2.43	0.49
3:E:240:CYS:O	3:E:244:LYS:HB2	2.13	0.49
1:B:132:SER:O	1:B:136:ASP:HB2	2.13	0.49
2:C:624:SER:OG	2:C:625:GLU:N	2.45	0.49
1:A:154:PRO:HB3	3:E:592:PHE:HZ	1.77	0.49
1:B:264:PHE:HD1	1:B:281:ILE:HD13	1.77	0.49
1:A:264:PHE:HD1	1:A:281:ILE:HD13	1.77	0.48
3:F:219:GLU:HA	3:F:222:HIS:CE1	2.49	0.48
1:A:640:GLN:NE2	2:C:353:LEU:HG	2.28	0.48
3:F:256:ASN:HB3	3:F:259:LYS:HB2	1.96	0.48
1:A:198:ASN:OD1	1:A:198:ASN:N	2.46	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:502:LEU:O	1:A:505:LEU:HB3	2.13	0.48
1:B:502:LEU:O	1:B:505:LEU:HB3	2.13	0.48
2:D:49:ILE:HD11	2:D:62:LEU:HD21	1.95	0.48
1:A:754:TRP:NE1	1:B:394:LYS:HE2	2.29	0.48
3:F:414:VAL:HG21	3:F:419:LEU:HD13	1.95	0.47
2:D:407:VAL:HG12	2:D:408:LEU:HG	1.96	0.47
3:E:414:VAL:HG21	3:E:419:LEU:HD13	1.95	0.47
2:C:407:VAL:HG12	2:C:408:LEU:HG	1.96	0.47
2:D:29:VAL:HG13	2:D:30:ILE:HG13	1.96	0.47
3:E:256:ASN:HB3	3:E:259:LYS:HB2	1.96	0.47
1:A:220:VAL:HG21	1:A:334:VAL:HG12	1.97	0.47
1:B:314:PRO:HG3	1:B:469:GLY:HA2	1.97	0.47
3:E:219:GLU:HA	3:E:222:HIS:CE1	2.49	0.47
1:B:220:VAL:HG21	1:B:334:VAL:HG12	1.97	0.47
1:B:416:ALA:N	1:B:571:ASP:OD2	2.48	0.47
2:C:461:ASN:ND2	2:C:655:TYR:OH	2.48	0.47
3:F:394:LYS:HE3	3:F:432:ILE:HG23	1.97	0.47
3:E:243:ALA:O	3:E:246:THR:OG1	2.28	0.47
2:C:430:ALA:HA	2:C:531:ALA:O	2.15	0.46
2:C:49:ILE:HD11	2:C:62:LEU:HD21	1.95	0.46
3:F:300:ASN:HA	3:F:303:ILE:HB	1.96	0.46
1:B:153:VAL:HG13	1:B:154:PRO:HD3	1.98	0.46
1:A:153:VAL:HG13	1:A:154:PRO:HD3	1.98	0.46
2:C:29:VAL:HG13	2:C:30:ILE:HG13	1.96	0.46
2:C:333:GLU:HG3	2:C:335:PRO:HD3	1.97	0.46
2:D:333:GLU:HG3	2:D:335:PRO:HD3	1.97	0.46
3:E:300:ASN:HA	3:E:303:ILE:HB	1.96	0.46
3:F:356:ASP:OD1	3:F:359:ARG:NH2	2.43	0.46
2:D:90:ASP:OD1	2:D:90:ASP:N	2.49	0.46
3:E:394:LYS:HE3	3:E:432:ILE:HG23	1.97	0.45
2:D:430:ALA:HA	2:D:531:ALA:O	2.15	0.45
2:C:457:THR:OG1	2:C:458:ALA:N	2.49	0.45
1:A:314:PRO:HG3	1:A:469:GLY:HA2	1.97	0.45
1:A:321:PHE:HE2	4:G:1:NAG:H61	1.80	0.45
2:D:461:ASN:ND2	2:D:655:TYR:OH	2.48	0.45
3:F:169:THR:HG22	3:F:171:THR:H	1.82	0.45
1:A:320:GLN:NE2	1:B:641:TRP:HD1	2.14	0.45
2:D:457:THR:OG1	2:D:458:ALA:N	2.49	0.45
2:D:564:LEU:HD11	2:D:579:LEU:HA	1.99	0.45
2:C:75:ASN:HB3	2:C:77:LEU:HD23	1.99	0.45
2:D:75:ASN:HB3	2:D:77:LEU:HD23	1.99	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:249:HIS:CG	2:C:296:LYS:HD2	2.52	0.45
2:D:249:HIS:CG	2:D:296:LYS:HD2	2.52	0.45
3:E:180:ILE:HG23	3:E:189:ILE:HD12	1.99	0.45
3:F:297:LYS:O	3:F:301:ASN:HB2	2.17	0.45
1:A:534:LYS:HG3	1:A:702:TRP:HD1	1.82	0.45
2:C:90:ASP:N	2:C:90:ASP:OD1	2.49	0.45
1:A:416:ALA:N	1:A:571:ASP:OD2	2.48	0.44
2:C:650:TYR:HD2	2:C:651:LEU:HD22	1.82	0.44
2:C:564:LEU:HD11	2:C:579:LEU:HA	1.99	0.44
3:F:180:ILE:HG23	3:F:189:ILE:HD12	2.00	0.44
3:F:216:LYS:O	3:F:219:GLU:HG3	2.17	0.44
3:E:216:LYS:O	3:E:219:GLU:HG3	2.17	0.44
3:F:358:ILE:HG23	3:F:371:ILE:HD11	1.99	0.44
1:A:453:TRP:HZ3	1:A:481:TYR:HH	1.64	0.44
2:C:112:LEU:HD21	2:C:202:VAL:HG11	1.99	0.44
1:A:302:HIS:CD2	1:A:308:PRO:HB3	2.53	0.44
1:B:534:LYS:HG3	1:B:702:TRP:HD1	1.82	0.44
2:D:477:ASP:N	2:D:477:ASP:OD1	2.48	0.44
3:F:443:LEU:O	3:F:447:LEU:HB2	2.17	0.44
1:A:599:ILE:O	1:A:603:HIS:HB3	2.18	0.44
1:B:302:HIS:CD2	1:B:308:PRO:HB3	2.53	0.44
2:D:462:ILE:HG23	2:D:580:ALA:HB3	2.00	0.44
3:E:169:THR:HG22	3:E:171:THR:H	1.82	0.44
3:E:297:LYS:O	3:E:301:ASN:HB2	2.17	0.44
1:A:123:TYR:CZ	2:C:145:PRO:HG3	2.53	0.44
3:E:358:ILE:HG23	3:E:371:ILE:HD11	1.99	0.44
3:F:198:ASN:HD21	3:F:296:ILE:HD13	1.83	0.44
1:B:563:TYR:HA	1:B:564:PRO:HD3	1.85	0.44
1:B:599:ILE:O	1:B:603:HIS:HB3	2.18	0.43
1:B:757:ASP:N	1:B:757:ASP:OD1	2.51	0.43
2:D:112:LEU:HD21	2:D:202:VAL:HG11	1.99	0.43
2:C:495:CYS:HB3	2:C:506:CYS:HB2	1.75	0.43
3:E:443:LEU:O	3:E:447:LEU:HB2	2.17	0.43
2:D:126:ALA:N	8:D:704:CO3:O1	2.52	0.43
2:D:650:TYR:HD2	2:D:651:LEU:HD22	1.82	0.43
2:D:589:THR:OG1	2:D:590:ARG:N	2.51	0.43
1:A:757:ASP:OD1	1:A:757:ASP:N	2.51	0.43
3:E:322:PHE:HD1	3:E:325:ILE:HD12	1.83	0.43
1:A:221:ALA:HB3	1:A:300:HIS:HA	2.01	0.43
1:B:229:THR:HG22	1:B:374:LYS:HG3	2.01	0.43
2:C:427:PHE:H	2:C:535:HIS:CE1	2.37	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:462:ILE:HG23	2:C:580:ALA:HB3	2.00	0.43
2:C:589:THR:OG1	2:C:590:ARG:N	2.52	0.43
1:A:140:PHE:H	1:A:584:ASN:HD21	1.67	0.42
1:B:410:ASP:OD1	1:B:410:ASP:N	2.52	0.42
2:C:477:ASP:OD1	2:C:477:ASP:N	2.48	0.42
2:D:546:ASN:HD21	2:D:626:THR:HG21	1.84	0.42
3:E:198:ASN:HD21	3:E:296:ILE:HD13	1.83	0.42
3:F:361:ILE:HD12	3:F:361:ILE:HA	1.92	0.42
1:B:127:LEU:HD13	1:B:127:LEU:HA	1.89	0.42
2:D:427:PHE:H	2:D:535:HIS:CE1	2.37	0.42
1:A:229:THR:HG22	1:A:374:LYS:HG3	2.01	0.42
1:B:534:LYS:HG3	1:B:702:TRP:CD1	2.55	0.42
3:F:322:PHE:HD1	3:F:325:ILE:HD12	1.83	0.42
2:C:151:ALA:HB1	2:C:169:GLN:HB2	2.01	0.42
1:A:213:VAL:O	3:E:604:TYR:OH	2.25	0.42
1:A:534:LYS:HG3	1:A:702:TRP:CD1	2.55	0.42
3:F:493:LEU:HD21	3:F:540:GLN:HE22	1.84	0.42
1:B:619:LEU:HB2	1:B:646:ARG:HH21	1.84	0.42
3:F:622:ILE:HD13	3:F:625:TYR:HD2	1.85	0.42
2:D:151:ALA:HB1	2:D:169:GLN:HB2	2.02	0.42
1:B:546:ALA:HB1	1:B:697:PHE:HB3	2.02	0.41
3:E:384:ILE:HG22	3:E:447:LEU:HD12	2.02	0.41
1:B:221:ALA:HB3	1:B:300:HIS:HA	2.01	0.41
2:C:214:LEU:O	2:C:220:ARG:NH2	2.53	0.41
1:A:206:ASN:HB3	1:A:208:ARG:HG3	2.02	0.41
1:A:619:LEU:HB2	1:A:646:ARG:HH21	1.84	0.41
1:B:140:PHE:H	1:B:584:ASN:HD21	1.67	0.41
2:D:214:LEU:O	2:D:220:ARG:NH2	2.53	0.41
2:D:512:GLU:HB3	2:D:515:TYR:HB2	2.02	0.41
2:C:534:LYS:NZ	2:C:632:ARG:HD3	2.35	0.41
1:A:563:TYR:HA	1:A:564:PRO:HD3	1.86	0.41
1:B:206:ASN:HB3	1:B:208:ARG:HG3	2.02	0.41
2:C:400:GLY:HA3	2:C:647:TYR:HB3	2.03	0.41
2:D:400:GLY:HA3	2:D:647:TYR:HB3	2.02	0.41
3:E:622:ILE:HD13	3:E:625:TYR:HD2	1.85	0.41
1:B:577:ILE:HD12	1:B:577:ILE:HA	1.95	0.41
1:A:320:GLN:NE2	1:B:638:SER:O	2.53	0.41
2:C:206:LYS:HG3	2:C:208:SER:H	1.85	0.41
2:C:546:ASN:HD21	2:C:626:THR:HG21	1.84	0.41
3:F:384:ILE:HG22	3:F:447:LEU:HD12	2.02	0.41
2:C:501:SER:HA	2:C:502:GLY:HA2	1.83	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:127:LEU:HA	1:A:127:LEU:HD13	1.89	0.41
1:A:410:ASP:N	1:A:410:ASP:OD1	2.52	0.41
2:D:429:VAL:HA	2:D:579:LEU:HD23	2.03	0.41
2:D:534:LYS:NZ	2:D:632:ARG:HD3	2.35	0.41
3:E:190:SER:OG	3:E:191:GLN:N	2.54	0.41
3:E:361:ILE:HG13	3:E:365:ILE:HG23	2.03	0.41
3:E:493:LEU:HD21	3:E:540:GLN:HE22	1.84	0.41
1:A:546:ALA:HB1	1:A:697:PHE:HB3	2.02	0.41
2:C:233:LYS:HD3	2:C:237:GLU:HG3	2.03	0.41
2:D:206:LYS:HG3	2:D:208:SER:H	1.85	0.41
1:A:467:LEU:HA	1:A:467:LEU:HD23	1.88	0.40
1:B:284:ASP:OD1	1:B:284:ASP:N	2.54	0.40
3:F:337:TYR:CZ	3:F:396:LYS:HD3	2.56	0.40
2:C:262:LEU:HA	2:C:262:LEU:HD12	1.91	0.40
3:F:198:ASN:HA	3:F:201:PHE:HB3	2.04	0.40
1:A:284:ASP:OD1	1:A:284:ASP:N	2.54	0.40
2:D:233:LYS:HD3	2:D:237:GLU:HG3	2.04	0.40
2:C:512:GLU:HB3	2:C:515:TYR:HB2	2.02	0.40
3:E:337:TYR:CZ	3:E:396:LYS:HD3	2.56	0.40
3:F:190:SER:OG	3:F:191:GLN:N	2.54	0.40
1:B:490:GLY:HA3	1:B:559:GLU:HB2	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	639/659 (97%)	605 (95%)	34 (5%)	0	100	100
1	B	639/659 (97%)	604 (94%)	35 (6%)	0	100	100
2	C	677/698 (97%)	638 (94%)	39 (6%)	0	100	100
2	D	677/698 (97%)	638 (94%)	39 (6%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	E	464/820 (57%)	456 (98%)	8 (2%)	0	100	100
3	F	464/820 (57%)	456 (98%)	8 (2%)	0	100	100
All	All	3560/4354 (82%)	3397 (95%)	163 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	550/564 (98%)	532 (97%)	18 (3%)	38	65
1	B	550/564 (98%)	533 (97%)	17 (3%)	40	65
2	C	572/585 (98%)	566 (99%)	6 (1%)	76	86
2	D	572/585 (98%)	566 (99%)	6 (1%)	76	86
3	E	442/775 (57%)	428 (97%)	14 (3%)	39	65
3	F	442/775 (57%)	428 (97%)	14 (3%)	39	65
All	All	3128/3848 (81%)	3053 (98%)	75 (2%)	51	71

All (75) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	148	ASN
1	A	149	GLU
1	A	150	ASN
1	A	153	VAL
1	A	243	PHE
1	A	246	LEU
1	A	275	ASN
1	A	483	ASN
1	A	531	LYS
1	A	536	THR
1	A	584	ASN
1	A	608	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	611	TYR
1	A	614	TYR
1	A	626	ASN
1	A	715	ASN
1	A	722	ASN
1	A	727	ASN
1	B	148	ASN
1	B	150	ASN
1	B	153	VAL
1	B	243	PHE
1	B	246	LEU
1	B	275	ASN
1	B	483	ASN
1	B	531	LYS
1	B	536	THR
1	B	584	ASN
1	B	608	ASN
1	B	611	TYR
1	B	614	TYR
1	B	626	ASN
1	B	715	ASN
1	B	722	ASN
1	B	727	ASN
2	C	254	ARG
2	C	259	LYS
2	C	417	ASN
2	C	443	ASN
2	C	475	ARG
2	C	663	ARG
2	D	254	ARG
2	D	259	LYS
2	D	417	ASN
2	D	443	ASN
2	D	475	ARG
2	D	663	ARG
3	E	175	ILE
3	E	252	ASN
3	E	301	ASN
3	E	303	ILE
3	E	319	ASN
3	E	418	ARG
3	E	428	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	E	444	ASN
3	E	456	ASN
3	E	551	ARG
3	E	564	GLN
3	E	574	GLN
3	E	591	ASN
3	E	592	PHE
3	F	175	ILE
3	F	252	ASN
3	F	301	ASN
3	F	303	ILE
3	F	319	ASN
3	F	418	ARG
3	F	428	ASN
3	F	444	ASN
3	F	456	ASN
3	F	551	ARG
3	F	564	GLN
3	F	574	GLN
3	F	591	ASN
3	F	592	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (53) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	148	ASN
1	A	150	ASN
1	A	191	GLN
1	A	275	ASN
1	A	483	ASN
1	A	584	ASN
1	A	626	ASN
1	A	715	ASN
1	A	722	ASN
1	B	148	ASN
1	B	150	ASN
1	B	191	GLN
1	B	275	ASN
1	B	483	ASN
1	B	584	ASN
1	B	626	ASN
1	B	715	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	722	ASN
2	C	111	GLN
2	C	207	HIS
2	C	213	ASN
2	C	273	HIS
2	C	417	ASN
2	C	443	ASN
2	C	461	ASN
2	D	111	GLN
2	D	207	HIS
2	D	213	ASN
2	D	273	HIS
2	D	417	ASN
2	D	443	ASN
2	D	461	ASN
3	E	252	ASN
3	E	273	GLN
3	E	301	ASN
3	E	319	ASN
3	E	372	ASN
3	E	428	ASN
3	E	444	ASN
3	E	456	ASN
3	E	488	GLN
3	E	540	GLN
3	E	591	ASN
3	F	252	ASN
3	F	273	GLN
3	F	301	ASN
3	F	319	ASN
3	F	428	ASN
3	F	444	ASN
3	F	456	ASN
3	F	488	GLN
3	F	540	GLN
3	F	591	ASN

5.3.3 RNA

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

12 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	G	1	4,1	14,14,15	0.77	1 (7%)	17,19,21	1.07	1 (5%)
4	NAG	G	2	4	14,14,15	0.36	0	17,19,21	0.37	0
4	NAG	H	1	4,1	14,14,15	1.16	1 (7%)	17,19,21	1.29	4 (23%)
4	NAG	H	2	4	14,14,15	0.52	0	17,19,21	0.50	0
4	NAG	I	1	4,1	14,14,15	1.23	1 (7%)	17,19,21	1.34	3 (17%)
4	NAG	I	2	4	14,14,15	0.32	0	17,19,21	0.51	0
4	NAG	J	1	4,1	14,14,15	0.74	1 (7%)	17,19,21	1.77	2 (11%)
4	NAG	J	2	4	14,14,15	0.37	0	17,19,21	0.54	0
4	NAG	K	1	4,2	14,14,15	0.28	0	17,19,21	0.76	0
4	NAG	K	2	4	14,14,15	0.38	0	17,19,21	0.73	1 (5%)
4	NAG	L	1	4,2	14,14,15	0.52	0	17,19,21	1.25	2 (11%)
4	NAG	L	2	4	14,14,15	1.10	2 (14%)	17,19,21	2.23	3 (17%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	G	1	4,1	-	3/6/23/26	0/1/1/1
4	NAG	G	2	4	-	0/6/23/26	0/1/1/1
4	NAG	H	1	4,1	-	3/6/23/26	0/1/1/1
4	NAG	H	2	4	-	0/6/23/26	0/1/1/1
4	NAG	I	1	4,1	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	I	2	4	-	2/6/23/26	0/1/1/1
4	NAG	J	1	4,1	-	2/6/23/26	0/1/1/1
4	NAG	J	2	4	-	2/6/23/26	0/1/1/1
4	NAG	K	1	4,2	-	1/6/23/26	0/1/1/1
4	NAG	K	2	4	-	4/6/23/26	0/1/1/1
4	NAG	L	1	4,2	-	2/6/23/26	0/1/1/1
4	NAG	L	2	4	-	3/6/23/26	0/1/1/1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	I	1	NAG	O5-C1	-3.93	1.37	1.43
4	H	1	NAG	O5-C1	-3.73	1.37	1.43
4	L	2	NAG	C1-C2	2.79	1.56	1.52
4	G	1	NAG	O5-C1	-2.67	1.39	1.43
4	J	1	NAG	O5-C1	2.65	1.48	1.43
4	L	2	NAG	O5-C1	2.53	1.47	1.43

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	L	2	NAG	C2-N2-C7	7.71	133.88	122.90
4	J	1	NAG	C1-O5-C5	6.29	120.72	112.19
4	L	2	NAG	C1-C2-N2	4.02	117.35	110.49
4	I	1	NAG	C1-O5-C5	3.58	117.04	112.19
4	G	1	NAG	C2-N2-C7	3.04	127.24	122.90
4	L	1	NAG	C2-N2-C7	2.96	127.11	122.90
4	H	1	NAG	C4-C3-C2	2.92	115.29	111.02
4	J	1	NAG	O4-C4-C5	2.86	116.39	109.30
4	H	1	NAG	C2-N2-C7	2.81	126.90	122.90
4	L	1	NAG	C1-O5-C5	2.57	115.67	112.19
4	K	2	NAG	C1-O5-C5	2.23	115.22	112.19
4	I	1	NAG	C3-C4-C5	2.14	114.06	110.24
4	I	1	NAG	O5-C5-C6	-2.14	103.85	107.20
4	H	1	NAG	C3-C4-C5	2.12	114.02	110.24
4	L	2	NAG	C8-C7-N2	2.05	119.57	116.10
4	H	1	NAG	C1-C2-N2	2.00	113.91	110.49

There are no chirality outliers.

All (24) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	J	2	NAG	O5-C5-C6-O6
4	I	1	NAG	C4-C5-C6-O6
4	I	1	NAG	O5-C5-C6-O6
4	G	1	NAG	O5-C5-C6-O6
4	J	1	NAG	O5-C5-C6-O6
4	I	2	NAG	C8-C7-N2-C2
4	I	2	NAG	O7-C7-N2-C2
4	K	2	NAG	C8-C7-N2-C2
4	K	2	NAG	O7-C7-N2-C2
4	L	2	NAG	C8-C7-N2-C2
4	L	2	NAG	O7-C7-N2-C2
4	K	2	NAG	O5-C5-C6-O6
4	J	1	NAG	C4-C5-C6-O6
4	G	1	NAG	C4-C5-C6-O6
4	J	2	NAG	C4-C5-C6-O6
4	K	2	NAG	C4-C5-C6-O6
4	H	1	NAG	C4-C5-C6-O6
4	H	1	NAG	O5-C5-C6-O6
4	L	1	NAG	O5-C5-C6-O6
4	G	1	NAG	C3-C2-N2-C7
4	H	1	NAG	C3-C2-N2-C7
4	L	1	NAG	C3-C2-N2-C7
4	L	2	NAG	C3-C2-N2-C7
4	K	1	NAG	C4-C5-C6-O6


There are no ring outliers.


1 monomer is involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	G	1	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.














5.6 Ligand geometry [i](#)

Of 14 ligands modelled in this entry, 6 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	NAG	A	802	1	14,14,15	1.09	1 (7%)	17,19,21	1.82	2 (11%)
6	NAG	C	707	2	14,14,15	0.51	0	17,19,21	1.31	1 (5%)
8	CO3	C	704	7	2,3,3	0.53	0	2,3,3	0.84	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	NAG	B	802	1	14,14,15	0.56	0	17,19,21	0.38	0
6	NAG	D	707	2	14,14,15	0.46	0	17,19,21	0.52	0
8	CO3	D	704	7	2,3,3	0.53	0	2,3,3	0.79	0
8	CO3	D	702	7	2,3,3	0.44	0	2,3,3	0.11	0
8	CO3	C	702	7	2,3,3	0.44	0	2,3,3	0.11	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	NAG	A	802	1	-	1/6/23/26	0/1/1/1
6	NAG	C	707	2	-	2/6/23/26	0/1/1/1
6	NAG	B	802	1	-	2/6/23/26	0/1/1/1
6	NAG	D	707	2	-	4/6/23/26	0/1/1/1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	A	802	NAG	O5-C1	3.49	1.49	1.43

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	A	802	NAG	C1-O5-C5	6.47	120.95	112.19
6	C	707	NAG	C1-O5-C5	5.06	119.05	112.19
6	A	802	NAG	C2-N2-C7	2.85	126.96	122.90

There are no chirality outliers.

All (9) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	B	802	NAG	O5-C5-C6-O6
6	B	802	NAG	C4-C5-C6-O6
6	D	707	NAG	C4-C5-C6-O6
6	D	707	NAG	C8-C7-N2-C2
6	D	707	NAG	O7-C7-N2-C2
6	D	707	NAG	O5-C5-C6-O6
6	C	707	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	C	707	NAG	C4-C5-C6-O6
6	A	802	NAG	C3-C2-N2-C7

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
8	C	704	CO3	1	0
8	D	704	CO3	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-7785. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 90



Y Index: 90




Z Index: 90


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 88



Y Index: 86



Z Index: 82

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



X



Y



Z

The images above show the 3D surface view of the map at the recommended contour level 0.073. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5 Mask visualisation

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 140 nm³; this corresponds to an approximate mass of 127 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum [i](#)



*Reported resolution corresponds to spatial frequency of 0.263 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-7785 and PDB model 6D05. Per-residue inclusion information can be found in section 3 on page 9.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.073 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.073).



























9.4 Atom inclusion [i](#)



At the recommended contour level, 75% of all backbone atoms, 59% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.073) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.5927	 0.4190
A	 0.7499	 0.4710
B	 0.7572	 0.4740
C	 0.5972	 0.4320
D	 0.6013	 0.4320
E	 0.3803	 0.3340
F	 0.3769	 0.3310
G	 0.6429	 0.4590
H	 0.3571	 0.4000
I	 0.6429	 0.4910
J	 0.2857	 0.3420
K	 0.1786	 0.4270
L	 0.1429	 0.2990

