



Full wwPDB EM Validation Report ⓘ

Nov 20, 2022 – 02:00 am GMT

PDB ID : 6GAZ
EMDB ID : EMD-4369
Title : Unique features of mammalian mitochondrial translation initiation revealed by cryo-EM. This file contains the 28S ribosomal subunit.
Authors : Kummer, E.; Leibundgut, M.; Boehringer, D.; Ban, N.
Deposited on : 2018-04-13
Resolution : 3.10 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev43
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.9
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.31.2

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	BC	657	
2	BT	292	
3	AA	962	
4	AB	289	
5	AC	167	
6	AE	430	
7	AF	124	
8	AG	242	




Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	AI	397	9% 76% 7% 17%
10	AJ	201	10% 64% 6% 30%
11	AK	196	62% 8% 30%
12	AL	139	73% 6% 22%
13	AN	128	68% 11% 21%
14	AO	239	6% 67% 7% 27%
15	AP	135	84% 13%
16	AQ	130	5% 76% 10% 14%
17	AR	143	62% 6% 32%
18	AU	87	86% 13%
19	AV	71	58% 61% 38%
20	AX	201	6% 92%
21	AZ	18	33% 100%
22	Aa	382	71% 6% 24%
23	Ab	190	65% 6% 29%
24	Ac	173	90% 8%
25	Ad	205	81% 5% 14%
26	Ae	390	48% 92% 7%
27	Af	188	48% 47%
28	Ag	397	19% 84% 5% 11%
29	Ah	387	6% 29% 69%
30	Ai	106	8% 86% 8% 7%
31	Aj	218	14% 93% 5%
32	Ak	325	13% 76% 9% 15%
33	Am	118	15% 89% 9%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	An	199	
35	Ao	692	
36	Ap	258	

2 Entry composition

There are 44 unique types of molecules in this entry. The entry contains 73172 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Translation initiation factor IF-2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	BC	571	4364	2743	765	839	17	0	0

There are 7 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BC	71	SER	-	expression tag	UNP P46199
BC	72	GLY	-	expression tag	UNP P46199
BC	73	GLY	-	expression tag	UNP P46199
BC	74	SER	-	expression tag	UNP P46199
BC	75	GLY	-	expression tag	UNP P46199
BC	76	SER	-	expression tag	UNP P46199
BC	77	GLY	-	expression tag	UNP P46199

- Molecule 2 is a protein called Mitochondrial ribosomal protein L19.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
2	BT	17	109	72	19	18	0	0

- Molecule 3 is a RNA chain called 12S ribosomal RNA, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
3	AA	960	20411	9162	3708	6581	960	0	0

- Molecule 4 is a protein called Mitochondrial ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	AB	220	1762	1126	326	304	6	0	0

- Molecule 5 is a protein called Mitochondrial ribosomal protein S24.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	AC	132	1075	695	195	181	4	0	0

- Molecule 6 is a protein called Mitochondrial ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	AE	343	2732	1707	527	487	11	0	0

- Molecule 7 is a protein called Mitochondrial ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	AF	122	981	620	178	177	6	0	0

- Molecule 8 is a protein called Mitochondrial ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	AG	208	1721	1097	314	299	11	0	0

- Molecule 9 is a protein called Mitochondrial ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	AI	328	2650	1678	478	481	13	0	0

- Molecule 10 is a protein called Mitochondrial ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	AJ	140	1155	746	197	208	4	0	0

- Molecule 11 is a protein called Mitochondrial ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	AK	137	1007	631	193	180	3	0	0

- Molecule 12 is a protein called Mitochondrial ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	AL	109	840	524	172	138	6	0	0

- Molecule 13 is a protein called Mitochondrial ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
13	AN	101	858	534	174	144	6	0	0

- Molecule 14 is a protein called Mitochondrial ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
14	AO	175	1448	919	272	248	9	0	0

- Molecule 15 is a protein called bs16m, MRPS16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
15	AP	117	932	588	184	155	5	0	0

- Molecule 16 is a protein called Mitochondrial ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
16	AQ	112	875	568	153	151	3	0	0

- Molecule 17 is a protein called Mitochondrial ribosomal protein S18C.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
17	AR	97	784	507	132	138	7	0	0

- Molecule 18 is a protein called Mitochondrial ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
18	AU	86	734	453	148	125	8	0	0

- Molecule 19 is a RNA chain called P-site fMet-tRNA^{Met}, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
19	AV	71	1498	673	264	491	70	0	0

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AV	69	C	-	insertion	GB 1208989970
AV	70	C	-	insertion	GB 1208989970
AV	71	A	-	insertion	GB 1208989970

- Molecule 20 is a RNA chain called MT-CO3 mRNA, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
20	AX	17	354	161	65	112	16	0	0

- Molecule 21 is a protein called unassigned secondary structure elements.

Mol	Chain	Residues	Atoms				AltConf	Trace
			Total	C	N	O		
21	AZ	18	90	54	18	18	0	0

- Molecule 22 is a protein called Mitochondrial ribosomal protein S22.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
22	Aa	292	2378	1518	409	442	9	0	0

- Molecule 23 is a protein called Mitochondrial ribosomal protein S23.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
23	Ab	135	1101	709	199	192	1	0	0

- Molecule 24 is a protein called Mitochondrial ribosomal protein S25.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
24	Ac	169	1367	876	236	245	10	0	0

- Molecule 25 is a protein called Mitochondrial ribosomal protein S26.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
25	Ad	177	1467	904	288	273	2	0	0

- Molecule 26 is a protein called Mitochondrial ribosomal protein S27.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
26	Ae	388	3109	1971	535	589	14	0	0

- Molecule 27 is a protein called Mitoribosomal protein ms28, mrps28.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	Af	99	778	494	134	146	4	0	0

- Molecule 28 is a protein called Death associated protein 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	Ag	353	2875	1837	515	513	10	0	0

- Molecule 29 is a protein called mS31, MRPS31.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	Ah	120	1015	659	168	185	3	0	0

- Molecule 30 is a protein called Mitochondrial ribosomal protein S33.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	Ai	99	824	522	156	143	3	0	0

- Molecule 31 is a protein called Mitochondrial ribosomal protein S34.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	Aj	213	1788	1131	338	311	8	0	0

- Molecule 32 is a protein called Mitochondrial ribosomal protein S35.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	Ak	275	2222	1414	380	419	9	0	0

- Molecule 33 is a protein called Mitochondrial ribosomal protein S37.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	Am	116	930	577	185	160	8	0	0

- Molecule 34 is a protein called Aurora kinase A interacting protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	An	72	639	407	139	92	1	0	0


- Molecule 35 is a protein called Mitochondrial ribosomal protein S39.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	Ao	572	4527	2899	770	834	24	0	0

- Molecule 36 is a protein called 28S ribosomal protein S18b, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	Ap	190	1564	991	292	273	8	0	0

- Molecule 37 is 5'-GUANOSINE-DIPHOSPHATE-MONOTHIOPHOSPHATE (three-letter code: GSP) (formula: C₁₀H₁₆N₅O₁₃P₃S).



Mol	Chain	Residues	Atoms					AltConf	
			Total	C	N	O	P		S
37	BC	1	32	10	5	13	3	1	0


- Molecule 38 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
			Total	Mg	
38	BC	2	2	2	0
38	AA	105	105	105	0
38	AB	1	1	1	0
38	AX	1	1	1	0
38	Ag	1	1	1	0
38	An	1	1	1	0

- Molecule 39 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		AltConf
			Total	Na	
39	BC	1	1	1	0

- Molecule 40 is SPERMINE (three-letter code: SPM) (formula: C₁₀H₂₆N₄).




Mol	Chain	Residues	Atoms		AltConf
40	AA	1	Total	C N	0
			14	10 4	

- Molecule 41 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
41	AR	1	Total	Zn	0
			1	1	
41	Ac	1	Total	Zn	0
			1	1	
41	Ap	1	Total	Zn	0
			1	1	

- Molecule 42 is N-FORMYLMETHIONINE (three-letter code: FME) (formula: C₆H₁₁NO₃S).



Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	S	
42	AV	1	10	6	1	2	1	0

- Molecule 43 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula: $C_{10}H_{16}N_5O_{14}P_3$).





Mol	Chain	Residues	Atoms					AltConf
			Total	C	N	O	P	
43	Ag	1	32	10	5	14	3	0

- Molecule 44 is water.






Mol	Chain	Residues	Atoms		AltConf
44	BC	2	Total 2	O 2	0
44	Ag	3	Total 3	O 3	0




• Molecule 5: Mitochondrial ribosomal protein S24






• Molecule 6: Mitochondrial ribosomal protein S5





• Molecule 7: Mitochondrial ribosomal protein S6




• Molecule 8: Mitochondrial ribosomal protein S7




• Molecule 9: Mitochondrial ribosomal protein S9





• Molecule 10: Mitochondrial ribosomal protein S10



• Molecule 11: Mitochondrial ribosomal protein S11




• Molecule 12: Mitochondrial ribosomal protein S12




• Molecule 13: Mitochondrial ribosomal protein S14




• Molecule 14: Mitochondrial ribosomal protein S15




• Molecule 15: bS16m, MRPS16




• Molecule 16: Mitochondrial ribosomal protein S17




• Molecule 17: Mitochondrial ribosomal protein S18C



• Molecule 18: Mitochondrial ribosomal protein S21




• Molecule 19: P-site fMet-tRNA^{Met}, mitochondrial












- Molecule 25: Mitochondrial ribosomal protein S26





- Molecule 26: Mitochondrial ribosomal protein S27




- Molecule 27: Mitochondrial ribosomal protein ms28, mrps28




- Molecule 28: Death associated protein 3





• Molecule 36: 28S ribosomal protein S18b, mitochondrial



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	139206	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	0.610	Depositor
Minimum map value	-0.242	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.017	Depositor
Recommended contour level	0.085	Depositor
Map size (Å)	390.59, 390.59, 390.59	wwPDB
Map dimensions	281, 281, 281	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.39, 1.39, 1.39	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: MG, SPM, GTP, FME, NA, GSP, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	BC	0.35	0/4432	0.53	2/5989 (0.0%)
2	BT	0.35	0/113	0.68	1/157 (0.6%)
3	AA	0.76	8/22852 (0.0%)	1.16	80/35580 (0.2%)
4	AB	0.54	0/1804	0.66	1/2445 (0.0%)
5	AC	0.42	0/1105	0.61	0/1496
6	AE	0.47	0/2785	0.61	0/3735
7	AF	0.51	1/999 (0.1%)	0.64	1/1347 (0.1%)
8	AG	0.36	0/1763	0.52	0/2368
9	AI	0.37	0/2707	0.52	1/3636 (0.0%)
10	AJ	0.43	0/1181	0.63	0/1597
11	AK	0.48	0/1027	0.75	1/1389 (0.1%)
12	AL	0.51	0/858	0.66	0/1152
13	AN	0.44	0/874	0.57	0/1171
14	AO	0.47	0/1473	0.61	0/1970
15	AP	0.55	0/954	0.66	0/1284
16	AQ	0.48	0/894	0.66	0/1213
17	AR	0.68	2/802 (0.2%)	0.74	2/1079 (0.2%)
18	AU	0.53	0/745	0.65	0/993
19	AV	0.43	0/1673	0.98	5/2602 (0.2%)
20	AX	0.55	0/395	1.15	2/612 (0.3%)
21	AZ	0.42	0/89	0.61	0/123
22	Aa	0.42	0/2428	0.60	0/3279
23	Ab	0.43	0/1126	0.58	0/1514
24	Ac	0.55	2/1399 (0.1%)	0.62	1/1881 (0.1%)
25	Ad	0.39	0/1490	0.54	0/2005
26	Ae	0.34	0/3171	0.55	1/4292 (0.0%)
27	Af	0.47	0/790	0.64	0/1064
28	Ag	0.30	0/2945	0.48	0/3984
29	Ah	0.37	0/1045	0.48	0/1409
30	Ai	0.34	0/841	0.52	0/1121
31	Aj	0.34	0/1835	0.52	0/2484
32	Ak	0.32	0/2268	0.49	0/3069

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	Am	0.39	0/947	0.54	0/1268
34	An	0.51	0/650	0.65	0/858
35	Ao	0.39	0/4458	0.52	0/6036
36	Ap	0.45	1/1616 (0.1%)	0.59	0/2195
All	All	0.54	14/76534 (0.0%)	0.83	98/108397 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
26	Ae	0	1

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	Ac	139	CYS	CB-SG	9.52	1.98	1.82
7	AF	105	CYS	CB-SG	8.07	1.96	1.82
17	AR	69	CYS	CB-SG	7.99	1.95	1.82
3	AA	406	A	N9-C4	-7.85	1.33	1.37
24	Ac	141	CYS	CB-SG	7.27	1.94	1.82
17	AR	66	CYS	CB-SG	7.10	1.94	1.82
3	AA	476	A	N9-C4	-6.79	1.33	1.37
3	AA	457	C	N1-C6	-6.29	1.33	1.37
3	AA	379	A	N9-C4	-5.78	1.34	1.37
36	Ap	105	CYS	CB-SG	-5.62	1.72	1.81
3	AA	940	C	N1-C6	-5.32	1.33	1.37
3	AA	378	A	N9-C4	-5.28	1.34	1.37
3	AA	329	A	N9-C4	-5.23	1.34	1.37
3	AA	320	A	N9-C4	-5.09	1.34	1.37

All (98) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AA	959	U	N1-C2-O2	9.29	129.30	122.80
19	AV	9	C	C2-N1-C1'	8.05	127.66	118.80
3	AA	959	U	N3-C2-O2	-8.01	116.59	122.20
3	AA	476	A	C2-N3-C4	-7.87	106.67	110.60
3	AA	198	C	C6-N1-C2	7.61	123.34	120.30
3	AA	476	A	C5-N7-C8	-7.60	100.10	103.90
3	AA	198	C	C5-C6-N1	-7.48	117.26	121.00

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AA	959	U	C2-N1-C1'	7.30	126.46	117.70
3	AA	292	U	C5-C6-N1	-6.99	119.20	122.70
24	Ac	139	CYS	CA-CB-SG	6.98	126.56	114.00
3	AA	945	A	C4-C5-C6	6.81	120.41	117.00
19	AV	9	C	N1-C2-O2	6.77	122.96	118.90
3	AA	631	A	N1-C6-N6	-6.60	114.64	118.60
3	AA	349	A	C8-N9-C4	-6.60	103.16	105.80
20	AX	10	C	N1-C2-O2	6.55	122.83	118.90
3	AA	837	C	N3-C4-C5	6.55	124.52	121.90
3	AA	937	A	C8-N9-C4	6.54	108.42	105.80
3	AA	838	A	C2-N3-C4	-6.48	107.36	110.60
3	AA	837	C	C6-N1-C2	6.34	122.84	120.30
3	AA	507	C	C6-N1-C2	-6.34	117.77	120.30
3	AA	476	A	C4-C5-N7	6.31	113.86	110.70
17	AR	69	CYS	CA-CB-SG	6.26	125.27	114.00
3	AA	944	A	N1-C2-N3	6.16	132.38	129.30
3	AA	275	U	C5-C6-N1	-6.12	119.64	122.70
3	AA	406	A	C8-N9-C4	6.11	108.25	105.80
3	AA	471	U	C5-C6-N1	-6.10	119.65	122.70
3	AA	950	U	C5-C6-N1	-6.10	119.65	122.70
3	AA	457	C	C6-N1-C2	6.05	122.72	120.30
3	AA	950	U	C2-N3-C4	-6.00	123.40	127.00
3	AA	59	C	C6-N1-C2	-5.99	117.91	120.30
17	AR	66	CYS	CA-CB-SG	5.98	124.76	114.00
3	AA	417	C	C6-N1-C2	-5.98	117.91	120.30
3	AA	944	A	C5-C6-N1	-5.96	114.72	117.70
3	AA	937	A	N7-C8-N9	-5.96	110.82	113.80
3	AA	745	C	C2-N1-C1'	5.95	125.34	118.80
3	AA	658	C	C6-N1-C2	-5.93	117.93	120.30
3	AA	945	A	N1-C2-N3	5.92	132.26	129.30
3	AA	68	G	C8-N9-C4	5.91	108.76	106.40
2	BT	68	PRO	N-CA-CB	5.88	110.35	103.30
3	AA	119	C	C2-N1-C1'	5.88	125.26	118.80
3	AA	177	U	C5-C6-N1	-5.85	119.77	122.70
3	AA	69	G	C8-N9-C4	5.85	108.74	106.40
3	AA	933	A	C2-N3-C4	-5.84	107.68	110.60
3	AA	691	G	C8-N9-C4	5.81	108.72	106.40
7	AF	105	CYS	CA-CB-SG	5.80	124.44	114.00
3	AA	637	A	C5-N7-C8	-5.78	101.01	103.90
19	AV	9	C	N3-C2-O2	-5.76	117.87	121.90
3	AA	116	G	C8-N9-C4	5.75	108.70	106.40
3	AA	752	A	C8-N9-C4	-5.67	103.53	105.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AA	112	U	C6-N1-C2	5.66	124.40	121.00
3	AA	935	G	N3-C4-C5	-5.64	125.78	128.60
3	AA	639	A	C8-N9-C4	5.56	108.02	105.80
3	AA	639	A	N9-C4-C5	-5.55	103.58	105.80
19	AV	9	C	C6-N1-C2	-5.54	118.08	120.30
3	AA	937	A	N1-C2-N3	5.52	132.06	129.30
19	AV	9	C	C6-N1-C1'	-5.51	114.19	120.80
1	BC	502	PRO	N-CA-CB	5.48	109.88	103.30
3	AA	751	A	O4'-C1'-N9	5.48	112.58	108.20
3	AA	508	C	C6-N1-C2	-5.47	118.11	120.30
3	AA	774	C	C6-N1-C2	-5.46	118.11	120.30
3	AA	639	A	N1-C6-N6	5.46	121.88	118.60
3	AA	136	C	C6-N1-C2	-5.46	118.12	120.30
26	Ae	342	PRO	N-CA-CB	5.41	109.80	103.30
20	AX	7	C	C2-N1-C1'	5.38	124.72	118.80
1	BC	505	PRO	N-CA-CB	5.38	109.75	103.30
3	AA	299	U	C5-C6-N1	-5.38	120.01	122.70
3	AA	841	C	N1-C2-O2	5.35	122.11	118.90
3	AA	345	U	C5-C6-N1	5.33	125.37	122.70
3	AA	937	A	C6-N1-C2	-5.31	115.41	118.60
3	AA	752	A	N7-C8-N9	5.31	116.45	113.80
3	AA	292	U	C4-C5-C6	5.30	122.88	119.70
3	AA	384	A	C8-N9-C4	5.28	107.91	105.80
3	AA	293	A	C8-N9-C4	5.28	107.91	105.80
3	AA	944	A	C4-C5-C6	5.27	119.64	117.00
3	AA	454	A	N1-C2-N3	5.26	131.93	129.30
3	AA	476	A	N3-C4-C5	5.26	130.48	126.80
3	AA	951	G	N3-C4-C5	-5.26	125.97	128.60
3	AA	320	A	C8-N9-C4	5.24	107.90	105.80
3	AA	68	G	N7-C8-N9	-5.20	110.50	113.10
3	AA	479	C	C6-N1-C2	-5.20	118.22	120.30
3	AA	119	C	C6-N1-C1'	-5.19	114.57	120.80
3	AA	457	C	C5-C6-N1	-5.19	118.41	121.00
3	AA	695	C	N3-C2-O2	-5.17	118.28	121.90
11	AK	196	LEU	CA-CB-CG	-5.17	103.40	115.30
3	AA	950	U	N1-C2-O2	-5.16	119.19	122.80
3	AA	385	C	C4-C5-C6	5.10	119.95	117.40
3	AA	631	A	C6-C5-N7	5.09	135.87	132.30
9	AI	387	GLY	N-CA-C	5.09	125.82	113.10
3	AA	406	A	N1-C2-N3	5.08	131.84	129.30
4	AB	149	GLN	N-CA-C	-5.07	97.30	111.00
3	AA	841	C	C2-N1-C1'	5.05	124.36	118.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	AA	520	G	N3-C4-C5	-5.05	126.08	128.60
3	AA	695	C	N1-C2-O2	5.05	121.93	118.90
3	AA	935	G	C2-N3-C4	5.05	114.42	111.90
3	AA	675	A	N1-C6-N6	5.05	121.63	118.60
3	AA	675	A	C8-N9-C4	5.04	107.82	105.80
3	AA	744	C	O4'-C1'-N1	5.02	112.22	108.20
3	AA	17	G	N3-C4-N9	5.01	129.01	126.00

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
26	Ae	313	GLY	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	BC	569/657 (87%)	549 (96%)	19 (3%)	1 (0%)	47 79
2	BT	15/292 (5%)	14 (93%)	0	1 (7%)	1 7
4	AB	218/289 (75%)	210 (96%)	8 (4%)	0	100 100
5	AC	130/167 (78%)	121 (93%)	9 (7%)	0	100 100
6	AE	341/430 (79%)	330 (97%)	11 (3%)	0	100 100
7	AF	120/124 (97%)	119 (99%)	1 (1%)	0	100 100
8	AG	206/242 (85%)	204 (99%)	2 (1%)	0	100 100
9	AI	326/397 (82%)	312 (96%)	14 (4%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
10	AJ	138/201 (69%)	129 (94%)	7 (5%)	2 (1%)	11	40
11	AK	135/196 (69%)	129 (96%)	5 (4%)	1 (1%)	22	57
12	AL	107/139 (77%)	104 (97%)	3 (3%)	0	100	100
13	AN	99/128 (77%)	99 (100%)	0	0	100	100
14	AO	173/239 (72%)	167 (96%)	6 (4%)	0	100	100
15	AP	115/135 (85%)	113 (98%)	2 (2%)	0	100	100
16	AQ	110/130 (85%)	107 (97%)	3 (3%)	0	100	100
17	AR	95/143 (66%)	95 (100%)	0	0	100	100
18	AU	84/87 (97%)	84 (100%)	0	0	100	100
21	AZ	16/18 (89%)	15 (94%)	1 (6%)	0	100	100
22	Aa	290/382 (76%)	284 (98%)	6 (2%)	0	100	100
23	Ab	133/190 (70%)	128 (96%)	5 (4%)	0	100	100
24	Ac	167/173 (96%)	161 (96%)	5 (3%)	1 (1%)	25	59
25	Ad	175/205 (85%)	169 (97%)	6 (3%)	0	100	100
26	Ae	386/390 (99%)	350 (91%)	33 (8%)	3 (1%)	19	54
27	Af	97/188 (52%)	92 (95%)	5 (5%)	0	100	100
28	Ag	351/397 (88%)	339 (97%)	12 (3%)	0	100	100
29	Ah	118/387 (30%)	115 (98%)	3 (2%)	0	100	100
30	Ai	97/106 (92%)	91 (94%)	6 (6%)	0	100	100
31	Aj	211/218 (97%)	207 (98%)	4 (2%)	0	100	100
32	Ak	273/325 (84%)	267 (98%)	6 (2%)	0	100	100
33	Am	114/118 (97%)	109 (96%)	5 (4%)	0	100	100
34	An	70/199 (35%)	68 (97%)	2 (3%)	0	100	100
35	Ao	532/692 (77%)	505 (95%)	27 (5%)	0	100	100
36	Ap	188/258 (73%)	181 (96%)	7 (4%)	0	100	100
All	All	6199/8242 (75%)	5967 (96%)	223 (4%)	9 (0%)	54	83

All (9) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	BT	68	PRO
10	AJ	185	ARG
10	AJ	179	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
26	Ae	344	GLU
1	BC	502	PRO
26	Ae	161	ALA
26	Ae	342	PRO
11	AK	160	ARG
24	Ac	105	ILE

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	BC	464/556 (84%)	445 (96%)	19 (4%)	30 64
2	BT	8/258 (3%)	7 (88%)	1 (12%)	4 18
4	AB	187/233 (80%)	171 (91%)	16 (9%)	10 37
5	AC	115/142 (81%)	97 (84%)	18 (16%)	2 11
6	AE	282/351 (80%)	253 (90%)	29 (10%)	7 27
7	AF	107/109 (98%)	96 (90%)	11 (10%)	7 27
8	AG	181/205 (88%)	165 (91%)	16 (9%)	10 36
9	AI	273/333 (82%)	247 (90%)	26 (10%)	8 31
10	AJ	130/181 (72%)	120 (92%)	10 (8%)	13 41
11	AK	103/151 (68%)	90 (87%)	13 (13%)	4 18
12	AL	92/116 (79%)	84 (91%)	8 (9%)	10 36
13	AN	92/114 (81%)	78 (85%)	14 (15%)	3 12
14	AO	159/205 (78%)	143 (90%)	16 (10%)	7 28
15	AP	97/113 (86%)	93 (96%)	4 (4%)	30 64
16	AQ	97/114 (85%)	84 (87%)	13 (13%)	4 16
17	AR	89/127 (70%)	82 (92%)	7 (8%)	12 40
18	AU	77/78 (99%)	66 (86%)	11 (14%)	3 14
22	Aa	258/330 (78%)	236 (92%)	22 (8%)	10 37
23	Ab	113/162 (70%)	101 (89%)	12 (11%)	6 26

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
24	Ac	152/155 (98%)	140 (92%)	12 (8%)	12	40
25	Ad	149/168 (89%)	139 (93%)	10 (7%)	16	46
26	Ae	325/342 (95%)	301 (93%)	24 (7%)	13	42
27	Af	86/160 (54%)	78 (91%)	8 (9%)	9	32
28	Ag	312/350 (89%)	293 (94%)	19 (6%)	18	49
29	Ah	109/346 (32%)	103 (94%)	6 (6%)	21	53
30	Ai	86/93 (92%)	78 (91%)	8 (9%)	9	32
31	Aj	188/190 (99%)	177 (94%)	11 (6%)	19	50
32	Ak	249/289 (86%)	221 (89%)	28 (11%)	6	24
33	Am	100/102 (98%)	89 (89%)	11 (11%)	6	25
34	An	66/174 (38%)	56 (85%)	10 (15%)	3	12
35	Ao	478/538 (89%)	456 (95%)	22 (5%)	27	59
36	Ap	170/225 (76%)	149 (88%)	21 (12%)	4	19
All	All	5394/7010 (77%)	4938 (92%)	456 (8%)	14	37

All (456) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	BC	184	THR
1	BC	251	VAL
1	BC	283	ILE
1	BC	304	LEU
1	BC	330	ASN
1	BC	424	LEU
1	BC	426	SER
1	BC	471	LYS
1	BC	472	GLU
1	BC	494	PHE
1	BC	515	VAL
1	BC	520	ILE
1	BC	544	CYS
1	BC	575	ASN
1	BC	674	THR
1	BC	678	HIS
1	BC	679	HIS
1	BC	708	ARG
1	BC	727	PHE

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	BT	61	VAL
4	AB	57	LEU
4	AB	125	GLN
4	AB	145	SER
4	AB	146	ARG
4	AB	159	ARG
4	AB	167	THR
4	AB	176	THR
4	AB	177	ASN
4	AB	197	THR
4	AB	206	VAL
4	AB	221	ILE
4	AB	222	VAL
4	AB	224	THR
4	AB	235	VAL
4	AB	241	SER
4	AB	261	GLU
5	AC	38	ARG
5	AC	41	ARG
5	AC	43	ARG
5	AC	44	VAL
5	AC	80	ASP
5	AC	89	ASP
5	AC	103	CYS
5	AC	104	LEU
5	AC	108	LEU
5	AC	112	ARG
5	AC	115	ASN
5	AC	117	LEU
5	AC	124	LEU
5	AC	125	ARG
5	AC	127	LEU
5	AC	153	LEU
5	AC	166	TYR
5	AC	167	ILE
6	AE	124	LYS
6	AE	191	ARG
6	AE	194	SER
6	AE	196	ASN
6	AE	203	LEU
6	AE	215	TYR
6	AE	216	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
6	AE	220	THR
6	AE	239	ARG
6	AE	240	SER
6	AE	241	VAL
6	AE	242	ARG
6	AE	245	VAL
6	AE	274	ARG
6	AE	283	GLU
6	AE	289	THR
6	AE	312	TYR
6	AE	336	VAL
6	AE	337	SER
6	AE	340	VAL
6	AE	346	THR
6	AE	355	ARG
6	AE	370	VAL
6	AE	374	ARG
6	AE	376	GLU
6	AE	400	GLU
6	AE	401	VAL
6	AE	420	SER
6	AE	427	ARG
7	AF	13	MET
7	AF	39	LEU
7	AF	45	ARG
7	AF	46	MET
7	AF	57	ARG
7	AF	65	LEU
7	AF	67	ASP
7	AF	79	MET
7	AF	83	SER
7	AF	89	ILE
7	AF	120	THR
8	AG	40	GLU
8	AG	46	ILE
8	AG	57	GLU
8	AG	82	THR
8	AG	85	VAL
8	AG	88	ASP
8	AG	109	SER
8	AG	139	ARG
8	AG	152	CYS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
8	AG	153	GLU
8	AG	159	VAL
8	AG	180	ARG
8	AG	187	MET
8	AG	197	ARG
8	AG	200	LEU
8	AG	219	VAL
9	AI	70	THR
9	AI	73	PHE
9	AI	91	MET
9	AI	98	THR
9	AI	99	PHE
9	AI	100	THR
9	AI	153	THR
9	AI	155	LYS
9	AI	161	LEU
9	AI	199	ARG
9	AI	201	LEU
9	AI	202	ILE
9	AI	206	LEU
9	AI	217	GLN
9	AI	224	ARG
9	AI	229	LEU
9	AI	230	SER
9	AI	237	THR
9	AI	256	GLN
9	AI	261	LEU
9	AI	277	ARG
9	AI	329	MET
9	AI	338	ARG
9	AI	357	VAL
9	AI	366	ARG
9	AI	390	ARG
10	AJ	52	VAL
10	AJ	64	THR
10	AJ	80	VAL
10	AJ	81	LYS
10	AJ	133	GLN
10	AJ	136	MET
10	AJ	145	LEU
10	AJ	148	LEU
10	AJ	166	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
10	AJ	168	VAL
11	AK	64	ILE
11	AK	68	ILE
11	AK	83	GLU
11	AK	85	ILE
11	AK	121	ASN
11	AK	147	THR
11	AK	150	ARG
11	AK	161	LEU
11	AK	169	MET
11	AK	177	ILE
11	AK	181	THR
11	AK	188	CYS
11	AK	195	ARG
12	AL	32	THR
12	AL	55	ARG
12	AL	74	ASN
12	AL	93	CYS
12	AL	95	ILE
12	AL	101	SER
12	AL	102	LEU
12	AL	129	LYS
13	AN	30	VAL
13	AN	34	MET
13	AN	35	LEU
13	AN	43	MET
13	AN	58	ARG
13	AN	80	ARG
13	AN	81	ASP
13	AN	92	VAL
13	AN	93	MET
13	AN	94	THR
13	AN	102	ARG
13	AN	106	LEU
13	AN	107	SER
13	AN	125	ARG
14	AO	72	MET
14	AO	73	LEU
14	AO	74	LEU
14	AO	80	VAL
14	AO	83	ILE
14	AO	122	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
14	AO	127	GLU
14	AO	130	ILE
14	AO	133	LEU
14	AO	142	GLU
14	AO	158	LEU
14	AO	159	MET
14	AO	161	ILE
14	AO	171	LEU
14	AO	199	LYS
14	AO	208	LYS
15	AP	90	LEU
15	AP	94	SER
15	AP	99	LEU
15	AP	102	MET
16	AQ	6	SER
16	AQ	22	MET
16	AQ	40	LEU
16	AQ	46	ARG
16	AQ	55	LEU
16	AQ	56	GLN
16	AQ	62	ASP
16	AQ	64	VAL
16	AQ	69	LEU
16	AQ	81	LEU
16	AQ	90	GLN
16	AQ	96	THR
16	AQ	104	THR
17	AR	56	GLU
17	AR	83	GLN
17	AR	86	SER
17	AR	89	THR
17	AR	117	ILE
17	AR	124	THR
17	AR	131	LEU
18	AU	13	MET
18	AU	18	ASN
18	AU	32	MET
18	AU	35	LEU
18	AU	47	LYS
18	AU	50	ARG
18	AU	52	ARG
18	AU	76	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
18	AU	77	ARG
18	AU	82	ASP
18	AU	85	GLN
22	Aa	124	THR
22	Aa	126	LYS
22	Aa	128	MET
22	Aa	129	THR
22	Aa	150	MET
22	Aa	167	ASP
22	Aa	177	LYS
22	Aa	183	ILE
22	Aa	197	ARG
22	Aa	202	THR
22	Aa	204	ARG
22	Aa	222	GLU
22	Aa	240	MET
22	Aa	244	ASP
22	Aa	276	ASP
22	Aa	285	ARG
22	Aa	293	MET
22	Aa	295	TRP
22	Aa	325	LEU
22	Aa	347	LEU
22	Aa	356	THR
22	Aa	375	PHE
23	Ab	6	LEU
23	Ab	7	GLU
23	Ab	14	SER
23	Ab	17	ARG
23	Ab	21	ARG
23	Ab	30	LEU
23	Ab	38	PHE
23	Ab	45	VAL
23	Ab	52	ARG
23	Ab	57	LYS
23	Ab	67	GLU
23	Ab	112	THR
24	Ac	3	MET
24	Ac	4	LYS
24	Ac	9	ILE
24	Ac	25	ASP
24	Ac	31	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
24	Ac	84	GLU
24	Ac	96	LYS
24	Ac	104	LYS
24	Ac	106	LEU
24	Ac	124	SER
24	Ac	139	CYS
24	Ac	162	LYS
25	Ad	41	ARG
25	Ad	56	LEU
25	Ad	62	GLN
25	Ad	71	ARG
25	Ad	161	GLN
25	Ad	166	THR
25	Ad	169	THR
25	Ad	173	LEU
25	Ad	192	THR
25	Ad	196	LEU
26	Ae	84	ASP
26	Ae	102	GLU
26	Ae	122	ARG
26	Ae	136	ARG
26	Ae	138	SER
26	Ae	150	HIS
26	Ae	159	TYR
26	Ae	171	ASN
26	Ae	180	ASP
26	Ae	186	LEU
26	Ae	208	MET
26	Ae	220	LEU
26	Ae	223	LEU
26	Ae	230	LEU
26	Ae	249	LEU
26	Ae	250	LEU
26	Ae	253	LEU
26	Ae	255	GLN
26	Ae	257	ASN
26	Ae	266	TYR
26	Ae	281	ARG
26	Ae	315	LEU
26	Ae	388	VAL
26	Ae	421	GLN
27	Af	85	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
27	Af	88	SER
27	Af	90	LEU
27	Af	108	ILE
27	Af	109	VAL
27	Af	111	ASP
27	Af	148	LEU
27	Af	162	THR
28	Ag	135	LEU
28	Ag	138	CYS
28	Ag	142	HIS
28	Ag	172	TYR
28	Ag	178	ASP
28	Ag	181	LEU
28	Ag	194	ASN
28	Ag	252	LEU
28	Ag	255	PHE
28	Ag	264	VAL
28	Ag	265	ASN
28	Ag	270	ARG
28	Ag	296	VAL
28	Ag	300	TRP
28	Ag	334	ASP
28	Ag	336	LEU
28	Ag	337	ASP
28	Ag	372	THR
28	Ag	397	LEU
29	Ah	288	ASN
29	Ah	302	LEU
29	Ah	308	ASN
29	Ah	323	HIS
29	Ah	359	LYS
29	Ah	384	ILE
30	Ai	26	THR
30	Ai	31	MET
30	Ai	36	LEU
30	Ai	50	ASP
30	Ai	61	LEU
30	Ai	72	ARG
30	Ai	79	ARG
30	Ai	81	GLU
31	Aj	21	LEU
31	Aj	40	THR

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
31	Aj	52	MET
31	Aj	65	LEU
31	Aj	74	PHE
31	Aj	99	ARG
31	Aj	103	ASP
31	Aj	118	LEU
31	Aj	135	MET
31	Aj	138	ASP
31	Aj	170	LEU
32	Ak	53	LYS
32	Ak	79	LYS
32	Ak	85	LEU
32	Ak	89	MET
32	Ak	93	VAL
32	Ak	102	GLU
32	Ak	117	THR
32	Ak	123	ARG
32	Ak	125	CYS
32	Ak	134	GLU
32	Ak	152	GLU
32	Ak	154	ASP
32	Ak	159	VAL
32	Ak	165	ILE
32	Ak	166	ARG
32	Ak	175	LEU
32	Ak	186	ASP
32	Ak	196	VAL
32	Ak	205	ASP
32	Ak	213	ARG
32	Ak	218	ARG
32	Ak	249	ASP
32	Ak	264	ILE
32	Ak	269	LEU
32	Ak	288	THR
32	Ak	298	VAL
32	Ak	306	ASP
32	Ak	309	ASN
33	Am	6	LEU
33	Am	13	LEU
33	Am	17	ARG
33	Am	29	LEU
33	Am	33	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
33	Am	48	GLU
33	Am	49	MET
33	Am	53	MET
33	Am	63	ASP
33	Am	72	ASP
33	Am	113	ASN
34	An	130	ILE
34	An	144	ARG
34	An	154	ARG
34	An	158	ARG
34	An	159	GLU
34	An	163	ARG
34	An	164	GLN
34	An	175	ARG
34	An	176	ILE
34	An	191	THR
35	Ao	243	THR
35	Ao	256	GLU
35	Ao	262	TYR
35	Ao	285	LEU
35	Ao	296	THR
35	Ao	363	MET
35	Ao	387	SER
35	Ao	414	ASP
35	Ao	416	ASP
35	Ao	419	PHE
35	Ao	432	LEU
35	Ao	441	LEU
35	Ao	446	ASP
35	Ao	447	ASN
35	Ao	457	ARG
35	Ao	488	VAL
35	Ao	538	MET
35	Ao	608	ILE
35	Ao	645	CYS
35	Ao	650	ARG
35	Ao	652	VAL
35	Ao	661	GLU
36	Ap	53	ASP
36	Ap	89	ARG
36	Ap	91	ARG
36	Ap	93	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
36	Ap	95	ILE
36	Ap	103	ASN
36	Ap	108	CYS
36	Ap	113	LEU
36	Ap	127	VAL
36	Ap	149	LYS
36	Ap	155	GLN
36	Ap	167	ILE
36	Ap	170	VAL
36	Ap	175	LEU
36	Ap	177	PHE
36	Ap	186	SER
36	Ap	193	LEU
36	Ap	204	SER
36	Ap	216	LEU
36	Ap	219	LEU
36	Ap	235	MET

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (109) such sidechains are listed below:

Mol	Chain	Res	Type
1	BC	215	GLN
1	BC	330	ASN
1	BC	575	ASN
1	BC	596	HIS
4	AB	68	HIS
4	AB	133	HIS
4	AB	152	HIS
4	AB	253	GLN
5	AC	57	HIS
5	AC	72	HIS
5	AC	75	ASN
5	AC	115	ASN
5	AC	145	HIS
6	AE	145	ASN
6	AE	196	ASN
6	AE	292	HIS
6	AE	317	HIS
6	AE	356	GLN
6	AE	360	GLN
6	AE	415	GLN
7	AF	41	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
8	AG	146	HIS
8	AG	196	HIS
8	AG	227	HIS
8	AG	233	ASN
8	AG	238	HIS
9	AI	87	HIS
9	AI	101	GLN
9	AI	127	HIS
9	AI	156	GLN
9	AI	163	HIS
9	AI	176	HIS
9	AI	327	HIS
10	AJ	109	HIS
11	AK	100	GLN
11	AK	186	ASN
12	AL	35	GLN
12	AL	37	HIS
12	AL	77	ASN
12	AL	100	HIS
12	AL	105	HIS
13	AN	60	ASN
14	AO	84	HIS
14	AO	147	HIS
14	AO	153	HIS
14	AO	197	HIS
14	AO	201	HIS
15	AP	100	HIS
16	AQ	23	GLN
16	AQ	56	GLN
16	AQ	76	HIS
16	AQ	79	HIS
17	AR	77	ASN
18	AU	3	ASN
22	Aa	245	GLN
22	Aa	246	HIS
22	Aa	251	ASN
22	Aa	299	ASN
22	Aa	310	GLN
22	Aa	327	HIS
24	Ac	14	GLN
24	Ac	35	ASN
24	Ac	56	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
24	Ac	59	ASN
24	Ac	63	GLN
24	Ac	69	ASN
24	Ac	122	GLN
24	Ac	125	HIS
24	Ac	146	GLN
25	Ad	62	GLN
25	Ad	117	HIS
26	Ae	78	HIS
26	Ae	140	ASN
26	Ae	185	ASN
26	Ae	257	ASN
26	Ae	314	GLN
26	Ae	404	GLN
26	Ae	421	GLN
26	Ae	424	HIS
27	Af	122	HIS
27	Af	174	GLN
28	Ag	58	HIS
28	Ag	115	ASN
28	Ag	118	HIS
28	Ag	301	GLN
28	Ag	386	ASN
29	Ah	288	ASN
29	Ah	309	ASN
29	Ah	321	HIS
29	Ah	323	HIS
29	Ah	364	HIS
30	Ai	75	HIS
31	Aj	60	HIS
31	Aj	108	ASN
31	Aj	111	HIS
32	Ak	263	ASN
32	Ak	303	ASN
33	Am	32	HIS
33	Am	113	ASN
34	An	164	GLN
35	Ao	258	ASN
35	Ao	272	HIS
35	Ao	329	GLN
35	Ao	385	HIS
35	Ao	543	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
36	Ap	136	HIS
36	Ap	147	HIS
36	Ap	169	GLN
36	Ap	181	HIS

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
19	AV	70/71 (98%)	28 (40%)	0
20	AX	16/201 (7%)	10 (62%)	1 (6%)
3	AA	959/962 (99%)	249 (25%)	4 (0%)
All	All	1045/1234 (84%)	287 (27%)	5 (0%)

All (287) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
3	AA	5	A
3	AA	10	U
3	AA	11	G
3	AA	18	G
3	AA	27	U
3	AA	32	U
3	AA	34	U
3	AA	36	A
3	AA	42	A
3	AA	44	U
3	AA	49	A
3	AA	54	A
3	AA	55	G
3	AA	58	U
3	AA	61	G
3	AA	65	C
3	AA	66	C
3	AA	67	C
3	AA	75	A
3	AA	77	G
3	AA	83	C
3	AA	89	U
3	AA	90	U
3	AA	93	A
3	AA	98	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	AA	102	G
3	AA	103	G
3	AA	104	A
3	AA	111	A
3	AA	115	A
3	AA	120	A
3	AA	124	A
3	AA	125	U
3	AA	131	U
3	AA	147	G
3	AA	152	A
3	AA	161	C
3	AA	168	A
3	AA	170	A
3	AA	171	C
3	AA	173	G
3	AA	176	G
3	AA	178	G
3	AA	186	U
3	AA	187	U
3	AA	191	C
3	AA	192	C
3	AA	193	A
3	AA	203	G
3	AA	212	A
3	AA	216	A
3	AA	217	U
3	AA	222	A
3	AA	223	U
3	AA	224	U
3	AA	225	A
3	AA	231	G
3	AA	238	C
3	AA	244	C
3	AA	253	G
3	AA	257	U
3	AA	258	C
3	AA	273	A
3	AA	280	A
3	AA	281	G
3	AA	288	G
3	AA	294	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	AA	297	A
3	AA	306	G
3	AA	308	A
3	AA	309	A
3	AA	310	A
3	AA	312	A
3	AA	314	A
3	AA	315	U
3	AA	317	A
3	AA	320	A
3	AA	328	A
3	AA	330	A
3	AA	335	A
3	AA	340	A
3	AA	345	U
3	AA	353	C
3	AA	354	C
3	AA	355	U
3	AA	361	A
3	AA	362	A
3	AA	367	A
3	AA	368	A
3	AA	381	G
3	AA	392	A
3	AA	395	C
3	AA	396	C
3	AA	399	A
3	AA	407	U
3	AA	417	C
3	AA	421	A
3	AA	426	G
3	AA	432	A
3	AA	433	U
3	AA	434	A
3	AA	439	A
3	AA	450	C
3	AA	455	A
3	AA	456	A
3	AA	457	C
3	AA	465	G
3	AA	471	U
3	AA	472	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	AA	477	A
3	AA	479	C
3	AA	480	U
3	AA	483	U
3	AA	488	A
3	AA	489	G
3	AA	491	G
3	AA	497	C
3	AA	498	U
3	AA	502	A
3	AA	503	A
3	AA	518	A
3	AA	523	C
3	AA	530	G
3	AA	531	U
3	AA	536	C
3	AA	538	C
3	AA	540	U
3	AA	554	C
3	AA	560	C
3	AA	561	U
3	AA	564	A
3	AA	566	U
3	AA	571	A
3	AA	574	C
3	AA	576	C
3	AA	578	G
3	AA	579	A
3	AA	580	U
3	AA	581	A
3	AA	588	A
3	AA	589	C
3	AA	593	C
3	AA	594	C
3	AA	596	U
3	AA	597	U
3	AA	598	G
3	AA	604	U
3	AA	616	C
3	AA	618	G
3	AA	619	C
3	AA	620	C

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	AA	625	U
3	AA	628	G
3	AA	633	C
3	AA	638	A
3	AA	639	A
3	AA	641	A
3	AA	644	A
3	AA	645	A
3	AA	646	C
3	AA	647	A
3	AA	648	A
3	AA	649	U
3	AA	650	A
3	AA	651	G
3	AA	665	A
3	AA	666	G
3	AA	681	A
3	AA	682	G
3	AA	687	A
3	AA	695	C
3	AA	696	U
3	AA	698	A
3	AA	699	U
3	AA	702	G
3	AA	707	A
3	AA	709	A
3	AA	711	A
3	AA	712	A
3	AA	722	A
3	AA	731	A
3	AA	732	U
3	AA	734	A
3	AA	739	A
3	AA	741	C
3	AA	742	C
3	AA	743	A
3	AA	744	C
3	AA	745	C
3	AA	746	A
3	AA	749	C
3	AA	751	A
3	AA	753	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	AA	766	C
3	AA	775	A
3	AA	778	G
3	AA	786	U
3	AA	790	A
3	AA	791	G
3	AA	803	U
3	AA	807	G
3	AA	823	G
3	AA	825	C
3	AA	826	C
3	AA	838	A
3	AA	841	C
3	AA	842	A
3	AA	850	U
3	AA	854	C
3	AA	860	C
3	AA	862	A
3	AA	863	G
3	AA	869	A
3	AA	870	G
3	AA	871	U
3	AA	874	U
3	AA	876	A
3	AA	877	A
3	AA	878	A
3	AA	880	U
3	AA	883	C
3	AA	885	U
3	AA	886	A
3	AA	887	U
3	AA	892	A
3	AA	893	A
3	AA	894	U
3	AA	897	C
3	AA	899	C
3	AA	900	A
3	AA	902	C
3	AA	905	U
3	AA	910	G
3	AA	917	C
3	AA	918	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	AA	920	G
3	AA	923	G
3	AA	925	A
3	AA	928	A
3	AA	930	G
3	AA	932	U
3	AA	933	A
3	AA	943	G
3	AA	945	A
3	AA	946	A
3	AA	955	G
3	AA	956	G
3	AA	959	U
3	AA	962	C
19	AV	6	G
19	AV	7	G
19	AV	9	C
19	AV	13	U
19	AV	14	A
19	AV	15	A
19	AV	16	A
19	AV	17	U
19	AV	18	A
19	AV	22	U
19	AV	33	U
19	AV	43	A
19	AV	44	U
19	AV	45	G
19	AV	46	U
19	AV	51	U
19	AV	52	A
19	AV	53	U
19	AV	54	A
19	AV	55	C
19	AV	56	C
19	AV	62	C
19	AV	63	G
19	AV	64	U
19	AV	65	A
19	AV	67	U
19	AV	68	A
19	AV	71	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
20	AX	3	G
20	AX	4	A
20	AX	7	C
20	AX	8	A
20	AX	9	C
20	AX	10	C
20	AX	11	A
20	AX	13	U
20	AX	14	C
20	AX	15	A

All (5) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
3	AA	65	C
3	AA	395	C
3	AA	587	U
3	AA	743	A
20	AX	12	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 119 ligands modelled in this entry, 115 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
40	SPM	AA	3001	-	13,13,13	0.34	0	12,12,12	1.03	1 (8%)
37	GSP	BC	901	38	26,34,34	2.12	3 (11%)	27,54,54	1.44	5 (18%)
42	FME	AV	101	19	8,9,10	0.95	0	7,9,11	0.76	0
43	GTP	Ag	500	38	26,34,34	1.11	2 (7%)	32,54,54	1.49	7 (21%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
40	SPM	AA	3001	-	-	5/11/11/11	-
37	GSP	BC	901	38	-	0/17/38/38	0/3/3/3
42	FME	AV	101	19	-	4/7/9/11	-
43	GTP	Ag	500	38	-	6/18/38/38	0/3/3/3

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
37	BC	901	GSP	PG-S1G	-9.19	1.70	1.90
43	Ag	500	GTP	C5-C6	-4.13	1.39	1.47
37	BC	901	GSP	C5-C6	-3.81	1.39	1.47
37	BC	901	GSP	C2-N3	2.29	1.38	1.33
43	Ag	500	GTP	C2-N3	2.08	1.38	1.33

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
43	Ag	500	GTP	PA-O3A-PB	-3.72	120.06	132.83
37	BC	901	GSP	C8-N7-C5	3.18	109.06	102.99
43	Ag	500	GTP	C5-C6-N1	3.00	119.24	113.95
37	BC	901	GSP	C5-C6-N1	2.92	119.11	113.95
43	Ag	500	GTP	C2-N1-C6	-2.73	120.07	125.10
37	BC	901	GSP	C2-N1-C6	-2.69	120.15	125.10
43	Ag	500	GTP	C8-N7-C5	2.63	108.01	102.99
43	Ag	500	GTP	O2G-PG-O3B	2.61	113.40	104.64
37	BC	901	GSP	PA-O3A-PB	-2.53	124.15	132.83
43	Ag	500	GTP	PB-O3B-PG	-2.51	124.22	132.83
37	BC	901	GSP	C3'-C2'-C1'	2.39	104.57	100.98
43	Ag	500	GTP	O6-C6-C5	-2.17	120.14	124.37
40	AA	3001	SPM	C11-C12-C13	-2.08	106.65	114.28

There are no chirality outliers.


All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
42	AV	101	FME	C-CA-CB-CG
42	AV	101	FME	CA-CB-CG-SD
43	Ag	500	GTP	C5'-O5'-PA-O3A
40	AA	3001	SPM	C2-C3-C4-N5
40	AA	3001	SPM	C7-C8-C9-N10
43	Ag	500	GTP	O4'-C4'-C5'-O5'
40	AA	3001	SPM	C8-C9-N10-C11
42	AV	101	FME	N-CA-CB-CG
40	AA	3001	SPM	C12-C11-N10-C9
42	AV	101	FME	CB-CG-SD-CE
40	AA	3001	SPM	N1-C2-C3-C4
43	Ag	500	GTP	C3'-C4'-C5'-O5'
43	Ag	500	GTP	C5'-O5'-PA-O1A
43	Ag	500	GTP	C5'-O5'-PA-O2A
43	Ag	500	GTP	PA-O3A-PB-O2B

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues

The following chains have linkage breaks:

Mol	Chain	Number of breaks
35	Ao	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	Ao	234:UNK	C	240:THR	N	8.66


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-4369. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 140




Y Index: 140




Z Index: 140


6.2.2 Raw map



X Index: 140



Y Index: 140




Z Index: 140


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 123




Y Index: 108




Z Index: 118


6.3.2 Raw map



X Index: 127



Y Index: 145



Z Index: 120

The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal surface views [i](#)

6.4.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.085. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.4.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.5 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.5.1 emd_4369_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 442 nm^3 ; this corresponds to an approximate mass of 399 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.323 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.323 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.10	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.68	4.54	3.77

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.68 differs from the reported value 3.1 by more than 10 %

9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-4369 and PDB model 6GAZ. Per-residue inclusion information can be found in section 3 on page 15.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.085 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.085).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 70% of all backbone atoms, 72% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary





The table lists the average atom inclusion at the recommended contour level (0.085) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7168	 0.4620
AA	 0.9252	 0.5370
AB	 0.8748	 0.5380
AC	 0.7655	 0.5360
AE	 0.7400	 0.5130
AF	 0.8302	 0.5300
AG	 0.7597	 0.4660
AI	 0.7306	 0.4680
AJ	 0.7073	 0.4650
AK	 0.8704	 0.5250
AL	 0.8217	 0.5530
AN	 0.8687	 0.5450
AO	 0.7620	 0.4980
AP	 0.8687	 0.5380
AQ	 0.8477	 0.5410
AR	 0.8616	 0.5400
AU	 0.8883	 0.5510
AV	 0.4191	 0.3250
AX	 0.2056	 0.2840
AZ	 0.5222	 0.3510
Aa	 0.7918	 0.4970
Ab	 0.7895	 0.4920
Ac	 0.8491	 0.5310
Ad	 0.7866	 0.4710
Ae	 0.4257	 0.2420
Af	 0.8521	 0.5230
Ag	 0.5635	 0.3850
Ah	 0.6360	 0.4240
Ai	 0.7280	 0.4890
Aj	 0.6669	 0.4430
Ak	 0.6364	 0.4190
Am	 0.6981	 0.4870
An	 0.7393	 0.5210
Ao	 0.1403	 0.1860
Ap	 0.8316	 0.5220



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
BC	 0.4670	 0.3780
BT	 0.2385	 0.3100