

wwPDB X-ray Structure Validation Summary Report (i)

Nov 16, 2023 – 03:45 AM JST

PDB ID : 6KOI

Title: Crystal structure of SNX11-PXe domain in dimer form.

Authors : Xu, T.; Xu, J.; Liu, J.

Deposited on : 2019-08-11

Resolution : 3.50 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity : 4.02b-467

Mogul: 1.8.5 (274361), CSD as541be (2020)

Xtriage (Phenix) : 1.13 EDS : 2.36

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

 $Refmac \quad : \quad 5.8.0158$

CCP4 : 7.0.044 (Gargrove) roteins) : Engh & Huber (2001)

Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.36

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X- $RAY\ DIFFRACTION$

The reported resolution of this entry is 3.50 Å.


Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive $(\# \mathrm{Entries})$	$\begin{array}{c} {\rm Similar\ resolution} \\ (\#{\rm Entries},{\rm resolution\ range}({\rm \AA})) \end{array}$
R_{free}	130704	1659 (3.60-3.40)
Clashscore	141614	1036 (3.58-3.42)
Ramachandran outliers	138981	1005 (3.58-3.42)
Sidechain outliers	138945	1006 (3.58-3.42)
RSRZ outliers	127900	1559 (3.60-3.40)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of	chain
1	A	160	61%	14% •• 22%
1	В	160	66%	16% • • 12%
1	С	160	62%	16% • 21%
1	D	160	70%	17% 5% 8%
1	Е	160	62%	14% • 22%
1	F	160	64%	19% • 14%





Mol	Chain	$oxed{ \mathbf{Length} }$	Quality of chain	
			2%	
1	G	160	62% 15% •	21%
1	Н	160	67% 18%	5% 10%
1	I	160	63% 12% •	22%
1	J	160	65% 19%	• • 12%
1	K	160	61% 12% •	27%
1	L	160	69% 16%	• 11%
1	M	160	64% 11%	22%
1	N	160	71% 16%	• 12%
1	О	160	62% 12%	26%
1	Р	160	69% 16%	•• 12%
1	Q	160	62% 14% •	24%
1	R	160	65% 20%	• 13%
1	S	160	65% 12%	22%
1	Т	160	68% 16%	6% 11%
1	U	160	61% 14%	24%
1	V	160	6% 65% 13% •	19%
1	W	160	62% 13% •	24%
1	X	160	62% 24%	• 12%



2 Entry composition (i)

There is only 1 type of molecule in this entry. The entry contains 25878 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Sorting nexin-11.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
1	A	124	Total C N O S 1018 651 183 182 2	0	0	0
1	В	140	Total C N O S Se 1142 722 207 209 2 2	0	0	0
1	С	126	Total C N O S 1036 661 186 187 2	0	0	0
1	D	147	Total C N O S Se 1197 758 214 221 2 2	0	0	0
1	E	125	Total C N O S 1027 656 185 184 2	0	0	0
1	F	138	Total C N O S Se 1126 712 205 205 2 2	0	0	0
1	G	126	Total C N O S 1036 661 186 187 2	0	0	0
1	Н	144	Total C N O S Se 1170 740 211 215 2 2	0	0	0
1	I	125	Total C N O S 1027 656 184 185 2	0	0	0
1	J	141	Total C N O S Se 1151 727 208 212 2 2	0	0	0
1	K	117	Total C N O S 971 621 176 172 2	0	0	0
1	L	143	Total C N O S Se 1164 737 210 213 2 2	0	0	0
1	M	125	Total C N O S 1027 656 185 184 2	0	0	0
1	N	141	Total C N O S Se 1148 725 208 211 2 2	0	0	0
1	О	118	Total C N O S 973 622 176 173 2	0	0	0
1	Р	141	Total C N O S Se 1146 724 208 210 2 2	0	0	0



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
1	Q	122	Total C N O S 1005 644 181 178 2	0	0	0
1	R	139	Total C N O S Se 1130 715 206 205 2 2	0	0	0
1	S	124	Total C N O S 1018 651 183 182 2	0	0	0
1	Т	143	Total C N O S Se 1164 737 210 213 2 2	0	0	0
1	U	121	Total C N O S 999 637 181 179 2	0	0	0
1	V	130	Total C N O S Se 1065 673 195 193 2 2	0	0	0
1	W	121	Total C N O S 992 630 180 180 2	0	0	0
1	X	141	Total C N O S Se 1146 724 208 210 2 2	0	0	0

There are 192 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	159	LEU	-	expression tag	UNP Q9Y5W9
A	160	GLU	-	expression tag	UNP Q9Y5W9
A	161	HIS	-	expression tag	UNP Q9Y5W9
A	162	HIS	-	expression tag	UNP Q9Y5W9
A	163	HIS	-	expression tag	UNP Q9Y5W9
A	164	HIS	-	expression tag	UNP Q9Y5W9
A	165	HIS	-	expression tag	UNP Q9Y5W9
A	166	HIS	-	expression tag	UNP Q9Y5W9
В	159	LEU	-	expression tag	UNP Q9Y5W9
В	160	GLU	-	expression tag	UNP Q9Y5W9
В	161	HIS	-	expression tag	UNP Q9Y5W9
В	162	HIS	-	expression tag	UNP Q9Y5W9
В	163	HIS	-	expression tag	UNP Q9Y5W9
В	164	HIS	-	expression tag	UNP Q9Y5W9
В	165	HIS	-	expression tag	UNP Q9Y5W9
В	166	HIS	-	expression tag	UNP Q9Y5W9
С	159	LEU	-	expression tag	UNP Q9Y5W9
С	160	GLU	-	expression tag	UNP Q9Y5W9
С	161	HIS	-	expression tag	UNP Q9Y5W9
С	162	HIS	-	expression tag	UNP Q9Y5W9
С	163	HIS	-	expression tag	UNP Q9Y5W9
С	164	HIS	-	expression tag	UNP Q9Y5W9
С	165	HIS	-	expression tag	UNP Q9Y5W9



Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
С	166	HIS	-	expression tag	UNP Q9Y5W9
D	159	LEU	-	expression tag	UNP Q9Y5W9
D	160	GLU	-	expression tag	UNP Q9Y5W9
D	161	HIS	-	expression tag	UNP Q9Y5W9
D	162	HIS	-	expression tag	UNP Q9Y5W9
D	163	HIS	-	expression tag	UNP Q9Y5W9
D	164	HIS	-	expression tag	UNP Q9Y5W9
D	165	HIS	-	expression tag	UNP Q9Y5W9
D	166	HIS	-	expression tag	UNP Q9Y5W9
Е	159	LEU	-	expression tag	UNP Q9Y5W9
Е	160	GLU	-	expression tag	UNP Q9Y5W9
E	161	HIS	-	expression tag	UNP Q9Y5W9
E	162	HIS	-	expression tag	UNP Q9Y5W9
E	163	HIS	-	expression tag	UNP Q9Y5W9
Е	164	HIS	-	expression tag	UNP Q9Y5W9
Е	165	HIS	-	expression tag	UNP Q9Y5W9
Е	166	HIS	-	expression tag	UNP Q9Y5W9
F	159	LEU	-	expression tag	UNP Q9Y5W9
F	160	GLU	-	expression tag	UNP Q9Y5W9
F	161	HIS	-	expression tag	UNP Q9Y5W9
F	162	HIS	-	expression tag	UNP Q9Y5W9
F	163	HIS	-	expression tag	UNP Q9Y5W9
F	164	HIS	-	expression tag	UNP Q9Y5W9
F	165	HIS	-	expression tag	UNP Q9Y5W9
F	166	HIS	-	expression tag	UNP Q9Y5W9
G	159	LEU	-	expression tag	UNP Q9Y5W9
G	160	GLU	-	expression tag	UNP Q9Y5W9
G	161	HIS	-	expression tag	UNP Q9Y5W9
G	162	HIS	-	expression tag	UNP Q9Y5W9
G	163	HIS	-	expression tag	UNP Q9Y5W9
G	164	HIS	-	expression tag	UNP Q9Y5W9
G	165	HIS	-	expression tag	UNP Q9Y5W9
G	166	HIS	-	expression tag	UNP Q9Y5W9
Н	159	LEU	-	expression tag	UNP Q9Y5W9
Н	160	GLU	-	expression tag	UNP Q9Y5W9
Н	161	HIS	-	expression tag	UNP Q9Y5W9
Н	162	HIS	-	expression tag	UNP Q9Y5W9
Н	163	HIS	-	expression tag	UNP Q9Y5W9
Н	164	HIS		expression tag	UNP Q9Y5W9
Н	165	HIS	-	expression tag	UNP Q9Y5W9
Н	166	HIS	-	expression tag	UNP Q9Y5W9
I	159	LEU	_	expression tag	UNP Q9Y5W9



Continued from previous page...

Chain	Residue	Modelled Modelled	Actual	Comment	Reference
I	160	GLU	-	expression tag	UNP Q9Y5W9
I	161	HIS	-	expression tag	UNP Q9Y5W9
I	162	HIS	-	expression tag	UNP Q9Y5W9
I	163	HIS	-	expression tag	UNP Q9Y5W9
I	164	HIS	-	expression tag	UNP Q9Y5W9
I	165	HIS	-	expression tag	UNP Q9Y5W9
I	166	HIS	-	expression tag	UNP Q9Y5W9
J	159	LEU	-	expression tag	UNP Q9Y5W9
J	160	GLU	-	expression tag	UNP Q9Y5W9
J	161	HIS	-	expression tag	UNP Q9Y5W9
J	162	HIS	-	expression tag	UNP Q9Y5W9
J	163	HIS	-	expression tag	UNP Q9Y5W9
J	164	HIS	-	expression tag	UNP Q9Y5W9
J	165	HIS	-	expression tag	UNP Q9Y5W9
J	166	HIS	-	expression tag	UNP Q9Y5W9
K	159	LEU	-	expression tag	UNP Q9Y5W9
K	160	GLU	-	expression tag	UNP Q9Y5W9
K	161	HIS	-	expression tag	UNP Q9Y5W9
K	162	HIS	-	expression tag	UNP Q9Y5W9
K	163	HIS	-	expression tag	UNP Q9Y5W9
K	164	HIS	-	expression tag	UNP Q9Y5W9
K	165	HIS	-	expression tag	UNP Q9Y5W9
K	166	HIS	-	expression tag	UNP Q9Y5W9
L	159	LEU	-	expression tag	UNP Q9Y5W9
L	160	GLU	-	expression tag	UNP Q9Y5W9
L	161	HIS	-	expression tag	UNP Q9Y5W9
L	162	HIS	-	expression tag	UNP Q9Y5W9
L	163	HIS	_	expression tag	UNP Q9Y5W9
L	164	HIS	-	expression tag	UNP Q9Y5W9
L	165	HIS	-	expression tag	UNP Q9Y5W9
L	166	HIS	-	expression tag	UNP Q9Y5W9
M	159	LEU	-	expression tag	UNP Q9Y5W9
M	160	GLU	-	expression tag	UNP Q9Y5W9
M	161	HIS	-	expression tag	UNP Q9Y5W9
M	162	HIS	-	expression tag	UNP Q9Y5W9
M	163	HIS	-	expression tag	UNP Q9Y5W9
M	164	HIS	-	expression tag	UNP Q9Y5W9
M	165	HIS	-	expression tag	UNP Q9Y5W9
M	166	HIS	-	expression tag	UNP Q9Y5W9
N	159	LEU	-	expression tag	UNP Q9Y5W9
N	160	GLU	-	expression tag	UNP Q9Y5W9
N	161	HIS	-	expression tag	UNP Q9Y5W9



 $Continued\ from\ previous\ page...$

Chain	Residue	Modelled	Actual	Comment	Reference
N	162	HIS	-	expression tag	UNP Q9Y5W9
N	163	HIS	-	expression tag	UNP Q9Y5W9
N	164	HIS	-	expression tag	UNP Q9Y5W9
N	165	HIS	-	expression tag	UNP Q9Y5W9
N	166	HIS	-	expression tag	UNP Q9Y5W9
О	159	LEU	-	expression tag	UNP Q9Y5W9
О	160	GLU	-	expression tag	UNP Q9Y5W9
O	161	HIS	-	expression tag	UNP Q9Y5W9
О	162	HIS	-	expression tag	UNP Q9Y5W9
O	163	HIS	-	expression tag	UNP Q9Y5W9
О	164	HIS	-	expression tag	UNP Q9Y5W9
O	165	HIS	-	expression tag	UNP Q9Y5W9
O	166	HIS	-	expression tag	UNP Q9Y5W9
P	159	LEU	-	expression tag	UNP Q9Y5W9
Р	160	GLU	-	expression tag	UNP Q9Y5W9
P	161	HIS	-	expression tag	UNP Q9Y5W9
Р	162	HIS	-	expression tag	UNP Q9Y5W9
Р	163	HIS	-	expression tag	UNP Q9Y5W9
P	164	HIS	-	expression tag	UNP Q9Y5W9
Р	165	HIS	-	expression tag	UNP Q9Y5W9
P	166	HIS	-	expression tag	UNP Q9Y5W9
Q	159	LEU	-	expression tag	UNP Q9Y5W9
Q	160	GLU	-	expression tag	UNP Q9Y5W9
Q	161	HIS	-	expression tag	UNP Q9Y5W9
Q	162	HIS	-	expression tag	UNP Q9Y5W9
Q	163	HIS	-	expression tag	UNP Q9Y5W9
Q	164	HIS	-	expression tag	UNP Q9Y5W9
Q	165	HIS	-	expression tag	UNP Q9Y5W9
Q	166	HIS	-	expression tag	UNP Q9Y5W9
R	159	LEU	-	expression tag	UNP Q9Y5W9
R	160	GLU	-	expression tag	UNP Q9Y5W9
R	161	HIS	-	expression tag	UNP Q9Y5W9
R	162	HIS	-	expression tag	UNP Q9Y5W9
R	163	HIS	-	expression tag	UNP Q9Y5W9
R	164	HIS	-	expression tag	UNP Q9Y5W9
R	165	HIS	-	expression tag	UNP Q9Y5W9
R	166	HIS	-	expression tag	UNP Q9Y5W9
S	159	LEU	-	expression tag	UNP Q9Y5W9
S	160	GLU	-	expression tag	UNP Q9Y5W9
S	161	HIS	-	expression tag	UNP Q9Y5W9
S	162	HIS	-	expression tag	UNP Q9Y5W9
S	163	HIS	-	expression tag	UNP Q9Y5W9



 $Continued\ from\ previous\ page...$

Chain	Residue	Modelled Modelled	Actual	Comment	Reference
S	164	HIS	_	expression tag	UNP Q9Y5W9
S	165	HIS	-	expression tag	UNP Q9Y5W9
S	166	HIS	-	expression tag	UNP Q9Y5W9
Т	159	LEU	-	expression tag	UNP Q9Y5W9
Т	160	GLU	-	expression tag	UNP Q9Y5W9
Т	161	HIS	_	expression tag	UNP Q9Y5W9
Т	162	HIS	-	expression tag	UNP Q9Y5W9
Т	163	HIS	-	expression tag	UNP Q9Y5W9
Т	164	HIS	_	expression tag	UNP Q9Y5W9
Т	165	HIS	_	expression tag	UNP Q9Y5W9
Т	166	HIS	_	expression tag	UNP Q9Y5W9
U	159	LEU	_	expression tag	UNP Q9Y5W9
U	160	GLU	-	expression tag	UNP Q9Y5W9
U	161	HIS	-	expression tag	UNP Q9Y5W9
U	162	HIS	-	expression tag	UNP Q9Y5W9
U	163	HIS	-	expression tag	UNP Q9Y5W9
U	164	HIS	-	expression tag	UNP Q9Y5W9
U	165	HIS	_	expression tag	UNP Q9Y5W9
U	166	HIS	-	expression tag	UNP Q9Y5W9
V	159	LEU	-	expression tag	UNP Q9Y5W9
V	160	GLU	_	expression tag	UNP Q9Y5W9
V	161	HIS	_	expression tag	UNP Q9Y5W9
V	162	HIS	_	expression tag	UNP Q9Y5W9
V	163	HIS	-	expression tag	UNP Q9Y5W9
V	164	HIS	-	expression tag	UNP Q9Y5W9
V	165	HIS	_	expression tag	UNP Q9Y5W9
V	166	HIS	_	expression tag	UNP Q9Y5W9
W	159	LEU	_	expression tag	UNP Q9Y5W9
W	160	GLU	-	expression tag	UNP Q9Y5W9
W	161	HIS	-	expression tag	UNP Q9Y5W9
W	162	HIS	-	expression tag	UNP Q9Y5W9
W	163	HIS	-	expression tag	UNP Q9Y5W9
W	164	HIS	-	expression tag	UNP Q9Y5W9
W	165	HIS	-	expression tag	UNP Q9Y5W9
W	166	HIS	-	expression tag	UNP Q9Y5W9
X	159	LEU	-	expression tag	UNP Q9Y5W9
X	160	GLU	-	expression tag	UNP Q9Y5W9
X	161	HIS	-	expression tag	UNP Q9Y5W9
X	162	HIS	-	expression tag	UNP Q9Y5W9
X	163	HIS	-	expression tag	UNP Q9Y5W9
X	164	HIS	-	expression tag	UNP Q9Y5W9
X	165	HIS	-	expression tag	UNP Q9Y5W9




Chain	Residue	Modelled	Actual	Comment	Reference
X	166	HIS	_	expression tag	UNP Q9Y5W9



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Sorting nexin-11












• Molecule 1: Sorting nexin-11




• Molecule 1: Sorting nexin-11



• Molecule 1: Sorting nexin-11




• Molecule 1: Sorting nexin-11




• Molecule 1: Sorting nexin-11
















4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	142.04Å 190.43Å 237.01Å	Donositor
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Resolution (Å)	65.87 - 3.50	Depositor
Resolution (A)	65.79 - 3.50	EDS
% Data completeness	99.0 (65.87-3.50)	Depositor
(in resolution range)	99.1 (65.79-3.50)	EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	2.58 (at 3.49Å)	Xtriage
Refinement program	REFMAC 5.8.0253	Depositor
D D.	0.234 , 0.265	Depositor
R, R_{free}	0.238 , 0.268	DCC
R_{free} test set	3921 reflections (4.85%)	wwPDB-VP
Wilson B-factor (Å ²)	102.0	Xtriage
Anisotropy	0.032	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$, $B_{sol}(Å^2)$	0.33, 79.0	EDS
L-test for twinning ²	$ < L > = 0.47, < L^2> = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	25878	wwPDB-VP
Average B, all atoms (Å ²)	119.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 2.37% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of <|L|>, $<L^2>$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bo	ond lengths	Bond angles		
IVIOI	Chain	RMSZ	# Z > 5	RMSZ	# Z >5	
1	A	0.95	4/1040 (0.4%)	1.22	6/1406~(0.4%)	
1	В	0.67	0/1160	0.94	5/1562~(0.3%)	
1	С	0.69	0/1058	0.89	2/1430 (0.1%)	
1	D	0.68	0/1218	0.90	5/1642~(0.3%)	
1	Е	0.69	0/1049	0.84	0/1418	
1	F	0.68	0/1144	0.84	2/1540~(0.1%)	
1	G	0.66	0/1058	0.82	0/1430	
1	Н	0.72	1/1189 (0.1%)	0.92	4/1601 (0.2%)	
1	I	0.69	1/1049 (0.1%)	0.89	3/1418 (0.2%)	
1	J	0.71	1/1169 (0.1%)	0.86	5/1574~(0.3%)	
1	K	0.67	0/990	0.78	0/1335	
1	L	0.69	1/1183 (0.1%)	0.86	3/1593~(0.2%)	
1	M	0.72	2/1049~(0.2%)	0.85	1/1418 (0.1%)	
1	N	0.68	0/1166	0.80	1/1570~(0.1%)	
1	О	0.65	0/992	0.79	1/1338 (0.1%)	
1	Р	0.70	1/1164 (0.1%)	0.83	1/1568 (0.1%)	
1	Q	0.70	1/1026 (0.1%)	0.82	1/1385~(0.1%)	
1	R	0.69	0/1148	0.84	1/1546~(0.1%)	
1	S	0.67	0/1040	0.80	0/1406	
1	Т	0.67	0/1183	0.88	4/1594~(0.3%)	
1	U	0.69	0/1019	0.87	3/1375~(0.2%)	
1	V	0.66	0/1081	0.92	4/1455~(0.3%)	
1	W	0.68	0/1011	0.83	0/1366	
1	X	0.70	0/1164	0.80	2/1568 (0.1%)	
All	All	0.70	$12/26350 \ (0.0\%)$	0.87	54/35538 (0.2%)	

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a maintain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	5



 $Continued\ from\ previous\ page...$

Mol	Chain	#Chirality outliers	#Planarity outliers
1	В	0	1
1	D	0	1
1	G	0	2
1	Н	0	1
1	I	0	1
1	J	0	1
1	R	0	3
1	W	0	2
All	All	0	17

The worst 5 of 12 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\operatorname{Observed}(\text{\AA})$	$\operatorname{Ideal}(\text{\AA})$
1	A	72	ARG	CZ-NH2	10.74	1.47	1.33
1	A	72	ARG	CZ-NH1	9.97	1.46	1.33
1	A	72	ARG	NE-CZ	8.87	1.44	1.33
1	A	72	ARG	CG-CD	7.93	1.71	1.51
1	Н	75	GLY	C-O	-5.99	1.14	1.23

The worst 5 of 54 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$\mathbf{Observed}(^o)$	$\operatorname{Ideal}({}^{o})$
1	A	72	ARG	NE-CZ-NH1	-26.54	107.03	120.30
1	A	72	ARG	NE-CZ-NH2	12.23	126.42	120.30
1	В	128	SER	N-CA-CB	11.80	128.19	110.50
1	V	72	ARG	NE-CZ-NH2	-10.24	115.18	120.30
1	A	72	ARG	CD-NE-CZ	-9.26	110.64	123.60

There are no chirality outliers.

5 of 17 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	22	GLN	Sidechain
1	A	45	ASN	Peptide, Mainchain
1	A	53	THR	Mainchain
1	A	72	ARG	Sidechain
1	В	127	GLN	Mainchain



5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1018	0	1028	20	0
1	В	1142	0	1154	24	0
1	С	1036	0	1042	33	0
1	D	1197	0	1201	42	0
1	Е	1027	0	1036	27	0
1	F	1126	0	1139	37	0
1	G	1036	0	1042	25	0
1	Н	1170	0	1178	36	0
1	I	1027	0	1034	19	0
1	J	1151	0	1160	31	1
1	K	971	0	978	27	0
1	L	1164	0	1173	32	0
1	M	1027	0	1036	19	0
1	N	1148	0	1159	21	1
1	О	973	0	980	12	0
1	Р	1146	0	1160	21	1
1	Q	1005	0	1015	23	1
1	R	1130	0	1147	40	0
1	S	1018	0	1028	25	0
1	Т	1164	0	1176	38	0
1	U	999	0	1009	23	0
1	V	1065	0	1075	27	0
1	W	992	0	998	20	0
1	X	1146	0	1160	38	0
All	All	25878	0	26108	457	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

The worst 5 of 457 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	$\begin{array}{c} \text{Interatomic} \\ \text{distance (Å)} \end{array}$	Clash overlap (Å)
1:K:129:GLN:HE22	1:L:137:ALA:CB	1.62	1.12
1:I:39:LYS:HD2	1:J:138:CYS:SG	1.95	1.05
1:K:39:LYS:HD2	1:L:138:CYS:SG	1.99	1.02



Atom-1 Atom-2		$egin{aligned} & ext{Interatomic} \ & ext{distance} \ & ext{(Å)} \end{aligned}$	$egin{aligned} ext{Clash} \ ext{overlap } (ext{Å}) \end{aligned}$	
1:B:152:LEU:O	1:B:156:MSE:HG3	1.64	0.97	
1:Q:95:PHE:HD2	1:R:156:MSE:HE3	1.30	0.94	

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	$\begin{array}{c} \text{Interatomic} \\ \text{distance (Å)} \end{array}$	Clash overlap (Å)	
1:J:104:GLN:NE2	1:Q:94:GLU:OE2[4_555]	1.20	1.00	
1:N:150:ALA:CB	1:P:75:GLY:O[3_444]	1.64	0.56	

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	122/160~(76%)	103 (84%)	15 (12%)	4 (3%)	4 28
1	В	136/160~(85%)	116 (85%)	13 (10%)	7 (5%)	2 19
1	С	124/160~(78%)	102 (82%)	17 (14%)	5 (4%)	3 24
1	D	145/160 (91%)	128 (88%)	12 (8%)	5 (3%)	3 28
1	Е	123/160 (77%)	104 (85%)	16 (13%)	3 (2%)	6 35
1	F	134/160 (84%)	119 (89%)	11 (8%)	4 (3%)	4 30
1	G	124/160~(78%)	106 (86%)	14 (11%)	4 (3%)	4 29
1	Н	140/160 (88%)	120 (86%)	15 (11%)	5 (4%)	3 26
1	I	123/160~(77%)	104 (85%)	14 (11%)	5 (4%)	3 23
1	J	137/160~(86%)	118 (86%)	13 (10%)	6 (4%)	2 21
1	K	111/160 (69%)	99 (89%)	10 (9%)	2 (2%)	8 41
1	L	139/160 (87%)	119 (86%)	15 (11%)	5 (4%)	3 26
1	M	123/160 (77%)	106 (86%)	12 (10%)	5 (4%)	3 23



Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perc	entiles
1	N	137/160 (86%)	119 (87%)	13 (10%)	5 (4%)	3	26
1	О	112/160 (70%)	101 (90%)	9 (8%)	2 (2%)	8	41
1	Р	137/160 (86%)	120 (88%)	11 (8%)	6 (4%)	2	21
1	Q	118/160 (74%)	101 (86%)	14 (12%)	3 (2%)	5	34
1	R	135/160 (84%)	116 (86%)	15 (11%)	4 (3%)	4	30
1	S	122/160~(76%)	106 (87%)	12 (10%)	4 (3%)	4	28
1	Т	139/160 (87%)	120 (86%)	12 (9%)	7 (5%)	2	19
1	U	117/160 (73%)	100 (86%)	14 (12%)	3 (3%)	5	33
1	V	124/160 (78%)	105 (85%)	13 (10%)	6 (5%)	2	20
1	W	117/160 (73%)	101 (86%)	13 (11%)	3 (3%)	5	33
1	X	137/160 (86%)	118 (86%)	13 (10%)	6 (4%)	2	21
All	All	3076/3840 (80%)	2651 (86%)	316 (10%)	109 (4%)	3	27

5 of 109 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	54	SER
1	A	87	THR
1	В	128	SER
1	В	141	GLY
1	В	158	ASN

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	$115/145\ (79\%)$	113 (98%)	2 (2%)	60 82	
1	В	129/145~(89%)	123 (95%)	6 (5%)	26 60	
1	С	117/145 (81%)	115 (98%)	2 (2%)	60 82	
1	D	135/145~(93%)	131 (97%)	4 (3%)	41 71	
1	Е	116/145 (80%)	111 (96%)	5 (4%)	29 62	



Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	F	127/145 (88%)	124 (98%)	3 (2%)	49 76
1	G	117/145 (81%)	114 (97%)	3 (3%)	46 74
1	Н	132/145 (91%)	127 (96%)	5 (4%)	33 65
1	I	116/145 (80%)	112 (97%)	4 (3%)	37 68
1	J	130/145 (90%)	126 (97%)	4 (3%)	40 70
1	K	110/145 (76%)	108 (98%)	2 (2%)	59 81
1	L	131/145 (90%)	124 (95%)	7 (5%)	22 55
1	M	116/145 (80%)	114 (98%)	2 (2%)	60 82
1	N	130/145 (90%)	126 (97%)	4 (3%)	40 70
1	О	110/145 (76%)	106 (96%)	4 (4%)	35 66
1	Р	130/145 (90%)	127 (98%)	3 (2%)	50 77
1	Q	113/145 (78%)	112 (99%)	1 (1%)	78 90
1	R	128/145 (88%)	125 (98%)	3 (2%)	50 77
1	S	115/145 (79%)	114 (99%)	1 (1%)	78 90
1	Т	132/145 (91%)	127 (96%)	5 (4%)	33 65
1	U	114/145 (79%)	111 (97%)	3 (3%)	46 74
1	V	121/145 (83%)	117 (97%)	4 (3%)	38 68
1	W	112/145 (77%)	110 (98%)	2 (2%)	59 81
1	X	130/145 (90%)	128 (98%)	2 (2%)	65 84
All	All	2926/3480 (84%)	2845 (97%)	81 (3%)	43 72

5 of 81 residues with a non-rotameric side chain are listed below:

Mol	Chain	Res	Type
1	Р	54	SER
1	U	53	THR
1	Р	157	SER
1	Т	54	SER
1	V	129	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 109 such sidechains are listed below:

Mol	Chain	Res	Type
1	M	73	ASN



Mol	Chain	Res	Type
1	Р	127	GLN
1	V	121	GLN
1	N	69	GLN
1	О	73	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

There are no ligands in this entry.

5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<rsrz></rsrz>	$\# \mathrm{RSRZ} {>} 2$	$OWAB(\AA^2)$	Q<0.9
1	A	124/160 (77%)	0.22	0 100 100	63, 95, 159, 217	0
1	В	138/160 (86%)	0.39	3 (2%) 62 56	68, 120, 173, 184	0
1	С	126/160 (78%)	0.36	3 (2%) 59 53	68, 104, 170, 206	0
1	D	145/160 (90%)	0.17	2 (1%) 75 69	66, 110, 165, 201	0
1	Е	125/160 (78%)	0.33	4 (3%) 47 42	71, 105, 177, 217	0
1	F	136/160 (85%)	0.22	3 (2%) 62 56	78, 131, 170, 180	0
1	G	126/160 (78%)	0.29	3 (2%) 59 53	60, 97, 173, 212	0
1	Н	142/160 (88%)	0.19	2 (1%) 75 69	64, 102, 154, 215	0
1	I	125/160 (78%)	0.28	0 100 100	60, 94, 159, 204	0
1	J	139/160 (86%)	0.07	0 100 100	64, 105, 154, 186	0
1	K	117/160 (73%)	0.27	1 (0%) 84 79	72, 103, 155, 194	0
1	L	141/160 (88%)	0.14	2 (1%) 75 69	69, 121, 167, 188	0
1	M	125/160 (78%)	0.19	0 100 100	74, 105, 169, 220	0
1	N	139/160 (86%)	0.11	0 100 100	79, 135, 177, 195	0
1	О	118/160 (73%)	0.39	2 (1%) 70 64	77, 108, 165, 182	0
1	Р	139/160 (86%)	0.35	5 (3%) 42 38	65, 122, 164, 200	0
1	Q	122/160 (76%)	0.30	1 (0%) 86 81	66, 100, 167, 205	0
1	R	137/160 (85%)	0.30	3 (2%) 62 56	70, 119, 166, 199	0
1	S	124/160 (77%)	0.16	1 (0%) 86 81	90, 123, 191, 211	0
1	Т	141/160 (88%)	0.31	1 (0%) 87 83	92, 147, 184, 200	0
1	U	121/160 (75%)	0.36	2 (1%) 70 64	86, 120, 169, 193	0
1	V	128/160 (80%)	0.43	10 (7%) 13 13	92, 148, 185, 204	0
1	W	121/160 (75%)	0.34	4 (3%) 46 41	87, 122, 173, 199	0
1	X	139/160 (86%)	0.41	6 (4%) 35 31	86, 131, 187, 206	0



Mol	Chain	Analysed	$\langle { m RSRZ} \rangle$	# RSRZ > 2		>2	$OWAB(Å^2)$	Q < 0.9
All	All	3138/3840 (81%)	0.27	58 (1%)	68	62	60, 116, 176, 220	0

The worst 5 of 58 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	С	140	GLN	7.1
1	V	111	LEU	4.1
1	Р	49	PHE	3.8
1	R	51	ALA	3.7
1	G	49	PHE	3.5

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)

There are no ligands in this entry.

6.5 Other polymers (i)

There are no such residues in this entry.

