

# Full wwPDB X-ray Structure Validation Report (i)

#### Jun 11, 2024 – 03:43 PM EDT

PDB ID	:	6MLY
Title	:	Bifunctional GH43-CE Bacteroides eggerthii, BACEGG_01304
Authors	:	Koropatkin, N.M.; Pereira, G.V.; Cann, I.
Deposited on	:	2018-09-28
Resolution	:	2.70  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.36.2
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36.2

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$		
R <sub>free</sub>	130704	2808 (2.70-2.70)		
Clashscore	141614	3122 (2.70-2.70)		
Ramachandran outliers	138981	3069 (2.70-2.70)		
Sidechain outliers	138945	3069 (2.70-2.70)		
RSRZ outliers	127900	2737 (2.70-2.70)		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	807	<sup>3%</sup> 76% 11%	12%	)
1	В	807	% 84%	11%	·
1	С	807	% 84%	11%	·
1	D	807	% <b>8</b> 5%	11%	·



#### 6MLY

# 2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 24144 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues		Atoms				ZeroOcc	AltConf	Trace
1	Δ	711	Total	С	Ν	Ο	$\mathbf{S}$	0	Ο	0
1	Л	111	5555	3570	925	1032	28	0	0	0
1	В	779	Total	С	Ν	Ο	$\mathbf{S}$	0	0	0
1		112	6046	3871	1016	1128	31	0	0	0
1	C	774	Total	С	Ν	Ο	$\mathbf{S}$	0	0	0
1		114	6051	3874	1018	1128	31	0	0	0
1	Л	779	Total	С	Ν	Ο	S	0	0	0
		112	6040	3869	1016	1124	31		0	0

• Molecule 1 is a protein called Bifunctional GH43-CE protein.

There are 132 discrepancies between the modelled and reference sequences:

Chain	n Residue Modelled Actual Comment		Reference				
А	7	GLY	-	expression tag	UNP A0A380YKU1		
А	8	SER	-	expression tag	UNP A0A380YKU1		
А	9	HIS	- expression tag UNP A		UNP A0A380YKU1		
А	10	MET	- expression tag UNP A0A		UNP A0A380YKU1		
А	11	ALA	- expression tag UNP A0.		UNP A0A380YKU1		
А	12	SER	-	expression tag	UNP A0A380YKU1		
А	13	MET	-	expression tag	UNP A0A380YKU1		
А	14	THR	-	expression tag	UNP A0A380YKU1		
А	15	GLY	-	expression tag	UNP A0A380YKU1		
А	16	GLY	-	expression tag	UNP A0A380YKU1		
А	17	GLN	- expression tag UNP		UNP A0A380YKU1		
А	18	GLN	-	expression tag	UNP A0A380YKU1		
А	19	MET	-	expression tag	UNP A0A380YKU1		
А	20	GLY	-	expression tag	UNP A0A380YKU1		
А	21	ARG	-	expression tag	UNP A0A380YKU1		
А	22	GLY	-	expression tag	UNP A0A380YKU1		
А	23	SER	-	expression tag	UNP A0A380YKU1		
А	798	TYR	-	expression tag	UNP A0A380YKU1		
A	799	ARG	-	expression tag	UNP A0A380YKU1		
A	800	ASP	-	expression tag	UNP A0A380YKU1		
A	801	LEU	-	expression tag	UNP A0A380YKU1		
Continued on next page							

W O R L D W I D E PROTEIN DATA BANK

6ML	Y
-----	---

Continu	Continued from previous page							
Chain	Residue	Modelled	Actual	Comment	Reference			
А	802	ASN	-	expression tag	UNP A0A380YKU1			
А	803	ARG	-	expression tag	UNP A0A380YKU1			
A	804	ILE	-	expression tag	UNP A0A380YKU1			
А	805	ARG	-	expression tag	UNP A0A380YKU1			
А	806	PRO	-	expression tag	UNP A0A380YKU1			
A	807	ILE	-	expression tag	UNP A0A380YKU1			
A	808	LYS	-	expression tag	UNP A0A380YKU1			
A	809	CYS	-	expression tag	UNP A0A380YKU1			
A	810	ASP	-	expression tag	UNP A0A380YKU1			
A	811	ASP	-	expression tag	UNP A0A380YKU1			
А	812	ILE	-	expression tag	UNP A0A380YKU1			
А	813	LYS	-	expression tag	UNP A0A380YKU1			
В	7	GLY	-	expression tag	UNP A0A380YKU1			
В	8	SER	-	expression tag	UNP A0A380YKU1			
В	9	HIS	-	expression tag	UNP A0A380YKU1			
В	10	MET	-	expression tag	UNP A0A380YKU1			
В	11	ALA	-	expression tag	UNP A0A380YKU1			
В	12	SER	-	expression tag	UNP A0A380YKU1			
В	13	MET	-	expression tag	UNP A0A380YKU1			
В	14	THR	-	expression tag	UNP A0A380YKU1			
В	15	GLY	-	expression tag	UNP A0A380YKU1			
В	16	GLY	-	expression tag	UNP A0A380YKU1			
В	17	GLN	-	expression tag	UNP A0A380YKU1			
В	18	GLN	-	expression tag	UNP A0A380YKU1			
В	19	MET	-	expression tag	UNP A0A380YKU1			
В	20	GLY	-	expression tag	UNP A0A380YKU1			
В	21	ARG	-	expression tag	UNP A0A380YKU1			
В	22	GLY	-	expression tag	UNP A0A380YKU1			
В	23	SER	-	expression tag	UNP A0A380YKU1			
В	798	TYR	-	expression tag	UNP A0A380YKU1			
В	799	ARG	-	expression tag	UNP A0A380YKU1			
В	800	ASP	-	expression tag	UNP A0A380YKU1			
В	801	LEU	-	expression tag	UNP A0A380YKU1			
В	802	ASN	-	expression tag	UNP A0A380YKU1			
В	803	ARG	-	expression tag	UNP A0A380YKU1			
В	804	ILE	-	expression tag	UNP A0A380YKU1			
В	805	ARG	-	expression tag	UNP A0A380YKU1			
В	806	PRO	-	expression tag	UNP A0A380YKU1			
В	807	ILE	-	expression tag	UNP A0A380YKU1			
В	808	LYS	-	expression tag	UNP A0A380YKU1			
В	809	CYS	-	expression tag	UNP A0A380YKU1			
В	810	ASP	-	expression tag	UNP A0A380YKU1			

 $\sim$ 



Continu	Continued from previous page							
Chain	Residue	Modelled	Actual	Comment	Reference			
В	811	ASP	-	expression tag	UNP A0A380YKU1			
В	812	ILE	-	expression tag	UNP A0A380YKU1			
В	813	LYS	-	expression tag	UNP A0A380YKU1			
С	7	GLY	-	expression tag	UNP A0A380YKU1			
С	8	SER	-	expression tag	UNP A0A380YKU1			
С	9	HIS	-	expression tag	UNP A0A380YKU1			
С	10	MET	-	expression tag	UNP A0A380YKU1			
С	11	ALA	-	expression tag	UNP A0A380YKU1			
С	12	SER	-	expression tag	UNP A0A380YKU1			
С	13	MET	-	expression tag	UNP A0A380YKU1			
С	14	THR	-	expression tag	UNP A0A380YKU1			
С	15	GLY	-	expression tag	UNP A0A380YKU1			
С	16	GLY	-	expression tag	UNP A0A380YKU1			
С	17	GLN	-	expression tag	UNP A0A380YKU1			
С	18	GLN	-	expression tag	UNP A0A380YKU1			
С	19	MET	-	expression tag	UNP A0A380YKU1			
С	20	GLY	-	expression tag	UNP A0A380YKU1			
С	21	ARG	-	expression tag	UNP A0A380YKU1			
С	22	GLY	-	expression tag	UNP A0A380YKU1			
С	23	SER	-	expression tag	UNP A0A380YKU1			
С	798	TYR	-	expression tag	UNP A0A380YKU1			
С	799	ARG	-	expression tag	UNP A0A380YKU1			
С	800	ASP	-	expression tag	UNP A0A380YKU1			
С	801	LEU	-	expression tag	UNP A0A380YKU1			
С	802	ASN	-	expression tag	UNP A0A380YKU1			
С	803	ARG	-	expression tag	UNP A0A380YKU1			
С	804	ILE	-	expression tag	UNP A0A380YKU1			
С	805	ARG	-	expression tag	UNP A0A380YKU1			
С	806	PRO	-	expression tag	UNP A0A380YKU1			
С	807	ILE	-	expression tag	UNP A0A380YKU1			
С	808	LYS	-	expression tag	UNP A0A380YKU1			
С	809	CYS	-	expression tag	UNP A0A380YKU1			
С	810	ASP	-	expression tag	UNP A0A380YKU1			
С	811	ASP	-	expression tag	UNP A0A380YKU1			
С	812	ILE	-	expression tag	UNP A0A380YKU1			
С	813	LYS	-	expression tag	UNP A0A380YKU1			
D	7	GLY	-	expression tag	UNP A0A380YKU1			
D	8	SER	-	expression tag	UNP A0A380YKU1			
D	9	HIS	-	expression tag	UNP A0A380YKU1			
D	10	MET	-	expression tag	UNP A0A380YKU1			
D	11	ALA	-	expression tag	UNP A0A380YKU1			
D	12	SER	-	expression tag	UNP A0A380YKU1			



Chain	Residue	Modelled	Actual Comment		Reference
D	13	MET	-	expression tag	UNP A0A380YKU1
D	14	THR	-	expression tag	UNP A0A380YKU1
D	15	GLY	-	expression tag	UNP A0A380YKU1
D	16	GLY	-	expression tag	UNP A0A380YKU1
D	17	GLN	-	expression tag	UNP A0A380YKU1
D	18	GLN	-	expression tag	UNP A0A380YKU1
D	19	MET	-	expression tag	UNP A0A380YKU1
D	20	GLY	-	expression tag	UNP A0A380YKU1
D	21	ARG	-	expression tag	UNP A0A380YKU1
D	22	GLY	-	expression tag	UNP A0A380YKU1
D	23	SER	-	expression tag	UNP A0A380YKU1
D	798	TYR	-	expression tag	UNP A0A380YKU1
D	799	ARG	-	expression tag	UNP A0A380YKU1
D	800	ASP	-	expression tag	UNP A0A380YKU1
D	801	LEU	-	expression tag	UNP A0A380YKU1
D	802	ASN	-	expression tag	UNP A0A380YKU1
D	803	ARG	-	expression tag	UNP A0A380YKU1
D	804	ILE	-	expression tag	UNP A0A380YKU1
D	805	ARG	-	expression tag	UNP A0A380YKU1
D	806	PRO	-	expression tag	UNP A0A380YKU1
D	807	ILE	-	expression tag	UNP A0A380YKU1
D	808	LYS	-	expression tag	UNP A0A380YKU1
D	809	CYS	-	expression tag	UNP A0A380YKU1
D	810	ASP	-	expression tag	UNP A0A380YKU1
D	811	ASP	-	expression tag	UNP A0A380YKU1
D	812	ILE	-	expression tag	UNP A0A380YKU1
D	813	LYS	-	expression tag	UNP A0A380YKU1

• Molecule 2 is ACETATE ION (three-letter code: ACT) (formula:  $C_2H_3O_2$ ).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
2	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
2	С	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
2	D	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0

• Molecule 3 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula:  $C_2H_6O_2$ ).





6MLY	
UNIDI	

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
3	А	1	$\begin{array}{ccc} \text{Total}  \text{C}  \text{O} \\ 4  2  2 \end{array}$	0	0
3	В	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
3	С	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
3	С	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
3	D	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
3	D	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
3	D	1	$\begin{array}{ccc} \text{Total} & \text{C} & \text{O} \\ 4 & 2 & 2 \end{array}$	0	0
3	D	1	$\begin{array}{c cc} \hline \text{Total} & \text{C} & \text{O} \\ \hline 4 & 2 & 2 \end{array}$	0	0

• Molecule 4 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	Total Na 1 1	0	0
4	В	1	Total Na 1 1	0	0
4	С	1	Total Na 1 1	0	0
4	D	1	Total Na 1 1	0	0

• Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	58	$\begin{array}{cc} \text{Total} & \text{O} \\ 58 & 58 \end{array}$	0	0
5	В	134	Total         O           134         134	0	0
5	С	92	TotalO9292	0	0
5	D	112	Total         O           112         112	0	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: Bifunctional GH43-CE protein





## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants	254.73Å 93.31Å 214.04Å	Deperitor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $123.38^{\circ}$ $90.00^{\circ}$	Depositor
Resolution(A)	48.16 - 2.70	Depositor
Resolution (A)	48.12 - 2.70	EDS
% Data completeness	98.8 (48.16-2.70)	Depositor
(in resolution range)	98.8 (48.12-2.70)	EDS
R <sub>merge</sub>	0.16	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	$3.43 (at 2.69 \text{\AA})$	Xtriage
Refinement program	REFMAC 5.8.0222	Depositor
P. P.	0.220 , $0.269$	Depositor
$n, n_{free}$	0.211 , $0.261$	DCC
$R_{free}$ test set	5719 reflections $(5.03\%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	44.3	Xtriage
Anisotropy	1.150	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.33, $33.6$	EDS
L-test for twinning <sup>2</sup>	$ \langle L  \rangle = 0.50, \langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	24144	wwPDB-VP
Average B, all atoms $(Å^2)$	64.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 19.62% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: EDO, NA, ACT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	nd lengths	Bond angles	
Mol Chair		RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	А	0.53	6/5696~(0.1%)	0.57	2/7723~(0.0%)
1	В	0.34	0/6204	0.56	0/8413
1	С	0.34	0/6209	0.56	0/8421
1	D	0.34	0/6198	0.56	0/8405
All	All	0.40	6/24307~(0.0%)	0.56	2/32962~(0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	В	0	2
1	С	0	2
All	All	0	4

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	$\mathrm{Ideal}(\mathrm{\AA})$
1	А	182	LYS	C-O	21.93	1.65	1.23
1	А	240	ILE	C-O	15.81	1.53	1.23
1	А	290	TRP	C-O	9.35	1.41	1.23
1	А	524	ARG	NE-CZ	5.65	1.40	1.33
1	А	107	ARG	NE-CZ	5.31	1.40	1.33
1	А	177	ASP	CB-CG	5.20	1.62	1.51

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Atoms Z		$Ideal(^{o})$
1	А	107	ARG	NE-CZ-NH2	-7.77	116.41	120.30



Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	А	107	ARG	NE-CZ-NH1	6.35	123.47	120.30

There are no chirality outliers.

All (4) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	В	166	ASN	Peptide
1	В	494	ARG	Sidechain
1	С	236	ARG	Sidechain
1	С	762	ARG	Sidechain

#### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	5555	0	5337	47	0
1	В	6046	0	5888	56	0
1	С	6051	0	5888	52	0
1	D	6040	0	5884	48	0
2	А	4	0	3	0	0
2	В	4	0	3	0	0
2	С	4	0	3	0	0
2	D	4	0	3	0	0
3	А	8	0	12	1	0
3	В	4	0	6	0	0
3	С	8	0	12	2	0
3	D	16	0	24	1	0
4	А	1	0	0	0	0
4	В	1	0	0	0	0
4	С	1	0	0	0	0
4	D	1	0	0	0	0
5	А	58	0	0	0	0
5	В	134	0	0	0	0
5	С	92	0	0	0	0
5	D	112	0	0	2	0
All	All	24144	0	23063	202	0



The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (202) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:182:LYS:C	1:A:182:LYS:O	1.65	1.33
1:A:612:ARG:HH12	1:A:662:GLU:HG2	1.40	0.87
1:A:612:ARG:NH1	1:A:662:GLU:HG2	1.95	0.81
1:B:408:GLN:HG2	1:B:409:ARG:H	1.48	0.79
1:C:570:GLN:HE21	1:C:574:GLN:HE21	1.33	0.74
1:C:391:MET:HE1	1:C:403:GLY:HA2	1.70	0.73
1:D:362:THR:HG21	1:D:501:ALA:HB2	1.70	0.72
1:C:362:THR:HG21	1:C:501:ALA:HB2	1.74	0.70
1:B:166:ASN:HD22	1:B:206:GLU:HG3	1.58	0.68
1:A:634:SER:OG	1:A:774:HIS:NE2	2.30	0.64
1:A:427:MET:SD	1:A:478:GLY:HA3	2.38	0.63
1:C:693:CYS:HG	1:C:748:CYS:HG	1.44	0.63
1:B:89:ASN:O	1:B:373:LYS:NZ	2.33	0.62
1:B:427:MET:HG3	1:B:428:VAL:N	2.14	0.62
1:C:377:THR:HG22	1:C:494:ARG:HH11	1.64	0.61
1:C:197:ALA:HB2	1:C:233:ILE:HD11	1.82	0.61
1:B:408:GLN:NE2	1:B:491:MET:O	2.33	0.61
1:A:408:GLN:HE21	1:A:489:HIS:H	1.47	0.60
1:C:332:ARG:NH1	1:C:334:LEU:O	2.34	0.60
1:B:166:ASN:ND2	1:B:206:GLU:HG3	2.17	0.60
1:C:609:ALA:HB2	1:C:665:VAL:HG13	1.81	0.60
1:D:30:PRO:HG3	1:D:282:ILE:HD12	1.84	0.59
1:C:600:PHE:CG	1:C:601:PRO:HA	2.37	0.59
1:D:771:GLY:HA3	1:D:777:VAL:HG11	1.83	0.59
1:A:608:LYS:HD2	1:A:662:GLU:HA	1.85	0.59
1:B:427:MET:SD	1:B:478:GLY:HA3	2.44	0.58
1:C:281:ARG:HH22	3:C:902:EDO:C1	2.17	0.58
1:B:68:ASP:O	1:B:69:LEU:HB2	2.02	0.58
1:C:672:SER:HA	1:C:674:ARG:HH21	1.68	0.58
1:D:408:GLN:HG3	1:D:409:ARG:N	2.18	0.58
1:D:408:GLN:HG3	1:D:410:LYS:N	2.19	0.57
1:A:470:ASP:OD1	1:A:471:GLY:N	2.38	0.57
1:B:362:THR:HG21	1:B:501:ALA:HB2	1.87	0.57
1:A:497:LEU:HD23	1:A:497:LEU:N	2.20	0.57
1:A:338:TRP:CE3	1:A:376:LEU:HG	2.40	0.57
1:B:338:TRP:CE3	1:B:376:LEU:HG	2.39	0.56
1:A:362:THR:HG21	1:A:501:ALA:HB2	1.88	0.56



		Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:327:ARG:NE	1:B:333:ALA:O	2.39	0.55
1:D:427:MET:SD	1:D:478:GLY:HA3	2.47	0.55
1:D:338:TRP:CE3	1:D:376:LEU:HG	2.42	0.55
1:A:674:ARG:NH1	3:A:903:EDO:O1	2.41	0.54
1:D:42:LEU:HD12	1:D:42:LEU:C	2.28	0.54
1:C:338:TRP:CE3	1:C:376:LEU:HG	2.43	0.54
1:B:497:LEU:N	1:B:497:LEU:HD23	2.22	0.54
1:C:609:ALA:CB	1:C:665:VAL:HG13	2.37	0.54
1:D:362:THR:HG21	1:D:501:ALA:CB	2.38	0.54
1:A:559:TYR:HE2	1:A:591:ASN:HA	1.74	0.53
1:C:693:CYS:SG	1:C:748:CYS:SG	3.01	0.53
1:B:559:TYR:HE2	1:B:591:ASN:HA	1.73	0.53
1:B:353:ALA:HA	1:D:505:VAL:HG22	1.90	0.53
1:A:406:LEU:HD13	1:A:483:MET:HE1	1.90	0.53
1:B:540:LEU:HD12	1:B:540:LEU:C	2.28	0.53
1:D:600:PHE:CG	1:D:601:PRO:HA	2.44	0.52
1:C:425:ILE:HG22	1:C:477:ILE:HD13	1.92	0.52
1:B:427:MET:HE2	1:B:429:ASN:HB2	1.91	0.52
1:C:609:ALA:HB2	1:C:665:VAL:CG1	2.39	0.52
1:D:600:PHE:HD1	1:D:717:MET:CE	2.23	0.52
1:A:258:GLY:HA3	1:A:271:TYR:O	2.10	0.51
1:C:42:LEU:C	1:C:42:LEU:HD12	2.31	0.51
1:A:785:LYS:NZ	1:A:789:ASP:OD2	2.43	0.51
1:A:497:LEU:HD13	1:A:511:PHE:CD1	2.46	0.51
1:C:771:GLY:HA3	1:C:777:VAL:HG11	1.93	0.51
1:A:687:MET:HA	1:A:690:MET:HB2	1.94	0.50
1:D:483:MET:HG2	1:D:493:TYR:CE2	2.46	0.50
1:D:529:CYS:SG	1:D:539:LYS:NZ	2.85	0.50
1:A:52:SER:HB3	1:A:62:PRO:HG2	1.93	0.49
1:C:427:MET:HE2	1:C:429:ASN:HB2	1.94	0.49
1:C:377:THR:HG21	1:C:494:ARG:HD3	1.93	0.49
1:D:362:THR:HG22	1:D:505:VAL:HA	1.93	0.49
1:C:362:THR:HG21	1:C:501:ALA:CB	2.42	0.49
1:C:553:LYS:HD3	1:C:627:PHE:HB3	1.93	0.49
1:D:540:LEU:C	1:D:540:LEU:HD12	2.33	0.49
1:A:31:VAL:HG11	1:A:285:LEU:HD12	1.94	0.49
1:C:281:ARG:HH22	3:C:902:EDO:H12	1.78	0.49
1:A:739:GLY:HA3	1:A:772:GLY:HA2	1.94	0.49
1:C:653:THR:HG22	1:C:658:THR:HG23	1.95	0.49
1:D:348:LEU:HB3	1:D:361:THR:O	2.12	0.49
1:A:488:PRO:CB	1:A:489:HIS:HA	2.41	0.49



	lo uo pugom	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:B:445:GLN:NE2	1:B:469:LEU:HB3	2.28	0.49
1:C:68:ASP:O	1:C:69:LEU:HB2	2.13	0.48
1:C:291:LYS:HG2	1:C:296:VAL:HG21	1.95	0.48
1:A:393:VAL:HG12	1:A:396:MET:HE3	1.94	0.48
1:D:418:VAL:HG22	1:D:423:LYS:HG2	1.95	0.48
1:A:362:THR:HG21	1:A:501:ALA:CB	2.43	0.48
1:A:62:PRO:HB3	1:A:77:TYR:CE2	2.49	0.48
1:B:547:MET:O	1:B:552:TYR:OH	2.32	0.48
1:C:89:ASN:O	1:C:373:LYS:NZ	2.47	0.48
1:C:396:MET:HE1	1:C:402:ALA:HB3	1.95	0.47
1:D:89:ASN:O	1:D:373:LYS:NZ	2.45	0.47
1:D:216:LYS:NZ	5:D:1005:HOH:O	2.47	0.47
1:D:408:GLN:HG3	1:D:410:LYS:H	1.77	0.47
1:D:664:ASN:O	5:D:1001:HOH:O	2.20	0.47
1:D:76:ASN:HD22	1:D:134:GLU:C	2.18	0.47
1:D:687:MET:HB2	1:D:718:LEU:HG	1.97	0.47
1:A:612:ARG:HD2	1:A:668:TYR:O	2.14	0.47
1:A:547:MET:O	1:A:552:TYR:OH	2.26	0.47
1:D:562:ALA:HB1	1:D:702:PRO:HB3	1.97	0.46
1:C:659:VAL:HG12	1:C:720:LEU:HD22	1.98	0.46
1:C:691:GLU:HG2	1:C:697:LYS:HG2	1.96	0.46
1:D:739:GLY:HA3	1:D:772:GLY:HA2	1.98	0.46
1:A:41:MET:HB3	1:A:271:TYR:CE2	2.51	0.46
1:A:365:MET:HE2	1:A:502:THR:O	2.16	0.46
1:B:408:GLN:HG2	1:B:409:ARG:N	2.26	0.46
1:A:393:VAL:HG22	1:A:446:GLN:HA	1.98	0.46
1:B:362:THR:HG21	1:B:505:VAL:HA	1.98	0.45
1:B:393:VAL:HG11	1:B:416:VAL:HG21	1.99	0.45
1:A:464:TYR:HB3	1:A:524:ARG:CZ	2.47	0.45
1:B:391:MET:HE1	1:B:403:GLY:HA2	1.98	0.45
1:C:488:PRO:CB	1:C:489:HIS:HA	2.46	0.45
1:B:562:ALA:HB1	1:B:702:PRO:HB3	1.99	0.45
1:A:458:ASN:HD22	1:A:458:ASN:N	2.15	0.45
1:C:721:LEU:HD12	1:C:721:LEU:O	2.17	0.45
1:D:68:ASP:O	1:D:69:LEU:HB2	2.17	0.45
1:C:339:GLN:O	1:C:377:THR:HB	2.17	0.44
1:B:362:THR:HG21	1:B:501:ALA:CB	2.47	0.44
1:C:393:VAL:HG12	1:C:396:MET:HE3	1.99	0.44
1:C:427:MET:HG3	1:C:428:VAL:N	2.28	0.44
1:A:456:PHE:O	1:A:459:LYS:N	2.49	0.44
1:D:689:ARG:HG2	1:D:689:ARG:O	2.17	0.44



		Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:B:638:HIS:HB2	1:B:684:PRO:O	2.18	0.44
1:A:164:TYR:O	1:A:169:LEU:HA	2.17	0.44
1:D:633:PHE:HA	1:D:681:TRP:HB2	2.00	0.44
1:B:116:SER:HG	1:B:150:HIS:HE2	1.64	0.43
1:B:166:ASN:OD1	1:B:166:ASN:C	2.57	0.43
1:B:362:THR:CG2	1:B:505:VAL:HA	2.47	0.43
1:C:624:ASP:OD1	1:C:626:SER:OG	2.30	0.43
1:D:316:ILE:HA	1:D:317:PRO:HA	1.80	0.43
1:D:545:PRO:HB2	1:D:547:MET:HG3	1.99	0.43
1:B:771:GLY:HA3	1:B:777:VAL:HG11	2.01	0.43
1:C:525:TRP:HB3	1:C:528:ILE:HD11	1.99	0.43
1:A:56:HIS:CE1	1:A:491:MET:HE3	2.54	0.43
1:A:540:LEU:C	1:A:540:LEU:HD12	2.38	0.43
1:C:377:THR:HG23	1:C:494:ARG:HB3	2.00	0.43
1:C:695:THR:HG22	1:C:696:THR:N	2.34	0.43
1:D:128:TYR:HB3	1:D:138:TRP:CE3	2.53	0.43
1:C:171:LEU:HB2	1:C:189:LEU:HD22	1.99	0.43
1:A:42:LEU:HD12	1:A:42:LEU:C	2.39	0.43
1:B:96:THR:HG23	1:B:96:THR:O	2.19	0.43
1:B:487:MET:HG2	1:B:490:PHE:CG	2.53	0.43
1:D:408:GLN:CG	1:D:409:ARG:N	2.81	0.43
1:A:163:ILE:HA	1:A:170:PHE:O	2.18	0.43
1:C:393:VAL:HG11	1:C:416:VAL:HG21	2.01	0.43
1:D:193:ALA:HB3	1:D:205:ALA:CB	2.48	0.43
1:C:377:THR:CG2	1:C:494:ARG:HD3	2.48	0.43
1:C:612:ARG:HH12	1:C:662:GLU:HG3	1.83	0.43
1:B:332:ARG:NH1	1:B:334:LEU:O	2.52	0.43
1:B:588:VAL:HG11	1:B:614:ILE:HD11	2.01	0.43
1:C:559:TYR:HE2	1:C:591:ASN:HA	1.83	0.43
1:D:615:ARG:CZ	1:D:628:ILE:HD12	2.49	0.43
1:B:163:ILE:HD12	1:B:210:LEU:HD22	2.01	0.42
1:D:364:ARG:HD2	1:D:366:GLU:OE2	2.18	0.42
1:A:465:PHE:O	1:A:524:ARG:NH1	2.45	0.42
1:B:530:TYR:HA	1:B:613:PHE:CD1	2.54	0.42
1:A:164:TYR:CE1	1:A:170:PHE:HB2	2.54	0.42
1:D:48:TYR:OH	3:D:905:EDO:H22	2.18	0.42
1:D:166:ASN:HA	1:D:167:GLY:HA2	1.84	0.42
1:D:193:ALA:HB3	1:D:205:ALA:HB3	2.00	0.42
1:A:376:LEU:O	1:A:496:ALA:HA	2.19	0.42
1:A:615:ARG:HA	1:A:625:THR:HG21	2.01	0.42
1:B:52:SER:O	1:B:62:PRO:HD2	2.20	0.42



		Interatomic	ic Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:B:166:ASN:HD22	1:B:206:GLU:CG	2.29	0.42	
1:B:488:PRO:CB	1:B:489:HIS:HA	2.49	0.42	
1:C:615:ARG:HA	1:C:625:THR:HG21	2.01	0.42	
1:A:600:PHE:CG	1:A:601:PRO:HA	2.54	0.42	
1:A:634:SER:OG	1:A:774:HIS:CE1	2.72	0.42	
1:B:79:TYR:OH	1:B:101:SER:HB3	2.19	0.42	
1:B:784:LEU:O	1:B:788:ILE:HG12	2.20	0.42	
1:C:563:TRP:CD1	1:C:635:SER:HB2	2.55	0.42	
1:C:377:THR:HG22	1:C:494:ARG:NH1	2.34	0.42	
1:B:396:MET:HE1	1:B:402:ALA:HB3	2.01	0.42	
1:B:530:TYR:CD2	1:B:540:LEU:HD23	2.55	0.42	
1:D:408:GLN:HG2	1:D:493:TYR:CZ	2.55	0.41	
1:B:42:LEU:C	1:B:42:LEU:HD12	2.41	0.41	
1:C:477:ILE:HG23	1:C:477:ILE:O	2.19	0.41	
1:D:559:TYR:HE2	1:D:591:ASN:HA	1.85	0.41	
1:B:362:THR:CG2	1:B:501:ALA:HB2	2.49	0.41	
1:C:423:LYS:HE3	1:C:446:GLN:HE21	1.84	0.41	
1:C:488:PRO:HB2	1:C:489:HIS:HA	2.01	0.41	
1:D:76:ASN:ND2	1:D:134:GLU:O	2.50	0.41	
1:A:659:VAL:HG13	1:A:659:VAL:O	2.20	0.41	
1:B:166:ASN:HA	1:B:205:ALA:O	2.19	0.41	
1:B:633:PHE:HA	1:B:681:TRP:HB2	2.03	0.41	
1:D:60:GLY:HA3	1:D:79:TYR:CZ	2.55	0.41	
1:B:161:TYR:CD2	1:B:171:LEU:HD11	2.56	0.41	
1:B:128:TYR:HB3	1:B:138:TRP:CE3	2.55	0.41	
1:D:385:CYS:SG	1:D:454:CYS:HB2	2.61	0.41	
1:B:408:GLN:CG	1:B:409:ARG:H	2.23	0.41	
1:B:408:GLN:HG3	1:B:489:HIS:HB2	2.03	0.41	
1:B:616:ALA:HB1	1:B:668:TYR:CD2	2.56	0.41	
1:D:195:ALA:N	1:D:196:PRO:CD	2.83	0.41	
1:A:563:TRP:CD2	1:A:706:LEU:HD22	2.55	0.41	
1:B:30:PRO:HG3	1:B:282:ILE:HD12	2.03	0.41	
1:B:528:ILE:O	1:B:539:LYS:HA	2.21	0.41	
1:D:317:PRO:HA	1:D:320:VAL:O	2.21	0.41	
1:A:530:TYR:CZ	1:A:538:HIS:HA	2.56	0.41	
1:B:659:VAL:HG12	1:B:720:LEU:HD22	2.03	0.41	
1:C:54:THR:HG21	1:C:339:GLN:HE22	1.86	0.40	
1:D:398:GLU:OE1	1:D:420:ASP:O	2.38	0.40	
1:C:426:VAL:HG13	1:C:437:GLU:HG3	2.02	0.40	
1:B:600:PHE:CG	1:B:601:PRO:HA	2.55	0.40	
1:B:391:MET:HE3	1:B:450:PHE:CD2	2.57	0.40	



a 1	C		
Continued	trom	previous	naae
contentaca	1.0110	proceed ac	pagem

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:96:THR:O	1:D:96:THR:HG23	2.22	0.40

There are no symmetry-related clashes.

### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	entiles
1	А	693/807~(86%)	645 (93%)	45 (6%)	3~(0%)	34	60
1	В	770/807~(95%)	719~(93%)	50~(6%)	1 (0%)	51	78
1	С	772/807~(96%)	722 (94%)	49 (6%)	1 (0%)	51	78
1	D	770/807~(95%)	719~(93%)	48 (6%)	3~(0%)	34	60
All	All	3005/3228~(93%)	2805 (93%)	192 (6%)	8 (0%)	41	66

All (8) Ramachandran outliers are listed below:

Mol	Chain	$\operatorname{Res}$	Type
1	А	577	GLY
1	А	747	ASN
1	D	408	GLN
1	С	257	GLN
1	D	257	GLN
1	А	257	GLN
1	В	420	ASP
1	D	433	GLU

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.



Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	581/669~(87%)	562~(97%)	19 (3%)	38	67
1	В	639/669~(96%)	624 (98%)	15 (2%)	50	78
1	$\mathbf{C}$	638/669~(95%)	619~(97%)	19 (3%)	41	70
1	D	637/669~(95%)	618~(97%)	19 (3%)	41	70
All	All	2495/2676~(93%)	2423 (97%)	72 (3%)	42	71

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

All (72) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	33	TYR
1	А	50	MET
1	А	80	ASP
1	А	87	THR
1	А	115	LEU
1	А	149	ASP
1	А	156	GLU
1	А	235	HIS
1	А	367	THR
1	А	490	PHE
1	А	497	LEU
1	А	515	LYS
1	А	692	ASN
1	А	695	THR
1	А	715	LEU
1	А	733	LYS
1	А	754	SER
1	А	760	GLN
1	А	783	THR
1	В	33	TYR
1	В	58	SER
1	В	80	ASP
1	В	96	THR
1	В	115	LEU
1	В	222	ILE
1	В	223	THR
1	В	300	ASN
1	В	427	MET
1	В	433	GLU
1	В	434	THR



Mol	Chain	Res	Type
1	В	470	ASP
1	В	490	PHE
1	В	703	GLU
1	В	768	SER
1	С	33	TYR
1	С	50	MET
1	С	52	SER
1	С	139	LYS
1	С	166	ASN
1	С	222	ILE
1	С	226	ARG
1	C	315	LEU
1	С	368	SER
1	С	408	GLN
1	C	427	MET
1	С	490	PHE
1	С	519	LYS
1	С	583	LYS
1	С	664	ASN
1	С	674	ARG
1	С	685	ILE
1	С	703	GLU
1	С	773	GLN
1	D	33	TYR
1	D	52	SER
1	D	80	ASP
1	D	166	ASN
1	D	191	GLU
1	D	222	ILE
1	D	241	THR
1	D	317	PRO
1	D	408	GLN
1	D	489	HIS
1	D	490	PHE
1	D	522	ASP
1	D	658	THR
1	D	670	SER
1	D	688	THR
1	D	690	MET
1	D	750	SER
1	D	778	THR
1	D	781	GLU

Continued from previous page...



Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	408	GLN
1	А	458	ASN
1	А	570	GLN
1	А	574	GLN
1	В	339	GLN
1	С	339	GLN
1	С	446	GLN
1	С	570	GLN
1	D	413	GLN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry (i)

Of 17 ligands modelled in this entry, 4 are monoatomic - leaving 13 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Type	Turne	Chain	Chain	Chain	Dec		Bond lengths			E	ond ang	gles
MOI	туре	Unam	nes		Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2		
2	ACT	D	901	-	3,3,3	0.76	0	3,3,3	0.83	0		
3	EDO	С	902	-	3,3,3	0.55	0	2,2,2	0.07	0		
3	EDO	В	902	-	3,3,3	0.50	0	2,2,2	0.20	0		



Mal	Type Chain Bes		no Chain Bos Link		B	Bond lengths			Bond angles		
MOI	туре	Type Chain R	nes	LIIIK	Counts	RMSZ	# Z >2	Counts	RMSZ	# Z >2	
3	EDO	D	902	-	3,3,3	0.59	0	2,2,2	0.19	0	
3	EDO	D	905	-	3,3,3	0.51	0	2,2,2	0.02	0	
3	EDO	A	903	-	3,3,3	0.40	0	2,2,2	0.30	0	
2	ACT	А	901	-	3,3,3	0.75	0	3,3,3	0.81	0	
3	EDO	A	902	-	3,3,3	0.46	0	2,2,2	0.44	0	
3	EDO	С	903	-	3,3,3	0.53	0	2,2,2	0.11	0	
2	ACT	В	901	-	3,3,3	0.79	0	3,3,3	0.80	0	
2	ACT	С	901	-	3,3,3	0.78	0	3,3,3	0.66	0	
3	EDO	D	903	-	3,3,3	0.73	0	2,2,2	0.21	0	
3	EDO	D	904	-	3,3,3	0.54	0	2,2,2	0.12	0	

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDO	С	902	-	-	1/1/1/1	-
3	EDO	В	902	-	-	1/1/1/1	-
3	EDO	D	902	-	-	1/1/1/1	-
3	EDO	D	905	-	-	0/1/1/1	-
3	EDO	А	903	-	-	1/1/1/1	-
3	EDO	А	902	-	-	0/1/1/1	-
3	EDO	С	903	-	-	1/1/1/1	-
3	EDO	D	903	-	-	1/1/1/1	-
3	EDO	D	904	-	-	0/1/1/1	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	А	903	EDO	O1-C1-C2-O2
3	D	903	EDO	O1-C1-C2-O2
3	D	902	EDO	O1-C1-C2-O2
3	В	902	EDO	O1-C1-C2-O2
3	С	903	EDO	O1-C1-C2-O2
3	С	902	EDO	O1-C1-C2-O2

There are no ring outliers.



Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	С	902	EDO	2	0
3	D	905	EDO	1	0
3	А	903	EDO	1	0

3 monomers are involved in 4 short contacts:

### 5.7 Other polymers (i)

There are no such residues in this entry.

## 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

## 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	< <b>RSRZ</b> >	#RSRZ>2	$OWAB(Å^2)$	$Q{<}0.9$
1	А	711/807~(88%)	0.09	24 (3%) 45 45	61, 77, 93, 111	0
1	В	772/807~(95%)	-0.29	5 (0%) 89 91	44, 56, 71, 87	0
1	С	774/807~(95%)	-0.20	6 (0%) 86 87	49, 63, 77, 96	0
1	D	772/807~(95%)	-0.17	7 (0%) 84 85	46, 61, 78, 93	0
All	All	3029/3228~(93%)	-0.15	42 (1%) 75 77	44, 63, 84, 111	0

All (42) RSRZ outliers are listed below:

Mol	Chain	$\mathbf{Res}$	Type	RSRZ
1	А	232	VAL	4.5
1	D	424	TYR	3.6
1	А	424	TYR	3.6
1	А	251	GLN	3.6
1	D	667	LEU	3.3
1	А	248	VAL	3.2
1	D	422	LYS	3.2
1	А	741	ALA	3.2
1	С	420	ASP	3.2
1	А	287	PRO	3.1
1	D	771	GLY	3.1
1	А	311	ASP	3.1
1	А	286	VAL	3.0
1	А	296	VAL	3.0
1	А	255	ILE	3.0
1	А	489	HIS	3.0
1	А	484	GLN	2.9
1	А	779	PHE	2.8
1	А	231	THR	2.8
1	А	532	ASP	2.8
1	С	426	VAL	2.7



Mol	Chain	Res	Type	RSRZ
1	А	280	GLY	2.7
1	В	776	PRO	2.7
1	А	485	TYR	2.6
1	А	284	TYR	2.5
1	В	532	ASP	2.5
1	С	424	TYR	2.4
1	С	667	LEU	2.4
1	D	532	ASP	2.3
1	А	309	LEU	2.3
1	В	448	VAL	2.3
1	А	70	VAL	2.2
1	А	278	ALA	2.2
1	В	330	GLY	2.2
1	D	197	ALA	2.2
1	В	424	TYR	2.2
1	С	422	LYS	2.1
1	А	766	PHE	2.1
1	А	313	ARG	2.1
1	С	24	GLN	2.1
1	D	308	GLU	2.0
1	А	253	ARG	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

## 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B-factors(Å^2)$	Q < 0.9
3	EDO	D	904	4/4	0.80	0.17	$55,\!57,\!59,\!61$	0
3	EDO	С	902	4/4	0.87	0.28	$55,\!55,\!60,\!64$	0



					Daga	DOD	$\mathbf{D}$ $(\mathbf{k}^2)$	
Mol	Type	Chain	Res	Atoms	RSCC	RSR	$B$ -factors( $A^2$ )	$Q{<}0.9$
3	EDO	D	903	4/4	0.89	0.15	75,77,84,92	0
3	EDO	D	902	4/4	0.89	0.24	$65,\!68,\!71,\!72$	0
3	EDO	D	905	4/4	0.89	0.27	62,64,70,71	0
3	EDO	А	902	4/4	0.90	0.20	59,65,70,76	0
4	NA	D	906	1/1	0.91	0.25	37,37,37,37	0
3	EDO	А	903	4/4	0.93	0.20	44,47,51,52	0
4	NA	А	904	1/1	0.95	0.27	40,40,40,40	0
3	EDO	В	902	4/4	0.95	0.15	59,62,62,63	0
3	EDO	С	903	4/4	0.96	0.11	46,49,52,58	0
2	ACT	С	901	4/4	0.97	0.12	48,49,50,50	0
4	NA	С	904	1/1	0.97	0.20	43,43,43,43	0
2	ACT	А	901	4/4	0.97	0.07	47,49,50,59	0
4	NA	В	903	1/1	0.98	0.43	60,60,60,60	0
2	ACT	В	901	4/4	0.98	0.18	42,46,46,48	0
2	ACT	D	901	4/4	0.98	0.15	46,48,49,53	0

## 6.5 Other polymers (i)

There are no such residues in this entry.

