



Full wwPDB X-ray Structure Validation Report ⓘ

May 16, 2020 – 05:42 am BST

PDB ID : 6MW7
Title : Crystal structure of ATPase module of SMCHD1 bound to ATP
Authors : Pedersen, L.C.; Inoue, K.; Kim, S.; Perera, L.; Shaw, N.D.
Deposited on : 2018-10-29
Resolution : 2.19 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.11
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.11


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.19 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4898 (2.20-2.20)
Clashscore	141614	5594 (2.20-2.20)
Ramachandran outliers	138981	5503 (2.20-2.20)
Sidechain outliers	138945	5504 (2.20-2.20)
RSRZ outliers	127900	4800 (2.20-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments on the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	562	
1	B	562	
1	C	562	
1	D	562	

2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 17288 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Structural maintenance of chromosomes flexible hinge domain-containing protein 1.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
			Total	C	N	O	S	Se			
1	A	514	4119	2631	704	769	8	7	0	2	0
1	B	502	3972	2539	679	740	8	6	0	0	0
1	C	519	4123	2637	703	769	8	6	0	0	0
1	D	505	4011	2563	680	753	8	7	0	1	0

There are 24 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	19	GLY	-	expression tag	UNP A6NHR9
A	20	SER	-	expression tag	UNP A6NHR9
A	21	ALA	-	expression tag	UNP A6NHR9
A	22	ALA	-	expression tag	UNP A6NHR9
A	23	ALA	-	expression tag	UNP A6NHR9
A	147	ALA	GLU	engineered mutation	UNP A6NHR9
B	19	GLY	-	expression tag	UNP A6NHR9
B	20	SER	-	expression tag	UNP A6NHR9
B	21	ALA	-	expression tag	UNP A6NHR9
B	22	ALA	-	expression tag	UNP A6NHR9
B	23	ALA	-	expression tag	UNP A6NHR9
B	147	ALA	GLU	engineered mutation	UNP A6NHR9
C	19	GLY	-	expression tag	UNP A6NHR9
C	20	SER	-	expression tag	UNP A6NHR9
C	21	ALA	-	expression tag	UNP A6NHR9
C	22	ALA	-	expression tag	UNP A6NHR9
C	23	ALA	-	expression tag	UNP A6NHR9
C	147	ALA	GLU	engineered mutation	UNP A6NHR9
D	19	GLY	-	expression tag	UNP A6NHR9
D	20	SER	-	expression tag	UNP A6NHR9

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	21	ALA	-	expression tag	UNP A6NHR9
D	22	ALA	-	expression tag	UNP A6NHR9
D	23	ALA	-	expression tag	UNP A6NHR9
D	147	ALA	GLU	engineered mutation	UNP A6NHR9

- Molecule 2 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula: $C_{10}H_{16}N_5O_{13}P_3$).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
2	A	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
2	B	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
2	C	1	Total	C	N	O	P	0	0
			31	10	5	13	3		
2	D	1	Total	C	N	O	P	0	0
			31	10	5	13	3		

- Molecule 3 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	1	Total Mg 1 1	0	0
3	A	1	Total Mg 1 1	0	0
3	D	1	Total Mg 1 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	C	1	Total	Mg	0	0
			1	1		

- Molecule 4 is SULFATE ION (three-letter code: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	C	1	Total	O	S	0	0
			5	4	1		

- Molecule 5 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	C	1	Total	Na	0	0
			1	1		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	272	Total	O	0	1
			273	273		
6	B	217	Total	O	0	0
			217	217		
6	C	235	Total	O	0	1
			236	236		
6	D	203	Total	O	0	0
			203	203		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA and DNA chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Structural maintenance of chromosomes flexible hinge domain-containing protein 1




- Molecule 1: Structural maintenance of chromosomes flexible hinge domain-containing protein 1







- Molecule 1: Structural maintenance of chromosomes flexible hinge domain-containing protein 1





- Molecule 1: Structural maintenance of chromosomes flexible hinge domain-containing protein 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	108.76Å 148.01Å 191.14Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	47.78 – 2.19 49.31 – 2.19	Depositor EDS
% Data completeness (in resolution range)	96.9 (47.78-2.19) 89.6 (49.31-2.19)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.12	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.19 (at 2.20Å)	Xtrriage
Refinement program	PHENIX (1.10.1_2155)	Depositor
R, R_{free}	0.197 , 0.230 0.197 , 0.231	Depositor DCC
R_{free} test set	7724 reflections (5.04%)	wwPDB-VP
Wilson B-factor (Å ²)	33.5	Xtrriage
Anisotropy	0.851	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 37.4	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	17288	wwPDB-VP
Average B, all atoms (Å ²)	47.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 30.58 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 1.2779e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NA, MG, SO4, ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.30	0/4206	0.49	0/5682
1	B	0.26	0/4055	0.46	0/5483
1	C	0.28	0/4211	0.48	0/5693
1	D	0.28	0/4096	0.47	0/5541
All	All	0.28	0/16568	0.47	0/22399

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	4119	0	3984	13	0
1	B	3972	0	3808	6	0
1	C	4123	0	3955	13	0
1	D	4011	0	3840	11	0
2	A	31	0	12	0	0
2	B	31	0	12	0	0
2	C	31	0	12	0	0
2	D	31	0	12	0	0
3	A	1	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	1	0	0	0	0
3	C	1	0	0	0	0
3	D	1	0	0	0	0
4	C	5	0	0	0	0
5	C	1	0	0	0	0
6	A	273	0	0	0	0
6	B	217	0	0	0	0
6	C	236	0	0	1	0
6	D	203	0	0	1	0
All	All	17288	0	15635	42	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (42) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:42:ASP:OD2	1:C:114:ARG:NH1	2.20	0.75
1:C:138:GLN:NE2	6:C:702:HOH:O	2.26	0.67
1:D:377:GLU:OE1	6:D:701:HOH:O	2.13	0.66
1:C:251:ARG:NH1	1:C:264:GLU:OE2	2.29	0.63
1:C:232:ILE:O	1:C:232:ILE:HG22	2.01	0.60
1:A:251:ARG:NH1	1:A:264:GLU:OE2	2.35	0.56
1:B:544:ARG:HH11	1:B:558:GLU:HG3	1.71	0.55
1:A:42:ASP:OD2	1:A:114:ARG:NH1	2.42	0.53
1:D:251:ARG:NH1	1:D:264:GLU:OE2	2.44	0.48
1:A:67:SER:C	1:A:69:GLU:H	2.17	0.47
1:D:202:LEU:HD11	1:D:207:ARG:HB3	1.97	0.47
1:B:181:ALA:HA	1:B:322:VAL:O	2.15	0.46
1:C:181:ALA:HA	1:C:322:VAL:O	2.15	0.46
1:A:32:ASP:HA	1:A:99:LEU:HB2	1.97	0.45
1:D:252:MSE:HE1	1:D:322:VAL:HG22	1.98	0.45
1:B:252:MSE:HE1	1:B:322:VAL:HG22	1.99	0.45
1:C:142:PRO:HG3	1:C:342:TRP:HB2	1.99	0.44
1:A:252:MSE:HE1	1:A:322:VAL:HG22	1.99	0.44
1:A:379:SER:HA	1:A:388:LYS:O	2.18	0.43
1:A:203:SER:O	1:A:207:ARG:HG2	2.19	0.43
1:A:181:ALA:HA	1:A:322:VAL:O	2.19	0.43
1:D:181:ALA:HA	1:D:322:VAL:O	2.19	0.43
1:D:142:PRO:HG3	1:D:342:TRP:HB2	2.01	0.43
1:D:26:ARG:O	1:D:47:VAL:N	2.44	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:502:PRO:HG2	1:A:505:CYS:SG	2.59	0.42
1:D:132:TYR:HB3	1:D:140:PRO:HB2	2.01	0.42
1:A:142:PRO:HG3	1:A:342:TRP:HB2	2.01	0.42
1:B:132:TYR:HB3	1:B:140:PRO:HB2	2.02	0.42
1:A:31:PHE:CZ	1:A:42:ASP:HB3	2.55	0.41
1:B:31:PHE:CZ	1:B:42:ASP:HB3	2.56	0.41
1:C:189:MSE:N	1:C:254:SER:OG	2.51	0.41
1:C:252:MSE:O	1:C:264:GLU:HA	2.21	0.41
1:A:222:VAL:O	1:A:224:VAL:HG13	2.21	0.41
1:C:502:PRO:HG2	1:C:505:CYS:SG	2.60	0.41
1:D:439:TYR:HB2	1:D:465:ALA:HB1	2.02	0.41
1:C:435:ASP:N	1:C:435:ASP:OD1	2.53	0.41
1:C:349:ILE:HA	1:C:480:LEU:HB3	2.02	0.41
1:B:251:ARG:NH1	1:B:264:GLU:OE2	2.53	0.41
1:D:308:HIS:O	1:D:311:ILE:HG22	2.21	0.40
1:C:439:TYR:HB2	1:C:465:ALA:HB1	2.03	0.40
1:A:252:MSE:O	1:A:264:GLU:HA	2.21	0.40
1:C:201:ARG:HG3	1:D:123:THR:HA	2.03	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	506/562 (90%)	491 (97%)	14 (3%)	1 (0%)	47	55
1	B	490/562 (87%)	473 (96%)	17 (4%)	0	100	100
1	C	509/562 (91%)	496 (97%)	13 (3%)	0	100	100
1	D	496/562 (88%)	482 (97%)	13 (3%)	1 (0%)	47	55
All	All	2001/2248 (89%)	1942 (97%)	57 (3%)	2 (0%)	51	60

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	434	TYR
1	A	68	PRO

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	441/495 (89%)	438 (99%)	3 (1%)	84 91
1	B	418/495 (84%)	414 (99%)	4 (1%)	76 86
1	C	435/495 (88%)	433 (100%)	2 (0%)	88 94
1	D	425/495 (86%)	419 (99%)	6 (1%)	67 80
All	All	1719/1980 (87%)	1704 (99%)	15 (1%)	78 88

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	195	ASN
1	A	206	THR
1	A	301	ASP
1	B	26	ARG
1	B	84	CYS
1	B	195	ASN
1	B	546	LEU
1	C	195	ASN
1	C	565	ASP
1	D	195	ASN
1	D	206	THR
1	D	260	GLN
1	D	420	ASP
1	D	493	THR
1	D	556	ASP

Some sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	195	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no carbohydrates in this entry.

5.6 Ligand geometry [i](#)

Of 10 ligands modelled in this entry, 5 are monoatomic - leaving 5 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	ATP	A	901	3	26,33,33	0.92	1 (3%)	31,52,52	1.38	5 (16%)
4	SO4	C	602	5	4,4,4	0.14	0	6,6,6	0.13	0
2	ATP	D	601	3	26,33,33	0.93	1 (3%)	31,52,52	1.38	5 (16%)
2	ATP	B	601	3	26,33,33	0.92	1 (3%)	31,52,52	1.39	3 (9%)
2	ATP	C	601	3	26,33,33	0.91	1 (3%)	31,52,52	1.34	4 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	ATP	A	901	3	-	5/18/38/38	0/3/3/3
2	ATP	D	601	3	-	4/18/38/38	0/3/3/3
2	ATP	B	601	3	-	4/18/38/38	0/3/3/3
2	ATP	C	601	3	-	4/18/38/38	0/3/3/3

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	601	ATP	C5-C4	2.28	1.47	1.40
2	D	601	ATP	C5-C4	2.26	1.46	1.40
2	A	901	ATP	C5-C4	2.26	1.46	1.40
2	B	601	ATP	C5-C4	2.22	1.46	1.40

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	901	ATP	N3-C2-N1	-3.86	122.65	128.68
2	C	601	ATP	N3-C2-N1	-3.70	122.89	128.68
2	B	601	ATP	N3-C2-N1	-3.68	122.92	128.68
2	D	601	ATP	N3-C2-N1	-3.67	122.94	128.68
2	B	601	ATP	PA-O3A-PB	-3.42	121.07	132.83
2	D	601	ATP	PA-O3A-PB	-3.40	121.17	132.83
2	A	901	ATP	PA-O3A-PB	-3.30	121.50	132.83
2	C	601	ATP	PA-O3A-PB	-3.10	122.19	132.83
2	A	901	ATP	PB-O3B-PG	-2.71	123.53	132.83
2	B	601	ATP	PB-O3B-PG	-2.56	124.05	132.83
2	D	601	ATP	PB-O3B-PG	-2.47	124.35	132.83
2	C	601	ATP	PB-O3B-PG	-2.38	124.67	132.83
2	A	901	ATP	C3'-C2'-C1'	2.27	104.40	100.98
2	D	601	ATP	C3'-C2'-C1'	2.25	104.36	100.98
2	D	601	ATP	C4-C5-N7	-2.21	107.09	109.40
2	C	601	ATP	C4-C5-N7	-2.14	107.17	109.40
2	A	901	ATP	C4-C5-N7	-2.04	107.27	109.40

There are no chirality outliers.

All (17) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	901	ATP	PB-O3B-PG-O2G
2	A	901	ATP	PB-O3B-PG-O3G
2	D	601	ATP	PB-O3B-PG-O3G

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	B	601	ATP	PB-O3B-PG-O2G
2	B	601	ATP	PB-O3B-PG-O3G
2	C	601	ATP	PB-O3B-PG-O2G
2	D	601	ATP	PB-O3B-PG-O2G
2	D	601	ATP	PA-O3A-PB-O2B
2	C	601	ATP	PA-O3A-PB-O2B
2	A	901	ATP	PA-O3A-PB-O2B
2	B	601	ATP	PA-O3A-PB-O2B
2	D	601	ATP	PB-O3B-PG-O1G
2	C	601	ATP	PB-O3B-PG-O3G
2	A	901	ATP	PA-O3A-PB-O1B
2	C	601	ATP	PA-O3A-PB-O1B
2	A	901	ATP	PB-O3B-PG-O1G
2	B	601	ATP	PB-O3B-PG-O1G


There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	507/562 (90%)	0.13	11 (2%) 62 59	23, 40, 73, 95	0
1	B	495/562 (88%)	0.54	48 (9%) 7 6	27, 47, 89, 113	0
1	C	512/562 (91%)	0.42	35 (6%) 17 16	26, 46, 77, 115	0
1	D	498/562 (88%)	0.54	51 (10%) 6 6	28, 48, 84, 109	0
All	All	2012/2248 (89%)	0.40	145 (7%) 15 14	23, 45, 81, 115	0

All (145) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	72	PHE	6.2
1	D	58	ALA	5.4
1	B	60	VAL	5.1
1	B	58	ALA	5.0
1	D	54	ALA	5.0
1	B	56	PHE	4.9
1	D	207	ARG	4.8
1	D	563	LEU	4.8
1	D	68	PRO	4.6
1	C	495	PRO	4.5
1	D	61	CYS	4.5
1	B	541	LEU	4.4
1	D	69	GLU	4.4
1	D	60	VAL	4.2
1	C	500	LEU	4.2
1	D	434	TYR	4.2
1	C	420	ASP	3.9
1	C	84	CYS	3.8
1	B	64	LEU	3.7
1	B	61	CYS	3.7
1	B	546	LEU	3.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	71	LYS	3.6
1	D	49	GLU	3.6
1	C	503	ILE	3.6
1	A	50	ARG	3.5
1	C	50	ARG	3.5
1	D	503	ILE	3.4
1	B	53	TYR	3.4
1	B	84	CYS	3.4
1	C	40	LEU	3.4
1	B	221	PRO	3.2
1	C	547	ASN	3.2
1	B	63	THR	3.2
1	D	47	VAL	3.2
1	C	526	LEU	3.1
1	B	59	CYS	3.1
1	D	45	LEU	3.1
1	B	499	GLY	3.0
1	D	420	ASP	3.0
1	B	40	LEU	3.0
1	D	30	LEU	3.0
1	D	526	LEU	3.0
1	B	73	VAL	3.0
1	B	237	VAL	3.0
1	D	51	SER	3.0
1	A	219	VAL	3.0
1	C	66	ILE	3.0
1	C	133	TYR	2.9
1	C	72	PHE	2.9
1	D	56	PHE	2.9
1	D	133	TYR	2.9
1	D	73	VAL	2.9
1	D	237	VAL	2.9
1	D	90	THR	2.9
1	D	419	GLY	2.8
1	B	89	GLU	2.8
1	B	526	LEU	2.8
1	D	103	VAL	2.7
1	C	148	LEU	2.7
1	B	55	GLY	2.7
1	A	68	PRO	2.7
1	B	103	VAL	2.7
1	B	222	VAL	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	463	LYS	2.7
1	B	253	ILE	2.7
1	B	420	ASP	2.6
1	A	160	ILE	2.6
1	D	66	ILE	2.6
1	D	72	PHE	2.6
1	A	69	GLU	2.6
1	C	63	THR	2.5
1	D	235	PHE	2.5
1	C	372	ASN	2.5
1	D	299	THR	2.5
1	D	559	PHE	2.5
1	C	216	SER	2.4
1	A	499	GLY	2.4
1	C	183	ILE	2.4
1	B	207	ARG	2.4
1	B	54	ALA	2.4
1	D	464	ALA	2.4
1	B	48	GLY	2.4
1	C	41	GLY	2.4
1	D	95	VAL	2.4
1	D	527	THR	2.4
1	C	130	TYR	2.4
1	A	446	PRO	2.4
1	C	501	ALA	2.4
1	B	88	ASP	2.4
1	A	207	ARG	2.3
1	D	149	ILE	2.3
1	B	148	LEU	2.3
1	C	149	ILE	2.3
1	B	87	PHE	2.3
1	C	480	LEU	2.3
1	C	147	ALA	2.3
1	D	500	LEU	2.3
1	B	224	VAL	2.3
1	C	574	ILE	2.3
1	D	545	ILE	2.3
1	D	541	LEU	2.2
1	B	91	VAL	2.2
1	D	547	ASN	2.2
1	D	548	GLY	2.2
1	B	160	ILE	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	378	ILE	2.2
1	D	523	THR	2.2
1	B	86	ASN	2.2
1	C	481	ILE	2.2
1	C	483	TYR	2.2
1	A	103	VAL	2.2
1	D	67	SER	2.2
1	B	569	LYS	2.2
1	C	561	LEU	2.2
1	A	495	PRO	2.2
1	B	98	TYR	2.2
1	C	158	ARG	2.2
1	A	128	GLY	2.2
1	B	82	ILE	2.2
1	C	555	ILE	2.2
1	D	65	GLY	2.2
1	B	102	SER	2.2
1	D	567	HIS	2.2
1	D	134	ALA	2.2
1	B	220	ARG	2.2
1	D	132	TYR	2.1
1	B	144	ALA	2.1
1	D	546	LEU	2.1
1	B	235	PHE	2.1
1	C	378	ILE	2.1
1	C	62	GLN	2.1
1	D	143	PHE	2.1
1	B	83	THR	2.1
1	D	146	ALA	2.1
1	C	232	ILE	2.1
1	C	128	GLY	2.1
1	B	200	TYR	2.1
1	B	416	HIS	2.1
1	D	39	GLU	2.1
1	D	416	HIS	2.1
1	C	90	THR	2.0
1	C	235	PHE	2.0
1	B	30	LEU	2.0
1	B	198	ALA	2.0
1	B	490	ASP	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no carbohydrates in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	NA	C	604	1/1	0.77	0.25	57,57,57,57	0
3	MG	C	603	1/1	0.92	0.09	27,27,27,27	0
3	MG	B	602	1/1	0.94	0.04	23,23,23,23	0
3	MG	D	602	1/1	0.95	0.09	25,25,25,25	0
3	MG	A	902	1/1	0.97	0.13	29,29,29,29	0
2	ATP	B	601	31/31	0.98	0.15	22,28,34,37	0
2	ATP	D	601	31/31	0.98	0.14	22,28,32,35	0
2	ATP	C	601	31/31	0.98	0.14	22,27,36,44	0
4	SO4	C	602	5/5	0.98	0.14	45,46,49,50	0
2	ATP	A	901	31/31	0.98	0.12	21,27,31,33	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around ATP B 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around ATP D 601:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around ATP C 601:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around ATP A 901:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers

There are no such residues in this entry.