

wwPDB X-ray Structure Validation Summary Report (i)

Oct 4, 2023 – 02:45 PM EDT

PDB ID : 6PWQ

Title: Crystal structure of Levansucrase from Bacillus subtilis mutant S164A at 2.6

Α

Authors: Diaz-Vilchis, A.; Rodriguez-Alegria, M.E.; Ortiz-Soto, M.E.; Rudino-Pinera,

E.; Lopez-Munguia, A.

Deposited on : 2019-07-23

Resolution : 2.60 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
https://www.wwpdb.org/validation/2017/XrayValidationReportHelp
with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (i)) were used in the production of this report:

MolProbity: 4.02b-467

Mogul : 1.8.5 (274361), CSD as541be (2020)

Xtriage (Phenix) : 1.13

EDS : 2.35.1

buster-report : 1.1.7 (2018)

Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)

Refmac : 5.8.0158

CCP4 : 7.0.044 (Gargrove)

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.35.1

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: X- $RAY\ DIFFRACTION$

The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution
Metric	$(\# ext{Entries})$	$(\# ext{Entries}, ext{ resolution range}(ext{Å}))$
R_{free}	130704	3163 (2.60-2.60)
Clashscore	141614	3518 (2.60-2.60)
Ramachandran outliers	138981	3455 (2.60-2.60)
Sidechain outliers	138945	3455 (2.60-2.60)
RSRZ outliers	127900	3104 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	A	466	82%	12%	6%
1	В	466	80%	14%	6%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:



Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	SO4	A	507	-	-	X	-
3	SO4	A	511	-	-	X	-



2 Entry composition (i)

There are 6 unique types of molecules in this entry. The entry contains 7310 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Glycoside hydrolase family 68 protein.

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace		
1	Λ	438	Total	С	N	О	S	0	0	0
1	Λ	450	3475	2192	577	697	9	0	0	
1	В	440	Total	С	N	О	S	0	0	0
1	Ъ	440	3490	2200	580	701	9		U	

There are 46 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	164	ALA	SER	engineered mutation	UNP A0PFL2
A	474	THR	-	expression tag	UNP A0PFL2
A	475	ASP	-	expression tag	UNP A0PFL2
A	476	PRO	-	expression tag	UNP A0PFL2
A	477	ASN	-	expression tag	UNP A0PFL2
A	478	SER	-	expression tag	UNP A0PFL2
A	479	SER	-	expression tag	UNP A0PFL2
A	480	SER	-	expression tag	UNP A0PFL2
A	481	VAL	-	expression tag	UNP A0PFL2
A	482	ASP	-	expression tag	UNP A0PFL2
A	483	LYS	-	expression tag	UNP A0PFL2
A	484	LEU	-	expression tag	UNP A0PFL2
A	485	ALA	-	expression tag	UNP A0PFL2
A	486	ALA	-	expression tag	UNP A0PFL2
A	487	ALA	-	expression tag	UNP A0PFL2
A	488	LEU	-	expression tag	UNP A0PFL2
A	489	GLU	-	expression tag	UNP A0PFL2
A	490	HIS	-	expression tag	UNP A0PFL2
A	491	HIS	-	expression tag	UNP A0PFL2
A	492	HIS	-	expression tag	UNP A0PFL2
A	493	HIS	-	expression tag	UNP A0PFL2
A	494	HIS	-	expression tag	UNP A0PFL2
A	495	HIS	-	expression tag	UNP A0PFL2
В	164	ALA	SER	engineered mutation	UNP A0PFL2
В	474	THR	-	expression tag	UNP A0PFL2

Continued on next page...



Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
В	475	ASP	-	expression tag	UNP A0PFL2
В	476	PRO	-	expression tag	UNP A0PFL2
В	477	ASN	-	expression tag	UNP A0PFL2
В	478	SER	-	expression tag	UNP A0PFL2
В	479	SER	-	expression tag	UNP A0PFL2
В	480	SER	-	expression tag	UNP A0PFL2
В	481	VAL	-	expression tag	UNP A0PFL2
В	482	ASP	-	expression tag	UNP A0PFL2
В	483	LYS	-	expression tag	UNP A0PFL2
В	484	LEU	-	expression tag	UNP A0PFL2
В	485	ALA	-	expression tag	UNP A0PFL2
В	486	ALA	-	expression tag	UNP A0PFL2
В	487	ALA	-	expression tag	UNP A0PFL2
В	488	LEU	-	expression tag	UNP A0PFL2
В	489	GLU	-	expression tag	UNP A0PFL2
В	490	HIS	-	expression tag	UNP A0PFL2
В	491	HIS	-	expression tag	UNP A0PFL2
В	492	HIS	-	expression tag	UNP A0PFL2
В	493	HIS	-	expression tag	UNP A0PFL2
В	494	HIS	-	expression tag	UNP A0PFL2
В	495	HIS	-	expression tag	UNP A0PFL2

• Molecule 2 is CALCIUM ION (three-letter code: CA) (formula: Ca) (labeled as "Ligand of Interest" by depositor).

\mathbf{N}	/Iol	Chain	Residues	Atoms	ZeroOcc	AltConf
	2	A	1	Total Ca 1 1	0	0
	2	В	1	Total Ca 1 1	0	0

• Molecule 3 is SULFATE ION (three-letter code: SO4) (formula: O₄S) (labeled as "Ligand of Interest" by depositor).





	Chain	Residues	Ato	oms		ZeroOcc	AltConf
3	A	1	Total	Ο	S	0	0
3	А	1	5	4	1	U	U
3	A	1	Total	Ο	S	0	0
0	71	1	5	4	1	· ·	U
3	A	1	Total	Ο	S	0	0
9		-	5	4	1	Ü	Ü
3	A	1	Total	O	S	0	0
			5	4	1		-
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5 Total	4 O	1 S		
3	A	1	10tai 5	4	5 1	0	0
			Total	O	S		
3	A	1	5	4	1	0	0
			Total	O	S		
3	A	1	5	4	1	0	0
			Total	O	S		
3	В	1	5	4	1	0	0
	_		Total	O	S		_
3	В	1	5	4	$\tilde{1}$	0	0
		1	Total	О	S		0
3	В	1	5	4	1	0	0
9	D	1	Total	О	S	0	0
3	В	1	5	4	1	0	0


Continued on next page...



Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	В	1	Total O S 5 4 1	0	0
3	В	1	Total O S	0	0
3	В	1	5 4 1 Total O S 5 4 1	0	0
3	В	1	Total O S	0	0
3	В	1	5 4 1 Total O S 5 4 1	0	0
3	В	1	Total O S 5 4 1	0	0


• Molecule 4 is TETRAETHYLENE GLYCOL (three-letter code: PG4) (formula: $C_8H_{18}O_5$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 13 8 5	0	0
4	В	1	Total C O 13 8 5	0	0

• Molecule 5 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$) (labeled as "Ligand of Interest" by depositor).





Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C O 6 3 3	0	0
5	A	1	Total C O 6 3 3	0	0
5	В	1	Total C O 6 3 3	0	0
5	В	1	Total C O 6 3 3	0	0
5	В	1	Total C O 6 3 3	0	0

• Molecule 6 is water.


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	111	Total O 111 111	0	0
6	В	76	Total O 76 76	0	0



3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Glycoside hydrolase family 68 protein





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 43 21 2	Depositor
Cell constants	109.53Å 109.53Å 204.47Å	Donogiton
a, b, c, α , β , γ	90.00° 90.00° 90.00°	Depositor
Resolution (Å)	19.98 - 2.60	Depositor
Resolution (A)	19.98 - 2.60	EDS
% Data completeness	100.0 (19.98-2.60)	Depositor
(in resolution range)	100.0 (19.98-2.60)	EDS
R_{merge}	0.07	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) > 1$	2.02 (at 2.59Å)	Xtriage
Refinement program	PHENIX 1.10.1_2155	Depositor
D D	0.183 , 0.239	Depositor
R, R_{free}	0.183 , 0.239	DCC
R_{free} test set	2000 reflections (5.13%)	wwPDB-VP
Wilson B-factor (Å ²)	46.0	Xtriage
Anisotropy	0.013	Xtriage
Bulk solvent $k_{sol}(e/Å^3)$, $B_{sol}(Å^2)$	0.36, 38.7	EDS
L-test for twinning ²	$ < L >=0.50, < L^2>=0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7310	wwPDB-VP
Average B, all atoms $(Å^2)$	48.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 3.35% of the height of the origin peak. No significant pseudotranslation is detected.

²Theoretical values of <|L|>, $<L^2>$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



¹Intensities estimated from amplitudes.

5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CA, SO4, PG4, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Ial Chain		nd lengths	Bond angles	
MIOI	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	A	0.37	0/3551	0.55	0/4800
1	В	0.42	$2/3566 \ (0.1\%)$	0.54	0/4821
All	All	0.40	$2/7117 \ (0.0\%)$	0.55	0/9621

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$\operatorname{Observed}(\text{\AA})$	$\operatorname{Ideal}(ext{\AA})$
1	В	433	ARG	CZ-NH1	-7.02	1.24	1.33
1	В	433	ARG	NE-CZ	-6.57	1.24	1.33

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3475	0	3340	35	0
1	В	3490	0	3353	47	0
2	A	1	0	0	0	0
2	В	1	0	0	0	0
3	A	50	0	0	5	0
3	В	50	0	0	2	0
4	A	13	0	18	1	0

Continued on next page...



I 'omtamalod	trom	mmonia	maaa
Continued	11 0116	DICUIUUS	Daue
	.,	10	1

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	В	13	0	18	0	0
5	A	12	0	16	2	0
5	В	18	0	24	1	0
6	A	111	0	0	2	0
6	В	76	0	0	5	0
All	All	7310	0	6769	80	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 80 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	$\begin{array}{c} {\rm Interatomic} \\ {\rm distance} \ ({\rm \AA}) \end{array}$	$egin{aligned} \operatorname{Clash} \ \operatorname{overlap}\ (\mathring{\mathbf{A}}) \end{aligned}$
1:A:371:SER:OG	1:B:433:ARG:HD2	1.72	0.89
1:A:433:ARG:NH1	3:A:511:SO4:S	2.60	0.75
1:A:48:ARG:NH1	1:A:293:GLU:OE2	2.22	0.72
1:A:360:ARG:HH12	5:A:514:GOL:H12	1.56	0.69
1:B:69:ASP:OD2	1:B:71:SER:OG	2.12	0.66

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	A	436/466 (94%)	413 (95%)	21 (5%)	2 (0%)	29	52
1	В	438/466 (94%)	412 (94%)	25 (6%)	1 (0%)	47	71
All	All	874/932 (94%)	825 (94%)	46 (5%)	3 (0%)	41	64

All (3) Ramachandran outliers are listed below:



Mol	Chain	Res	Type
1	A	269	ASP
1	В	245	LEU
1	A	236	ASN

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentil	es
1	A	382/407 (94%)	374 (98%)	8 (2%)	53 77	
1	В	384/407 (94%)	380 (99%)	4 (1%)	76 90	
All	All	766/814 (94%)	754 (98%)	12 (2%)	62 82	

5 of 12 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	433	ARG
1	В	214	TYR
1	В	454	LYS
1	В	260	VAL
1	A	127	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	В	53	GLN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.



5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 29 ligands modelled in this entry, 2 are monoatomic - leaving 27 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Т	Clasica	D	T 2 1-	Bond lengths			Bond angles		
Mol	Type	Chain	Res	Link	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	GOL	В	514	-	5,5,5	0.40	0	5,5,5	0.21	0
3	SO4	В	504	-	4,4,4	0.22	0	6,6,6	0.20	0
5	GOL	A	514	-	5,5,5	0.44	0	5,5,5	0.11	0
5	GOL	В	513	-	5,5,5	0.32	0	5,5,5	0.27	0
3	SO4	A	508	-	4,4,4	0.15	0	6,6,6	0.24	0
3	SO4	A	504	-	4,4,4	0.21	0	6,6,6	0.20	0
4	PG4	В	512	-	12,12,12	0.53	0	11,11,11	0.30	0
3	SO4	В	508	-	4,4,4	0.15	0	6,6,6	0.17	0
3	SO4	A	502	-	4,4,4	0.17	0	6,6,6	0.29	0
4	PG4	A	512	-	12,12,12	0.52	0	11,11,11	0.58	0
3	SO4	A	503	-	4,4,4	0.12	0	6,6,6	0.22	0
3	SO4	В	509	-	4,4,4	0.16	0	6,6,6	0.14	0
3	SO4	A	505	-	4,4,4	0.18	0	6,6,6	0.19	0
3	SO4	В	505	-	4,4,4	0.23	0	6,6,6	0.25	0
3	SO4	A	509	-	4,4,4	0.19	0	6,6,6	0.15	0
3	SO4	В	503	-	4,4,4	0.18	0	6,6,6	0.22	0
5	GOL	В	515	-	5,5,5	0.38	0	5,5,5	0.30	0
3	SO4	В	507	_	4,4,4	0.19	0	6,6,6	0.16	0
3	SO4	A	507	-	4,4,4	0.13	0	6,6,6	0.24	0
3	SO4	A	506	-	4,4,4	0.14	0	6,6,6	0.25	0
3	SO4	В	506	-	4,4,4	0.19	0	6,6,6	0.20	0
3	SO4	В	510	-	4,4,4	0.14	0	6,6,6	0.19	0
3	SO4	В	502	-	4,4,4	0.17	0	6,6,6	0.27	0
3	SO4	A	510	-	4,4,4	0.20	0	6,6,6	0.34	0
3	SO4	В	511	-	4,4,4	0.19	0	6,6,6	0.41	0
3	SO4	A	511	-	4,4,4	0.24	0	6,6,6	0.20	0
5	GOL	A	513	-	5,5,5	0.34	0	5,5,5	0.29	0



In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	В	514	-	-	2/4/4/4	-
5	GOL	A	514	-	-	2/4/4/4	-
5	GOL	В	513	-	-	0/4/4/4	-
4	PG4	В	512	_	-	6/10/10/10	-
5	GOL	В	515	-	-	3/4/4/4	-
5	GOL	A	513	-	-	2/4/4/4	-
4	PG4	A	512	-	-	5/10/10/10	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 20 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	513	GOL	O1-C1-C2-C3
5	A	514	GOL	O1-C1-C2-C3
5	В	514	GOL	O1-C1-C2-C3
5	В	515	GOL	O1-C1-C2-C3
4	В	512	PG4	O2-C3-C4-O3

There are no ring outliers.


7 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	514	GOL	2	0
4	A	512	PG4	1	0
3	В	509	SO4	1	0
3	В	505	SO4	1	0
5	В	515	GOL	1	0
3	A	507	SO4	2	0
3	A	511	SO4	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is




within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









































Torsions

















































































5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



6 Fit of model and data (i)

6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ>2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95^{th} percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle { m RSRZ} \rangle$	$\# \mathrm{RSRZ}{>}2$	$OWAB(Å^2)$	Q<0.9
1	A	438/466 (93%)	-0.35	6 (1%) 75 71	34, 44, 61, 90	0
1	В	440/466 (94%)	-0.27	11 (2%) 57 51	35, 48, 67, 98	0
All	All	878/932 (94%)	-0.31	17 (1%) 66 62	34, 46, 64, 98	0

The worst 5 of 17 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	В	405	ASN	7.2
1	A	203	ASP	5.5
1	В	203	ASP	4.3
1	В	404	PRO	3.7
1	В	403	ASP	2.9

6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

6.4 Ligands (i)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95^{th} percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.



Mol	Type	Chain	Res	Atoms	RSCC	RSR	$\operatorname{B-factors}({ ext{\AA}}^2)$	Q<0.9
5	GOL	A	514	6/6	0.80	0.28	59,68,69,72	0
3	SO4	В	510	5/5	0.81	0.42	77,86,96,105	0
5	GOL	В	515	6/6	0.82	0.31	70,72,74,75	0
5	GOL	В	513	6/6	0.84	0.45	57,63,64,65	0
3	SO4	В	507	5/5	0.87	0.32	87,92,95,108	0
3	SO4	В	511	5/5	0.88	0.41	61,70,83,91	0
4	PG4	В	512	13/13	0.88	0.19	41,46,63,65	0
5	GOL	A	513	6/6	0.88	0.28	53,56,62,64	0
3	SO4	A	510	5/5	0.90	0.33	68,70,79,91	0
3	SO4	A	509	5/5	0.91	0.35	66,68,88,90	0
5	GOL	В	514	6/6	0.91	0.15	55,60,62,65	0
3	SO4	В	505	5/5	0.91	0.29	57,64,80,80	0
3	SO4	В	509	5/5	0.92	0.47	77,82,92,92	0
3	SO4	В	504	5/5	0.92	0.27	74,76,80,92	0
3	SO4	A	505	5/5	0.92	0.36	63,73,85,87	0
4	PG4	A	512	13/13	0.92	0.17	43,46,57,64	0
3	SO4	В	502	5/5	0.92	0.18	67,69,79,83	0
3	SO4	A	504	5/5	0.93	0.16	57,67,78,82	0
3	SO4	A	507	5/5	0.93	0.26	62,66,78,81	0
3	SO4	A	511	5/5	0.94	0.28	64,68,76,86	0
3	SO4	В	508	5/5	0.94	0.28	78,84,94,94	0
3	SO4	В	506	5/5	0.94	0.49	71,77,88,90	0
3	SO4	A	502	5/5	0.95	0.19	50,52,62,63	0
3	SO4	A	508	5/5	0.95	0.33	61,62,74,88	0
3	SO4	A	506	5/5	0.95	0.26	67,68,80,82	0
3	SO4	В	503	5/5	0.96	0.22	56,59,66,67	0
3	SO4	A	503	5/5	0.97	0.17	56,57,62,67	0
2	CA	В	501	1/1	0.99	0.12	36,36,36,36	0
2	CA	A	501	1/1	0.99	0.14	44,44,44,44	0


The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.









Electron density around SO4 B 510:










Electron density around GOL B 515:


 $2 {\rm mF}_o\text{-}{\rm DF}_c$ (at 0.7 rmsd) in gray ${\rm mF}_o\text{-}{\rm DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)
















Electron density around SO4 B 507:

 $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 3 rmsd) in purple (negative) and green (positive)










Electron density around SO4 B 511:

 $2mF_o$ -DF_c (at 0.7 rmsd) in gray mF_o -DF_c (at 3 rmsd) in purple (negative) and green (positive)
























Electron density around SO4 A 509:












Electron density around GOL B 514: 2mF_o-DF_c (at 0.7 rmsd) in gray mF_o-DF_c (at 3 rmsd) in purple (negative) and green (positive)



Electron density around SO4 B 505:












Electron density around SO4 B 509:















Electron density around SO4 A 505:

















Electron density around SO4 B 502:










Electron density around SO4 A 504:
















Electron density around SO4 A 511:












Electron density around SO4 B 508:












Electron density around SO4 B 506:










Electron density around SO4 A 502:

 $2mF_o$ -DF_c (at 0.7 rmsd) in gray mF_o -DF_c (at 3 rmsd) in purple (negative) and green (positive)












Electron density around SO4 A 508:












Electron density around SO4 A 506:












Electron density around SO4 B 503:












Electron density around SO4 A 503:










Electron density around CA B 501: $2 \mathrm{mF}_o\text{-}\mathrm{DF}_c$ (at 0.7 rmsd) in gray $\mathrm{mF}_{o}\text{-}\mathrm{DF}_{c}$ (at 3 rmsd) in purple (negative) and green (positive)





6.5 Other polymers (i)

There are no such residues in this entry.

