



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 24, 2022 – 03:49 pm GMT

PDB ID : 6QF5  
Title : X-Ray structure of human Aquaporin 2 crystallized on a silicon chip  
Authors : Lieske, J.; Cerv, M.; Kreida, S.; Barthelmess, M.; Fischer, P.; Pakendorf, T.; Yefanov, O.; Mariani, V.; Seine, T.; Ross, B.H.; Crosas, E.; Lorbeer, O.; Burkhardt, A.; Lane, T.J.; Guenther, S.; Bergtholdt, J.; Schoen, S.; Tornroth-Horsefield, S.; Chapman, H.N.; Meents, A.  
Deposited on : 2019-01-09  
Resolution : 3.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.27  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0267  
CCP4 : 7.1.010 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.27


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1049 (3.88-3.52)
Clashscore	141614	1027 (3.86-3.54)
Ramachandran outliers	138981	1069 (3.88-3.52)
Sidechain outliers	138945	1065 (3.88-3.52)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	242	66% 25% 6%
1	B	242	60% 30% 5% 5%
1	C	242	61% 27% 8%
1	D	242	59% 31% 9%

## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 6616 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Aquaporin-2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	228	1678	1096	281	295	6	0	0	0
1	B	230	1687	1105	283	293	6	0	0	0
1	C	222	1629	1067	271	285	6	0	0	0
1	D	220	1614	1059	269	280	6	0	0	0

There are 8 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	GLY	-	cloning artifact	UNP P41181
A	2	SER	-	cloning artifact	UNP P41181
B	1	GLY	-	cloning artifact	UNP P41181
B	2	SER	-	cloning artifact	UNP P41181
C	1	GLY	-	cloning artifact	UNP P41181
C	2	SER	-	cloning artifact	UNP P41181
D	1	GLY	-	cloning artifact	UNP P41181
D	2	SER	-	cloning artifact	UNP P41181

- Molecule 2 is CADMIUM ION (three-letter code: CD) (formula: Cd).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	B	1	Total 2	Cd 2	0	1
2	C	1	Total 1	Cd 1	0	0
2	D	1	Total 1	Cd 1	0	0

- Molecule 3 is water.


<b>Mol</b>	<b>Chain</b>	<b>Residues</b>	<b>Atoms</b>	<b>ZeroOcc</b>	<b>AltConf</b>
3	A	2	Total O 2 2	0	0
3	B	1	Total O 1 1	0	0
3	C	1	Total O 1 1	0	0

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Aquaporin-2

Chain A: 




- Molecule 1: Aquaporin-2

Chain B: 




- Molecule 1: Aquaporin-2

Chain C: 



- Molecule 1: Aquaporin-2

Chain D:  59% 31% 9%



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 42	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	122.20Å 122.20Å 94.14Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	33.89 – 3.70 37.38 – 3.70	Depositor EDS
% Data completeness (in resolution range)	99.1 (33.89-3.70) 90.0 (37.38-3.70)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	-0.27 (at 3.66Å)	Xtrriage
Refinement program	PHENIX 1.10.1-2155_9999	Depositor
R, $R_{free}$	0.282 , 0.336 0.282 , 0.335	Depositor DCC
$R_{free}$ test set	1493 reflections (10.04%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	93.4	Xtrriage
Anisotropy	0.331	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	(Not available) , (Not available)	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	0.060 for h,-k,-l	Xtrriage
$F_o, F_c$ correlation	0.65	EDS
Total number of atoms	6616	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	105.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.02% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CD

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.26	0/1719	0.42	0/2352
1	B	0.31	0/1727	0.50	0/2363
1	C	0.28	0/1670	0.44	0/2288
1	D	0.28	0/1655	0.44	0/2268
All	All	0.28	0/6771	0.45	0/9271

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1678	0	1706	45	0
1	B	1687	0	1721	60	0
1	C	1629	0	1650	53	0
1	D	1614	0	1641	44	0
2	B	2	0	0	0	0
2	C	1	0	0	0	0
2	D	1	0	0	0	0
3	A	2	0	0	0	0
3	B	1	0	0	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	1	0	0	0	0
All	All	6616	0	6718	176	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (176) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:56:VAL:O	1:B:60:GLY:HA3	1.41	1.21
1:C:56:VAL:O	1:C:60:GLY:HA3	1.43	1.16
1:B:160:PRO:O	1:B:163:SER:N	1.87	1.07
1:C:172:HIS:O	1:C:176:ILE:HB	1.56	1.06
1:D:172:HIS:O	1:D:176:ILE:HB	1.55	1.06
1:A:56:VAL:O	1:A:60:GLY:HA3	1.57	1.04
1:B:160:PRO:HG2	1:B:163:SER:HB2	1.45	0.99
1:B:59:LEU:O	1:B:62:ILE:N	2.10	0.85
1:A:172:HIS:O	1:A:176:ILE:HB	1.76	0.84
1:D:56:VAL:O	1:D:60:GLY:HA3	1.83	0.79
1:A:129:GLN:HB3	1:D:107:ILE:HG23	1.65	0.79
1:B:131:VAL:HG22	1:B:203:VAL:HG13	1.65	0.78
1:B:19:ALA:HB2	1:B:59:LEU:HD12	1.67	0.75
1:B:153:ARG:NH2	1:C:57:GLN:O	2.20	0.72
1:D:105:HIS:O	1:D:113:ARG:NH1	2.21	0.72
1:D:131:VAL:HG23	1:D:203:VAL:HG23	1.72	0.71
1:B:159:THR:O	1:B:160:PRO:C	2.29	0.70
1:C:74:ALA:HB2	1:C:212:ALA:HB1	1.75	0.69
1:C:20:THR:HG21	1:C:93:GLN:HA	1.75	0.67
1:C:58:ALA:O	1:C:61:HIS:ND1	2.25	0.67
1:A:134:GLU:HB3	1:A:208:PRO:HD3	1.77	0.67
1:C:71:VAL:O	1:C:75:CYS:HB2	1.95	0.66
1:D:134:GLU:HB3	1:D:208:PRO:HD3	1.75	0.66
1:D:203:VAL:O	1:D:207:GLY:N	2.26	0.65
1:A:68:ASN:ND2	1:A:183:MET:O	2.29	0.65
1:B:68:ASN:ND2	1:B:183:MET:O	2.20	0.65
1:A:52:ILE:HD12	1:A:168:VAL:HG11	1.79	0.64
1:C:56:VAL:O	1:C:60:GLY:CA	2.33	0.64
1:D:199:ASP:N	1:D:199:ASP:OD1	2.30	0.63
1:D:126:THR:HG22	1:D:127:ALA:H	1.61	0.63
1:B:68:ASN:HB3	1:B:71:VAL:HG22	1.79	0.63
1:C:131:VAL:HG23	1:C:203:VAL:HG12	1.80	0.62

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:69:PRO:HD2	1:A:185:PRO:HD2	1.81	0.62
1:A:131:VAL:HG12	1:A:203:VAL:HG13	1.82	0.62
1:B:125:THR:HG21	1:C:109:PRO:HB3	1.83	0.61
1:D:204:PHE:O	1:D:208:PRO:HD2	1.99	0.61
1:C:48:PHE:HE2	1:C:187:ARG:HD3	1.64	0.61
1:C:148:SER:HB3	1:C:160:PRO:HB3	1.82	0.61
1:A:56:VAL:O	1:A:60:GLY:CA	2.44	0.61
1:D:218:LEU:HD12	1:D:222:VAL:HB	1.84	0.60
1:C:68:ASN:HB3	1:C:71:VAL:HG22	1.82	0.60
1:A:153:ARG:NH1	1:D:57:GLN:OE1	2.35	0.60
1:A:67:ILE:O	1:A:184:ASN:ND2	2.30	0.59
1:B:56:VAL:O	1:B:60:GLY:CA	2.33	0.59
1:A:156:ASN:N	1:A:156:ASN:OD1	2.35	0.58
1:D:68:ASN:ND2	1:D:183:MET:O	2.22	0.58
1:A:26:PHE:HB3	1:C:170:LEU:HD11	1.86	0.58
1:A:204:PHE:O	1:A:208:PRO:HD2	2.04	0.58
1:B:204:PHE:O	1:B:208:PRO:HD2	2.04	0.57
1:B:156:ASN:HB2	1:B:157:PRO:HD3	1.84	0.57
1:B:159:THR:O	1:B:161:ALA:N	2.38	0.57
1:A:138:THR:HG21	1:A:208:PRO:HB3	1.86	0.56
1:B:69:PRO:HD2	1:B:185:PRO:HD2	1.87	0.56
1:D:7:ILE:HG23	1:D:8:ALA:H	1.70	0.56
1:B:195:THR:O	1:B:197:LYS:N	2.38	0.56
1:B:191:PRO:HA	1:B:194:VAL:HG22	1.88	0.56
1:B:107:ILE:HD13	1:D:133:VAL:HG23	1.88	0.55
1:D:119:ASN:HB3	1:D:204:PHE:CZ	2.42	0.55
1:B:118:VAL:HB	1:B:191:PRO:HB2	1.89	0.55
1:B:107:ILE:HG12	1:D:129:GLN:HG3	1.88	0.55
1:B:159:THR:O	1:B:159:THR:HG22	2.07	0.55
1:C:206:ILE:O	1:C:210:VAL:HG23	2.07	0.54
1:A:184:ASN:HB3	1:A:187:ARG:HB3	1.89	0.54
1:B:22:LEU:HD23	1:D:140:GLN:HB3	1.89	0.54
1:B:156:ASN:CB	1:B:157:PRO:HD3	2.38	0.54
1:C:119:ASN:OD1	1:C:187:ARG:NH2	2.37	0.53
1:B:157:PRO:O	1:C:157:PRO:HB3	2.09	0.53
1:C:73:VAL:HA	1:C:76:LEU:HB2	1.91	0.53
1:D:195:THR:O	1:D:197:LYS:N	2.35	0.53
1:A:133:VAL:HG23	1:D:107:ILE:HG21	1.89	0.53
1:C:116:LEU:HD23	1:C:191:PRO:HA	1.90	0.53
1:A:170:LEU:HD22	1:D:51:GLY:HA2	1.91	0.53
1:C:109:PRO:HB2	1:C:112:ILE:HD12	1.91	0.53

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:85:ARG:NH1	1:D:89:TYR:OH	2.42	0.52
1:C:76:LEU:HD11	1:C:86:ALA:HB2	1.91	0.52
1:A:225:PRO:HG3	1:D:11:ARG:HH12	1.75	0.52
1:B:127:ALA:O	1:B:130:ALA:HB3	2.10	0.52
1:B:43:GLN:HG2	1:D:42:LEU:HB2	1.91	0.52
1:B:176:ILE:HA	1:B:180:GLY:HA2	1.91	0.52
1:A:32:LEU:HD21	1:A:117:ALA:N	2.25	0.51
1:A:34:TRP:H	1:A:112:ILE:HG21	1.76	0.51
1:A:42:LEU:O	1:A:46:MET:HB2	2.10	0.51
1:B:189:LEU:HD22	1:B:205:TRP:HZ2	1.75	0.51
1:B:107:ILE:O	1:B:108:THR:OG1	2.26	0.51
1:A:39:PRO:HB2	1:A:44:ILE:HD11	1.93	0.50
1:D:219:TYR:HA	1:D:223:LEU:HB2	1.94	0.50
1:C:219:TYR:HA	1:C:223:LEU:HB2	1.93	0.50
1:A:43:GLN:HA	1:C:42:LEU:HD13	1.94	0.50
1:B:153:ARG:CZ	1:C:61:HIS:HB3	2.42	0.50
1:B:128:GLY:O	1:B:131:VAL:N	2.46	0.49
1:C:137:LEU:O	1:C:140:GLN:HG3	2.12	0.49
1:A:155:GLU:N	1:A:155:GLU:OE1	2.46	0.49
1:D:137:LEU:O	1:D:140:GLN:HG3	2.13	0.49
1:B:50:LEU:HD22	1:D:166:PHE:HB3	1.94	0.49
1:B:128:GLY:HA2	1:B:131:VAL:HG23	1.95	0.49
1:C:19:ALA:HB2	1:C:59:LEU:HD12	1.95	0.48
1:B:125:THR:HG22	1:B:126:THR:OG1	2.14	0.48
1:A:118:VAL:HG21	1:A:197:LYS:HB3	1.94	0.48
1:A:203:VAL:O	1:A:207:GLY:N	2.39	0.48
1:A:219:TYR:HA	1:A:223:LEU:HB2	1.96	0.47
1:B:26:PHE:HA	1:D:174:LEU:HD22	1.95	0.47
1:B:156:ASN:HB2	1:B:157:PRO:CD	2.44	0.47
1:A:153:ARG:CZ	1:D:61:HIS:HB2	2.44	0.47
1:C:204:PHE:O	1:C:208:PRO:HD2	2.13	0.47
1:D:52:ILE:HG21	1:D:168:VAL:HG21	1.97	0.47
1:B:217:LEU:HA	1:B:221:TYR:HD2	1.80	0.47
1:B:182:SER:C	1:B:184:ASN:H	2.19	0.46
1:A:80:HIS:CG	1:A:83:VAL:HG21	2.50	0.46
1:B:121:LEU:HD12	1:B:123:ASN:H	1.80	0.46
1:C:192:ALA:O	1:C:196:GLY:N	2.43	0.46
1:C:32:LEU:HD21	1:C:117:ALA:N	2.31	0.46
1:D:131:VAL:O	1:D:135:LEU:HB2	2.16	0.46
1:D:13:VAL:HG11	1:D:88:PHE:HB3	1.98	0.46
1:A:51:GLY:HA2	1:C:170:LEU:HD22	1.97	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:28:LEU:HD22	1:A:117:ALA:HB3	1.98	0.45
1:B:175:GLY:HA3	1:B:181:CYS:HB2	1.97	0.45
1:C:172:HIS:O	1:C:176:ILE:CB	2.46	0.45
1:B:8:ALA:HA	1:B:11:ARG:HG3	1.98	0.45
1:A:214:LEU:HD23	1:A:218:LEU:HG	1.97	0.45
1:B:131:VAL:HG22	1:B:203:VAL:CG1	2.41	0.45
1:B:129:GLN:O	1:B:132:THR:OG1	2.14	0.45
1:B:31:ALA:HA	1:B:44:ILE:HD12	1.98	0.44
1:A:218:LEU:HD22	1:A:222:VAL:HG21	1.99	0.44
1:B:151:GLU:CD	1:B:151:GLU:H	2.21	0.44
1:C:115:ASP:OD1	1:C:115:ASP:N	2.35	0.44
1:D:97:ALA:HB2	1:D:186:ALA:HB1	1.99	0.44
1:A:119:ASN:N	1:A:119:ASN:OD1	2.50	0.44
1:B:42:LEU:O	1:B:46:MET:HB2	2.17	0.44
1:A:80:HIS:CD2	1:A:83:VAL:HG21	2.53	0.44
1:B:191:PRO:O	1:B:195:THR:HB	2.17	0.44
1:B:160:PRO:HG3	1:C:158:GLY:HA3	1.99	0.44
1:C:218:LEU:HG	1:C:223:LEU:HG	1.99	0.44
1:A:54:THR:O	1:A:57:GLN:HB3	2.18	0.43
1:A:134:GLU:CB	1:A:208:PRO:HD3	2.48	0.43
1:B:135:LEU:HD23	1:B:211:GLY:HA2	2.00	0.43
1:C:109:PRO:HB2	1:C:112:ILE:CD1	2.47	0.43
1:C:111:ASP:OD1	1:C:111:ASP:N	2.51	0.43
1:A:137:LEU:O	1:A:140:GLN:HG3	2.17	0.43
1:B:142:VAL:HG21	1:B:212:ALA:HA	2.00	0.43
1:C:204:PHE:O	1:C:208:PRO:CD	2.66	0.43
1:C:182:SER:HA	1:C:187:ARG:NH2	2.33	0.43
1:A:61:HIS:CE1	1:C:153:ARG:HG2	2.53	0.43
1:A:128:GLY:O	1:A:131:VAL:HG22	2.19	0.43
1:C:46:MET:O	1:C:50:LEU:HB2	2.19	0.43
1:C:28:LEU:HD22	1:C:117:ALA:HB3	2.01	0.43
1:C:182:SER:HA	1:C:187:ARG:HH22	1.84	0.42
1:C:184:ASN:HB3	1:C:187:ARG:HB2	2.01	0.42
1:D:76:LEU:HA	1:D:81:VAL:HG23	2.01	0.42
1:A:135:LEU:HG	1:A:211:GLY:HA2	2.02	0.42
1:D:52:ILE:HD13	1:D:168:VAL:HG21	2.01	0.42
1:D:168:VAL:HG13	1:D:183:MET:HE1	2.00	0.42
1:B:9:PHE:HE1	1:B:88:PHE:HD2	1.67	0.42
1:B:223:LEU:HB3	1:C:62:ILE:HD13	2.01	0.42
1:C:135:LEU:O	1:C:139:LEU:HB2	2.19	0.42
1:D:10:SER:HA	1:D:13:VAL:HG22	2.01	0.42

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:32:LEU:HD11	1:C:116:LEU:HA	2.00	0.42
1:B:41:VAL:HG13	1:B:176:ILE:HG21	2.01	0.42
1:B:135:LEU:HD21	1:B:210:VAL:HG12	2.01	0.42
1:A:19:ALA:HB2	1:A:59:LEU:HD22	2.01	0.41
1:B:20:THR:HG21	1:B:93:GLN:HA	2.03	0.41
1:C:20:THR:HG23	1:C:96:GLY:HA3	2.02	0.41
1:B:219:TYR:HA	1:B:223:LEU:HB2	2.01	0.41
1:D:50:LEU:O	1:D:54:THR:HG22	2.19	0.41
1:D:192:ALA:O	1:D:198:PHE:HE1	2.04	0.41
1:A:133:VAL:O	1:A:137:LEU:HG	2.21	0.41
1:A:26:PHE:CZ	1:C:140:GLN:HG2	2.56	0.41
1:C:122:SER:HB3	1:C:178:TYR:O	2.21	0.41
1:D:182:SER:C	1:D:184:ASN:H	2.25	0.41
1:D:32:LEU:HA	1:D:32:LEU:HD12	1.87	0.41
1:D:69:PRO:HB3	1:D:90:VAL:HG13	2.03	0.41
1:B:223:LEU:HB3	1:C:62:ILE:CD1	2.51	0.40
1:D:191:PRO:O	1:D:195:THR:HG22	2.21	0.40
1:B:140:GLN:HG2	1:C:26:PHE:CZ	2.56	0.40
1:B:107:ILE:HG23	1:D:129:GLN:CG	2.51	0.40
1:C:204:PHE:O	1:C:206:ILE:N	2.54	0.40
1:C:41:VAL:HG13	1:C:176:ILE:HG21	2.03	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	226/242 (93%)	189 (84%)	32 (14%)	5 (2%)	<b>6</b> 37
1	B	226/242 (93%)	186 (82%)	33 (15%)	7 (3%)	<b>4</b> 32
1	C	220/242 (91%)	190 (86%)	27 (12%)	3 (1%)	<b>11</b> 45
1	D	218/242 (90%)	193 (88%)	20 (9%)	5 (2%)	<b>6</b> 36

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
All	All	890/968 (92%)	758 (85%)	112 (13%)	20 (2%)	6 37

All (20) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	156	ASN
1	B	159	THR
1	D	157	PRO
1	A	119	ASN
1	B	58	ALA
1	B	196	GLY
1	D	125	THR
1	A	35	PRO
1	C	35	PRO
1	A	181	CYS
1	A	209	LEU
1	B	160	PRO
1	B	183	MET
1	C	181	CYS
1	D	67	ILE
1	D	181	CYS
1	D	196	GLY
1	A	57	GLN
1	B	181	CYS
1	C	58	ALA

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	173/184 (94%)	160 (92%)	13 (8%)	13 43
1	B	173/184 (94%)	154 (89%)	19 (11%)	6 29
1	C	167/184 (91%)	150 (90%)	17 (10%)	7 31
1	D	165/184 (90%)	150 (91%)	15 (9%)	9 36

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	678/736 (92%)	614 (91%)	64 (9%)	8 35

All (64) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	25	PHE
1	A	34	TRP
1	A	46	MET
1	A	75	CYS
1	A	80	HIS
1	A	83	VAL
1	A	115	ASP
1	A	152	ARG
1	A	156	ASN
1	A	198	PHE
1	A	199	ASP
1	A	204	PHE
1	A	228	LYS
1	B	46	MET
1	B	61	HIS
1	B	79	CYS
1	B	84	LEU
1	B	105	HIS
1	B	115	ASP
1	B	121	LEU
1	B	126	THR
1	B	129	GLN
1	B	135	LEU
1	B	151	GLU
1	B	152	ARG
1	B	155	GLU
1	B	156	ASN
1	B	163	SER
1	B	170	LEU
1	B	172	HIS
1	B	187	ARG
1	B	224	PHE
1	C	34	TRP
1	C	38	LEU
1	C	42	LEU
1	C	57	GLN
1	C	61	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	C	75	CYS
1	C	84	LEU
1	C	111	ASP
1	C	112	ILE
1	C	151	GLU
1	C	176	ILE
1	C	187	ARG
1	C	195	THR
1	C	200	ASP
1	C	201	HIS
1	C	209	LEU
1	C	224	PHE
1	D	18	LEU
1	D	20	THR
1	D	75	CYS
1	D	81	VAL
1	D	103	LEU
1	D	121	LEU
1	D	124	SER
1	D	131	VAL
1	D	136	PHE
1	D	176	ILE
1	D	178	TYR
1	D	187	ARG
1	D	200	ASP
1	D	209	LEU
1	D	224	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	57	GLN
1	B	119	ASN

### 5.3.3 RNA

There are no RNA molecules in this entry.



## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 4 ligands modelled in this entry, 4 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.3 Carbohydrates [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.4 Ligands [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.

### 6.5 Other polymers [i](#)

Unable to reproduce the depositors R factor - this section is therefore empty.