



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 4, 2023 – 10:41 PM EDT

PDB ID : 6UUO
Title : Crystal structure of BRAF kinase domain bound to the PROTAC P4B
Authors : Maisonneuve, P.; Posternak, G.; Kurinov, I.; Sicheri, F.
Deposited on : 2019-10-30
Resolution : 3.29 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : **FAILED**
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : **FAILED**
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.29 Å.

There are no overall percentile quality scores available for this entry.

MolProbity and EDS failed to run properly - the sequence quality summary graphics cannot be shown.

2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 3694 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Serine/threonine-protein kinase B-raf.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	254	1787	1135	311	329	12	0	0	0
1	B	252	1831	1165	316	338	12	0	0	0

There are 40 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	440	GLY	-	expression tag	UNP P15056
A	441	ALA	-	expression tag	UNP P15056
A	442	MET	-	expression tag	UNP P15056
A	443	ASP	-	expression tag	UNP P15056
A	543	ALA	ILE	engineered mutation	UNP P15056
A	544	SER	ILE	engineered mutation	UNP P15056
A	551	LYS	ILE	engineered mutation	UNP P15056
A	562	ARG	GLN	engineered mutation	UNP P15056
A	588	ASN	LEU	engineered mutation	UNP P15056
A	630	SER	LYS	engineered mutation	UNP P15056
A	667	GLU	PHE	engineered mutation	UNP P15056
A	673	SER	TYR	engineered mutation	UNP P15056
A	688	ARG	ALA	engineered mutation	UNP P15056
A	706	SER	LEU	engineered mutation	UNP P15056
A	709	ARG	GLN	engineered mutation	UNP P15056
A	713	GLU	SER	engineered mutation	UNP P15056
A	716	GLU	LEU	engineered mutation	UNP P15056
A	720	GLU	SER	engineered mutation	UNP P15056
A	722	SER	PRO	engineered mutation	UNP P15056
A	723	GLY	LYS	engineered mutation	UNP P15056
B	440	GLY	-	expression tag	UNP P15056
B	441	ALA	-	expression tag	UNP P15056
B	442	MET	-	expression tag	UNP P15056
B	443	ASP	-	expression tag	UNP P15056
B	543	ALA	ILE	engineered mutation	UNP P15056

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	544	SER	ILE	engineered mutation	UNP P15056
B	551	LYS	ILE	engineered mutation	UNP P15056
B	562	ARG	GLN	engineered mutation	UNP P15056
B	588	ASN	LEU	engineered mutation	UNP P15056
B	630	SER	LYS	engineered mutation	UNP P15056
B	667	GLU	PHE	engineered mutation	UNP P15056
B	673	SER	TYR	engineered mutation	UNP P15056
B	688	ARG	ALA	engineered mutation	UNP P15056
B	706	SER	LEU	engineered mutation	UNP P15056
B	709	ARG	GLN	engineered mutation	UNP P15056
B	713	GLU	SER	engineered mutation	UNP P15056
B	716	GLU	LEU	engineered mutation	UNP P15056
B	720	GLU	SER	engineered mutation	UNP P15056
B	722	SER	PRO	engineered mutation	UNP P15056
B	723	GLY	LYS	engineered mutation	UNP P15056

- Molecule 2 is N-(3-{5-[(1-acetylpiperidin-4-yl)(methyl)amino]-3-(pyrimidin-5-yl)-1H-pyrrolo[3,2-b]pyridin-1-yl}-2,4-difluorophenyl)propane-1-sulfonamide (three-letter code: QH1) (formula: C₂₈H₃₁F₂N₇O₃S) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	F	N	O			S
2	A	1	31	20	2	6	2	1	0	0
2	B	1	41	28	2	7	3	1	0	0

- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total O 1 1	0	0
3	B	3	Total O 3 3	0	0

MolProbity and EDS failed to run properly - this section is therefore empty.

3 Data and refinement statistics

EDS failed to run properly - this section is therefore incomplete.

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	52.06Å 104.24Å 109.90Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	54.95 – 3.29	Depositor
% Data completeness (in resolution range)	98.4 (54.95-3.29)	Depositor
R_{merge}	0.31	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.70 (at 3.26Å)	Xtrriage
Refinement program	PHENIX 1.16_3549	Depositor
R, R_{free}	0.263 , 0.288	Depositor
Wilson B-factor (Å ²)	102.1	Xtrriage
Anisotropy	0.285	Xtrriage
L-test for twinning ²	$\langle L \rangle = 0.45$, $\langle L^2 \rangle = 0.28$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
Total number of atoms	3694	wwPDB-VP
Average B, all atoms (Å ²)	94.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.54% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

4 Model quality [i](#)

4.1 Standard geometry [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.2 Too-close contacts [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3 Torsion angles [i](#)

4.3.1 Protein backbone [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.2 Protein sidechains [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.3 RNA [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

4.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

4.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	QH1	A	801	-	33,34,45	4.08	9 (27%)	39,50,66	2.99	15 (38%)
2	QH1	B	801	-	44,45,45	4.01	16 (36%)	54,66,66	3.80	25 (46%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	QH1	A	801	-	-	11/17/17/39	0/4/4/5
2	QH1	B	801	-	-	16/29/39/39	0/5/5/5

All (25) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	801	QH1	O06-S04	14.72	1.64	1.43
2	B	801	QH1	O06-S04	14.58	1.64	1.43
2	B	801	QH1	O05-S04	14.55	1.64	1.43
2	A	801	QH1	O05-S04	14.48	1.64	1.43
2	B	801	QH1	C19-N21	8.17	1.48	1.36
2	B	801	QH1	C28-C27	-5.54	1.37	1.52
2	B	801	QH1	C23-N21	5.43	1.55	1.48
2	B	801	QH1	C24-C25	-5.41	1.37	1.52
2	A	801	QH1	C19-N21	4.57	1.48	1.35
2	A	801	QH1	C19-N20	4.48	1.38	1.33
2	A	801	QH1	S04-N07	4.44	1.71	1.62
2	B	801	QH1	S04-N07	4.37	1.71	1.62
2	B	801	QH1	C29-N26	4.23	1.47	1.35
2	B	801	QH1	C19-N20	4.01	1.38	1.32
2	B	801	QH1	C16-N12	3.86	1.45	1.39
2	A	801	QH1	C16-N12	3.40	1.44	1.39
2	A	801	QH1	C13-N12	2.56	1.42	1.39
2	B	801	QH1	C18-C19	2.38	1.44	1.39
2	B	801	QH1	C11-C09	2.31	1.41	1.39
2	B	801	QH1	C13-N12	2.30	1.42	1.39
2	B	801	QH1	C08-C09	2.12	1.42	1.38
2	A	801	QH1	C03-S04	2.08	1.84	1.78
2	A	801	QH1	C11-C09	2.07	1.41	1.39

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	801	QH1	C16-C15	2.02	1.44	1.40
2	B	801	QH1	C27-N26	-2.02	1.43	1.47

All (40) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	801	QH1	O06-S04-O05	-11.66	102.45	119.35
2	B	801	QH1	O06-S04-O05	-11.57	102.59	119.35
2	B	801	QH1	C28-C27-N26	8.91	124.38	110.82
2	B	801	QH1	C24-C25-N26	8.82	124.23	110.82
2	B	801	QH1	C27-C28-C23	8.59	127.14	110.81
2	B	801	QH1	C25-C24-C23	8.53	127.04	110.81
2	B	801	QH1	C03-S04-N07	7.80	117.90	106.77
2	A	801	QH1	C03-S04-N07	7.71	117.77	106.77
2	B	801	QH1	C22-N21-C23	-7.04	111.84	117.92
2	A	801	QH1	C38-C11-N12	5.25	123.11	118.91
2	B	801	QH1	C30-C29-N26	5.03	124.11	118.26
2	B	801	QH1	C24-C23-N21	4.72	118.09	111.93
2	B	801	QH1	C28-C23-N21	4.48	117.78	111.93
2	B	801	QH1	N20-C19-N21	4.09	119.45	116.87
2	B	801	QH1	C38-C11-N12	3.97	122.08	118.91
2	A	801	QH1	C18-C19-N20	-3.67	117.67	122.08
2	B	801	QH1	C38-C11-C09	-3.62	111.28	115.66
2	A	801	QH1	C38-C11-C09	-3.54	111.37	115.66
2	B	801	QH1	C28-C23-C24	-3.52	103.07	111.19
2	A	801	QH1	F10-C09-C11	-3.20	115.82	120.48
2	B	801	QH1	F10-C09-C11	-3.13	115.93	120.48
2	A	801	QH1	C17-C18-C19	3.11	121.91	119.48
2	B	801	QH1	C17-C16-C15	-3.06	116.35	121.32
2	B	801	QH1	C08-N07-S04	2.96	130.65	123.59
2	A	801	QH1	C17-C16-C15	-2.93	116.57	121.32
2	A	801	QH1	O06-S04-N07	2.87	114.27	107.28
2	B	801	QH1	C18-C19-N20	-2.79	117.64	123.19
2	A	801	QH1	C08-N07-S04	2.76	130.19	123.59
2	B	801	QH1	O06-S04-N07	2.74	113.97	107.28
2	A	801	QH1	C11-C09-C08	2.58	128.51	124.61
2	A	801	QH1	C37-C32-C33	-2.51	110.74	114.66
2	A	801	QH1	C33-C32-C14	2.50	125.84	121.72
2	B	801	QH1	C17-C18-C19	2.50	121.78	118.55
2	B	801	QH1	C37-C32-C33	-2.46	110.82	114.66
2	A	801	QH1	N21-C19-N20	2.41	120.25	118.26
2	B	801	QH1	C11-C09-C08	2.36	128.17	124.61

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	801	QH1	C33-C32-C14	2.28	125.47	121.72
2	A	801	QH1	C41-C08-C09	-2.24	114.50	117.80
2	B	801	QH1	C41-C08-C09	-2.23	114.51	117.80
2	B	801	QH1	C22-N21-C19	-2.15	118.62	120.91

There are no chirality outliers.

All (27) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	801	QH1	C09-C11-N12-C13
2	A	801	QH1	C38-C11-N12-C13
2	A	801	QH1	C13-C14-C32-C33
2	A	801	QH1	C13-C14-C32-C37
2	A	801	QH1	C15-C14-C32-C33
2	A	801	QH1	C15-C14-C32-C37
2	A	801	QH1	C02-C03-S04-N07
2	A	801	QH1	C02-C03-S04-O05
2	A	801	QH1	C02-C03-S04-O06
2	B	801	QH1	C09-C11-N12-C13
2	B	801	QH1	C09-C11-N12-C16
2	B	801	QH1	C38-C11-N12-C13
2	B	801	QH1	C38-C11-N12-C16
2	B	801	QH1	C02-C03-S04-N07
2	B	801	QH1	C02-C03-S04-O05
2	B	801	QH1	C02-C03-S04-O06
2	B	801	QH1	C18-C19-N21-C22
2	B	801	QH1	C18-C19-N21-C23
2	B	801	QH1	N20-C19-N21-C22
2	B	801	QH1	N20-C19-N21-C23
2	A	801	QH1	C09-C11-N12-C16
2	B	801	QH1	C01-C02-C03-S04
2	B	801	QH1	C15-C14-C32-C33
2	B	801	QH1	C15-C14-C32-C37
2	A	801	QH1	C38-C11-N12-C16
2	B	801	QH1	C24-C23-N21-C22
2	B	801	QH1	C28-C23-N21-C22


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In

addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





4.7 Other polymers [i](#)

There are no such residues in this entry.

4.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

5 Fit of model and data [i](#)

5.1 Protein, DNA and RNA chains [i](#)

EDS failed to run properly - this section is therefore empty.

5.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS failed to run properly - this section is therefore empty.

5.3 Carbohydrates [i](#)

EDS failed to run properly - this section is therefore empty.

5.4 Ligands [i](#)

EDS failed to run properly - this section is therefore empty.

5.5 Other polymers [i](#)

EDS failed to run properly - this section is therefore empty.