



wwPDB EM Validation Summary Report ⓘ

Apr 17, 2024 – 08:07 am BST

PDB ID : 6ZTL
EMDB ID : EMD-11419
Title : E. coli 70S-RNAP expressome complex in collided state bound to NusG
Authors : Webster, M.W.; Takacs, M.; Weixlbaumer, A.
Deposited on : 2020-07-20
Resolution : 3.50 Å(reported)
Based on initial models : 4YBB, 6ALH

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev92
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.36

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826
RNA backbone	4643	859

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	AA	1542	
2	AB	241	
3	AC	233	
4	AD	206	
5	AE	167	
6	AF	131	
7	AG	156	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	AH	130	
9	AI	130	
10	AJ	103	
11	AK	129	
12	AL	124	
13	AM	118	
14	AN	101	
15	AO	89	
16	AP	82	
17	AQ	84	
18	AR	75	
19	AS	92	
20	AT	87	
21	AU	71	
22	AV	49	
23	AW	77	
24	AX	76	
25	BA	2904	
26	BB	120	
27	BC	273	
28	BD	209	
29	BE	201	
30	BF	179	
31	BG	177	
32	BH	149	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	BK	142	61% 37%
34	BL	123	15% 65% 33%
35	BM	144	6% 74% 24%
36	BN	136	10% 74% 24%
37	BO	127	62% 28% 7%
38	BP	117	16% 62% 32% 6%
39	BQ	115	16% 59% 37%
40	BR	118	5% 69% 28%
41	BS	103	7% 67% 29%
42	BT	110	7% 63% 32% 5%
43	BU	100	12% 67% 26% 5%
44	BV	104	12% 64% 30%
45	BW	94	11% 62% 34%
46	BX	85	6% 60% 26% 11%
47	BY	78	6% 64% 33%
48	BZ	63	13% 60% 35%
49	B1	59	5% 59% 37%
50	B2	57	11% 67% 30%
51	B3	55	76% 44% 45% 5%
52	B4	46	74% 22%
53	B5	65	5% 72% 18% 5%
54	B6	50	54% 22% 24%
55	CN	39	38% 18% 49% 10% 23%
56	CT	39	15% 8% 44% 26% 23%
57	CA	329	27% 57% 12% 30%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
57	CB	329	
58	CC	1342	
59	CD	1407	
60	CE	91	
61	CF	181	

2 Entry composition

There are 64 unique types of molecules in this entry. The entry contains 173008 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
1	AA	1533	32908	14683	6037	10655	1533	0	0

- Molecule 2 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	AB	226	1764	1116	316	324	8	0	0

- Molecule 3 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
3	AC	211	1653	1046	310	293	4	0	0

- Molecule 4 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
4	AD	205	1643	1026	315	298	4	0	0

- Molecule 5 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
5	AE	156	1148	715	217	210	6	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AE	9	CYS	GLY	conflict	UNP P0A7W1
AE	151	ALA	GLU	conflict	UNP P0A7W1

- Molecule 6 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
6	AF	104	848	536	153	152	7	0	0

- Molecule 7 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
7	AG	154	1214	756	235	219	4	0	0

- Molecule 8 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
8	AH	129	979	616	173	184	6	0	0

- Molecule 9 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
9	AI	128	1031	639	207	182	3	0	0

- Molecule 10 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
10	AJ	102	817	509	157	150	1	0	0

- Molecule 11 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
11	AK	117	877	540	174	160	3	0	0

- Molecule 12 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
12	AL	123	957	591	196	165	5	0	0

- Molecule 13 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	AM	115	Total	C	N	O	S	0	0
			891	552	179	157	3		

- Molecule 14 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	AN	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 15 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	AO	89	Total	C	N	O	S	0	0
			722	444	145	131	2		

- Molecule 16 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	AP	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 17 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	AQ	80	Total	C	N	O	S	0	0
			648	411	121	113	3		

- Molecule 18 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms				AltConf	Trace
18	AR	57	Total	C	N	O	0	0
			474	298	90	86		

- Molecule 19 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	AS	82	Total	C	N	O	S	0	0
			656	419	125	110	2		

- Molecule 20 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	AT	86	Total	C	N	O	S	0	0
			670	414	138	115	3		

- Molecule 21 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	AU	70	Total	C	N	O	S	0	0
			590	366	125	98	1		

- Molecule 22 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	AV	34	Total	C	N	O	P	0	0
			720	323	130	233	34		

- Molecule 23 is a RNA chain called tRNA(fmet) P-site.

Mol	Chain	Residues	Atoms					AltConf	Trace	
23	AW	77	Total	C	N	O	P	S	0	0
			1645	734	297	536	77	1		

- Molecule 24 is a RNA chain called Phe-NH-tRNA(Phe) A-site.

Mol	Chain	Residues	Atoms					AltConf	Trace	
24	AX	76	Total	C	N	O	P	S	0	0
			1629	729	290	533	76	1		

- Molecule 25 is a RNA chain called 23S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	BA	2899	Total	C	N	O	P	0	0
			62248	27776	11451	20122	2899		

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BA	?	-	G	deletion	GB CP023165.1
BA	?	-	C	deletion	GB CP023165.1
BA	1211	U	C	conflict	GB CP023165.1
BA	1723	G	A	conflict	GB CP023165.1
BA	2211	G	A	conflict	GB CP023165.1

- Molecule 26 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
26	BB	120	2569	1144	468	837	120	0	0

- Molecule 27 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
27	BC	272	2092	1294	425	366	7	0	0

- Molecule 28 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
28	BD	209	1566	980	288	294	4	0	0

- Molecule 29 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
29	BE	201	1552	974	283	290	5	0	0

- Molecule 30 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
30	BF	178	1420	905	251	258	6	0	0

- Molecule 31 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
31	BG	175	1313	826	241	244	2	0	0

- Molecule 32 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
32	BH	149	1111	699	197	214	1	0	0

- Molecule 33 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
33	BK	142	1129	714	212	199	4	0	0

- Molecule 34 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
34	BL	123	946	592	181	167	6	0	0

- Molecule 35 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
35	BM	144	1052	653	207	190	2	0	0

- Molecule 36 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
36	BN	136	1075	686	205	178	6	0	0

- Molecule 37 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
37	BO	118	945	585	194	161	5	0	0

- Molecule 38 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
38	BP	117	900	557	179	163	1	0	0

- Molecule 39 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
39	BQ	114	917	574	179	163	1	0	0

- Molecule 40 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
40	BR	117	Total	C	N	O	0	0
			947	604	192	151		

- Molecule 41 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	BS	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 42 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	BT	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 43 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	BU	95	Total	C	N	O	S	0	0
			757	479	141	135	2		

- Molecule 44 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms				AltConf	Trace
44	BV	102	Total	C	N	O	0	0
			779	492	146	141		

- Molecule 45 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	BW	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 46 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	BX	76	Total	C	N	O	S	0	0
			582	360	117	104	1		

- Molecule 47 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	BY	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 48 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	BZ	62	Total	C	N	O	S	0	0
			501	308	98	94	1		

- Molecule 49 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	B1	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 50 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	B2	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 51 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
51	B3	52	Total	C	N	O	0	0
			426	275	78	73		

- Molecule 52 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	B4	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 53 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	B5	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 54 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
54	B6	38	301	185	65	47	4	0	0

- Molecule 55 is a DNA chain called Non-template DNA strand.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
55	CN	30	618	294	114	180	30	0	0

- Molecule 56 is a DNA chain called Template DNA strand.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	P		
56	CT	30	606	288	105	183	30	0	0

- Molecule 57 is a protein called DNA-directed RNA polymerase subunit alpha.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
57	CA	229	1775	1106	313	350	6	0	0
57	CB	219	1684	1051	295	332	6	0	0

- Molecule 58 is a protein called DNA-directed RNA polymerase subunit beta.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
58	CC	1320	10415	6535	1815	2021	44	0	0

- Molecule 59 is a protein called DNA-directed RNA polymerase subunit beta'.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
59	CD	1333	10375	6518	1851	1956	50	0	0

- Molecule 60 is a protein called DNA-directed RNA polymerase subunit omega.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
60	CE	51	399	246	77	75	1	0	0


- Molecule 61 is a protein called Transcription termination/antitermination protein NusG.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
61	CF	98	790	505	139	140	6	0	0

- Molecule 62 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
62	AA	115	Total 115	Mg 115	0
62	AL	1	Total 1	Mg 1	0
62	AM	1	Total 1	Mg 1	0
62	AN	1	Total 1	Mg 1	0
62	AP	1	Total 1	Mg 1	0
62	AX	1	Total 1	Mg 1	0
62	BA	304	Total 304	Mg 304	0
62	BB	8	Total 8	Mg 8	0
62	BC	4	Total 4	Mg 4	0
62	BD	2	Total 2	Mg 2	0
62	BQ	1	Total 1	Mg 1	0
62	BR	1	Total 1	Mg 1	0
62	CD	1	Total 1	Mg 1	0

- Molecule 63 is PHENYLALANINE (three-letter code: PHE) (formula: C₉H₁₁NO₂).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
63	AX	1	11	9	1	1	0

- Molecule 64 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
			Total	Zn	
64	B6	1	1	1	0
64	CD	2	2	2	0

3 Residue-property plots i


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 16S ribosomal RNA






• Molecule 2: 30S ribosomal protein S2






• Molecule 3: 30S ribosomal protein S3




• Molecule 4: 30S ribosomal protein S4




- Molecule 5: 30S ribosomal protein S5

Chain AE: 





- Molecule 6: 30S ribosomal protein S6

Chain AF: 




- Molecule 7: 30S ribosomal protein S7

Chain AG: 




- Molecule 8: 30S ribosomal protein S8


Chain AH: 




- Molecule 9: 30S ribosomal protein S9




- Molecule 10: 30S ribosomal protein S10




- Molecule 11: 30S ribosomal protein S11




- Molecule 12: 30S ribosomal protein S12




- Molecule 13: 30S ribosomal protein S13








- Molecule 14: 30S ribosomal protein S14




- Molecule 15: 30S ribosomal protein S15




- Molecule 16: 30S ribosomal protein S16




- Molecule 17: 30S ribosomal protein S17




- Molecule 18: 30S ribosomal protein S18








• Molecule 19: 30S ribosomal protein S19



• Molecule 20: 30S ribosomal protein S20



• Molecule 21: 30S ribosomal protein S21




• Molecule 22: mRNA



• Molecule 23: tRNA(fmet) P-site






• Molecule 24: Phe-NH-tRNA(Phe) A-site




• Molecule 25: 23S ribosomal RNA







G1743	G1835	U1917	U2026	A2101	C2161	G2228	G2304	G2373	A2448	G2523	U2609	U2687	G2779
A1744	C1838	A1918	G2029	G2102	G2162	U2229	U2305	A2377	U2449	G2529	C2610	G2688	G2780
A1746	C1843	G1921	A2030	C2103	A2163	G2230	C2307	A2378	G2454	A2530	U2689	G2689	A2781
U1747	C1844	G1922	G2031	C2104	C2164	U2232	G2308	G2379	G2455	A2531	U2613	U2698	G2782
C1748	G1845	U1923	A2033	U2105	C2165	U2233	A2309	C2380	G2456	G2532	U2614	U2783	U2784
A1749	G1846	G1929	A2037	U2106	U2166	G2234	C2310	A2381	U2457	G2535	U2615	C2699	C2785
U1750	A1847	G1930	G2038	G2107	U2167	U2235	A2311	G2382	G2458	G2536	G2618	C2788	C2789
C1752	A1848	G1931	U2039	A2108	C2168	U2236	U2312	U2383	U2459	G2537	U2701	G2790	C2791
G1753	A1853	U1933	G2040	U2109	G2169	G2237	C2313	U2384	U2460	C2538	G2621	G2792	C2793
G1756	A1854	G1935	U2041	G2110	A2170	G2238	G2314	C2385	U2461	C2539	G2625	C2794	C2795
C1760	A1857	U1936	G2042	U2111	A2171	U2243	G2315	G2390	C2466	A2542	C2626	U2797	C2796
C1764	A1858	A1937	U2044	U2112	A2172	U2244	G2318	U2391	C2467	G2543	U2629	U2798	U2799
A1773	A1865	C1937	C2043	U2113	U2172	U2245	G2319	U2392	A2468	G2544	U2630	G2799	G2800
G1775	G1866	A1938	G2045	U2114	A2173	U2246	G2320	C2394	G2470	G2545	G2631	U2801	A2800
U1779	G1867	U1939	G2046	A2114	A2174	U2247	U2321	G2399	U2471	U2546	C2632	G2801	G2801
U1779	G1868	U1963	C2047	G2115	C2175	U2248	U2322	G2400	U2472	A2547	U2633	G2802	G2802
A1784	G1870	U1966	G2048	G2116	A2176	U2249	G2323	U2401	C2473	U2548	U2634	G2803	G2803
A1789	A1871	A1966	A2052	A2117	C2177	G2250	U2324	U2402	C2474	U2552	U2635	G2804	G2804
C1790	A1872	C1961	G2056	U2118	C2178	G2251	G2325	U2403	U2475	G2553	U2636	C2805	C2805
A1791	G1873	C1962	G2057	U2119	C2179	U2252	C2326	U2404	U2476	G2554	U2637	C2806	C2806
A1794	C1874	U1971	A2058	G2120	U2180	C2261	C2327	U2405	A2478	U2555	G2645	U2807	U2807
C1795	G1875	G1972	G2062	G2121	U2181	C2262	A2328	A2406	G2481	C2556	C2646	U2808	G2808
U1796	A1876	A1987	C2063	U2122	U2182	U2272	U2329	A2407	G2482	G2557	U2647	G2728	G2809
U1798	G1881	G1988	G2065	G2123	U2183	U2273	C2330	A2408	C2483	G2558	U2648	G2729	A2809
C1800	G1882	G1988	U2068	G2124	A2184	A2274	G2331	A2409	U2484	U2559	C2649	G2730	A2810
A1801	G1883	G1988	G2069	G2125	U2185	C2263	G2332	U2410	U2485	U2560	U2650	G2731	G2811
A1802	G1884	U1991	A2070	A2126	U2186	U2264	A2333	A2411	C2486	U2561	G2651	U2732	G2812
A1803	C1887	G1992	A2071	G2126	U2187	U2265	G2334	A2412	U2487	U2562	G2652	G2733	G2813
A1808	G1888	U1993	C2072	G2127	U2188	U2266	U2335	A2413	U2488	U2563	G2653	U2734	G2814
U1812	A1889	C1996	G2073	G2128	U2189	U2267	G2336	A2414	U2489	U2564	G2654	U2735	G2815
G1813	A1890	C1997	U2074	C2129	G2190	U2268	G2337	G2415	U2490	U2565	G2655	G2736	G2816
G1814	G1906	G2004	U2075	C2130	U2191	G2269	G2338	A2416	U2491	U2566	G2656	U2737	G2817
C1816	C1906	A2005	U2076	U2130	U2192	U2270	A2341	A2417	U2492	U2567	G2657	U2738	U2817
G1817	C1905	G1992	U2076	U2131	U2192	U2271	C2342	A2418	U2493	U2568	G2658	U2739	U2818
U1818	G1907	U2011	U2076	U2132	U2193	U2272	U2343	A2419	U2494	U2569	G2659	U2740	U2819
G1826	G1907	G2012	U2076	U2133	U2194	U2273	G2344	A2420	U2495	U2570	G2660	U2741	U2820
U1827	G1910	A2013	U2076	U2134	U2195	U2274	G2345	A2421	U2496	U2571	G2661	U2742	A2821
G1828	A1911	A2014	U2076	U2135	U2196	U2275	A2346	A2422	U2497	U2572	G2662	U2743	A2822
A1829	A1912	A2015	U2076	A2135	U2197	U2276	G2347	A2423	U2498	U2573	G2663	U2744	G2823
C1830	A1913	A2015	U2076	G2136	U2198	U2277	U2348	U2424	U2499	U2574	G2664	U2745	A2824
G1831	A1913	A2015	U2076	U2137	U2199	U2278	G2349	A2425	U2500	U2575	G2665	U2746	G2825
A1832	3TD1915	A2015	U2076	U2138	U2200	U2279	U2350	A2426	G2501	U2576	G2666	U2747	G2826
A1916	A1916	A2015	U2076	G2140	A2198	U2280	C2351	A2427	U2502	U2577	G2667	U2748	G2827
		C2021	U2076	G2141	A2199	U2281	G2352	A2428	U2503	U2578	C2670	U2749	G2828
		U2022	U2076	G2142	A2200	U2282	G2353	A2429	U2504	U2579	U2670	U2750	G2829
		A2013	U2076	G2143	C2201	U2283	G2354	A2430	U2505	U2580	C2671	U2751	G2830
		A2014	U2076	C2143	G2202	U2284	G2355	A2431	U2506	U2581	U2672	U2752	G2831
		A2015	U2076	C2144	G2203	U2285	G2356	A2432	U2507	U2582	U2673	U2753	G2832
		A2015	U2076	C2145	G2204	U2286	G2357	A2433	U2508	U2583	C2674	U2754	G2833
		A2015	U2076	C2146	G2205	U2287	G2358	A2434	U2509	U2584	C2675	U2755	G2834
		A2015	U2076	C2147	G2206	U2288	G2359	A2435	U2510	U2585	C2676	U2756	G2835
		A2015	U2076	C2148	G2207	U2289	G2360	A2436	U2511	U2586	C2677	U2757	G2836
		A2015	U2076	C2149	G2208	U2290	G2361	A2437	U2512	U2587	C2678	U2758	G2837
		A2015	U2076	C2150	G2209	U2291	G2362	A2438	U2513	U2588	C2679	U2759	G2838
		A2015	U2076	C2151	G2210	U2292	G2363	A2439	U2514	U2589	C2680	U2760	G2839
		A2015	U2076	C2152	G2211	U2293	G2364	U2440	U2515	U2590	C2681	U2761	G2840
		A2015	U2076	C2153	G2212	U2294	G2365	U2441	U2516	U2591	C2682	U2762	G2841
		A2015	U2076	C2154	G2213	U2295	G2366	U2442	U2517	U2592	C2683	U2763	G2842
		A2015	U2076	C2155	G2214	U2296	G2367	U2443	U2518	U2593	C2684	U2764	G2843
		A2015	U2076	C2156	G2215	U2297	G2368	U2444	U2519	U2594	C2685	U2765	G2844
		A2015	U2076	C2157	G2216	U2298	G2369	U2445	U2520	U2595	C2686	U2766	G2845
		A2015	U2076	C2158	G2217	U2299	G2370	U2446	U2521	U2596	C2687	U2767	G2846
		A2015	U2076	C2159	G2218	U2300	G2371	U2447	U2522	U2597	C2688	U2768	G2847
		A2015	U2076	C2160	G2219	U2301	U2372	U2448	U2523	U2598	C2689	U2769	G2848
		A2015	U2076	C2160	G2220	U2302	U2373	U2449	U2524	U2599	C2690	U2770	G2849
		A2015	U2076	C2160	G2221	U2303	U2374	U2450	U2525	U2600	C2691	U2771	G2850
		A2015	U2076	C2160	G2222	U2304	U2375	U2451	U2526	U2601	C2692	U2772	G2851
		A2015	U2076	C2160	G2223	U2305	U2376	U2452	U2527	U2602	C2693	U2773	G2852
		A2015	U2076	C2160	G2224	U2306	U2377	U2453	U2528	U2603	C2694	U2774	G2853
		A2015	U2076	C2160	G2225	U2307	U2378	U2454	U2529	U2604	C2695	U2775	G2854
		A2015	U2076	C2160	G2226	U2308	U2379	U2455	U2530	U2605	C2696	U2776	G2855
		A2015	U2076	C2160	G2227	U2309	U2380	U2456	U2531	U2606	C2697	U2777	G2856
		A2015	U2076	C2160	G2228	U2310	U2381	U2457	U2532	U2607	C2698	U2778	G2857
		A2015	U2076	C2160	G2229	U2311	U2382	U2458	U2533	U2608	C2699	U2779	G2858
		A2015	U2076	C2160	G2230	U2312	U2383	U2459	U2534	U2609	C2700	U2780	G2859
		A2015	U2076	C2160	G2231	U2313	U2384	U2460	U2535	U2610	C2701	U2781	G2860
		A2015	U2076	C2160	G2232	U2314	U2385	U2461	U2536	U2611	C2702	U2782	G2861
		A2015	U2076	C2160	G2233	U2315	U2386	U2462	U2537	U2612	C2703	U2783	G2862
		A2015	U2076	C2160	G2234	U2316	U2387	U2463	U2538	U2613	C2704	U2784	G2863
		A2015	U2076	C2160	G2235	U2317	U2388	U2464	U2539	U2614	C2705	U2785	G2864
		A2015	U2076	C2160	G2236	U2318	U2389	U2465	U2540	U2615	C2706	U2786	G2865
		A2015	U2076	C2160	G2237	U2319	U2390	U2466	U2541	U2616	C2707	U2787	G2866
		A2015	U2076	C2160	G2238	U2320	U2391	U2467	U2542	U2617	C2708	U2788	G2867
		A2015	U2076	C2160	G2239	U2321	U2392	U2468	U2543	U2618	C2709	U2789	G2868
		A2015	U2076	C2160	G2240	U2322	U2393	U2469	U2544	U2619	C2710	U2790	G2869
		A2015	U2076	C2160	G2241	U2323	U2394	U2470	U2545	U2620	C2711	U2791	G2870
		A2015	U2076	C2160	G2242	U2324	U2395	U2471	U2546	U2621	C2712	U2792	G2871
		A2015	U2076	C2160	G2243	U2325	U2396	U2472	U2547	U2622	C2713	U2793	G2872
		A2015	U2076	C2160	G2244	U2326	U2397	U2473	U2548	U2623	C2714	U2794	G2873
		A2015	U2076	C2160	G2245	U2327	U2398	U2474	U2549	U2624	C2715	U2795	G2874
		A2015	U2076	C2160	G2246	U2328	U2399	U2475	U2550	U2625	C2716</		



• Molecule 26: 5S ribosomal RNA




• Molecule 27: 50S ribosomal protein L2




• Molecule 28: 50S ribosomal protein L3




• Molecule 29: 50S ribosomal protein L4








• Molecule 30: 50S ribosomal protein L5




• Molecule 31: 50S ribosomal protein L6




• Molecule 32: 50S ribosomal protein L9





• Molecule 33: 50S ribosomal protein L13





• Molecule 34: 50S ribosomal protein L14



• Molecule 35: 50S ribosomal protein L15




• Molecule 36: 50S ribosomal protein L16




• Molecule 37: 50S ribosomal protein L17







• Molecule 38: 50S ribosomal protein L18




• Molecule 39: 50S ribosomal protein L19



• Molecule 40: 50S ribosomal protein L20




• Molecule 41: 50S ribosomal protein L21




• Molecule 42: 50S ribosomal protein L22






• Molecule 43: 50S ribosomal protein L23




• Molecule 44: 50S ribosomal protein L24



• Molecule 45: 50S ribosomal protein L25




• Molecule 46: 50S ribosomal protein L27




• Molecule 47: 50S ribosomal protein L28






- Molecule 48: 50S ribosomal protein L29





- Molecule 49: 50S ribosomal protein L30




- Molecule 50: 50S ribosomal protein L32





- Molecule 51: 50S ribosomal protein L33




- Molecule 52: 50S ribosomal protein L34





- Molecule 53: 50S ribosomal protein L35




- Molecule 54: 50S ribosomal protein L36






• Molecule 58: DNA-directed RNA polymerase subunit beta





• Molecule 59: DNA-directed RNA polymerase subunit beta'





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	45774	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	42	Depositor
Minimum defocus (nm)	700	Depositor
Maximum defocus (nm)	3500	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	2.406	Depositor
Minimum map value	-0.343	Depositor
Average map value	0.066	Depositor
Map value standard deviation	0.104	Depositor
Recommended contour level	0.5	Depositor
Map size (\AA)	550.4, 550.4, 550.4	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.075, 1.075, 1.075	Depositor

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: MIA, 7MG, D2T, MG, 5MU, ZN, 6MZ, 2MG, 4D4, 5MC, OMC, H2U, MEQ, 3TD, 2MA, OMU, OMG, UR3, 4OC, 3AU, G7M, 4SU, 1MG, MA6, PSU

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	AA	0.73	0/36569	0.92	19/57044 (0.0%)
2	AB	0.31	0/1795	0.49	0/2418
3	AC	0.37	0/1680	0.48	0/2263
4	AD	0.34	0/1665	0.48	0/2227
5	AE	0.39	0/1161	0.50	0/1563
6	AF	0.37	0/867	0.52	0/1171
7	AG	0.30	0/1230	0.45	0/1649
8	AH	0.37	0/989	0.50	0/1326
9	AI	0.35	0/1043	0.63	0/1387
10	AJ	0.34	0/827	0.53	0/1117
11	AK	0.35	0/893	0.46	0/1205
12	AL	0.45	1/960 (0.1%)	0.51	0/1286
13	AM	0.33	0/900	0.50	0/1204
14	AN	0.32	0/817	0.43	0/1088
15	AO	0.32	0/730	0.43	0/974
16	AP	0.34	0/659	0.50	0/884
17	AQ	0.37	0/657	0.50	0/881
18	AR	0.37	0/481	0.49	0/645
19	AS	0.31	0/672	0.46	0/904
20	AT	0.30	0/676	0.42	0/895
21	AU	0.30	0/598	0.51	0/792
22	AV	1.76	27/803 (3.4%)	1.63	32/1245 (2.6%)
23	AW	0.70	1/1725 (0.1%)	0.94	2/2687 (0.1%)
24	AX	0.58	1/1584 (0.1%)	0.86	0/2463
25	BA	0.89	1/69143 (0.0%)	0.93	43/107862 (0.0%)
26	BB	0.67	0/2872	0.86	1/4478 (0.0%)
27	BC	0.48	1/2131 (0.0%)	0.52	0/2863
28	BD	0.44	0/1576	0.53	0/2119
29	BE	0.40	0/1571	0.48	0/2113
30	BF	0.34	0/1444	0.47	0/1937
31	BG	0.35	0/1333	0.47	0/1805

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	BH	0.31	0/1122	0.62	0/1515
33	BK	0.45	0/1152	0.48	0/1551
34	BL	0.43	0/955	0.53	0/1277
35	BM	0.42	0/1061	0.51	0/1412
36	BN	0.44	0/1081	0.50	0/1443
37	BO	0.41	0/958	0.49	0/1281
38	BP	0.33	0/910	0.49	0/1219
39	BQ	0.40	0/929	0.51	0/1242
40	BR	0.52	0/960	0.48	0/1278
41	BS	0.45	0/829	0.52	0/1107
42	BT	0.40	0/864	0.51	0/1156
43	BU	0.37	0/764	0.49	0/1021
44	BV	0.37	0/787	0.50	0/1051
45	BW	0.38	0/766	0.47	0/1025
46	BX	0.44	0/589	0.49	0/779
47	BY	0.42	0/635	0.48	0/848
48	BZ	0.32	0/502	0.44	0/667
49	B1	0.39	0/453	0.51	0/605
50	B2	0.40	0/450	0.56	0/599
51	B3	0.36	0/433	0.55	0/576
52	B4	0.42	0/380	0.48	0/498
53	B5	0.39	0/513	0.49	0/676
54	B6	0.41	0/302	0.47	0/397
55	CN	1.78	12/693 (1.7%)	1.24	2/1068 (0.2%)
56	CT	2.53	41/676 (6.1%)	1.33	9/1039 (0.9%)
57	CA	1.13	6/1797 (0.3%)	0.91	2/2436 (0.1%)
57	CB	0.81	1/1703 (0.1%)	0.86	3/2308 (0.1%)
58	CC	1.41	122/10581 (1.2%)	0.97	31/14275 (0.2%)
59	CD	1.12	57/10532 (0.5%)	0.91	16/14219 (0.1%)
60	CE	0.48	0/401	0.75	0/540
61	CF	0.41	0/808	0.58	0/1088
All	All	0.84	271/184637 (0.1%)	0.86	160/272691 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
9	AI	0	1
13	AM	0	2
22	AV	0	1

Continued on next page...

Continued from previous page...

Mol	Chain	#Chirality outliers	#Planarity outliers
53	B5	0	1
All	All	0	5

The worst 5 of 271 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
23	AW	1	C	OP3-P	-10.66	1.48	1.61
24	AX	1	G	OP3-P	-10.41	1.48	1.61
56	CT	18	DC	C3'-O3'	-10.24	1.30	1.44
59	CD	1357	ILE	C-N	-9.76	1.15	1.34
56	CT	14	DC	C3'-O3'	-9.59	1.31	1.44

The worst 5 of 160 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
25	BA	2902	C	N3-C2-O2	-11.33	113.97	121.90
56	CT	19	DG	O4'-C1'-N9	10.14	115.10	108.00
25	BA	2902	C	N1-C2-O2	9.98	124.89	118.90
22	AV	48	C	C6-N1-C2	-9.65	116.44	120.30
25	BA	2164	C	C2-N1-C1'	9.05	128.76	118.80

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
9	AI	30	ILE	Peptide
13	AM	48	LEU	Peptide
13	AM	49	SER	Peptide
22	AV	41	C	Sidechain
53	B5	31	HIS	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	AA	32908	0	16576	926	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	AB	1764	0	1788	63	0
3	AC	1653	0	1725	140	0
4	AD	1643	0	1706	100	0
5	AE	1148	0	1195	26	0
6	AF	848	0	846	41	0
7	AG	1214	0	1267	42	0
8	AH	979	0	1031	41	0
9	AI	1031	0	1076	31	0
10	AJ	817	0	853	36	0
11	AK	877	0	887	29	0
12	AL	957	0	1017	32	0
13	AM	891	0	952	29	0
14	AN	805	0	844	21	0
15	AO	722	0	746	14	0
16	AP	649	0	666	34	0
17	AQ	648	0	691	29	0
18	AR	474	0	494	13	0
19	AS	656	0	680	36	0
20	AT	670	0	719	26	0
21	AU	590	0	629	10	0
22	AV	720	0	369	45	0
23	AW	1645	0	842	39	0
24	AX	1629	0	835	37	0
25	BA	62248	0	31320	1337	0
26	BB	2569	0	1301	55	0
27	BC	2092	0	2167	51	0
28	BD	1566	0	1618	46	0
29	BE	1552	0	1618	27	0
30	BF	1420	0	1457	49	0
31	BG	1313	0	1358	39	0
32	BH	1111	0	1148	13	0
33	BK	1129	0	1162	37	0
34	BL	946	0	1019	34	0
35	BM	1052	0	1127	27	0
36	BN	1075	0	1154	22	0
37	BO	945	0	989	25	0
38	BP	900	0	935	32	0
39	BQ	917	0	962	34	0
40	BR	947	0	1019	32	0
41	BS	816	0	839	23	0
42	BT	857	0	922	26	0
43	BU	757	0	820	16	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
44	BV	779	0	830	22	0
45	BW	753	0	780	24	0
46	BX	582	0	599	19	0
47	BY	625	0	652	19	0
48	BZ	501	0	531	14	0
49	B1	449	0	488	16	0
50	B2	444	0	458	15	0
51	B3	426	0	464	23	0
52	B4	377	0	418	9	0
53	B5	504	0	572	18	0
54	B6	301	0	340	8	0
55	CN	618	0	336	67	0
56	CT	606	0	338	39	0
57	CA	1775	0	1799	41	0
57	CB	1684	0	1713	19	0
58	CC	10415	0	10431	277	0
59	CD	10375	0	10596	191	0
60	CE	399	0	417	4	0
61	CF	790	0	781	61	0
62	AA	115	0	0	0	0
62	AL	1	0	0	0	0
62	AM	1	0	0	0	0
62	AN	1	0	0	0	0
62	AP	1	0	0	0	0
62	AX	1	0	0	0	0
62	BA	304	0	0	0	0
62	BB	8	0	0	0	0
62	BC	4	0	0	0	0
62	BD	2	0	0	0	0
62	BQ	1	0	0	0	0
62	BR	1	0	0	0	0
62	CD	1	0	0	0	0
63	AX	11	0	8	1	0
64	B6	1	0	0	0	0
64	CD	2	0	0	0	0
All	All	173008	0	123920	4047	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

The worst 5 of 4047 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:AD:192:SER:CA	59:CD:74:LYS:HE2	1.36	1.52
3:AC:80:LYS:CE	58:CC:873:ILE:HG21	1.42	1.49
3:AC:107:ARG:CD	57:CA:165:GLU:HG2	1.05	1.48
4:AD:192:SER:HB3	59:CD:74:LYS:CE	1.43	1.46
3:AC:80:LYS:HE3	58:CC:873:ILE:CG2	1.40	1.46

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	AB	224/241 (93%)	200 (89%)	24 (11%)	0	100	100
3	AC	209/233 (90%)	197 (94%)	12 (6%)	0	100	100
4	AD	203/206 (98%)	191 (94%)	12 (6%)	0	100	100
5	AE	154/167 (92%)	140 (91%)	14 (9%)	0	100	100
6	AF	102/131 (78%)	94 (92%)	8 (8%)	0	100	100
7	AG	152/156 (97%)	140 (92%)	12 (8%)	0	100	100
8	AH	127/130 (98%)	122 (96%)	5 (4%)	0	100	100
9	AI	126/130 (97%)	115 (91%)	10 (8%)	1 (1%)	19	58
10	AJ	100/103 (97%)	88 (88%)	10 (10%)	2 (2%)	7	39
11	AK	115/129 (89%)	105 (91%)	10 (9%)	0	100	100
12	AL	120/124 (97%)	107 (89%)	12 (10%)	1 (1%)	19	58
13	AM	113/118 (96%)	106 (94%)	7 (6%)	0	100	100
14	AN	98/101 (97%)	93 (95%)	5 (5%)	0	100	100
15	AO	87/89 (98%)	84 (97%)	3 (3%)	0	100	100
16	AP	80/82 (98%)	68 (85%)	12 (15%)	0	100	100
17	AQ	78/84 (93%)	72 (92%)	6 (8%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
18	AR	55/75 (73%)	51 (93%)	4 (7%)	0	100	100
19	AS	80/92 (87%)	73 (91%)	7 (9%)	0	100	100
20	AT	84/87 (97%)	81 (96%)	3 (4%)	0	100	100
21	AU	68/71 (96%)	66 (97%)	2 (3%)	0	100	100
27	BC	270/273 (99%)	244 (90%)	25 (9%)	1 (0%)	34	72
28	BD	206/209 (99%)	198 (96%)	7 (3%)	1 (0%)	29	68
29	BE	199/201 (99%)	191 (96%)	8 (4%)	0	100	100
30	BF	176/179 (98%)	159 (90%)	17 (10%)	0	100	100
31	BG	173/177 (98%)	158 (91%)	15 (9%)	0	100	100
32	BH	147/149 (99%)	134 (91%)	11 (8%)	2 (1%)	11	46
33	BK	140/142 (99%)	132 (94%)	8 (6%)	0	100	100
34	BL	121/123 (98%)	108 (89%)	13 (11%)	0	100	100
35	BM	142/144 (99%)	131 (92%)	11 (8%)	0	100	100
36	BN	133/136 (98%)	126 (95%)	7 (5%)	0	100	100
37	BO	116/127 (91%)	108 (93%)	8 (7%)	0	100	100
38	BP	115/117 (98%)	102 (89%)	13 (11%)	0	100	100
39	BQ	112/115 (97%)	104 (93%)	8 (7%)	0	100	100
40	BR	115/118 (98%)	112 (97%)	3 (3%)	0	100	100
41	BS	101/103 (98%)	94 (93%)	7 (7%)	0	100	100
42	BT	108/110 (98%)	100 (93%)	8 (7%)	0	100	100
43	BU	93/100 (93%)	83 (89%)	10 (11%)	0	100	100
44	BV	100/104 (96%)	87 (87%)	13 (13%)	0	100	100
45	BW	92/94 (98%)	85 (92%)	7 (8%)	0	100	100
46	BX	74/85 (87%)	66 (89%)	8 (11%)	0	100	100
47	BY	75/78 (96%)	69 (92%)	6 (8%)	0	100	100
48	BZ	60/63 (95%)	57 (95%)	3 (5%)	0	100	100
49	B1	56/59 (95%)	53 (95%)	3 (5%)	0	100	100
50	B2	54/57 (95%)	52 (96%)	2 (4%)	0	100	100
51	B3	50/55 (91%)	49 (98%)	1 (2%)	0	100	100
52	B4	44/46 (96%)	39 (89%)	5 (11%)	0	100	100
53	B5	62/65 (95%)	52 (84%)	9 (14%)	1 (2%)	9	43

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
54	B6	36/50 (72%)	35 (97%)	1 (3%)	0	100	100
57	CA	227/329 (69%)	217 (96%)	10 (4%)	0	100	100
57	CB	215/329 (65%)	203 (94%)	11 (5%)	1 (0%)	29	68
58	CC	1316/1342 (98%)	1197 (91%)	110 (8%)	9 (1%)	22	61
59	CD	1327/1407 (94%)	1223 (92%)	94 (7%)	10 (1%)	19	58
60	CE	49/91 (54%)	40 (82%)	8 (16%)	1 (2%)	7	39
61	CF	94/181 (52%)	88 (94%)	6 (6%)	0	100	100
All	All	8773/9507 (92%)	8089 (92%)	654 (8%)	30 (0%)	44	75

5 of 30 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
9	AI	13	LYS
32	BH	89	LYS
58	CC	165	HIS
59	CD	1159	ILE
32	BH	15	LEU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	AB	187/199 (94%)	163 (87%)	24 (13%)	4	22
3	AC	172/190 (90%)	151 (88%)	21 (12%)	5	23
4	AD	172/173 (99%)	154 (90%)	18 (10%)	7	31
5	AE	118/126 (94%)	108 (92%)	10 (8%)	10	39
6	AF	91/112 (81%)	76 (84%)	15 (16%)	2	13
7	AG	127/129 (98%)	104 (82%)	23 (18%)	1	9
8	AH	104/105 (99%)	91 (88%)	13 (12%)	4	23
9	AI	106/107 (99%)	102 (96%)	4 (4%)	33	65
10	AJ	89/90 (99%)	79 (89%)	10 (11%)	6	27

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
11	AK	90/99 (91%)	80 (89%)	10 (11%)	6	28
12	AL	102/103 (99%)	84 (82%)	18 (18%)	2	10
13	AM	93/96 (97%)	82 (88%)	11 (12%)	5	25
14	AN	83/84 (99%)	74 (89%)	9 (11%)	6	30
15	AO	77/77 (100%)	66 (86%)	11 (14%)	3	19
16	AP	65/65 (100%)	57 (88%)	8 (12%)	4	23
17	AQ	74/78 (95%)	56 (76%)	18 (24%)	0	4
18	AR	50/65 (77%)	43 (86%)	7 (14%)	3	19
19	AS	71/79 (90%)	62 (87%)	9 (13%)	4	22
20	AT	65/66 (98%)	60 (92%)	5 (8%)	13	42
21	AU	60/61 (98%)	56 (93%)	4 (7%)	16	48
27	BC	217/218 (100%)	201 (93%)	16 (7%)	13	44
28	BD	163/163 (100%)	144 (88%)	19 (12%)	5	26
29	BE	165/165 (100%)	148 (90%)	17 (10%)	7	32
30	BF	149/150 (99%)	122 (82%)	27 (18%)	1	9
31	BG	136/138 (99%)	114 (84%)	22 (16%)	2	14
32	BH	114/114 (100%)	111 (97%)	3 (3%)	46	74
33	BK	116/116 (100%)	107 (92%)	9 (8%)	12	42
34	BL	104/104 (100%)	99 (95%)	5 (5%)	25	60
35	BM	103/103 (100%)	96 (93%)	7 (7%)	16	48
36	BN	108/108 (100%)	100 (93%)	8 (7%)	13	44
37	BO	98/103 (95%)	89 (91%)	9 (9%)	9	36
38	BP	87/87 (100%)	76 (87%)	11 (13%)	4	22
39	BQ	99/100 (99%)	90 (91%)	9 (9%)	9	36
40	BR	89/90 (99%)	81 (91%)	8 (9%)	9	37
41	BS	84/84 (100%)	76 (90%)	8 (10%)	8	34
42	BT	93/93 (100%)	84 (90%)	9 (10%)	8	33
43	BU	82/84 (98%)	75 (92%)	7 (8%)	10	39
44	BV	83/85 (98%)	71 (86%)	12 (14%)	3	18
45	BW	78/78 (100%)	72 (92%)	6 (8%)	13	42
46	BX	58/63 (92%)	54 (93%)	4 (7%)	15	47

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
47	BY	67/68 (98%)	63 (94%)	4 (6%)	19	52
48	BZ	54/55 (98%)	47 (87%)	7 (13%)	4	21
49	B1	48/49 (98%)	43 (90%)	5 (10%)	7	31
50	B2	47/48 (98%)	43 (92%)	4 (8%)	10	39
51	B3	47/49 (96%)	41 (87%)	6 (13%)	4	22
52	B4	38/38 (100%)	35 (92%)	3 (8%)	12	41
53	B5	51/52 (98%)	45 (88%)	6 (12%)	5	25
54	B6	34/44 (77%)	33 (97%)	1 (3%)	42	71
57	CA	197/286 (69%)	193 (98%)	4 (2%)	55	79
57	CB	187/286 (65%)	177 (95%)	10 (5%)	22	55
58	CC	1139/1157 (98%)	1097 (96%)	42 (4%)	34	65
59	CD	1118/1168 (96%)	1096 (98%)	22 (2%)	55	79
60	CE	43/75 (57%)	42 (98%)	1 (2%)	50	77
61	CF	86/158 (54%)	85 (99%)	1 (1%)	71	87
All	All	7378/7883 (94%)	6798 (92%)	580 (8%)	16	41

5 of 580 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
46	BX	77	ARG
59	CD	1165	PHE
49	B1	11	ARG
46	BX	70	GLU
58	CC	262	TYR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 18 such sidechains are listed below:

Mol	Chain	Res	Type
40	BR	72	ASN
48	BZ	58	ASN
48	BZ	41	HIS
19	AS	57	HIS
39	BQ	7	GLN

5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	AA	1529/1542 (99%)	299 (19%)	8 (0%)
22	AV	32/49 (65%)	13 (40%)	1 (3%)
23	AW	76/77 (98%)	19 (25%)	2 (2%)
24	AX	73/76 (96%)	22 (30%)	1 (1%)
25	BA	2893/2904 (99%)	561 (19%)	7 (0%)
26	BB	119/120 (99%)	17 (14%)	1 (0%)
All	All	4722/4768 (99%)	931 (19%)	20 (0%)

5 of 931 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	AA	2	A
1	AA	4	U
1	AA	6	G
1	AA	9	G
1	AA	16	A

5 of 20 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
25	BA	784	G
25	BA	2225	A
26	BB	41	G
25	BA	2609	U
1	AA	1166	G

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

53 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
25	PSU	BA	2504	25	18,21,22	1.04	1 (5%)	22,30,33	1.84	4 (18%)
1	MA6	AA	1518	1	18,26,27	1.37	3 (16%)	19,38,41	4.23	2 (10%)
25	OMG	BA	2251	25,23	18,26,27	2.56	8 (44%)	19,38,41	1.52	4 (21%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
25	PSU	BA	2580	25	18,21,22	1.08	2 (11%)	22,30,33	1.98	5 (22%)
25	2MG	BA	2445	25,29	18,26,27	2.20	7 (38%)	16,38,41	1.58	4 (25%)
25	2MA	BA	2503	25,62	17,25,26	2.57	6 (35%)	17,37,40	1.44	3 (17%)
1	PSU	AA	516	1,62	18,21,22	0.97	1 (5%)	22,30,33	1.80	5 (22%)
24	4SU	AX	8	24	18,21,22	4.14	8 (44%)	26,30,33	2.27	4 (15%)
23	OMC	AW	32	23	19,22,23	2.91	8 (42%)	26,31,34	0.83	0
25	OMC	BA	2498	25,62	18,21,23	2.81	7 (38%)	26,30,34	0.60	0
12	D2T	AL	89	12	7,9,10	1.00	0	6,11,13	2.26	3 (50%)
24	H2U	AX	16	24	18,21,22	3.05	5 (27%)	21,30,33	2.05	5 (23%)
25	H2U	BA	2449	25	18,21,22	2.76	5 (27%)	21,30,33	2.44	5 (23%)
25	OMU	BA	2552	25	19,22,23	2.78	7 (36%)	26,31,34	1.77	5 (19%)
23	H2U	AW	20	23	18,21,22	3.15	5 (27%)	21,30,33	2.02	5 (23%)
25	PSU	BA	2605	25	18,21,22	1.04	2 (11%)	22,30,33	1.79	5 (22%)
25	PSU	BA	1917	25	18,21,22	1.06	2 (11%)	22,30,33	1.73	4 (18%)
25	PSU	BA	2457	25	18,21,22	1.04	3 (16%)	22,30,33	1.97	5 (22%)
25	3TD	BA	1915	25	18,22,23	4.39	9 (50%)	22,32,35	1.67	2 (9%)
24	PSU	AX	39	24	18,21,22	1.01	1 (5%)	22,30,33	1.78	4 (18%)
24	5MU	AX	54	24	19,22,23	1.38	4 (21%)	28,32,35	2.24	6 (21%)
24	PSU	AX	55	24	18,21,22	1.06	2 (11%)	22,30,33	1.79	4 (18%)
23	5MU	AW	54	23	19,22,23	1.40	6 (31%)	28,32,35	2.20	9 (32%)
23	PSU	AW	55	23	18,21,22	1.11	1 (5%)	22,30,33	1.77	4 (18%)
25	6MZ	BA	2030	25	18,25,26	1.90	4 (22%)	16,36,39	2.73	4 (25%)
1	5MC	AA	967	1	18,22,23	3.95	7 (38%)	26,32,35	1.15	2 (7%)
1	2MG	AA	966	1	18,25,27	2.50	8 (44%)	19,37,41	1.51	4 (21%)
25	G7M	BA	2069	25	20,26,27	2.21	8 (40%)	17,39,42	1.12	1 (5%)
23	4SU	AW	8	23	18,21,22	4.05	8 (44%)	26,30,33	2.41	5 (19%)
24	PSU	AX	32	24	18,21,22	0.97	1 (5%)	22,30,33	1.83	5 (22%)
1	MA6	AA	1519	1	18,26,27	1.35	3 (16%)	19,38,41	4.08	2 (10%)
1	2MG	AA	1516	1	18,26,27	2.24	7 (38%)	16,38,41	1.57	4 (25%)
25	PSU	BA	1911	25	18,21,22	1.03	2 (11%)	22,30,33	1.93	4 (18%)
24	H2U	AX	20	24	18,21,22	3.12	5 (27%)	21,30,33	1.97	4 (19%)
25	5MU	BA	747	25	19,22,23	1.40	4 (21%)	28,32,35	2.11	6 (21%)
36	4D4	BN	81	36	9,11,12	2.31	2 (22%)	8,13,15	1.10	1 (12%)
25	2MG	BA	1835	25	18,26,27	2.21	7 (38%)	16,38,41	1.70	4 (25%)
25	5MU	BA	1939	25	19,22,23	1.43	4 (21%)	28,32,35	2.34	6 (21%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
25	PSU	BA	955	25	18,21,22	1.08	3 (16%)	22,30,33	1.73	4 (18%)
25	5MC	BA	1962	25	18,22,23	3.80	7 (38%)	26,32,35	1.03	1 (3%)
1	2MG	AA	1207	1	18,26,27	2.34	7 (38%)	16,38,41	1.52	4 (25%)
25	1MG	BA	745	25	18,26,27	2.58	6 (33%)	19,39,42	1.48	4 (21%)
1	UR3	AA	1498	1	19,22,23	2.55	6 (31%)	26,32,35	1.40	3 (11%)
24	MIA	AX	37	24	22,29,32	2.88	4 (18%)	22,41,47	2.85	7 (31%)
25	PSU	BA	746	25,62	18,21,22	1.08	3 (16%)	22,30,33	1.80	4 (18%)
1	5MC	AA	1407	1	18,22,23	3.82	7 (38%)	26,32,35	1.12	2 (7%)
25	PSU	BA	2604	25,62	18,21,22	0.98	2 (11%)	22,30,33	1.69	4 (18%)
1	G7M	AA	527	1	20,26,27	2.30	8 (40%)	17,39,42	1.24	3 (17%)
25	6MZ	BA	1618	25	18,25,26	1.95	3 (16%)	16,36,39	2.21	4 (25%)
28	MEQ	BD	150	28	8,9,10	0.94	0	5,10,12	1.08	1 (20%)
1	4OC	AA	1402	1,62	20,23,24	3.42	9 (45%)	26,32,35	0.88	1 (3%)
24	7MG	AX	46	24	20,25,27	3.22	10 (50%)	27,37,42	2.23	8 (29%)
24	3AU	AX	47	24	18,21,29	3.49	8 (44%)	26,30,43	1.62	4 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
25	PSU	BA	2504	25	-	2/7/25/26	0/2/2/2
1	MA6	AA	1518	1	-	4/7/29/30	0/3/3/3
25	OMG	BA	2251	25,23	-	1/5/27/28	0/3/3/3
25	PSU	BA	2580	25	-	0/7/25/26	0/2/2/2
25	2MG	BA	2445	25,29	-	2/5/27/28	0/3/3/3
25	2MA	BA	2503	25,62	-	3/3/25/26	0/3/3/3
1	PSU	AA	516	1,62	-	0/7/25/26	0/2/2/2
24	4SU	AX	8	24	-	3/7/25/26	0/2/2/2
23	OMC	AW	32	23	-	0/9/27/28	0/2/2/2
25	OMC	BA	2498	25,62	-	2/7/25/28	0/2/2/2
12	D2T	AL	89	12	-	1/7/12/14	-
24	H2U	AX	16	24	-	4/7/38/39	0/2/2/2
25	H2U	BA	2449	25	-	0/7/38/39	0/2/2/2
25	OMU	BA	2552	25	-	0/9/27/28	0/2/2/2
23	H2U	AW	20	23	-	1/7/38/39	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
25	PSU	BA	2605	25	-	0/7/25/26	0/2/2/2
25	PSU	BA	1917	25	-	0/7/25/26	0/2/2/2
25	PSU	BA	2457	25	-	0/7/25/26	0/2/2/2
25	3TD	BA	1915	25	-	0/7/25/26	0/2/2/2
24	PSU	AX	39	24	-	0/7/25/26	0/2/2/2
24	5MU	AX	54	24	-	0/7/25/26	0/2/2/2
24	PSU	AX	55	24	-	1/7/25/26	0/2/2/2
23	5MU	AW	54	23	-	0/7/25/26	0/2/2/2
23	PSU	AW	55	23	-	1/7/25/26	0/2/2/2
25	6MZ	BA	2030	25	-	2/5/27/28	0/3/3/3
1	5MC	AA	967	1	-	0/7/25/26	0/2/2/2
1	2MG	AA	966	1	-	2/3/25/28	0/3/3/3
25	G7M	BA	2069	25	-	2/3/25/26	0/3/3/3
23	4SU	AW	8	23	-	0/7/25/26	0/2/2/2
24	PSU	AX	32	24	-	0/7/25/26	0/2/2/2
1	MA6	AA	1519	1	-	4/7/29/30	0/3/3/3
1	2MG	AA	1516	1	-	0/5/27/28	0/3/3/3
25	PSU	BA	1911	25	-	1/7/25/26	0/2/2/2
24	H2U	AX	20	24	-	3/7/38/39	0/2/2/2
25	5MU	BA	747	25	-	0/7/25/26	0/2/2/2
36	4D4	BN	81	36	-	4/11/12/14	-
25	2MG	BA	1835	25	-	2/5/27/28	0/3/3/3
25	5MU	BA	1939	25	-	0/7/25/26	0/2/2/2
25	PSU	BA	955	25	-	0/7/25/26	0/2/2/2
25	5MC	BA	1962	25	-	4/7/25/26	0/2/2/2
1	2MG	AA	1207	1	-	0/5/27/28	0/3/3/3
25	1MG	BA	745	25	-	0/3/25/26	0/3/3/3
1	UR3	AA	1498	1	-	0/7/25/26	0/2/2/2
24	MIA	AX	37	24	-	4/9/31/34	0/3/3/3
25	PSU	BA	746	25,62	-	1/7/25/26	0/2/2/2
1	5MC	AA	1407	1	-	0/7/25/26	0/2/2/2
25	PSU	BA	2604	25,62	-	0/7/25/26	0/2/2/2
1	G7M	AA	527	1	-	1/3/25/26	0/3/3/3
25	6MZ	BA	1618	25	-	5/5/27/28	0/3/3/3
28	MEQ	BD	150	28	-	1/8/9/11	-
1	4OC	AA	1402	1,62	-	2/9/29/30	0/2/2/2
24	7MG	AX	46	24	-	6/7/34/38	0/3/3/3
24	3AU	AX	47	24	-	2/7/25/35	0/2/2/2

The worst 5 of 256 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
25	BA	1915	3TD	C6-C5	11.77	1.49	1.35
23	AW	20	H2U	C2-N1	9.77	1.49	1.35
24	AX	20	H2U	C2-N1	9.66	1.49	1.35
25	BA	1915	3TD	C2-N1	9.63	1.49	1.37
24	AX	37	MIA	C13-C14	9.61	1.60	1.32

The worst 5 of 203 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	AA	1518	MA6	N1-C6-N6	-17.41	98.73	117.06
1	AA	1519	MA6	N1-C6-N6	-16.80	99.38	117.06
24	AX	37	MIA	C12-C13-C14	-8.98	109.67	127.14
25	BA	2449	H2U	C4-N3-C2	-8.53	118.71	125.79
23	AW	8	4SU	C4-N3-C2	-8.33	119.25	127.34

There are no chirality outliers.

5 of 71 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
1	AA	1518	MA6	O4'-C4'-C5'-O5'
1	AA	1519	MA6	O4'-C4'-C5'-O5'
12	AL	89	D2T	CG-CB-SB-CB1
24	AX	8	4SU	C3'-C4'-C5'-O5'
24	AX	8	4SU	O4'-C4'-C5'-O5'

There are no ring outliers.

26 monomers are involved in 36 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	AA	1518	MA6	1	0
25	BA	2251	OMG	1	0
25	BA	2503	2MA	2	0
23	AW	32	OMC	1	0
12	AL	89	D2T	2	0
24	AX	16	H2U	1	0
25	BA	2552	OMU	2	0
23	AW	20	H2U	2	0
25	BA	2605	PSU	1	0
25	BA	1917	PSU	1	0
23	AW	54	5MU	2	0
25	BA	2030	6MZ	2	0
25	BA	2069	G7M	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
1	AA	1519	MA6	1	0
1	AA	1516	2MG	1	0
24	AX	20	H2U	2	0
36	BN	81	4D4	1	0
1	AA	1207	2MG	2	0
25	BA	745	1MG	1	0
1	AA	1498	UR3	1	0
1	AA	1407	5MC	1	0
25	BA	1618	6MZ	1	0
28	BD	150	MEQ	3	0
1	AA	1402	4OC	2	0
24	AX	46	7MG	2	0
24	AX	47	3AU	1	0

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 445 ligands modelled in this entry, 444 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
63	PHE	AX	102	24	10,11,12	0.53	0	10,13,15	0.28	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
63	PHE	AX	102	24	-	4/5/6/8	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (4) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
63	AX	102	PHE	N-CA-CB-CG
63	AX	102	PHE	CA-CB-CG-CD1
63	AX	102	PHE	CA-CB-CG-CD2
63	AX	102	PHE	C-CA-CB-CG

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
63	AX	102	PHE	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
59	CD	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	CD	1357:ILE	C	1358:PRO	N	1.15


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-11419. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 256




Y Index: 256




Z Index: 256


6.2.2 Raw map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 279




Y Index: 242




Z Index: 180


6.3.2 Raw map



X Index: 291



Y Index: 242




Z Index: 176


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.5. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 931 nm^3 ; this corresponds to an approximate mass of 841 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum i




*Reported resolution corresponds to spatial frequency of 0.286 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.286 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.50	-	-
Author-provided FSC curve	3.50	4.13	3.54
Unmasked-calculated*	4.70	7.63	4.85

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.70 differs from the reported value 3.5 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-11419 and PDB model 6ZTL. Per-residue inclusion information can be found in section 3 on page 17.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.5 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.5).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 75% of all backbone atoms, 68% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

























































The table lists the average atom inclusion at the recommended contour level (0.5) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6800	 0.4150
AA	 0.7880	 0.4470
AB	 0.2250	 0.4050
AC	 0.5250	 0.4820
AD	 0.3510	 0.4310
AE	 0.5890	 0.5060
AF	 0.5590	 0.4430
AG	 0.4710	 0.4440
AH	 0.5990	 0.4930
AI	 0.5260	 0.4430
AJ	 0.4340	 0.4450
AK	 0.5660	 0.4800
AL	 0.6080	 0.5130
AM	 0.4650	 0.4140
AN	 0.5730	 0.4810
AO	 0.6130	 0.4610
AP	 0.5060	 0.4590
AQ	 0.5700	 0.4790
AR	 0.5520	 0.4620
AS	 0.5080	 0.4600
AT	 0.5430	 0.4380
AU	 0.1930	 0.3420
AV	 0.4030	 0.2650
AW	 0.6620	 0.4200
AX	 0.4980	 0.4040
B1	 0.6930	 0.5260
B2	 0.6800	 0.5010
B3	 0.2560	 0.4410
B4	 0.7440	 0.5450
B5	 0.7290	 0.5430
B6	 0.6950	 0.5390
BA	 0.8280	 0.4750
BB	 0.8090	 0.4450
BC	 0.7310	 0.5440
BD	 0.7030	 0.5270



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
BE	 0.6610	 0.5070
BF	 0.4580	 0.4430
BG	 0.5540	 0.4580
BH	 0.0740	 0.2620
BK	 0.7260	 0.5230
BL	 0.6280	 0.5250
BM	 0.7050	 0.5300
BN	 0.6700	 0.5250
BO	 0.7740	 0.5290
BP	 0.6060	 0.4640
BQ	 0.6280	 0.5130
BR	 0.7540	 0.5330
BS	 0.7330	 0.5260
BT	 0.6970	 0.5250
BU	 0.6260	 0.4920
BV	 0.6560	 0.4900
BW	 0.6450	 0.4970
BX	 0.7010	 0.5350
BY	 0.6920	 0.5230
BZ	 0.6200	 0.4600
CA	 0.4220	 0.1470
CB	 0.2900	 0.1330
CC	 0.4470	 0.1460
CD	 0.3380	 0.1240
CE	 0.0000	 -0.0350
CF	 0.0210	 0.0280
CN	 0.4030	 0.1810
CT	 0.5660	 0.2190