



# Full wwPDB X-ray Structure Validation Report ⓘ

Oct 11, 2023 – 10:24 AM EDT

PDB ID : 7N1E  
Title : SARS-CoV-2 RLQ peptide-specific TCR pRLQ3 binds to RLQ-HLA-A2  
Authors : Wu, D.; Mariuzza, R.A.  
Deposited on : 2021-05-27  
Resolution : 2.30 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.35.1  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.35.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5042 (2.30-2.30)
Clashscore	141614	5643 (2.30-2.30)
Ramachandran outliers	138981	5575 (2.30-2.30)
Sidechain outliers	138945	5575 (2.30-2.30)
RSRZ outliers	127900	4938 (2.30-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	275	 81% 18% .
2	B	100	 4% 80% 19% .
3	C	9	 100%
4	D	204	 8% 74% 23% ..
5	E	244	 % 76% 22% .

## 2 Entry composition [i](#)

There are 6 unique types of molecules in this entry. The entry contains 6884 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called MHC class I antigen, A-2 alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	274	2229	1393	407	420	9	0	0	0

- Molecule 2 is a protein called Beta-2-microglobulin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	100	829	527	139	159	4	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	0	MET	-	initiating methionine	UNP P61769

- Molecule 3 is a protein called Spike protein S2.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
			Total	C	N	O			
3	C	9	78	49	14	15	0	0	0

- Molecule 4 is a protein called pRLQ3 T cell receptor alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
4	D	200	1579	993	267	309	10	0	0	0

- Molecule 5 is a protein called pRLQ3 T cell receptor beta chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
5	E	243	1916	1215	335	361	5	3	0	0

- Molecule 6 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	77	Total O 77 77	0	0
6	B	37	Total O 37 37	0	0
6	C	6	Total O 6 6	0	0
6	D	54	Total O 54 54	0	0
6	E	79	Total O 79 79	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: MHC class I antigen, A-2 alpha chain



- Molecule 2: Beta-2-microglobulin




- Molecule 3: Spike protein S2





There are no outlier residues recorded for this chain.

- Molecule 4: pRLQ3 T cell receptor alpha chain



- Molecule 5: pRLQ3 T cell receptor beta chain





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	52.80Å 68.15Å 148.60Å 90.00° 94.61° 90.00°	Depositor
Resolution (Å)	49.37 – 2.30 49.37 – 2.30	Depositor EDS
% Data completeness (in resolution range)	99.2 (49.37-2.30) 99.2 (49.37-2.30)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.94 (at 2.29Å)	Xtrriage
Refinement program	PHENIX 1.16_3549	Depositor
R, $R_{free}$	0.212 , 0.258 0.212 , 0.259	Depositor DCC
$R_{free}$ test set	2302 reflections (4.94%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	32.2	Xtrriage
Anisotropy	1.103	Xtrriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.32 , 43.5	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	6884	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	41.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.89% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.48	0/2294	0.59	0/3116
2	B	0.41	0/852	0.55	0/1154
3	C	0.83	0/78	0.77	0/103
4	D	0.58	2/1614 (0.1%)	0.65	0/2180
5	E	0.44	1/1967 (0.1%)	0.58	0/2678
All	All	0.49	3/6805 (0.0%)	0.60	0/9231

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	31	GLU	CD-OE2	-7.55	1.17	1.25
4	D	31	GLU	CD-OE1	-6.12	1.19	1.25
5	E	90	CYS	CB-SG	-5.41	1.73	1.81

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2229	0	2075	31	0
2	B	829	0	781	19	0
3	C	78	0	83	0	0
4	D	1579	0	1519	32	0
5	E	1916	0	1856	40	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	A	77	0	0	4	1
6	B	37	0	0	5	1
6	C	6	0	0	0	0
6	D	54	0	0	7	0
6	E	79	0	0	7	0
All	All	6884	0	6314	115	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (115) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:E:53:VAL:O	6:E:301:HOH:O	1.83	0.95
4:D:30:PRO:HB2	4:D:88:LEU:HD21	1.58	0.85
4:D:189:ASN:ND2	6:D:301:HOH:O	1.94	0.81
2:B:20:SER:O	6:B:101:HOH:O	2.00	0.79
5:E:134:GLU:OE1	6:E:302:HOH:O	2.01	0.78
4:D:148:LYS:HD2	4:D:148:LYS:H	1.50	0.77
6:A:320:HOH:O	2:B:0:MET:HE1	1.85	0.76
2:B:19:LYS:NZ	6:B:103:HOH:O	2.19	0.75
1:A:181:ARG:NH1	1:A:183:ASP:OD2	2.21	0.73
4:D:26:TYR:O	6:D:302:HOH:O	2.05	0.73
5:E:55:ASP:OD2	6:E:303:HOH:O	2.06	0.73
2:B:99:MET:OXT	6:B:102:HOH:O	2.06	0.72
4:D:30:PRO:CB	4:D:88:LEU:HD21	2.20	0.71
2:B:14:PRO:O	6:B:103:HOH:O	2.08	0.71
5:E:120:VAL:O	5:E:227:ARG:NH2	2.24	0.71
4:D:53:GLU:OE2	6:D:303:HOH:O	2.09	0.69
4:D:139:ASP:OD1	6:D:304:HOH:O	2.10	0.69
2:B:17:ASN:HD21	2:B:74:GLU:HB2	1.58	0.67
4:D:116:ASP:OD1	6:D:305:HOH:O	2.12	0.67
1:A:32:GLN:HE21	1:A:48:ARG:HG3	1.61	0.64
1:A:267:PRO:HB2	1:A:268:LYS:HE2	1.79	0.63
5:E:20:TRP:CH2	5:E:22:ASN:HB2	2.33	0.63
4:D:110:PRO:HG3	4:D:159:VAL:HG11	1.80	0.63
4:D:1:GLN:HG3	4:D:26:TYR:CE1	2.34	0.62
1:A:240:THR:OG1	1:A:241:PHE:N	2.33	0.62
2:B:17:ASN:ND2	2:B:74:GLU:HB2	2.16	0.60
1:A:6:ARG:HD3	1:A:113:TYR:HE1	1.69	0.57
4:D:8:LYS:HB2	6:D:309:HOH:O	2.04	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:E:110:ARG:NH2	6:E:309:HOH:O	2.37	0.56
2:B:77:GLU:OE2	6:B:104:HOH:O	2.18	0.56
1:A:137:ASP:OD1	1:A:137:ASP:N	2.26	0.56
1:A:117:ALA:HB2	2:B:60:TRP:CE2	2.41	0.56
5:E:173:ASP:OD1	5:E:193:ARG:NH1	2.39	0.55
2:B:17:ASN:OD1	2:B:97:ARG:NH2	2.39	0.55
5:E:223:TRP:HB2	5:E:229:LYS:HD3	1.88	0.54
5:E:154:HIS:HB3	5:E:215:TYR:HB2	1.89	0.54
2:B:58:LYS:HE2	2:B:58:LYS:H	1.72	0.54
1:A:220:ASP:OD1	6:A:301:HOH:O	2.19	0.53
1:A:235:PRO:HG2	2:B:65:LEU:HD22	1.90	0.53
4:D:32:LEU:HD13	4:D:62:LEU:HD13	1.91	0.53
5:E:12:GLU:O	5:E:15:GLN:HB2	2.09	0.52
5:E:69:LYS:NZ	6:E:311:HOH:O	2.42	0.52
2:B:58:LYS:H	2:B:58:LYS:CE	2.22	0.52
5:E:173:ASP:HB2	5:E:190:LEU:CD1	2.40	0.52
5:E:217:LEU:HD22	5:E:230:PRO:HD2	1.93	0.51
1:A:32:GLN:NE2	1:A:48:ARG:HG3	2.26	0.50
4:D:18:VAL:CG2	4:D:76:ALA:HB2	2.41	0.50
4:D:19:GLU:OE1	4:D:21:LYS:NZ	2.44	0.50
4:D:80:ASP:O	4:D:106:LEU:HD23	2.11	0.50
5:E:13:LYS:HD2	5:E:82:LEU:HD13	1.94	0.50
1:A:11:SER:HA	1:A:21:ARG:O	2.12	0.50
2:B:54:LEU:HA	2:B:64:LEU:HD21	1.93	0.50
4:D:161:ASP:OD2	4:D:163:ARG:NH1	2.45	0.49
4:D:18:VAL:HG23	4:D:76:ALA:HB2	1.92	0.49
5:E:122:PRO:HD3	5:E:230:PRO:HB3	1.94	0.49
1:A:155:GLN:HE21	4:D:48:ARG:HH11	1.60	0.49
4:D:1:GLN:OE1	4:D:1:GLN:N	2.41	0.49
1:A:260:HIS:HA	1:A:270:LEU:O	2.13	0.48
5:E:12:GLU:HB2	5:E:15:GLN:NE2	2.28	0.48
1:A:214:THR:HB	1:A:262:GLN:HB2	1.95	0.48
1:A:119:ASP:O	2:B:1:ILE:HG22	2.14	0.48
4:D:160:LEU:HB3	5:E:171:CYS:HB2	1.96	0.48
5:E:153:ASP:O	5:E:154:HIS:HD2	1.96	0.48
4:D:1:GLN:HG2	6:D:323:HOH:O	2.13	0.48
5:E:19:PHE:HD2	5:E:75:LEU:HD23	1.79	0.48
5:E:19:PHE:CD1	5:E:109:THR:HG21	2.49	0.48
4:D:1:GLN:HG3	4:D:26:TYR:CD1	2.49	0.47
1:A:95:VAL:HG13	1:A:116:TYR:CZ	2.50	0.47
1:A:250:PRO:HB3	6:A:316:HOH:O	2.13	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:E:55:ASP:HB3	5:E:60:LYS:HE2	1.96	0.47
5:E:222:GLU:H	5:E:222:GLU:CD	2.17	0.47
1:A:95:VAL:CG1	1:A:116:TYR:OH	2.62	0.47
4:D:78:GLU:OE1	4:D:110:PRO:HB3	2.14	0.47
1:A:95:VAL:HG11	1:A:116:TYR:OH	2.14	0.47
4:D:145:SER:HB2	4:D:189:ASN:HB3	1.97	0.47
5:E:61:ASP:N	5:E:61:ASP:OD1	2.48	0.46
5:E:184:ASN:N	5:E:184:ASN:OD1	2.47	0.46
1:A:207:SER:HA	1:A:240:THR:OG1	2.16	0.46
4:D:152:VAL:HG22	4:D:176:SER:HB2	1.98	0.46
1:A:44:ARG:NH2	1:A:61:ASP:OD1	2.45	0.45
2:B:1:ILE:HD11	2:B:3:ARG:NH1	2.31	0.45
4:D:126:LYS:HB3	4:D:126:LYS:HE3	1.52	0.45
5:E:72:ASP:OD1	6:E:304:HOH:O	2.21	0.45
1:A:81:LEU:HD13	1:A:118:TYR:CD1	2.52	0.45
5:E:45:ILE:HD13	5:E:65:ALA:HB3	1.99	0.45
1:A:33:PHE:CD2	1:A:34:VAL:HG13	2.52	0.44
2:B:1:ILE:HD11	2:B:3:ARG:HH11	1.82	0.44
1:A:55:GLU:OE2	6:A:302:HOH:O	2.20	0.44
5:E:11:ILE:HD13	5:E:17:VAL:HB	1.98	0.44
1:A:133:TRP:HB2	1:A:144:LYS:HG3	2.00	0.44
1:A:271:THR:O	1:A:272:LEU:HD23	2.17	0.44
5:E:118:LYS:HA	5:E:118:LYS:HD3	1.73	0.43
2:B:81:ARG:HB2	2:B:92:ILE:HD13	1.99	0.43
4:D:7:GLU:HA	4:D:7:GLU:OE1	2.18	0.43
1:A:108:ARG:HA	1:A:169:ARG:HH11	1.84	0.43
5:E:131:SER:O	5:E:135:ILE:HG12	2.18	0.43
5:E:180:GLN:NE2	5:E:180:GLN:HA	2.33	0.43
5:E:42:LYS:HB2	6:E:373:HOH:O	2.18	0.43
5:E:78:GLN:HA	5:E:79:PRO:HA	1.85	0.42
5:E:52:VAL:HG11	5:E:55:ASP:CG	2.40	0.41
5:E:68:LEU:HB2	5:E:69:LYS:HZ2	1.86	0.41
5:E:110:ARG:HA	5:E:110:ARG:HD2	1.92	0.41
2:B:51:HIS:HA	2:B:65:LEU:O	2.21	0.41
1:A:97:ARG:HH11	1:A:114:HIS:CE1	2.38	0.41
5:E:130:PRO:HD2	5:E:201:TRP:CZ2	2.55	0.41
4:D:9:LEU:HD12	4:D:10:LEU:N	2.36	0.41
4:D:42:ARG:NH2	5:E:107:PRO:HG3	2.36	0.41
4:D:132:VAL:HG11	5:E:146:LEU:HD11	2.02	0.40
1:A:102:ASP:HB2	1:A:111:ARG:HG2	2.04	0.40
1:A:6:ARG:HD3	1:A:113:TYR:CE1	2.53	0.40

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:E:207:HIS:NE2	5:E:238:GLU:OE1	2.47	0.40
1:A:218:GLN:HG2	1:A:223:ASP:HA	2.04	0.40
4:D:12:VAL:O	4:D:108:VAL:HA	2.21	0.40
4:D:126:LYS:HD2	4:D:127:SER:HB3	2.04	0.40
5:E:19:PHE:CD2	5:E:75:LEU:HD23	2.57	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:A:339:HOH:O	6:B:135:HOH:O[2_546]	2.00	0.20

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	272/275 (99%)	255 (94%)	17 (6%)	0	100	100
2	B	98/100 (98%)	97 (99%)	1 (1%)	0	100	100
3	C	7/9 (78%)	7 (100%)	0	0	100	100
4	D	198/204 (97%)	186 (94%)	11 (6%)	1 (0%)	29	35
5	E	241/244 (99%)	229 (95%)	11 (5%)	1 (0%)	34	42
All	All	816/832 (98%)	774 (95%)	40 (5%)	2 (0%)	47	58

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
5	E	71	VAL
4	D	30	PRO

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	228/231 (99%)	219 (96%)	9 (4%)	32	46
2	B	93/95 (98%)	91 (98%)	2 (2%)	52	69
3	C	9/9 (100%)	9 (100%)	0	100	100
4	D	178/183 (97%)	163 (92%)	15 (8%)	11	13
5	E	206/207 (100%)	199 (97%)	7 (3%)	37	51
All	All	714/725 (98%)	681 (95%)	33 (5%)	27	38

All (33) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	35	ARG
1	A	71	SER
1	A	88	SER
1	A	108	ARG
1	A	192	HIS
1	A	195	SER
1	A	196	ASP
1	A	226	GLN
1	A	268	LYS
2	B	58	LYS
2	B	70	PHE
4	D	21	LYS
4	D	29	SER
4	D	52	ARG
4	D	97	MET
4	D	123	ARG
4	D	129	ASP
4	D	131	SER
4	D	148	LYS
4	D	151	ASP
4	D	156	ASP
4	D	176	SER
4	D	180	ASP

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
4	D	192	ILE
4	D	194	GLU
4	D	195	ASP
5	E	56	SER
5	E	60	LYS
5	E	64	SER
5	E	69	LYS
5	E	90	CYS
5	E	110	ARG
5	E	219	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	155	GLN
4	D	189	ASN
5	E	180	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	274/275 (99%)	0.31	3 (1%) 80 85	20, 38, 55, 72	0
2	B	100/100 (100%)	0.25	4 (4%) 38 45	27, 38, 59, 68	0
3	C	9/9 (100%)	0.13	0 100 100	24, 30, 33, 35	0
4	D	200/204 (98%)	0.50	17 (8%) 10 14	24, 42, 74, 89	0
5	E	243/244 (99%)	0.18	3 (1%) 79 83	24, 38, 60, 81	3 (1%)
All	All	826/832 (99%)	0.31	27 (3%) 46 53	20, 38, 64, 89	3 (0%)

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
4	D	128	SER	6.4
4	D	150	SER	3.6
4	D	129	ASP	3.3
4	D	180	ASP	3.3
4	D	124	ASP	3.2
4	D	149	ASP	2.9
4	D	185	ASN	2.9
4	D	183	CYS	2.8
2	B	1	ILE	2.7
5	E	224	THR	2.7
4	D	177	ASN	2.5
4	D	184	ALA	2.5
4	D	130	LYS	2.5
4	D	179	SER	2.4
4	D	1	GLN	2.3
1	A	192	HIS	2.3
5	E	185	ASP	2.3
4	D	193	PRO	2.2
4	D	131	SER	2.2
2	B	0	MET	2.2

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	223	ASP	2.1
4	D	195	ASP	2.1
5	E	37	LEU	2.1
1	A	274	TRP	2.1
2	B	98	ASP	2.0
2	B	19	LYS	2.0
4	D	148	LYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.